THE JOURNAL OF PHYSIOLOGY



1998 ANNUAL INDEX

Volumes 506 – 513

A publication of The Physiological Society

THE JOURNAL OF PHYSIOLOGY

Volumes 506 – 513 1998

Annual Author and Subject Indexes

to Volumes 506 – 513

(January – December 1998)

CONTENTS

Author index: Papers 1

Author index: Proceedings 39

Subject index 105

CAMBRIDGE UNIVERSITY PRESS

Cover illustration composed from various *Journal of Physiology* covers published during 1998.

The Journal of Physiology

The Journal of Physiology (ISSN 0022 3751) is published semi-monthly for The Physiological Society by Cambridge University Press, The Edinburgh Building, Shaftesbury Road, Cambridge CB2 2RU, UK and 40 West 20th Street, New York, NY 10011-4211, USA.

Eight volumes (514–521) of three issues will be published in 1999 at regular intervals, along with five issues of *Proceedings* published in February, May, July, October and December. Each issue is bound in laminated soft covers. The 1999 annual subscription price (which includes postage, but excludes VAT) is £1248·00 net (US $2134·00 in the USA, Canada and Mexico). Copies of the journal for subscribers in the USA, Canada and Mexico are sent by air to New York. Individual issues may be purchased at £44·00 (US $76·00 in the USA, Canada and Mexico), plus postage. Orders, which must be accompanied by payment, may be placed with a bookseller or directly with the publisher. POSTMASTER: send address changes in USA, Canada and Mexico to *The Journal of Physiology*, Cambridge University Press, 110 Midland Avenue, Port Chester, New York, NY 10573-9864. Periodicals postage paid at New York, NY, and at additional mailing offices. EU subscribers (outside the UK) who are not registered for VAT should add VAT at their country's rate. VAT registered subscribers should provide their VAT registration number. Japanese prices for institutions (including ASP delivery) are available from Kinokuniya Company Ltd, PO Box 55, Chitose, Tokyo 156, Japan.

Back Volumes

Volumes 61–120, 168–169, 180, 181, 184 and 210 were published in four parts.

Volumes 382–473 (1987–1994) at £70 ($130) net each, are available from the publisher.

Volumes 474–513 (1994–1998) are available from the publisher at £156 ($267) net each.

Indexes

A cumulative index to the following volumes is available from the publisher:

432–473 (1994) at £55 ($120) net.

Annual indexes for 1994, 1995, 1996, 1997 and 1998 are available from the publisher at £44 ($76) net.

Copying

This journal is registered with the Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923, USA. Organizations in the USA who are also registered with C.C.C. may therefore copy material (beyond the limits permitted by sections 107 and 108 of US copyright law) subject to payment to C.C.C. of the per-copy fee of $12·50. This consent does not extend to multiple copying for promotional or commercial purposes. Code 0022–3751/99 $12·50 + 0·00.

Published by the Press Syndicate of the University of Cambridge
The Edinburgh Building, Cambridge CB2 2RU, United Kingdom
40 West 20th Street, New York, NY 10011-4211, USA
10 Stamford Road, Oakleigh, Melbourne 3166, Australia

© The Physiological Society 1999

JPHYA INDEX 1–172 (1999)

ISSN 0022 3751

Typeset by The Physiological Society

Printed in the United Kingdom by the University Press, Cambridge

Author Index: Papers

The Journal of Physiology
Volumes 506 – 513

(January – December 1998)

Aalkjær C. *see Buus C. L., Aalkjær C., Nilsson H., Juul B., Møller J. V. & Mulvany M. J.* **510**, 577, 1998

Abe K. *see Waniishi Y., Inoue R., Morita H., Teramoto N., Abe K. & Ito Y.* **511**, 719, 1998

Abiona A. *see Coleman P. J., Scott D., Abiona A., Ashhurst D. E., Mason R. M. & Levick J. R.* **509**, 695, 1998

see Scott D., Coleman P. J., Abiona A., Ashhurst D. E., Mason R. M. & Levick J. R. **511**, 629, 1998

Abogadie F. C. *see Delmas P., Brown D. A., Dayrell M., Abogadie F. C., Caulfield M. P. & Buckley N. J.* **506**, 319, 1998

Accili E. A.

Accili E. A., Kuryshev Y. A., Wible B. A. & Brown A. M. Separable effects of human Kvβ1.2 N- and C-termini on inactivation and expression of human Kv1.4 **512**, 325, 1998

Adams M. B. *see Rychkov G. Y., Adams M. B., McMillen I. C. & Roberts M. L.* **509**, 887, 1998

Adebanjo O. A.

Adebanjo O. A., Igietseme J., Huang C. L.-H. & Zaidi M. The effect of extracellularly applied divalent cations on cytosolic Ca^{2+} in murine Leydig cells: evidence for a Ca^{2+}-sensing receptor **513**, 399, 1998

Aebly M. R. *see Gebremedhin D., Lange A. R., Narayanan J., Aebly M. R., Jacobs E. R. & Harder D. R.* **507**, 771, 1998

Ahad A. B. *see Maccabee P. J., Nagarajan S. S., Amassian V. E., Durand D. M., Szabo A. Z., Ahad A. B., Cracco R. Q., Lai K. S. & Eberle L. P.* **513**, 571, 1998

Aiello E. A.

Aiello E. A., Petroff M. G. V., Mattiazzi A. R. & Cingolani H. E. Evidence for an electrogenic Na^+–HCO_3^- symport in rat cardiac myocytes **512**, 137, 1998

Aiyar J. *see Jäger H., Rauer H., Nguyen A. N., Aiyar J., Chandy K. G. & Grissmer S.* **506**, 291, 1998

Akaike N. *see Arima J., Kubo C., Ishibashi H. & Akaike N.* **508**, 57, 1998

Akgören N. *see Mathiesen C., Caesar K., Akgören N. & Lauritzen M.* **512**, 555, 1998

Aktories K. *see Lucius C., Arner A., Steusloff A., Troschka M., Hofmann F., Aktories K. & Pfitzer G.* **506**, 83, 1998

Akuzawa-Tateyama M.

Akuzawa-Tateyama M., Tateyama M. & Ochi R. Low K^+-induced hyperpolarizations trigger transient depolarizations and action potentials in rabbit ventricular myocytes **513**, 775, 1998

Ala-Korpela M. *see Rico-Sanz J., Hajnal J. V., Thomas E. L., Mierisová Š., Ala-Korpela M. & Bell J. D.* **510**, 615, 1998

Alger B. E. *see Lenz R. A., Wagner J. J. & Alger B. E.* **512**, 61, 1998

Ali A. B.

Ali A. B. & Thomson A. M. Facilitating pyramid to horizontal oriens–alveus interneurone inputs: dual intracellular recordings in slices of rat hippocampus **507**, 185, 1998

Ali A. B., Deuchars J., Pawelzik H. & Thomson A. M. CA1 pyramidal to basket and bistratified cell EPSPs: dual intracellular recordings in rat hippocampal slices **507**, 201, 1998

Ali D. W.

Ali D. W., Catarsi S. & Drapeau P. Ionotropic and metabotropic activation of a neuronal chloride channel by serotonin and dopamine in the leech *Hirudo medicinalis* **509**, 211, 1998

Allard B. *see Jacquemond V. & Allard B.* **509**, 93, 1998

Allen A. M.

Allen A. M. Angiotensin AT_1 receptor-mediated excitation of rat carotid body chemoreceptor afferent activity **510**, 773, 1998

Allen D. G. *see Ju Y.-K. & Allen D. G.* **508**, 153, 1998

see Andrade F. H., Reid M. B., Allen D. G. & Westerblad H. **509**, 565, 1998

see Andrade F. H., Reid M. B., Allen D. G. & Westerblad H. **509**, 577, 1998

see Chin E. R. & Allen D. G. **512**, 831, 1998

Allen T. G. J. *see Waters D. J. & Allen T. G. J.* **508**, 453, 1998

Allen T. J. *see Whitehead N. P., Allen T. J., Morgan D. L. & Proske U.* **512**, 615, 1998

Allen T. J. A.

Allen T. J. A., Mikala G., Wu X.-P. & Dolphin A. C. Effects of 2,3-butanedione monoxime (BDM) on calcium channels expressed in *Xenopus* oocytes **508**, 1, 1998

Alloatti G. *see Gallo M. P., Ghigo D., Bosia A., Alloatti G., Costamagna C., Penna C. & Levi R. C.* **506**, 639, 1998

Alpern M. *see Perlman I., Itzhaki A., Asi H. & Alpern M.* **511**, 479, 1998

Al-Shafei A. I. M. *see Wise R. G., Huang C. L., Gresham G. A., Al-Shafei A. I. M., Carpenter T. A. & Hall L. D.* **513**, 873, 1998

Amassian V. E. *see Maccabee P. J., Nagarajan S. S., Amassian V. E., Durand D. M., Szabo A. Z., Ahad A. B., Cracco R. Q., Lai K. S. & Eberle L. P.* **513**, 571, 1998

Ambikapathy S. *see Bond T. D., Ambikapathy S., Mohammad S. & Valverde M. A.* **511**, 45, 1998

Ambrous K. *see Huizinga J. D., Ambrous K. & Der-Silaphet T.* **506**, 843, 1998

Amis T. C.

Amis T. C., O'Neill N., Somma E. D. & Wheatley J. R. Epiglottic movements during breathing in humans **512**, 307, 1998

Amrani M. *see Goodwin A. T., Amrani M., Gray C. C., Jayakumar J. & Yacoub M. H.* **511**, 549, 1998

Amthor F. R. *see Grzywacz N. M., Amthor F. R. & Merwine D. K.* **512**, 575, 1998

An R. H. *see Heath B. M., Xia J., Dong E., An R. H., Brooks A., Liang C.-S., Federoff H. J. & Kass R. S.* **512**, 779, 1998

Anagnostopoulos T. *see Bouyer P., Paulais M., Cougnon M., Hulin P., Anagnostopoulos T. & Planelles G.* **510**, 535, 1998

Andrade F. H.

Andrade F. H., Reid M. B., Allen D. G. & Westerblad H. Effect of hydrogen peroxide and dithiothreitol on contractile function of single skeletal muscle fibres from the mouse **509**, 565, 1998

Andrade F. H., Reid M. B., Allen D. G. & Westerblad H. Effect of nitric oxide on single skeletal muscle fibres from the mouse **509**, 577, 1998

Andreasen M.

Andreasen M. & Lambert J. D. C. Factors determining the efficacy of distal excitatory synapses in rat hippocampal CA1 pyramidal neurones **507**, 441, 1998

Anwyl R. *see Wang Y., Wu J., Rowan M. J. & Anwyl R.* **513**, 467, 1998

Arata A. *see Lindsey B. G., Arata A., Morris K. F., Hernandez Y. M. & Shannon R.* **512**, 863, 1998

see Lindsey B. G., Arata A., Morris K. F., Hernandez Y. M. & Shannon R. Erratum: *Journal of Physiology* **512**, 863–882 (1998) **513**, 935, 1998

Arima J.

Arima J., Kubo C., Ishibashi H. & Akaike N. α_2-Adrenoceptor-mediated potassium currents in acutely dissociated rat locus coeruleus neurones **508**, 57, 1998

Armstrong D. M. *see Marple-Horvat D. E., Criado J. M. & Armstrong D. M.* **506**, 489, 1998

Arner A. *see Lucius C., Arner A., Steusloff A., Troschka M., Hofmann F., Aktories K. & Pfitzer G.* **506**, 83, 1998

Arnett T. R. *see Morrison M. S., Turin L., King B. F., Burnstock G. & Arnett T. R.* **511**, 495, 1998

Arnoux A. *see Kwiecien R., Robert C., Cannon R., Vigues S., Arnoux A., Kordon C. & Hammond C.* **508**, 883, 1998

Ascher P. *see Kupper J., Ascher P. & Neyton J.* **507**, 1, 1998

see Casado M. & Ascher P. **513**, 317, 1998

Ashford M. L. J. *see Harvey J. & Ashford M. L. J.* **510**, 47, 1998

see Harvey J. & Ashford M. L. J. **511**, 695, 1998

see Smith M. A. & Ashford M. L. J. **513**, 733, 1998

Ashhurst D. E. *see Coleman P. J., Scott D., Abiona A., Ashhurst D. E., Mason R. M. & Levick J. R.* **509**, 695, 1998

see Scott D., Coleman P. J., Abiona A., Ashhurst D. E., Mason R. M. & Levick J. R. **511**, 629, 1998

Asi H. *see Perlman I., Itzhaki A., Asi H. & Alpern M.* **511**, 479, 1998

Asp S. *see Ostrowski K., Rohde T., Zacho M., Asp S. & Pedersen B. K.* **508**, 949, 1998

Asp S., Daugaard J. R., Kristiansen S., Kiens B. & Richter E. A. Exercise metabolism in human skeletal muscle exposed to prior eccentric exercise **509**, 305, 1998

Atkinson J. *see Tran N. N. P., Spitzbarth E., Robert A., Giummelly P., Atkinson J. & Capdeville-Atkinson C.* **507**, 163, 1998

Atsuki K. *see Imaizumi Y., Torii Y., Ohi Y., Nagano N., Atsuki K., Yamamura H., Muraki K., Watanabe M. & Bolton T. B.* **510**, 705, 1998

Attwell D. *see Spiridon M., Kamm D., Billups B., Mobbs P. & Attwell D.* **506**, 363, 1998

Avanzini G. *see Mantegazza M., Franceschetti S. & Avanzini G.* **507**, 105, 1998

Avoli M. *see Lopantsev V. & Avoli M.* **509**, 785, 1998

Aziz Q. see Hamdy S., Aziz Q., Rothwell J. C., Hobson A. & Thompson D. G. **506**, 857, 1998

Azpiroz F. see Serra J., Azpiroz F. & Malagelada J.-R. **506**, 579, 1998

Baba H.

Baba H., Kohno T., Okamoto M., Goldstein P. A., Shimoji K. & Yoshimura M. Muscarinic facilitation of GABA release in substantia gelatinosa of the rat spinal dorsal horn **508**, 83, 1998

Babcock M. A. see Rowley J. A., Zahn B. R., Babcock M. A. & Badr M. S. **510**, 963, 1998

Backus K. H.

Backus K. H., Deitmer J. W. & Friauf E. Glycine-activated currents are changed by coincident membrane depolarization in developing rat auditory brainstem neurones **507**, 783, 1998

Backx P. H. see Losito V. A., Tsushima R. G., Diaz R. J., Wilson G. J. & Backx P. H. **511**, 67, 1998

Bader C. R. see Liu J.-H., Bijlenga P., Fischer-Lougheed J., Occhiodoro T., Kaelin A., Bader C. R. & Bernheim L. **510**, 467, 1998

see Bijlenga P., Occhiodoro T., Liu J.-H., Bader C. R., Bernheim L. & Fischer-Lougheed J. **512**, 317, 1998

Badr M. S. see Rowley J. A., Zahn B. R., Babcock M. A. & Badr M. S. **510**, 963, 1998

Bądzyńska B. see Dobrowolski L., Bądzyńska B., Walkowska A. & Sadowski J. **508**, 929, 1998

Bähring R.

Bähring R. & Mayer M. L. An analysis of philanthotoxin block for recombinant rat GluR6(Q) glutamate receptor channels **509**, 635, 1998

Bailey M. A. see Shirley D. G., Walter S. J., Folkerd E. J., Unwin R. J. & Bailey M. A. **513**, 551, 1998

Bailey P. D. see Meredith D., Boyd C. A. R., Bronk J. R., Bailey P. D., Morgan K. M., Collier I. D. & Temple C. S. **512**, 629, 1998

Baldissera F.

Baldissera F., Cavallari P. & Cerri G. Motoneuronal pre-compensation for the low-pass filter characteristics of muscle. A quantitative appraisal in cat muscle units **511**, 611, 1998

Baldo G. J. see Wang Y., Gao J., Mathias R. T., Cohen I. S., Sun X. & Baldo G. J. **509**, 117, 1998

Balezina O. P. see Van der Kloot W., Benjamin W. B. & Balezina O. P. **507**, 689, 1998

Balke C. W. see Lamont C., Luther P. W., Balke C. W. & Wier W. G. **512**, 669, 1998

Balkowiec A.

Balkowiec A. & Katz D. M. Brain-derived neurotrophic factor is required for normal development of the central respiratory rhythm in mice **510**, 527, 1998

Ballantyne D. see Oyamada Y., Ballantyne D., Mückenhoff K. & Scheid P. **513**, 381, 1998

Ballanyi K. see Karschin A., Brockhaus J. & Ballanyi K. **509**, 339, 1998

Balser J. R. see Kambouris N. G., Hastings L. A., Stepanovic S., Marban E., Tomaselli G. F. & Balser J. R. **512**, 693, 1998

Baltzopoulos V. see Maganaris C. N., Baltzopoulos V. & Sargeant A. J. **510**, 977, 1998

see Maganaris C. N., Baltzopoulos V. & Sargeant A. J. **512**, 603, 1998

Ban T. see Fujioka Y., Matsuoka S., Ban T. & Noma A. **509**, 457, 1998

Banderali U. see Schmieder S., Lindenthal S., Banderali U. & Ehrenfeld J. **511**, 379, 1998

Bangash A. see Ostrowski K., Hermann C., Bangash A., Schjerling P., Nielsen J. N. & Pedersen B. K. **513**, 889, 1998

Barabino B. see Ragozzino D., Barabino B., Fucile S. & Eusebi F. **507**, 749, 1998

see Grassi F., Epifano O., Mileo A. M., Barabino B. & Eusebi F. **508**, 393, 1998

Barajas-López C.

Barajas-López C., Espinosa-Luna R. & Zhu Y. Functional interactions between nicotinic and P2X channels in short-term cultures of guinea-pig submucosal neurons **513**, 671, 1998

Baranyi L. see Farkas I., Baranyi L., Takahashi M., Fukuda A., Liposits Zs., Yamamoto T. & Okada H. **507**, 679, 1998

Barber W. D. see Smith B. N., Dou P., Barber W. D. & Dudek F. E. **512**, 149, 1998

Barbosa R. M.

Barbosa R. M., Silva A. M., Tomé A. R., Stamford J. A., Santos R. M. & Rosário L. M. Control of pulsatile 5-HT/insulin secretion from single mouse pancreatic islets by intracellular calcium dynamics **510**, 135, 1998

Barker J. L. see Li Y.-X., Schaffner A. E., Walton M. K. & Barker J. L. **509**, 847, 1998

see Liu Q.-Y., Schaffner A. E. & Barker J. L. **510**, 721, 1998

Barnes-Davies M. see Doughty J. M., Barnes-Davies M., Rusznák Z., Harasztosi C. & Forsythe I. D. **512**, 365, 1998

Barone V. see Dietze B., Bertocchini F., Barone V., Struk A., Sorrentino V. & Melzer W. **513**, 3, 1998

Barrès C. see Létienne R., Barrès C., Cerutti C. & Julien C. **506**, 263, 1998

see Bertram D., Barrès C., Cuisinaud G. & Julien C. **513**, 251, 1998

Barrett E. F. see David G., Barrett J. N. & Barrett E. F. **509**, 59, 1998

Barrett J. N. see David G., Barrett J. N. & Barrett E. F. **509**, 59, 1998

Barrett-Jolley R. see Dart C., Leyland M. L., Barrett-Jolley R., Shelton P. A., Spencer P. J., Conley E. C., Sutcliffe M. J. & Stanfield P. R. **511**, 15, 1998

Barros F.

Barros F., Gómez-Varela D., Viloria C. G., Palomero T., Giráldez T. & de la Peña P. Modulation of human erg K^+ channel gating by activation of a G protein-coupled receptor and protein kinase C **511**, 333, 1998

Bâtelsson K. see Wallin B. G., Bâtelsson K., Kienbaum P., Karlsson T., Gazelius B. & Elam M. **513**, 559, 1998

Bates D. O.

Bates D. O. The chronic effect of vascular endothelial growth factor on individually perfused frog mesenteric microvessels **513**, 225, 1998

Bauer C. K.

Bauer C. K. The erg inwardly rectifying K^+ current and its modulation by thyrotrophin-releasing hormone in giant clonal rat anterior pituitary cells **510**, 63, 1998

Baux G. see Mothet J.-P., Fossier P., Meunier F.-M., Stinnakre J., Tauc L. & Baux G. **507**, 405, 1998

Baxter K. A. see Church J., Baxter K. A. & McLarnon J. G. **511**, 119, 1998

Bayguinov O.

Bayguinov O. & Sanders K. M. Dissociation between electrical and mechanical responses to nitrergic stimulation in the canine gastric fundus **509**, 437, 1998

Bayliss D. A. see Li Y.-W. & Bayliss D. A. **510**, 121, 1998

see Sirois J. E., Pancrazio J. J., Lynch C. L. III & Bayliss D. A. **512**, 851, 1998

Beaugé L. see DiPolo R. & Beaugé L. **507**, 737, 1998

Beck H. see Reckziegel G., Beck H., Schramm J., Elger C. E. & Urban B. W. **509**, 139, 1998

Beech D. J. see Prior H. M., Yates M. S. & Beech D. J. **511**, 159, 1998

Beesley A. H.

Beesley A. H., Hornby D. & White S. J. Regulation of distal nephron K^+ channels (ROMK) mRNA expression by aldosterone in rat kidney **509**, 629, 1998

Béhé P. see Wyllie D. J. A., Béhé P. & Colquhoun D. **510**, 1, 1998

see Wyllie D. J. A., Béhé P. & Colquhoun D. Erratum: *Journal of Physiology* **510**, 1–18 (1998) **512**, 939, 1998

Beitner-Johnson D. see Kobayashi S., Beitner-Johnson D., Conforti L. & Millhorn D. E. **512**, 351, 1998

Belcher S. M. see Pemberton K. E., Belcher S. M., Ripellino J. A. & Howe J. R. **510**, 401, 1998

Bell J. D. see Rico-Sanz J., Hajnal J. V., Thomas E. L., Mierisová Š., Ala-Korpela M. & Bell J. D. **510**, 615, 1998

Bellingham M. C.

Bellingham M. C., Lim R. & Walmsley B. Developmental changes in EPSC quantal size and quantal content at a central glutamatergic synapse in rat **511**, 861, 1998

Belmonte C. see Brock J. A., McLachlan E. M. & Belmonte C. **512**, 211, 1998

Beltrán C. see Lokuta A. J., Darszon A., Beltrán C. & Valdivia H. H. **510**, 155, 1998

Benecke R. see Classen J., Knorr U., Werhahn K. J., Schlaug G., Kunesch E., Cohen L. G., Seitz R. J. & Benecke R. **512**, 163, 1998

Benjamin A. R. see Stephens R. H., Benjamin A. R. & Walters D. V. **511**, 587, 1998

Benjamin W. B. see Van der Kloot W., Benjamin W. B. & Balezina O. P. **507**, 689, 1998

Benndorf K. see Doepner B., Thierfelder S., Hirche H. & Benndorf K. Retraction: *Journal of Physiology* **500**, 85–94 (1997) **508**, 956, 1998

Bennet L. see Green L. R., McGarrigle H. H. G., Bennet L. & Hanson M. A. **507**, 857, 1998

see Green L. R., McGarrigle H. H. G., Bennet L. & Hanson M. A. **509**, 297, 1998

Bennett P. B. *see London B., Wang D. W., Hill J. A. & Bennett P. B.* **509**, 171, 1998

Bény J.-L. *see Domenighetti A. A., Bény J.-L., Chabaud F. & Frieden M.* **513**, 103, 1998

Berglund K. *see Minami N., Berglund K., Sakaba T., Kohmoto H. & Tachibana M.* **512**, 219, 1998

Bernardi G. *see Calabresi P., Centonze D., Pisani A., Sancesario G., North R. A. & Bernardi G.* **510**, 421, 1998

Bernheim L. *see Liu J.-H., Bijlenga P., Fischer-Lougheed J., Occhiodoro T., Kaelin A., Bader C. R. & Bernheim L.* **510**, 467, 1998

see Bijlenga P., Occhiodoro T., Liu J.-H., Bader C. R., Bernheim L. & Fischer-Lougheed J. **512**, 317, 1998

Berrow N. S. *see Stephens G. J., Brice N. L., Berrow N. S. & Dolphin A. C.* **509**, 15, 1998

see Wyatt C. N., Page K. M., Berrow N. S., Brice N. L. & Dolphin A. C. **510**, 347, 1998

Bers D. M. *see Zhou Z., Matlib M. A. & Bers D. M.* **507**, 379, 1998

Bertasi V. *see Bertolasi L., Priori A., Tinazzi M., Bertasi V. & Rothwell J. C.* **511**, 947, 1998

Berthold H.

Berthold H., Just A., Kirchheim H. R., Osswald H. & Ehmke H. Renal haemodynamic responses to exogenous and endogenous adenosine in conscious dogs **510**, 321, 1998

Bertocchini F. *see Dietze B., Bertocchini F., Barone V., Struk A., Sorrentino V. & Melzer W.* **513**, 3, 1998

Bertog M. *see Grotjohann I., Gitter A. H., Köckerling A., Bertog M., Schulzke J. D. & Fromm M.* **507**, 561, 1998

Bertolasi L.

Bertolasi L., Priori A., Tinazzi M., Bertasi V. & Rothwell J. C. Inhibitory action of forearm flexor muscle afferents on corticospinal outputs to antagonist muscles in humans **511**, 947, 1998

Bertorello A. M. *see Carranza M. L., Rousselot M., Chibalin A. V., Bertorello A. M., Favre H. & Féraille E.* **511**, 235, 1998

Bertram D.

Bertram D., Barrès C., Cuisinaud G. & Julien C. The arterial baroreceptor reflex of the rat exhibits positive feedback properties at the frequency of Mayer waves **513**, 251, 1998

Bertrand P. P. *see Kunze W. A. A., Furness J. B., Bertrand P. P. & Bornstein J. C.* **506**, 827, 1998

Bie P. *see Hammerum M. S., Bie P., Pump B., Johansen L. B., Christensen N. J. & Norsk P.* **511**, 323, 1998

Bijlenga P. *see Liu J.-H., Bijlenga P., Fischer-Lougheed J., Occhiodoro T., Kaelin A., Bader C. R. & Bernheim L.* **510**, 467, 1998

Bijlenga P., Occhiodoro T., Liu J.-H., Bader C. R., Bernheim L. & Fischer-Lougheed J. An *ether-à-go-go* K^+ current, $I_{h\text{-}eag}$, contributes to the hyperpolarization of human fusion-competent myoblasts **512**, 317, 1998

Billups B. *see Spiridon M., Kamm D., Billups B., Mobbs P. & Attwell D.* **506**, 363, 1998

Birnbaumer L. *see Costantin J., Noceti F., Qin N., Wei X., Birnbaumer L. & Stefani E.* **507**, 93, 1998

Bischoff A. M. *see Pierrefiche O., Schwarzacher S. W., Bischoff A. M. & Richter D. W.* **509**, 245, 1998

Bischoff U.

Bischoff U., Vogel W. & Safronov B. V. Na^+-activated K^+ channels in small dorsal root ganglion neurones of rat **510**, 743, 1998

Blackshaw L. A. *see Page A. J. & Blackshaw L. A.* **512**, 907, 1998

Blanchard A.

Blanchard A., Eladari D., Leviel F., Tsimaratos M., Paillard M. & Podevin R.-A. NH_4^+ as a substrate for apical and basolateral Na^+–H^+ exchangers of thick ascending limbs of rat kidney: evidence from isolated membranes **506**, 689, 1998

Blanco C. E. *see Mulder A. L. M., van Golde J. C., Prinzen F. W. & Blanco C. E.* **508**, 281, 1998

see van Golde J. C., Borm P. J., Wolfs M. C., Rhijnsburger E. H. & Blanco C. E. **509**, 289, 1998

Bleazard L. *see Djouhri L., Bleazard L. & Lawson S. N.* **513**, 857, 1998

Blum R. *see Schmid A., Blum R. & Krause E.* **513**, 453, 1998

Boehmer G. *see Greffrath W., Martin E., Reuss S. & Boehmer G.* **513**, 493, 1998

Boggs D. *see Donnelly D. F., Panisello J. M. & Boggs D.* **511**, 301, 1998

Bois, P. *see Farès N, Bois P, Lenfant J. & Potreau D.* **506**, 73, 1998

Bolton T. B. *see Tare M., Prestwich S. A., Gordienko D. V., Parveen S., Carver J. E., Robinson C. & Bolton T. B.* **506**, 303, 1998

see Gordienko D. V., Bolton T. B. & Cannell M. B. **507**, 707, 1998

see Imaizumi Y., Torii Y., Ohi Y., Nagano N., Atsuki K., Yamamura H., Muraki K., Watanabe M. & Bolton T. B. **510**, 705, 1998

Bond S. M. *see McQueen D. S., Bond S. M., Moores C., Chessell I., Humphrey P. P. A. & Dowd E.* **507**, 843, 1998

Bond T. D.

Bond T. D., Valverde M. A. & Higgins C. F. Protein kinase C phosphorylation disengages human and mouse-1a P-glycoproteins from influencing the rate of activation of swelling-activated chloride currents **508**, 333, 1998

Bond T. D., Ambikapathy S., Mohammad S. & Valverde M. A. Osmosensitive Cl^- currents and their relevance to regulatory volume decrease in human intestinal T_{84} cells: outwardly *vs.* inwardly rectifying currents **511**, 45, 1998

Bookstein C. *see Lee M. G., Schultheis P. J., Yan M., Shull G. E., Bookstein C., Chang E., Tse M., Donowitz M., Park K. & Muallem S.* **513**, 341, 1998

Bootman M. D. *see Lipp P. & Bootman M. D.* **508**, 331, 1998

Borm P. J. *see van Golde J. C., Borm P. J., Wolfs M. C., Rhijnsburger E. H. & Blanco C. E.* **509**, 289, 1998

Bornstein J. C. *see Kunze W. A. A., Furness J. B., Bertrand P. P. & Bornstein J. C.* **506**, 827, 1998

Borst J. G. G.

Borst J. G. G. & Sakmann B. Calcium current during a single action potential in a large presynaptic terminal of the rat brainstem **506**, 143, 1998

Borst J. G. G. & Sakmann B. Facilitation of presynaptic calcium currents in the rat brainstem **513**, 149, 1998

Bosia A. *see Gallo M. P., Ghigo D., Bosia A., Alloatti G., Costamagna C., Penna C. & Levi R. C.* **506**, 639, 1998

Boulant J. A. *see Burgoon P. W. & Boulant J. A.* **512**, 793, 1998

Bourque C. W. *see Ghamari-Langroudi M. & Bourque C. W.* **510**, 165, 1998

see Fisher T. E., Voisin D. L. & Bourque C. W. **511**, 423, 1998

Bourque M.-J.

Bourque M.-J. & Robitaille R. Endogenous peptidergic modulation of perisynaptic Schwann cells at the frog neuromuscular junction **512**, 197, 1998

Bouyer P.

Bouyer P., Paulais M., Cougnon M., Hulin P., Anagnostopoulos T. & Planelles G. Extracellular ATP raises cytosolic calcium and activates basolateral chloride conductance in *Necturus* proximal tubule **510**, 535, 1998

Boyd C. A. R. *see Meredith D., Boyd C. A. R., Bronk J. R., Bailey P. D., Morgan K. M., Collier I. D. & Temple C. S.* **512**, 629, 1998

Boyett M. R. *see Shui Z., Khan I. A., Tsuga H., Haga T. & Boyett M. R.* **507**, 325, 1998

Brandes R. P. *see Gwinner W., Deters-Evers U., Brandes R. P., Kubat B., Koch K.-M., Pape M. & Olbricht C. J.* **509**, 599, 1998

Brandts A. *see Brandts B., Brandts A., Wellner-Kienitz M.-C., Zidek W., Schlüter H. & Pott L.* **512**, 407, 1998

Brandts B.

Brandts B., Brandts A., Wellner-Kienitz M.-C., Zidek W., Schlüter H. & Pott L. Non-receptor-mediated activation of $I_{K(ATP)}$ and inhibition of $I_{K(ACh)}$ by diadenosine polyphosphates in guinea-pig atrial myocytes **512**, 407, 1998

Bräu M. E. *see Rush A. M., Bräu M. E., Elliott A. A. & Elliott J. R.* **511**, 771, 1998

Bravo E. *see Gunawardena S., Bravo E. & Kappagoda C. T.* **511**, 79, 1998

Bravo M. *see Ravi K., Bravo M. & Kappagoda C. T.* Erratum: *Journal of Physiology* **505**, 833–840 (1997) **508**, 956, 1998

Brett C. L. *see Smith G. A. M., Brett C. L. & Church J.* **512**, 487, 1998

Brice N. L. *see Stephens G. J., Brice N. L., Berrow N. S. & Dolphin A. C.* **509**, 15, 1998

see Wyatt C. N., Page K. M., Berrow N. S., Brice N. L. & Dolphin A. C. **510**, 347, 1998

Briel M.

Briel M., Greger R. & Kunzelmann K. Cl^- transport by cystic fibrosis transmembrane conductance regulator (CFTR) contributes to the inhibition of epithelial Na^+ channels (ENaCs) in *Xenopus* oocytes co-expressing CFTR and ENaC **508**, 825, 1998

Brock J. A.

Brock J. A., McLachlan E. M. & Belmonte C. Tetrodotoxin-resistant impulses in single nociceptor nerve terminals in guinea-pig cornea **512**, 211, 1998

Brockhaus J. *see Karschin A., Brockhaus J. & Ballanyi K.* **509**, 339, 1998

Bronk J. R. *see Meredith D., Boyd C. A. R., Bronk J. R., Bailey P. D., Morgan K. M., Collier I. D. & Temple C. S.* **512**, 629, 1998

Brooks A. *see Heath B. M., Xia J., Dong E., An R. H., Brooks A., Liang C.-S., Federoff H. J. & Kass R. S.* **512**, 779, 1998

Brooks R. *see Poucher S. M., Garcia S. & Brooks R.* **510**, 643, 1998

Brown A. M.

Brown A. M., Hope A. G., Lambert J. J. & Peters J. A. Ion permeation and conduction in a human recombinant 5-HT_3 receptor subunit (h5-HT_{3A}) **507**, 653, 1998

see Accili E. A., Kuryshev Y. A., Wible B. A. & Brown A. M. **512**, 325, 1998

Brown C. H.

Brown C. H., Murphy N. P., Munro G., Ludwig M., Bull P. M., Leng G. & Russell J. A. Interruption of central noradrenergic pathways and morphine withdrawal excitation of oxytocin neurones in the rat **507**, 831, 1998

Brown D. A. *see Delmas P., Brown D. A., Dayrell M., Abogadie F. C., Caulfield M. P. & Buckley N. J.* **506**, 319, 1998

Bruzik K. S. *see Xie W., Solomons K. R. H., Freeman S., Kaetzel M. A., Bruzik K. S., Nelson D. J. & Shears S. B.* **510**, 661, 1998

Buckler K. J.

Buckler K. J. & Vaughan-Jones R. D. Effects of mitochondrial uncouplers on intracellular calcium, pH and membrane potential in rat carotid body type I cells **513**, 819, 1998

Buckley N. J. *see Delmas P., Brown D. A., Dayrell M., Abogadie F. C., Caulfield M. P. & Buckley N. J.* **506**, 319, 1998

Bueno L. *see Eutamene H., Theodorou V., Vergnolle N., Comera C., Fioramonti J. & Bueno L.* **506**, 245, 1998

Buhl E. H. *see Vida I., Halasy K., Szinyei C., Somogyi P. & Buhl E. H.* **506**, 755, 1998

see Williams S. R., Buhl E. H. & Mody I. **510**, 477, 1998

Buhl E. H., Tamás G. & Fisahn A. Cholinergic activation and tonic excitation induce persistent gamma oscillations in mouse somatosensory cortex *in vitro* **513**, 117, 1998

Bull P. M. *see Brown C. H., Murphy N. P., Munro G., Ludwig M., Bull P. M., Leng G. & Russell J. A.* **507**, 831, 1998

Bureau I.

Bureau I. & Mulle C. Potentiation of GABAergic synaptic transmission by AMPA receptors in mouse cerebellar stellate cells: changes during development **509**, 817, 1998

Burgoon P. W.

Burgoon P. W. & Boulant J. A. Synaptic inhibition: its role in suprachiasmatic nucleus neuronal thermosensitivity and temperature compensation in the rat **512**, 793, 1998

Burgoyne R. D.

Burgoyne R. D. Two forms of triggered endocytosis in regulated secretory cells **506**, 589, 1998

Burkat P. M. *see Gingrich K. J. & Burkat P. M.* **506**, 609, 1998

Burke D. *see Vagg R., Mogyoros I., Kiernan M. C. & Burke D.* **507**, 919, 1998

see Inglis J. T., Leeper J. B., Wilson L. R., Gandevia S. C. & Burke D. **513**, 127, 1998

Burnashev N. *see Rozov A., Zilberter Y., Wollmuth L. P. & Burnashev N.* **511**, 361, 1998

Burnstock G. *see Morrison M. S., Turin L., King B. F., Burnstock G. & Arnett T. R.* **511**, 495, 1998

see Karoon P., Knight G. & Burnstock G. **512**, 927, 1998

Burton B. G. *see Zhao F.-Y., Burton B. G., Wolf E. & Roberts A.* **506**, 471, 1998

Busch A. E. *see Kohl B., Wagner C. A., Huelseweh B., Busch A. E. & Werner A.* **508**, 341, 1998

Butler J. E. *see Gandevia S. C., Butler J. E., Taylor J. L. & Crawford M. R.* **511**, 289, 1998

Buus C. L.

Buus C. L., Aalkjær C., Nilsson H., Juul B., Møller J. V. & Mulvany M. J. Mechanisms of Ca^{2+} sensitization of force production by noradrenaline in rat mesenteric small arteries **510**, 577, 1998

Caesar K. *see Mathiesen C., Caesar K., Akgören N. & Lauritzen M.* **512**, 555, 1998

Calabresi P.

Calabresi P., Centonze D., Pisani A., Sancesario G., North R. A. & Bernardi G. Muscarinic IPSPs in rat striatal cholinergic interneurones **510**, 421, 1998

Calbet J. A. L. *see González-Alonso J., Calbet J. A. L. & Nielsen B.* **513**, 895, 1998

Callamaras N. *see Sun X.-P., Callamaras N., Marchant J. S. & Parker I.* **509**, 67, 1998

Callamaras N., Marchant J. S., Sun X.-P. & Parker I. Activation and co-ordination of $InsP_3$-mediated elementary Ca^{2+} events during global Ca^{2+} signals in *Xenopus* oocytes **509**, 81, 1998

Callamaras N., Sun X.-P., Ivorra I. & Parker I. Hemispheric asymmetry of macroscopic and elementary calcium signals mediated by $InsP_3$ in *Xenopus* oocytes **511**, 395, 1998

Cameron T. *see Collins D. F., Cameron T., Gillard D. M. & Prochazka A.* **508**, 635, 1998

Campbell E. H.

Campbell E. H. & Gibson J. S. Oxygen-dependent K^+ fluxes in sheep red cells **506**, 679, 1998

Campbell K. S.

Campbell K. S. & Lakie M. A cross-bridge mechanism can explain the thixotropic short-range elastic component of relaxed frog skeletal muscle **510**, 941, 1998

Cannell M. B. *see Gordienko D. V., Bolton T. B. & Cannell M. B.* **507**, 707, 1998

Cannon R. *see Kwiecien R., Robert C., Cannon R., Vigues S., Arnoux A., Kordon C. & Hammond C.* **508**, 883, 1998

Cannon S. C. *see Green D. S., George A. L. Jr & Cannon S. C.* **510**, 685, 1998

Cantí C. *see Stephens G. J., Cantí C., Page K. M. & Dolphin A. C.* **509**, 163, 1998

Capdeville-Atkinson C. *see Tran N. N. P., Spitzbarth E., Robert A., Giummelly P., Atkinson J. & Capdeville-Atkinson C.* **507**, 163, 1998

Capiod T.

Capiod T. ATP-activated cation currents in single guinea-pig hepatocytes **507**, 795, 1998

Cardman J. M. *see Hoyt K. R., Stout A. K., Cardman J. M. & Reynolds I. J.* **509**, 103, 1998

Cario-Toumaniantz C.

Cario-Toumaniantz C., Loirand G., Ferrier L. & Pacaud P. Non-genomic inhibition of human $P2X_7$ purinoceptor by 17β-oestradiol **508**, 659, 1998

Carmeliet E. *see Sipido K. R., Carmeliet E. & Van de Werf F.* **508**, 439, 1998

see Stengl M., Carmeliet E., Mubagwa K. & Flameng W. **511**, 827, 1998

Caroppo R. *see Debellis L., Caroppo R., Frömter E. & Curci S.* **513**, 235, 1998

Carpenter E. *see Peers C. & Carpenter E.* **512**, 743, 1998

Carpenter G. H.

Carpenter G. H., Garrett J. R., Hartley R. H. & Proctor G. B. The influence of nerves on the secretion of immunoglobulin A into submandibular saliva in rats **512**, 567, 1998

Carpenter T. A. *see Wise R. G., Huang C. L., Gresham G. A., Al-Shafei A. I. M., Carpenter T. A. & Hall L. D.* **513**, 873, 1998

Carranza M. L.

Carranza M. L., Rousselot M., Chibalin A. V., Bertorello A. M., Favre H. & Féraille E. Protein kinase A induces recruitment of active Na^+,K^+-ATPase units to the plasma membrane of rat proximal convoluted tubule cells **511**, 235, 1998

Carter T. D.

Carter T. D., Zupancic G., Smith S. M., Wheeler-Jones C. & Ogden D. Membrane capacitance changes induced by thrombin and calcium in single endothelial cells cultured from human umbilical vein **513**, 845, 1998

Carver J. E. *see Tare M., Prestwich S. A., Gordienko D. V., Parveen S., Carver J. E., Robinson C. & Bolton T. B.* **506**, 303, 1998

Casado M.

Casado M. & Ascher P. Opposite modulation of NMDA receptors by lysophospholipids and arachidonic acid: common features with mechanosensitivity **513**, 317, 1998

Case R. M. *see Ishiguro H., Naruse S., Steward M. C., Kitagawa M., Ko S. B. H., Hayakawa T. & Case R. M.* **511**, 407, 1998

Castel H. *see Le Foll F., Castel H., Soriani O., Vaudry H. & Cazin L.* **507**, 55, 1998

Catarsi S. *see Ali D. W., Catarsi S. & Drapeau P.* **509**, 211, 1998

Caulfield M. P. *see Delmas P., Brown D. A., Dayrell M., Abogadie F. C., Caulfield M. P. & Buckley N. J.* **506**, 319, 1998

CAUQUIL A. S.

CAUQUIL A. S. & DAY B. L. Galvanic vestibular stimulation modulates voluntary movement of the human upper body **513**, 611, 1998

CAVAGNA G. A. *see SCHEPENS B., WILLEMS P. A. & CAVAGNA G. A.* **509**, 927, 1998

CAVALLARI P. *see BALDISSERA F., CAVALLARI P. & CERRI G.* **511**, 611, 1998

CAZIN L. *see LE FOLL F., CASTEL H., SORIANI O., VAUDRY H. & CAZIN L.* **507**, 55, 1998

CENTONZE D. *see CALABRESI P., CENTONZE D., PISANI A., SANCESARIO G., NORTH R. A. & BERNARDI G.* **510**, 421, 1998

CERRI G. *see BALDISSERA F., CAVALLARI P. & CERRI G.* **511**, 611, 1998

CERUTTI C. *see LÉTIENNE R., BARRÈS C., CERUTTI C. & JULIEN C.* **506**, 263, 1998

CHABAUD F. *see DOMENIGHETTI A. A., BÉNY J.-L., CHABAUD F. & FRIEDEN M.* **513**, 103, 1998

CHAGNEUX H. *see GOLA M., DELMAS P. & CHAGNEUX H.* **510**, 387, 1998

CHAI Y. H. *see WILDING T. J., CHAI Y. H. & HUETTNER J. E.* **513**, 331, 1998

CHAMPAGNAT J. *see PIERREFICHE O., HAJI A., FOUTZ A. S., TAKEDA R., CHAMPAGNAT J. & DENAVIT-SAUBIÉ M.* **508**, 549, 1998

CHAN H. C. *see KO W. H., CHAN H. C., CHEW S. B. & WONG P. Y. D.* **512**, 471, 1998

CHANDY K. G. *see JÄGER H., RAUER H., NGUYEN A. N., AIYAR J., CHANDY K. G. & GRISSMER S.* **506**, 291, 1998

CHANG A. S.

CHANG A. S. & LAM D. M.-K. Mechanistic analyses of ion dependences in a high-affinity human serotonin transport system in transfected murine fibroblast cells **510**, 903, 1998

CHANG E. *see LEE M. G., SCHULTHEIS P. J., YAN M., SHULL G. E., BOOKSTEIN C., CHANG E., TSE M., DONOWITZ M., PARK K. & MUALLEM S.* **513**, 341, 1998

CHANG X.-B. *see MATHEWS C. J., TABCHARANI J. A., CHANG X.-B., JENSEN T. J., RIORDAN J. R. & HANRAHAN J. W.* **508**, 365, 1998

CHAPMAN V.

CHAPMAN V., SUZUKI R. & DICKENSON A. H. Electrophysiological characterization of spinal neuronal response properties in anaesthetized rats after ligation of spinal nerves L5–L6 **507**, 881, 1998

CHARPIER S. *see PINAULT D., LERESCHE N., CHARPIER S., DENIAU J.-M., MARESCAUX C., VERGNES M. & CRUNELLI V.* **509**, 449, 1998

CHARTIER D. *see LEBLANC N., CHARTIER D., GOSSELIN H. & ROULEAU J.-L.* **511**, 533, 1998

CHAUHAN-PATEL R.

CHAUHAN-PATEL R. & SPRUCE A. E. Differential regulation of potassium currents by FGF-1 and FGF-2 in embryonic *Xenopus laevis* myocytes **512**, 109, 1998

CHAYTOR A. T.

CHAYTOR A. T., EVANS W. H. & GRIFFITH T. M. Central role of heterocellular gap junctional communication in endothelium-dependent relaxations of rabbit arteries **508**, 561, 1998

CHEN H.-X. *see PANANCEAU M., CHEN H.-X. & GUSTAFSSON B.* **508**, 503, 1998

CHEN L. *see WANG L., CHEN L., WALKER V. & JACOB T. J. C.* **511**, 33, 1998

CHEN R. *see GERLOFF C., COHEN L. G., FLOETER M. K., CHEN R., CORWELL B. & HALLETT M.* **510**, 249, 1998

CHEN X.-L. *see REMBOLD C. M. & CHEN X.-L.* **513**, 477, 1998

CHEN X.-M.

CHEN X.-M., HOSONO T., YODA T., FUKUDA Y. & KANOSUE K. Efferent projection from the preoptic area for the control of non-shivering thermogenesis in rats **512**, 883, 1998

CHEN Y.-H.

CHEN Y.-H., WU M.-L. & FU W.-M. Regulation of acetylcholine release by intracellular acidification of developing motoneurons in *Xenopus* cell cultures **507**, 41, 1998

see FU W.-M., LIOU H.-C., CHEN Y.-H. & WANG S.-M. **509**, 497, 1998

CHENG H. *see SONG L.-S., SHAM J. S. K., STERN M. D., LAKATTA E. G. & CHENG H.* **512**, 677, 1998

CHESSELL I. *see MCQUEEN D. S., BOND S. M., MOORES C., CHESSELL I., HUMPHREY P. P. A. & DOWD E.* **507**, 843, 1998

CHEW S. B. *see KO W. H., CHAN H. C., CHEW S. B. & WONG P. Y. D.* **512**, 471, 1998

CHIBA Y. *see HIRAMATSU O., GOTO M., YADA T., KIMURA A., CHIBA Y., TACHIBANA H., OGASAWARA Y., TSUJIOKA K. & KAJIYA F.* **509**, 619, 1998

CHIBALIN A. V. *see CARRANZA M. L., ROUSSELOT M., CHIBALIN A. V., BERTORELLO A. M., FAVRE H. & FÉRAILLE E.* **511**, 235, 1998

CHIN E. R.

CHIN E. R. & ALLEN D. G. The contribution of pH-dependent mechanisms to fatigue at different intensities in mammalian single muscle fibres **512**, 831, 1998

CHIZH B. A.

CHIZH B. A., HEADLEY P. M. & PATON J. F. R. Coupling of sympathetic and somatic motor outflows from the spinal cord in a perfused preparation of adult mouse *in vitro* **508**, 907, 1998

CHOU C.-Y.

CHOU C.-Y., SHEN M.-R., HSU K.-S., HUANG H.-Y. & LIN H.-C. Involvement of PKC-α in regulatory volume decrease responses and activation of volume-sensitive chloride channels in human cervical cancer HT-3 cells **512**, 435, 1998

CHRIST F. *see GAMBLE J., CHRIST F. & GARTSIDE I. B.* **507**, 611, 1998

CHRISTENSEN L. O. D. *see PETERSEN N., CHRISTENSEN L. O. D., MORITA H., SINKJÆR T. & NIELSEN J.* **512**, 267, 1998

see PETERSEN N., CHRISTENSEN L. O. D. & NIELSEN J. **513**, 599, 1998

CHRISTENSEN N. J. *see HAMMERUM M. S., BIE P., PUMP B., JOHANSEN L. B., CHRISTENSEN N. J. & NORSK P.* **511**, 323, 1998

CHRISTIE M. J. *see CONNOR M. & CHRISTIE M. J.* **509**, 47, 1998

CHUA B. A.

CHUA B. A. & PERKS A. M. The effect of dopamine on lung liquid production by *in vitro* lungs from fetal guinea-pigs **513**, 283, 1998

CHURCH J.

CHURCH J., BAXTER K. A. & MCLARNON J. G. pH modulation of Ca^{2+} responses and a Ca^{2+}-dependent K^+ channel in cultured rat hippocampal neurones **511**, 119, 1998

see SMITH G. A. M., BRETT C. L. & CHURCH J. **512**, 487, 1998

CINGOLANI H. E. *see AIELLO E. A., PETROFF M. G. V., MATTIAZZI A. R. & CINGOLANI H. E.* **512**, 137, 1998

CLAFLIN D. R.

CLAFLIN D. R., MORGAN D. L. & JULIAN F. J. The effect of length on the relationship between tension and intracellular $[Ca^{2+}]$ in intact frog skeletal muscle fibres **508**, 179, 1998

see VANDENBOOM R., CLAFLIN D. R. & JULIAN F. J. **511**, 171, 1998

CLARK B. D.

CLARK B. D. & COPE T. C. Frequency-dependent synaptic depression modifies postsynaptic firing probability in cats **512**, 189, 1998

CLARK S.

CLARK S., JORDT S.-E., JENTSCH T. J. & MATHIE A. Characterization of the hyperpolarization-activated chloride current in dissociated rat sympathetic neurons **506**, 665, 1998

CLASSEN J.

CLASSEN J., KNORR U., WERHAHN K. J., SCHLAUG G., KUNESCH E., COHEN L. G., SEITZ R. J. & BENECKE R. Multimodal output mapping of human central motor representation on different spatial scales **512**, 163, 1998

CLAUSEN T. *see NIELSEN O. B., HILSTED L. & CLAUSEN T.* **512**, 819, 1998

CLEMMESEN J. O. *see PERKO M. J., NIELSEN H. B., SKAK C., CLEMMESEN J. O., SCHROEDER T. V. & SECHER N. H.* **513**, 907, 1998

COCKS T. M. *see SELEMIDIS S., ZIOGAS J. & COCKS T. M.* **513**, 835, 1998

COHEN B. N. *see FIGL A., VISESHAKUL N., SHAFAEE N., FORSAYETH J. & COHEN B. N.* **513**, 655, 1998

COHEN I. S. *see WANG Y., GAO J., MATHIAS R. T., COHEN I. S., SUN X. & BALDO G. J.* **509**, 117, 1998

see SHI W., WANG H.-S., PAN Z., WYMORE R. S., COHEN I. S., MCKINNON D. & DIXON J. E. **511**, 675, 1998

COHEN L. G. *see GERLOFF C., COHEN L. G., FLOETER M. K., CHEN R., CORWELL B. & HALLETT M.* **510**, 249, 1998

see CLASSEN J., KNORR U., WERHAHN K. J., SCHLAUG G., KUNESCH E., COHEN L. G., SEITZ R. J. & BENECKE R. **512**, 163, 1998

COLEBATCH J. G. *see WATSON S. R. D. & COLEBATCH J. G.* **513**, 587, 1998

COLEMAN P. J. *see SCOTT D., COLEMAN P. J., MASON R. M. & LEVICK J. R.* **508**, 619, 1998

COLEMAN P. J., SCOTT D., ABIONA A., ASHHURST D. E., MASON R. M. & LEVICK J. R. Effect of depletion of interstitial hyaluronan on hydraulic conductance in rabbit knee synovium **509**, 695, 1998

see SCOTT D., COLEMAN P. J., ABIONA A., ASHHURST D. E., MASON R. M. & LEVICK J. R. **511**, 629, 1998

COLLIER I. D. *see MEREDITH D., BOYD C. A. R., BRONK J. R., BAILEY P. D., MORGAN K. M., COLLIER I. D. & TEMPLE C. S.* **512**, 629, 1998

COLLINGRIDGE G. L. *see IRVING A. J. & COLLINGRIDGE G. L.* **511**, 747, 1998

COLLINS D. F.
COLLINS D. F., CAMERON T., GILLARD D. M. & PROCHAZKA A. Muscular sense is attenuated when humans move **508**, 635, 1998

COLQUHOUN D. *see LEWIS T. M., SIVILOTTI L. G., COLQUHOUN D., GARDINER R. M., SCHOEPFER R. & REES M.* **507**, 25, 1998
see WYLLIE D. J. A., BÉHÉ P. & COLQUHOUN D. **510**, 1, 1998
see WYLLIE D. J. A., BÉHÉ P. & COLQUHOUN D. Erratum: *Journal of Physiology* **510**, 1–18 (1998) **512**, 939, 1998

COMERA C. *see EUTAMENE H., THEODOROU V., VERGNOLLE N., COMERA C., FIORAMONTI J. & BUENO L.* **506**, 245, 1998

CONEY A. M.
CONEY A. M. & MARSHALL J. M. Role of adenosine and its receptors in the vasodilatation induced in the cerebral cortex of the rat by systemic hypoxia **509**, 507, 1998

CONFORTI L. *see KOBAYASHI S., CONFORTI L., PUN R. Y. K. & MILLHORN D. E.* **508**, 95, 1998
see KOBAYASHI S., BEITNER-JOHNSON D., CONFORTI L. & MILLHORN D. E. **512**, 351, 1998

CONLEY E. C. *see DART C., LEYLAND M. L., BARRETT-JOLLEY R., SHELTON P. A., SPENCER P. J., CONLEY E. C., SUTCLIFFE M. J. & STANFIELD P. R.* **511**, 15, 1998

CONLEY K. E.
CONLEY K. E., KUSHMERICK M. J. & JUBRIAS S. A. Glycolysis is independent of oxygenation state in stimulated human skeletal muscle *in vivo* **511**, 935, 1998

CONNOR J. A. *see OTANI S. & CONNOR J. A.* **511**, 761, 1998

CONNOR M.
CONNOR M. & CHRISTIE M. J. Modulation of Ca^{2+} channel currents of acutely dissociated rat periaqueductal grey neurons **509**, 47, 1998

COONAN J. R.
COONAN J. R. & LAMB G. D. Effect of transverse-tubular chloride conductance on excitability in skinned skeletal muscle fibres of rat and toad **509**, 551, 1998

COOPER N. P.
COOPER N. P. Harmonic distortion on the basilar membrane in the basal turn of the guinea-pig cochlea **509**, 277, 1998

COOTE J. H. *see YANG Z. & COOTE J. H.* **513**, 521, 1998
see YANG Z. & COOTE J. H. Erratum: *Journal of Physiology* **513**, 521–530 (1998) **513**, 935, 1998

COPE T. C. *see CLARK B. D. & COPE T. C.* **512**, 189, 1998

CORDEIRO J. M.
CORDEIRO J. M., SPITZER K. W. & GILES W. R. Repolarizing K^+ currents in rabbit heart Purkinje cells **508**, 811, 1998

CORSI L. *see ZHU W. J., WANG J. F., CORSI L. & VICINI S.* **511**, 647, 1998

CORWELL B. *see GERLOFF C., COHEN L. G., FLOETER M. K., CHEN R., CORWELL B. & HALLETT M.* **510**, 249, 1998

COSTAMAGNA C. *see GALLO M. P., GHIGO D., BOSIA A., ALLOATTI G., COSTAMAGNA C., PENNA C. & LEVI R. C.* **506**, 639, 1998

COSTANTIN J.
COSTANTIN J., NOCETI F., QIN N., WEI X., BIRNBAUMER L. & STEFANI E. Facilitation by the β_{2a} subunit of pore openings in cardiac Ca^{2+} channels **507**, 93, 1998

COTTRELL G. A. *see ZHAINAZAROV A. B. & COTTRELL G. A.* **513**, 19, 1998

COUGNON M. *see BOUYER P., PAULAIS M., COUGNON M., HULIN P., ANAGNOSTOPOULOS T. & PLANELLES G.* **510**, 535, 1998

CRACCO R. Q. *see MACCABEE P. J., NAGARAJAN S. S., AMASSIAN V. E., DURAND D. M., SZABO A. Z., AHAD A. B., CRACCO R. Q., LAI K. S. & EBERLE L. P.* **513**, 571, 1998

CRAWFORD M. R. *see GANDEVIA S. C., BUTLER J. E., TAYLOR J. L. & CRAWFORD M. R.* **511**, 289, 1998

CRAWFORD S. E. *see QU X.-W., ROZENFELD R. A., HUANG W., CRAWFORD S. E., GONZALEZ-CRUSSI F. & HSUEH W.* **512**, 227, 1998

CRÉPEL F. *see LÉVÉNÈS C., DANIEL H., SOUBRIÉ P. S. & CRÉPEL F.* **510**, 867, 1998

CRIADO J. M. *see MARPLE-HORVAT D. E., CRIADO J. M. & ARMSTRONG D. M.* **506**, 489, 1998

CRUNELLI V. *see PINAULT D., LERESCHE N., CHARPIER S., DENIAU J.-M., MARESCAUX C., VERGNES M. & CRUNELLI V.* **509**, 449, 1998

CUISINAUD G. *see BERTRAM D., BARRÈS C., CUISINAUD G. & JULIEN C.* **513**, 251, 1998

CUIZON D. B. *see LUTZ G. J., CUIZON D. B., RYAN A. F. & LIEBER R. L.* **508**, 667, 1998

CULL-CANDY S. G. *see SILVER R. A., MOMIYAMA A. & CULL-CANDY S. G.* **510**, 881, 1998

CUNNINGHAM S. M. C.
CUNNINGHAM S. M. C., MIHARA S. & HIGASHI H. Presynaptic calcium channels mediating synaptic transmission in submucosal neurones of the guinea-pig caecum **509**, 425, 1998

CURCI S. *see DEBELLIS L., CAROPPO R., FRÖMTER E. & CURCI S.* **513**, 235, 1998

CUSSON J. *see ERNEST S., JANKOWSKI M., MUKADDAM-DAHER S., CUSSON J. & GUTKOWSKA J.* **506**, 867, 1998

CUTHBERT A. W. *see MACVINISH L. J., HICKMAN M. E., MUFTI D. A. H., DURRINGTON H. J. & CUTHBERT A. W.* **510**, 237, 1998

CUTTLE M. F.
CUTTLE M. F., TSUJIMOTO T., FORSYTHE I. D. & TAKAHASHI T. Facilitation of the presynaptic calcium current at an auditory synapse in rat brainstem **512**, 723, 1998

CZARKOWSKA-BAUCH J. *see GLADDEN M. H., JANKOWSKA E. & CZARKOWSKA-BAUCH J.* **512**, 507, 1998
see JANKOWSKA E., GLADDEN M. H. & CZARKOWSKA-BAUCH J. **512**, 521, 1998

DAHLSTEDT A. J. *see WESTERBLAD H., DAHLSTEDT A. J. & LÄNNERGREN J.* **510**, 269, 1998

DALE N. *see SUN Q.-Q. & DALE N.* **507**, 257, 1998
see SUN Q.-Q. & DALE N. **510**, 103, 1998
DALE N. Delayed production of adenosine underlies temporal modulation of swimming in frog embryo **511**, 265, 1998

DALLMAN J. E.
DALLMAN J. E., DAVIS A. K. & MOODY W. J. Spontaneous activity regulates calcium-dependent K^+ current expression in developing ascidian muscle **511**, 683, 1998

DALY M. DE B.
DALY M. DE B. & JONES J. F. X. Respiratory modulation of carotid and aortic body reflex left ventricular inotropic responses in the cat **509**, 895, 1998

DANIEL H. *see LÉVÉNÈS C., DANIEL H., SOUBRIÉ P. S. & CRÉPEL F.* **510**, 867, 1998

DANIEL W. G. *see ZHANG H., GARLICHS C. D., MÜGGE A. & DANIEL W. G.* **513**, 359, 1998

DARSZON A. *see LOKUTA A. J., DARSZON A., BELTRÁN C. & VALDIVIA H. H.* **510**, 155, 1998

DART C.
DART C., LEYLAND M. L., BARRETT-JOLLEY R., SHELTON P. A., SPENCER P. J., CONLEY E. C., SUTCLIFFE M. J. & STANFIELD P. R. The dependence of Ag^+ block of a potassium channel, murine Kir2.1, on a cysteine residue in the selectivity filter **511**, 15, 1998
DART C., LEYLAND M. L., SPENCER P. J., STANFIELD P. R. & SUTCLIFFE M. J. The selectivity filter of a potassium channel, murine Kir2.1, investigated using scanning cysteine mutagenesis **511**, 25, 1998

DAUGAARD J. R. *see ASP S., DAUGAARD J. R., KRISTIANSEN S., KIENS B. & RICHTER E. A.* **509**, 305, 1998

DAVID G.
DAVID G., BARRETT J. N. & BARRETT E. F. Evidence that mitochondria buffer physiological Ca^{2+} loads in lizard motor nerve terminals **509**, 59, 1998

DAVIES P. J. *see MCLACHLAN E. M., HÄBLER H.-J., JAMIESON J. & DAVIES P. J.* **511**, 461, 1998

DAVIS A. K. *see DALLMAN J. E., DAVIS A. K. & MOODY W. J.* **511**, 683, 1998

DAY B. L. *see CAUQUIL A. S. & DAY B. L.* **513**, 611, 1998

DAYANITHI G. *see TROADEC J.-D., THIRION S., NICAISE G., LEMOS J. R. & DAYANITHI G.* **511**, 89, 1998
see SABATIER N., RICHARD P. & DAYANITHI G. **513**, 699, 1998

DAYRELL M. *see DELMAS P., BROWN D. A., DAYRELL M., ABOGADIE F. C., CAULFIELD M. P. & BUCKLEY N. J.* **506**, 319, 1998

DEACHAPUNYA C.
DEACHAPUNYA C. & O'GRADY S. M. Regulation of chloride secretion across porcine endometrial epithelial cells by prostaglandin E_2 **508**, 31, 1998

DEÁK F.
DEÁK F., NAGY G., VÁRNAI P., MADARÁSZ E. & SPÄT A. Calcium current activated by potassium ions in voltage-clamped rat hippocampal pyramidal neurones **508**, 735, 1998

DEBANNE D.
DEBANNE D., GÄHWILER B. H. & THOMPSON S. M. Long-term synaptic plasticity between pairs of individual CA3 pyramidal cells in rat hippocampal slice cultures **507**, 237, 1998
DEBANNE D., SHULZ D. E. & FRÉGNAC Y. Activity-dependent regulation of 'on' and 'off' responses in cat visual cortical receptive fields **508**, 523, 1998

DEBELLIS L.

DEBELLIS L., CAROPPO R., FRÖMTER E. & CURCI S. Alkaline secretion by frog gastric glands measured with pH microelectrodes in the gland lumen **513**, 235, 1998

DE HAAN A. *see DE RUITER C. J., DE HAAN A., JONES D. A. & SARGEANT A. J.* **507**, 583, 1998

DEITMER J. W. *see NETT W. & DEITMER J. W.* **507**, 147, 1998

see BACKUS K. H., DEITMER J. W. & FRIAUF E. **507**, 783, 1998

DEITMER J. W. & SCHNEIDER H.-P. Acid/base transport across the leech giant glial cell membrane at low external bicarbonate concentration **512**, 459, 1998

DE JEU M. T. G. *see PENNARTZ C. M. A., DE JEU M. T. G., GEURTSEN A. M. S., SLUITER A. A. & HERMES M. L. H. J.* **506**, 775, 1998

DELANEY S. J. *see LANSDELL K. A., DELANEY S. J., LUNN D. P., THOMSON S. A., SHEPPARD D. N. & WAINWRIGHT B. J.* **508**, 379, 1998

see LANSDELL K. A., KIDD J. F., DELANEY S. J., WAINWRIGHT B. J. & SHEPPARD D. N. **512**, 751, 1998

DE LA PEÑA P. *see BARROS F., GÓMEZ-VARELA D., VILORIA C. G., PALOMERO T., GIRÁLDEZ T. & DE LA PEÑA P.* **511**, 333, 1998

DELEUZE C.

DELEUZE C., DUVOID A. & HUSSY N. Properties and glial origin of osmotic-dependent release of taurine from the rat supraoptic nucleus **507**, 463, 1998

DELMAS P.

DELMAS P., BROWN D. A., DAYRELL M., ABOGADIE F. C., CAULFIELD M. P. & BUCKLEY N. J. On the role of endogenous G-protein $\beta\gamma$ subunits in N-type Ca^{2+} current inhibition by neurotransmitters in rat sympathetic neurones **506**, 319, 1998

see GOLA M., DELMAS P. & CHAGNEUX H. **510**, 387, 1998

DEMPSEY J. A. *see HARMS C. A., MCCLARAN S. R., NICKELE G. A., PEGELOW D. F., NELSON W. B. & DEMPSEY J. A.* **507**, 619, 1998

DENAVIT-SAUBIÉ M. *see PIERREFICHE O., HAJI A., FOUTZ A. S., TAKEDA R., CHAMPAGNAT J. & DENAVIT-SAUBIÉ M.* **508**, 549, 1998

DENIAU J.-M. *see PINAULT D., LERESCHE N., CHARPIER S., DENIAU J.-M., MARESCAUX C., VERGNES M. & CRUNELLI V.* **509**, 449, 1998

DER-SILAPHET T. *see HUIZINGA J. D., AMBROUS K. & DER-SILAPHET T.* **506**, 843, 1998

DE RUITER C. J.

DE RUITER C. J., DE HAAN A., JONES D. A. & SARGEANT A. J. Shortening-induced force depression in human adductor pollicis muscle **507**, 583, 1998

DE SOUZA A. I. *see TERRACCIANO C. M. N., DE SOUZA A. I., PHILIPSON K. D. & MACLEOD K. T.* **512**, 651, 1998

DETERS-EVERS U. *see GWINNER W., DETERS-EVERS U., BRANDES R. P., KUBAT B., KOCH K.-M., PAPE M. & OLBRICHT C. J.* **509**, 599, 1998

DE TROYER A.

DE TROYER A. The canine phrenic-to-intercostal reflex **508**, 919, 1998

DE TROYER A., LEGRAND A., GEVENOIS P.-A. & WILSON T. A. Mechanical advantage of the human parasternal intercostal and triangularis sterni muscles **513**, 915, 1998

DEUCHARS J. *see ALI A. B., DEUCHARS J., PAWELZIK H. & THOMSON A. M.* **507**, 201, 1998

DE WAELE C. *see RIS L., WATTIEZ R., DE WAELE C., VIDAL P.-P. & GODAUX E.* **512**, 533, 1998

DIAZ R. J. *see LOSITO V. A., TSUSHIMA R. G., DIAZ R. J., WILSON G. J. & BACKX P. H.* **511**, 67, 1998

DICKENSON A. H. *see CHAPMAN V., SUZUKI R. & DICKENSON A. H.* **507**, 881, 1998

DIETL P. *see MAIR N., FRICK M., MERANER A., SCHRAMEK H. & DIETL P.* **511**, 55, 1998

DIETZE B.

DIETZE B., BERTOCCHINI F., BARONE V., STRUK A., SORRENTINO V. & MELZER W. Voltage-controlled Ca^{2+} release in normal and ryanodine receptor type 3(RyR3)-deficient mouse myotubes **513**, 3, 1998

DIEUDONNÉ S.

DIEUDONNÉ S. Submillisecond kinetics and low efficacy of parallel fibre–Golgi cell synaptic currents in the rat cerebellum **510**, 845, 1998

DI LAZZARO V.

DI LAZZARO V., RESTUCCIA D., OLIVIERO A., PROFICE P., FERRARA L., INSOLA A., MAZZONE P., TONALI P. & ROTHWELL J. C. Effects of voluntary contraction on descending volleys evoked by transcranial stimulation in conscious humans **508**, 625, 1998

DIPOLO R.

DIPOLO R. & BEAUGÉ L. Differential up-regulation of Na^+–Ca^{2+} exchange by phosphoarginine and ATP in dialysed squid axons **507**, 737, 1998

see FIERRO L., DIPOLO R. & LLANO I. **510**, 499, 1998

DIXON A. K. *see LEE K., DIXON A. K., FREEMAN T. C. & RICHARDSON P. J.* **510**, 441, 1998

DIXON J. E. *see SHI W., WANG H.-S., PAN Z., WYMORE R. S., COHEN I. S., MCKINNON D. & DIXON J. E.* **511**, 675, 1998

DJOUHRI L.

DJOUHRI L., BLEAZARD L. & LAWSON S. N. Association of somatic action potential shape with sensory receptive properties in guinea-pig dorsal root ganglion neurones **513**, 857, 1998

DOBASHI K. *see IIZUKA K., YOSHII A., DOBASHI K., HORIE T., MORI M. & NAKAZAWA T.* **511**, 915, 1998

DOBRETSOV M.

DOBRETSOV M., HASTINGS S. L. & STIMERS J. R. Na^+–K^+ pump cycle during β-adrenergic stimulation of adult rat cardiac myocytes **507**, 527, 1998

DOBROWOLSKI L.

DOBROWOLSKI L., BĄDZYŃSKA B., WALKOWSKA A. & SADOWSKI J. Osmotic hypertonicity of the renal medulla during changes in renal perfusion pressure in the rat **508**, 929, 1998

DOCKRAY G. J. *see MCLAUGHLIN J. T., LOMAX R. B., HALL L., DOCKRAY G. J., THOMPSON D. G. & WARHURST G.* **513**, 11, 1998

DOEPNER B.

DOEPNER B., THIERFELDER S., HIRCHE H. & BENNDORF K. Retraction: *Journal of Physiology* **500**, 85–94 (1997) **508**, 956, 1998

DOLPHIN A. C.

DOLPHIN A. C. Topical Review: Mechanisms of modulation of voltage-dependent calcium channels by G proteins **506**, 3, 1998

see ALLEN T. J. A., MIKALA G., WU X.-P. & DOLPHIN A. C. **508**, 1, 1998

see STEPHENS G. J., BRICE N. L., BERROW N. S. & DOLPHIN A. C. **509**, 15, 1998

see STEPHENS G. J., CANTÍ C., PAGE K. M. & DOLPHIN A. C. **509**, 163, 1998

see WYATT C. N., PAGE K. M., BERROW N. S., BRICE N. L. & DOLPHIN A. C. **510**, 347, 1998

DOMENIGHETTI A. A.

DOMENIGHETTI A. A., BÉNY J.-L., CHABAUD F. & FRIEDEN M. An intercellular regenerative calcium wave in porcine coronary artery endothelial cells in primary culture **513**, 103, 1998

DONG E. *see HEATH B. M., XIA J., DONG E., AN R. H., BROOKS A., LIANG C.-S., FEDEROFF H. J. & KASS R. S.* **512**, 779, 1998

DONNELLY D. F.

DONNELLY D. F., PANISELLO J. M. & BOGGS D. Effect of sodium perturbations on rat chemoreceptor spike generation: implications for a Poisson model **511**, 301, 1998

DONNERER J. *see WACHTER C. H., HEINEMANN Á., DONNERER J., PABST M. A. & HOLZER P.* **509**, 541, 1998

DONOWITZ M. *see LEE M. G., SCHULTHEIS P. J., YAN M., SHULL G. E., BOOKSTEIN C., CHANG E., TSE M., DONOWITZ M., PARK K. & MUALLEM S.* **513**, 341, 1998

DOU P. *see SMITH B. N., DOU P., BARBER W. D. & DUDEK F. E.* **512**, 149, 1998

DOUGHTY J. M.

DOUGHTY J. M., MILLER A. L. & LANGTON P. D. Non-specificity of chloride channel blockers in rat cerebral arteries: block of the L-type calcium channel **507**, 433, 1998

DOUGHTY J. M., BARNES-DAVIES M., RUSZNÁK Z., HARASZTOSI C. & FORSYTHE I. D. Contrasting Ca^{2+} channel subtypes at cell bodies and synaptic terminals of rat anterioventral cochlear bushy neurones **512**, 365, 1998

DOUGLAS A. J. *see NEUMANN I. D., JOHNSTONE H. A., HATZINGER M., LIEBSCH G., SHIPSTON M., RUSSELL J. A., LANDGRAF R. & DOUGLAS A. J.* **508**, 289, 1998

DOWD E. *see MCQUEEN D. S., BOND S. M., MOORES C., CHESSELL I., HUMPHREY P. P. A. & DOWD E.* **507**, 843, 1998

DRAGUHN A. *see SCHMITZ D., GLOVELI T., EMPSON R. M., DRAGUHN A. & HEINEMANN U.* **508**, 119, 1998

see ENGEL D., SCHMITZ D., GLOVELI T., FRAHM C., HEINEMANN U. & DRAGUHN A. **512**, 643, 1998

DRAPEAU P. *see ALI D. W., CATARSI S. & DRAPEAU P.* **509**, 211, 1998

DREYFUS H. *see PICAUD S., PATTNAIK B., HICKS D., FORSTER V., FONTAINE V., SAHEL J. & DREYFUS H.* **513**, 33, 1998

DRINKHILL M. J. *see NOBLE B. J., DRINKHILL M. J., MYERS D. S. & HAINSWORTH R.* **513**, 263, 1998

see MCMAHON N. C., DRINKHILL M. J. & HAINSWORTH R. **513**, 543, 1998

Droogmans G. *see* Voets T., Manolopoulos V., Eggermont J., Ellory C., Droogmans G. & Nilius B. **506**, 341, 1998

see Nilius B., Prenen J., Voets T., Eggermont J. & Droogmans G. **506**, 353, 1998

Drummond R. M. *see* McGeown J. G., McCarron J. G., Drummond R. M. & Fay F. S. **506**, 95, 1998

Duan D. *see* Yamazaki J., Duan D., Janiak R., Kuenzli K., Horowitz B. & Hume J. R. **507**, 729, 1998

Dubois J. M. *see* Rouzaire-Dubois B. & Dubois J. M. **510**, 93, 1998

Duchateau J. *see* Van Cutsem M., Duchateau J. & Hainaut K. **513**, 295, 1998

Duchen M. R. *see* Nowicky A. V. & Duchen M. R. **507**, 131, 1998

Dudek F. E. *see* Smith B. N., Dou P., Barber W. D. & Dudek F. E. **512**, 149, 1998

Dudel J. *see* Parzefall F., Wilhelm R., Heckmann M. & Dudel J. **512**, 181, 1998

Duke A. M.

Duke A. M. & Steele D. S. Effects of caffeine and adenine nucleotides on Ca^{2+} release by the sarcoplasmic reticulum in saponin-permeabilized frog skeletal muscle fibres **513**, 43, 1998

Dunlop W. *see* Mahdy Z., Otun H. A., Dunlop W. & Gillespie J. I. **508**, 609, 1998

Durand D. M. *see* Maccabee P. J., Nagarajan S. S., Amassian V. E., Durand D. M., Szabo A. Z., Ahad A. B., Cracco R. Q., Lai K. S. & Eberle L. P. **513**, 571, 1998

Durrington H. J. *see* MacVinish L. J., Hickman M. E., Mufti D. A. H., Durrington H. J. & Cuthbert A. W. **510**, 237, 1998

Duszyk M.

Duszyk M., Shu Y., Ho A. K. & Man S. F. P. Activation of bovine tracheal chloride channels by amino group-specific reagents **512**, 129, 1998

Dutschmann M.

Dutschmann M. & Herbert H. NMDA and $GABA_A$ receptors in the rat Kölliker–Fuse area control cardiorespiratory responses evoked by trigeminal ethmoidal nerve stimulation **510**, 793, 1998

Duvoid A. *see* Deleuze C., Duvoid A. & Hussy N. **507**, 463, 1998

Earm Y. E. *see* Ho W.-K., Kim I., Lee C. O. & Earm Y. E. **507**, 631, 1998

Easton A. S.

Easton A. S. & Fraser P. A. Arachidonic acid increases cerebral microvascular permeability by free radicals in single pial microvessels of the anaesthetized rat **507**, 541, 1998

see Sarker M. H., Easton A. S. & Fraser P. A. **507**, 909, 1998

Eberle L. P. *see* Maccabee P. J., Nagarajan S. S., Amassian V. E., Durand D. M., Szabo A. Z., Ahad A. B., Cracco R. Q., Lai K. S. & Eberle L. P. **513**, 571, 1998

Edman K. A. P. *see* Josephson R. K. & Edman K. A. P. **507**, 511, 1998

Edwards F. A. *see* Robertson S. J. & Edwards F. A. **508**, 691, 1998

Eggermont J. *see* Voets T., Manolopoulos V., Eggermont J., Ellory C., Droogmans G. & Nilius B. **506**, 341, 1998

see Nilius B., Prenen J., Voets T., Eggermont J. & Droogmans G. **506**, 353, 1998

Eglin C. M. *see* Tipton M. J., Eglin C. M. & Golden F. St C. **512**, 621, 1998

Egée S.

Egée S., Mignen O., Harvey B. J. & Thomas S. Chloride and non-selective cation channels in unstimulated trout red blood cells **511**, 213, 1998

Ehara T. *see* Ishihara K. & Ehara T. **510**, 755, 1998

Ehmke H. *see* Just A., Wittmann U., Ehmke H. & Kirchheim H. R. **506**, 275, 1998

see Berthold H., Just A., Kirchheim H. R., Osswald H. & Ehmke H. **510**, 321, 1998

see Just A., Kirchheim H. R. & Ehmke H. **512**, 583, 1998

Ehrenfeld J. *see* Schmieder S., Lindenthal S., Banderali U. & Ehrenfeld J. **511**, 379, 1998

Eisner D. A. *see* Overend C. L., O'Neill S. C. & Eisner D. A. **507**, 759, 1998

see Shmigol A. V., Eisner D. A. & Wray S. **511**, 803, 1998

Ekerot C.-F. *see* Garwicz M., Jörntell H. & Ekerot C.-F. **512**, 277, 1998

Eladari D. *see* Blanchard A., Eladari D., Leviel F., Tsimaratos M., Paillard M. & Podevin R.-A. **506**, 689, 1998

Elam M. *see* Wallin B. G., Båtelsson K., Kienbaum P., Karlsson T., Gazelius B. & Elam M. **513**, 559, 1998

Elder G. C. B.

Elder G. C. B. & Toner L. V. Muscle shortening induced by tenotomy does not reduce activity levels in rat soleus **512**, 251, 1998

Eldridge F. L. *see* Paydarfar D., Eldridge F. L. & Paydarfar J. A. **506**, 515, 1998

Elger C. E. *see* Reckziegel G., Beck H., Schramm J., Elger C. E. & Urban B. W. **509**, 139, 1998

Elliott A. A. *see* Rush A. M., Bräu M. E., Elliott A. A. & Elliott J. R. **511**, 771, 1998

Elliott A. C. *see* Speake T. & Elliott A. C. **506**, 415, 1998

Elliott J. R. *see* Rush A. M., Bräu M. E., Elliott A. A. & Elliott J. R. **511**, 771, 1998

Ellis A. *see* Ritzhaupt A., Ellis A., Hosie K. B. & Shirazi-Beechey S. P. **507**, 819, 1998

see Ritzhaupt A., Wood I. S., Ellis A., Hosie K. B. & Shirazi-Beechey S. P. **513**, 719, 1998

Ellory C. *see* Voets T., Manolopoulos V., Eggermont J., Ellory C., Droogmans G. & Nilius B. **506**, 341, 1998

Ellory J. C. *see* Gibson J. S., Speake P. F. & Ellory J. C. **511**, 225, 1998

Empson R. M. *see* Schmitz D., Gloveli T., Empson R. M., Draguhn A. & Heinemann U. **508**, 119, 1998

Endo Y.

Endo Y., Tabata T., Kuroda H., Tadano T., Matsushima K. & Watanabe M. Induction of histidine decarboxylase in skeletal muscle in mice by electrical stimulation, prolonged walking and interleukin-1 **509**, 587, 1998

Engel D.

Engel D., Schmitz D., Gloveli T., Frahm C., Heinemann U. & Draguhn A. Laminar difference in GABA uptake and GAT-1 expression in rat CA1 **512**, 643, 1998

Engeland B.

Engeland B., Neu A., Ludwig J., Roeper J. & Pongs O. Cloning and functional expression of rat *ether-à-go-go*-like K^+ channel genes **513**, 647, 1998

Engisch K. L.

Engisch K. L. & Nowycky M. C. Compensatory and excess retrieval: two types of endocytosis following single step depolarizations in bovine adrenal chromaffin cells **506**, 591, 1998

Enright J. T.

Enright J. T. Monocularly programmed human saccades during vergence changes? **512**, 235, 1998

Epifano O. *see* Grassi F., Epifano O., Mileo A. M., Barabino B. & Eusebi F. **508**, 393, 1998

Eremin A. V. *see* Tarasenko A. N., Isaev D. S., Eremin A. V. & Kostyuk P. G. **509**, 385, 1998

Erickson J. T.

Erickson J. T., Mayer C., Jawa A., Ling L., Olson E. B. Jr, Vidruk E. H., Mitchell G. S. & Katz D. M. Chemoafferent degeneration and carotid body hypoplasia following chronic hyperoxia in newborn rats **509**, 519, 1998

Ernest S.

Ernest S., Jankowski M., Mukaddam-Daher S., Cusson J. & Gutkowska J. Altered regulation of natriuretic peptides in the rat heart by prenatal exposure to morphine **506**, 867, 1998

Eschenhagen T. *see* Vandecasteele G., Eschenhagen T. & Fischmeister R. **506**, 653, 1998

Espinosa-Luna R. *see* Barajas-López C., Espinosa-Luna R. & Zhu Y. **513**, 671, 1998

Eto M. *see* Li L., Eto M., Lee M. R., Morita F., Yazawa M. & Kitazawa T. **508**, 871, 1998

Eusebi F. *see* Ragozzino D., Barabino B., Fucile S. & Eusebi F. **507**, 749, 1998

see Grassi F., Epifano O., Mileo A. M., Barabino B. & Eusebi F. **508**, 393, 1998

Eutamene H.

Eutamene H., Theodorou V., Vergnolle N., Comera C., Fioramonti J. & Bueno L. Involvement of interleukin-1, prostaglandins and mast cells in rectal distension-induced colonic water secretion in rats **506**, 245, 1998

Evans W. H. *see* Chaytor A. T., Evans W. H. & Griffith T. M. **508**, 561, 1998

Ewart H. S. *see* Shimoni Y., Ewart H. S. & Severson D. **507**, 485, 1998

Farès N.

Farès N., Bois P., Lenfant J. & Potreau D. Characterization of a hyperpolarization-activated current in dedifferentiated adult rat ventricular cells in primary culture **506**, 73, 1998

Farkas I.

Farkas I., Baranyi L., Takahashi M., Fukuda A., Liposits Zs., Yamamoto T. & Okada H. A neuronal C5a receptor and an associated apoptotic signal transduction pathway **507**, 679, 1998

FARMER S. F.

FARMER S. F. Rhythmicity, synchronization and binding in human and primate motor systems **509**, 3, 1998

FAVRE H. *see CARRANZA M. L., ROUSSELOT M., CHIBALIN A. V., BERTORELLO A. M., FAVRE H. & FÉRAILLE E.* **511**, 235, 1998

FAY F. S. *see MCGEOWN J. G., MCCARRON J. G., DRUMMOND R. M. & FAY F. S.* **506**, 95, 1998

FEATHERSTONE D. E.

FEATHERSTONE D. E., FUJIMOTO E. & RUBEN P. C. A defect in skeletal muscle sodium channel deactivation exacerbates hyperexcitability in human paramyotonia congenita **506**, 627, 1998

FEDEROFF H. J. *see HEATH B. M., XIA J., DONG E., AN R. H., BROOKS A., LIANG C.-S., FEDEROFF H. J. & KASS R. S.* **512**, 779, 1998

FEIN A. *see TERTYSHNIKOVA S., YAN X. & FEIN A.* **512**, 89, 1998

FELDMAN J. L. *see GE Q. & FELDMAN J. L.* **509**, 255, 1998

FÉRAILLE E. *see CARRANZA M. L., ROUSSELOT M., CHIBALIN A. V., BERTORELLO A. M., FAVRE H. & FÉRAILLE E.* **511**, 235, 1998

FERRARA L. *see DI LAZZARO V., RESTUCCIA D., OLIVIERO A., PROFICE P., FERRARA L., INSOLA A., MAZZONE P., TONALI P. & ROTHWELL J. C.* **508**, 625, 1998

FERRER R. *see SORIANO-GARCÍA J. F., TORRAS-LLORT M., FERRER R. & MORETÓ M.* **509**, 527, 1998

FERRIER G. R.

FERRIER G. R., ZHU J., REDONDO I. M. & HOWLETT S. E. Role of cAMP-dependent protein kinase A in activation of a voltage-sensitive release mechanism for cardiac contraction in guinea-pig myocytes **513**, 185, 1998

FERRIER L. *see CARIO-TOUMANIANTZ C., LOIRAND G., FERRIER L. & PACAUD P.* **508**, 659, 1998

FETTIPLACE R. *see RICCI A. J. & FETTIPLACE R.* **506**, 159, 1998

see RICCI J. & FETTIPLACE R. Erratum: *Journal of Physiology* **506**, 159–173 (1998) **507**, 939, 1998

FIELD M. J. *see JOHNSON D. W., SAUNDERS H. J., FIELD M. J. & POLLOCK C. A.* **508**, 587, 1998

FIERRO L.

FIERRO L., DIPOLO R. & LLANO I. Intracellular calcium clearance in Purkinje cell somata from rat cerebellar slices **510**, 499, 1998

FIGL A.

FIGL A., VISESHAKUL N., SHAFAEE N., FORSAYETH J. & COHEN B. N. Two mutations linked to nocturnal frontal lobe epilepsy cause use-dependent potentiation of the nicotinic ACh response **513**, 655, 1998

FIORAMONTI J. *see EUTAMENE H., THEODOROU V., VERGNOLLE N., COMERA C., FIORAMONTI J. & BUENO L.* **506**, 245, 1998

FISAHN A. *see BUHL E. H., TAMÁS G. & FISAHN A.* **513**, 117, 1998

FISCHER-LOUGHEED J. *see LIU J.-H., BIJLENGA P., FISCHER-LOUGHEED J., OCCHIODORO T., KAELIN A., BADER C. R. & BERNHEIM L.* **510**, 467, 1998

see BIJLENGA P., OCCHIODORO T., LIU J.-H., BADER C. R., BERNHEIM L. & FISCHER-LOUGHEED J. **512**, 317, 1998

FISCHMEISTER R. *see VANDECASTEELE G., ESCHENHAGEN T. & FISCHMEISTER R.* **506**, 653, 1998

FISHER T. E.

FISHER T. E., VOISIN D. L. & BOURQUE C. W. Density of transient K^+ current influences excitability in acutely isolated vasopressin and oxytocin neurones of rat hypothalamus **511**, 423, 1998

FITZGERALD M. *see JENNINGS E. & FITZGERALD M.* **509**, 859, 1998

FITZPATRICK R. C. *see REFSHAUGE K. M., TAYLOR J. L., MCCLOSKEY D. I., GIANOUTSOS M., MATHEWS P. & FITZPATRICK R. C.* **513**, 307, 1998

FITZSIMONS D. P.

FITZSIMONS D. P., PATEL J. R. & MOSS R. L. Role of myosin heavy chain composition in kinetics of force development and relaxation in rat myocardium **513**, 171, 1998

FLAMENG W. *see STENGL M., CARMELIET E., MUBAGWA K. & FLAMENG W.* **511**, 827, 1998

FLEISCHHACKER E. *see GRAIER W. F., PALTAUF-DOBURZYNSKA J., HILL B. J. F., FLEISCHHACKER E., HOEBEL B. G., KOSTNER G. M. & STUREK M.* **506**, 109, 1998

FLEMING N. *see RAE M. G., FLEMING N., MCGREGOR D. B., SANDERS K. M. & KEEF K. D.* **510**, 309, 1998

FLOETER M. K. *see GERLOFF C., COHEN L. G., FLOETER M. K., CHEN R., CORWELL B. & HALLETT M.* **510**, 249, 1998

FOGARTY K. E. *see ZHUGE R., SIMS S. M., TUFT R. A., FOGARTY K. E. & WALSH J. V. JR* **513**, 711, 1998

FOLKERD E. J. *see SHIRLEY D. G., WALTER S. J., FOLKERD E. J., UNWIN R. J. & BAILEY M. A.* **513**, 551, 1998

FONTAINE B. *see PLASSART-SCHIESS E., LHUILLIER L., GEORGE A. L. JR, FONTAINE B. & TABTI N.* **507**, 721, 1998

see SIPOS I., JURKAT-ROTT K., HARASZTOSI CS., FONTAINE B., KOVACS L., MELZER W. & LEHMANN-HORN F. Erratum: *Journal of Physiology* **483**, 299–306 (1995) **508**, 955, 1998

FONTAINE V. *see PICAUD S., PATTNAIK B., HICKS D., FORSTER V., FONTAINE V., SAHEL J. & DREYFUS H.* **513**, 33, 1998

FORMENTI A.

FORMENTI A., MARTINA M., PLEBANI A. & MANCIA M. Multiple modulatory effects of dopamine on calcium channel kinetics in adult rat sensory neurons **509**, 395, 1998

FORSAYETH J. *see FIGL A., VISESHAKUL N., SHAFAEE N., FORSAYETH J. & COHEN B. N.* **513**, 655, 1998

FORSTER V. *see PICAUD S., PATTNAIK B., HICKS D., FORSTER V., FONTAINE V., SAHEL J. & DREYFUS H.* **513**, 33, 1998

FORSYTHE I. D. *see WANG L.-Y., GAN L., FORSYTHE I. D. & KACZMAREK L. K.* **509**, 183, 1998

see DOUGHTY J. M., BARNES-DAVIES M., RUSZNÁK Z., HARASZTOSI C. & FORSYTHE I. D. **512**, 365, 1998

see CUTTLE M. F., TSUJIMOTO T., FORSYTHE I. D. & TAKAHASHI T. **512**, 723, 1998

FOSSIER P. *see MOTHET J.-P., FOSSIER P., MEUNIER F.-M., STINNAKRE J., TAUC L. & BAUX G.* **507**, 405, 1998

FOUTZ A. S. *see PIERREFICHE O., HAJI A., FOUTZ A. S., TAKEDA R., CHAMPAGNAT J. & DENAVIT-SAUBIÉ M.* **508**, 549, 1998

FOWDEN A. L.

FOWDEN A. L., MUNDY L. & SILVER M. Developmental regulation of glucogenesis in the sheep fetus during late gestation **508**, 937, 1998

FOX A. P. *see NUCIFORA P. G. P. & FOX A. P.* **508**, 483, 1998

FRAHM C. *see ENGEL D., SCHMITZ D., GLOVELI T., FRAHM C., HEINEMANN U. & DRAGUHN A.* **512**, 643, 1998

FRANC B. *see SÉVOZ-COUCHE C., NOSJEAN A., FRANC B., HAMON M. & LAGUZZI R.* **508**, 747, 1998

FRANCESCHETTI S. *see MANTEGAZZA M., FRANCESCHETTI S. & AVANZINI G.* **507**, 105, 1998

FRASER P. A. *see EASTON A. S. & FRASER P. A.* **507**, 541, 1998

see SARKER M. H., EASTON A. S. & FRASER P. A. **507**, 909, 1998

FREEMAN S. *see XIE W., SOLOMONS K. R. H., FREEMAN S., KAETZEL M. A., BRUZIK K. S., NELSON D. J. & SHEARS S. B.* **510**, 661, 1998

FREEMAN T. C. *see LEE K., DIXON A. K., FREEMAN T. C. & RICHARDSON P. J.* **510**, 441, 1998

FRÉGNAC Y. *see DEBANNE D., SHULZ D. E. & FRÉGNAC Y.* **508**, 523, 1998

FREGOSI R. F. *see FULLER D., MATEIKA J. H. & FREGOSI R. F.* **507**, 265, 1998

FRIAUF E. *see BACKUS K. H., DEITMER J. W. & FRIAUF E.* **507**, 783, 1998

FRICK M. *see MAIR N., FRICK M., MERANER A., SCHRAMEK H. & DIETL P.* **511**, 55, 1998

FRIEDEN M. *see DOMENIGHETTI A. A., BÉNY J.-L., CHABAUD F. & FRIEDEN M.* **513**, 103, 1998

FRIELING T. *see NEUNLIST M., FRIELING T., RUPPRECHT C. & SCHEMANN M.* **506**, 539, 1998

FRINDT G. *see PALMER L. G., SACKIN H. & FRINDT G.* **509**, 151, 1998

FROMM M. *see GROTJOHANN I., GITTER A. H., KÖCKERLING A., BERTOG M., SCHULZKE J. D. & FROMM M.* **507**, 561, 1998

FRÖMTER E. *see DEBELLIS L., CAROPPO R., FRÖMTER E. & CURCI S.* **513**, 235, 1998

FRY C. H. *see WU C. & FRY C. H.* **508**, 131, 1998

FRYER M. W. *see POSTERINO G. S. & FRYER M. W.* **512**, 97, 1998

FU L.-W.

FU L.-W. & LONGHURST J. C. Role of 5-HT_3 receptors in activation of abdominal sympathetic C fibre afferents during ischaemia in cats **509**, 729, 1998

FU W.-M. *see CHEN Y.-H., WU M.-L. & FU W.-M.* **507**, 41, 1998

FU W.-M., LIOU H.-C., CHEN Y.-H. & WANG S.-M. Release of acetylcholine from embryonic myocytes in *Xenopus* cell cultures **509**, 497, 1998

FUCILE S. *see RAGOZZINO D., BARABINO B., FUCILE S. & EUSEBI F.* **507**, 749, 1998

FUJIMOTO E. *see FEATHERSTONE D. E., FUJIMOTO E. & RUBEN P. C.* **506**, 627, 1998

FUJIOKA Y.

FUJIOKA Y., MATSUOKA S., BAN T. & NOMA A. Interaction of the Na^+–K^+ pump and Na^+–Ca^{2+} exchange via $[Na^+]_i$ in a restricted space of guinea-pig ventricular cells **509**, 457, 1998

FUJISHIRO N. *see INOUE M., FUJISHIRO N. & IMANAGA I.* **507**, 807, 1998

Fukuda A. *see* Farkas I., Baranyi L., Takahashi M., Fukuda A., Liposits Zs., Yamamoto T. & Okada H. **507**, 679, 1998

Fukuda Y. *see* Chen X.-M., Hosono T., Yoda T., Fukuda Y. & Kanosue K. **512**, 883, 1998

Fukuta H. *see* Nishiyama M., Hashitani H., Fukuta H., Yamamoto Y. & Suzuki H. **510**, 455, 1998

see Yamamoto Y., Fukuta H., Nakahira Y. & Suzuki H. **511**, 501, 1998

Fuller D.

Fuller D., Mateika J. H. & Fregosi R. F. Co-activation of tongue protrudor and retractor muscles during chemoreceptor stimulation in the rat **507**, 265, 1998

Funabiki K.

Funabiki K., Koyano K. & Ohmori H. The role of GABAergic inputs for coincidence detection in the neurones of nucleus laminaris of the chick **508**, 851, 1998

Funahashi M.

Funahashi M. & Stewart M. Properties of γ-frequency oscillations initiated by propagating population bursts in retrohippocampal regions of rat brain slices **510**, 191, 1998

Funk A. P.

Funk A. P. & Rosa M. G. P. Visual responses of neurones in the second visual area of flying foxes (*Pteropus poliocephalus*) after lesions of striate cortex **513**, 507, 1998

Funke K. *see* Wörgötter F., Nelle E., Li B. & Funke K. **509**, 797, 1998

Furness J. B. *see* Kunze W. A. A., Furness J. B., Bertrand P. P. & Bornstein J. C. **506**, 827, 1998

Furubayashi T. *see* Hanajima R., Ugawa Y., Terao Y., Sakai K., Furubayashi T., Machii K. & Kanazawa I. **509**, 607, 1998

Gage P. W. *see* Hammarström A. K. M. & Gage P. W. **510**, 735, 1998

Gähwiler B. H. *see* Debanne D., Gähwiler B. H. & Thompson S. M. **507**, 237, 1998

Galligan J. J. *see* Zhou X. & Galligan J. J. **513**, 685, 1998

Gallo M. P.

Gallo M. P., Ghigo D., Bosia A., Alloatti G., Costamagna C., Penna C. & Levi R. C. Modulation of guinea-pig cardiac L-type calcium current by nitric oxide synthase inhibitors **506**, 639, 1998

Gamble J.

Gamble J., Christ F. & Gartside I. B. Human calf precapillary resistance decreases in response to small cumulative increases in venous congestion pressure **507**, 611, 1998

Gan L. *see* Wang L.-Y., Gan L., Forsythe I. D. & Kaczmarek L. K. **509**, 183, 1998

Gandevia S. C.

Gandevia S. C., Butler J. E., Taylor J. L. & Crawford M. R. Absence of viscerosomatic inhibition with injections of lobeline designed to activate human pulmonary C fibres **511**, 289, 1998

Gandevia S. C., Herbert R. D. & Leeper J. B. Voluntary activation of human elbow flexor muscles during maximal concentric contractions **512**, 595, 1998

see Inglis J. T., Leeper J. B., Wilson L. R., Gandevia S. C. & Burke D. **513**, 127, 1998

Gao J. *see* Wang Y., Gao J., Mathias R. T., Cohen I. S., Sun X. & Baldo G. J. **509**, 117, 1998

Gao W. D.

Gao W. D., Perez N. G. & Marban E. Calcium cycling and contractile activation in intact mouse cardiac muscle **507**, 175, 1998

Garaschuk O.

Garaschuk O., Hanse E. & Konnerth A. Developmental profile and synaptic origin of early network oscillations in the CA1 region of rat neonatal hippocampus **507**, 219, 1998

García J. *see* Shirokova N., García J. & Ríos E. **512**, 377, 1998

Garcia S. *see* Poucher S. M., Garcia S. & Brooks R. **510**, 643, 1998

Gardiner R. M. *see* Lewis T. M., Sivilotti L. G., Colquhoun D., Gardiner R. M., Schoepfer R. & Rees M. **507**, 25, 1998

Garlichs C. D. *see* Zhang H., Garlichs C. D., Mügge A. & Daniel W. G. **513**, 359, 1998

Garrett J. R. *see* Carpenter G. H., Garrett J. R., Hartley R. H. & Proctor G. B. **512**, 567, 1998

Gartside I. B. *see* Gamble J., Christ F. & Gartside I. B. **507**, 611, 1998

Garwicz M.

Garwicz M., Jörntell H. & Ekerot C.-F. Cutaneous receptive fields and topography of mossy fibres and climbing fibres projecting to cat cerebellar C3 zone **512**, 277, 1998

Gazelius B. *see* Wallin B. G., Bátelsson K., Kienbaum P., Karlsson T., Gazelius B. & Elam M. **513**, 559, 1998

Ge Q.

Ge Q. & Feldman J. L. AMPA receptor activation and phosphatase inhibition affect neonatal rat respiratory rhythm generation **509**, 255, 1998

Gebremedhin D.

Gebremedhin D., Lange A. R., Narayanan J., Aebly M. R., Jacobs E. R. & Harder D. R. Cat cerebral arterial smooth muscle cells express cytochrome P450 4A2 enzyme and produce the vasoconstrictor 20-HETE which enhances L-type Ca^{2+} current **507**, 771, 1998

Gekle M.

Gekle M., Silbernagl S. & Wünsch S. Non-genomic action of the mineralocorticoid aldosterone on cytosolic sodium in cultured kidney cells **511**, 255, 1998

George A. L. Jr *see* Plassart-Schiess E., Lhuillier L., George A. L. Jr, Fontaine B. & Tabti N. **507**, 721, 1998

see Green D. S., George A. L. Jr & Cannon S. C. **510**, 685, 1998

Gerloff C.

Gerloff C., Cohen L. G., Floeter M. K., Chen R., Corwell B. & Hallett M. Inhibitory influence of the ipsilateral motor cortex on responses to stimulation of the human cortex and pyramidal tract **510**, 249, 1998

Geurtsen A. M. S. *see* Pennartz C. M. A., De Jeu M. T. G., Geurtsen A. M. S., Sluiter A. A. & Hermes M. L. H. J. **506**, 775, 1998

Gevenois P.-A. *see* De Troyer A., Legrand A., Gevenois P.-A. & Wilson T. A. **513**, 915, 1998

Ghamari-Langroudi M.

Ghamari-Langroudi M. & Bourque C. W. Caesium blocks depolarizing after-potentials and phasic firing in rat supraoptic neurones **510**, 165, 1998

Ghigo D. *see* Gallo M. P., Ghigo D., Bosia A., Alloatti G., Costamagna C., Penna C. & Levi R. C. **506**, 639, 1998

Gianoutsos M. *see* Refshauge K. M., Taylor J. L., McCloskey D. I., Gianoutsos M., Mathews P. & Fitzpatrick R. C. **513**, 307, 1998

Giaume C. *see* Venance L., Prémont J., Glowinski J. & Giaume C. **510**, 429, 1998

Gibson J. S. *see* Campbell E. H. & Gibson J. S. **506**, 679, 1998

Gibson J. S., Speake P. F. & Ellory J. C. Differential oxygen sensitivity of the K^+–Cl^- cotransporter in normal and sickle human red blood cells **511**, 225, 1998

Giebisch G. *see* Shirley D. G., Walter S. J., Unwin R. J. & Giebisch G. **513**, 243, 1998

Gielen C. C. A. M. *see* van Bolhuis B. M., Gielen C. C. A. M. & van Ingen Schenau G. J. **508**, 313, 1998

Gijsen A. P. *see* Schrauwen P., van Aggel-Leijssen D. P. C., van Marken Lichtenbelt W. D., van Baak M. A., Gijsen A. P. & Wagenmakers A. J. M. **513**, 215, 1998

Gilbert H. J. *see* Walker D., Thwaites D. T., Simmons N. L., Gilbert H. J. & Hirst B. H. **507**, 697, 1998

Gilbey M. P. *see* Johnson C. D. & Gilbey M. P. **508**, 575, 1998

Giles W. R. *see* Cordeiro J. M., Spitzer K. W. & Giles W. R. **508**, 811, 1998

Gillard D. M. *see* Collins D. F., Cameron T., Gillard D. M. & Prochazka A. **508**, 635, 1998

Gillespie J. I. *see* Mahdy Z., Otun H. A., Dunlop W. & Gillespie J. I. **508**, 609, 1998

Gingrich K. J.

Gingrich K. J. & Burkat P. M. Zn^{2+} inhibition of recombinant $GABA_A$ receptors: an allosteric, state-dependent mechanism determined by the γ-subunit **506**, 609, 1998

Giordano L. *see* Williams T. P., Webbers J. P. P., Giordano L. & Henderson R. P. **508**, 515, 1998

Giráldez T. *see* Barros F., Gómez-Varela D., Viloria C. G., Palomero T., Giráldez T. & de la Peña P. **511**, 333, 1998

Gitter A. H. *see* Grotjohann I., Gitter A. H., Köckerling A., Bertog M., Schulzke J. D. & Fromm M. **507**, 561, 1998

Giummelly P. *see* Tran N. N. P., Spitzbarth E., Robert A., Giummelly P., Atkinson J. & Capdeville-Atkinson C. **507**, 163, 1998

Gladden M. H.

Gladden M. H., Jankowska E. & Czarkowska-Bauch J. New observations on coupling between group II muscle afferents and feline γ-motoneurones **512**, 507, 1998

see Jankowska E., Gladden M. H. & Czarkowska-Bauch J. **512**, 521, 1998

Glassmeier G.

Glassmeier G., Herzig K.-H., Höpfner M., Lemmer K., Jansen A. & Scherübl H. Expression of functional $GABA_A$ receptors in cholecystokinin-secreting gut neuroendocrine murine STC-1 cells **510**, 805, 1998

Gloveli T. *see Schmitz D., Gloveli T., Empson R. M., Draguhn A. & Heinemann U.* **508**, 119, 1998

see Engel D., Schmitz D., Gloveli T., Frahm C., Heinemann U. & Draguhn A. **512**, 643, 1998

Glowinski J. *see Venance L., Prémont J., Glowinski J. & Giaume C.* **510**, 429, 1998

Godaux E. *see Ris L., Wattiez R., de Waele C., Vidal P.-P. & Godaux E.* **512**, 533, 1998

Gola M.

Gola M., Delmas P. & Chagneux H. Encoding properties induced by a persistent voltage-gated muscarinic sodium current in rabbit sympathetic neurones **510**, 387, 1998

Golden F. St C. *see Tipton M. J., Eglin C. M. & Golden F. St C.* **512**, 621, 1998

Goldstein P. A. *see Baba H., Kohno T., Okamoto M., Goldstein P. A., Shimoji K. & Yoshimura M.* **508**, 83, 1998

Gómez-Varela D. *see Barros F., Gómez-Varela D., Viloria C. G., Palomero T., Giráldez T. & de la Peña P.* **511**, 333, 1998

Gomi H. *see Wakatsuki H., Gomi H., Kudoh M., Kimura S., Takahashi K., Takeda M. & Shibuki K.* **513**, 71, 1998

Gonoi T. *see Sánchez J. A., Gonoi T., Inagaki N., Katada T. & Seino S.* **507**, 315, 1998

González-Alonso J.

González-Alonso J., Calbet J. A. L. & Nielsen B. Muscle blood flow is reduced with dehydration during prolonged exercise in humans **513**, 895, 1998

Gonzalez-Crussi F. *see Qu X.-W., Rozenfeld R. A., Huang W., Crawford S. E., Gonzalez-Crussi F. & Hsueh W.* **512**, 227, 1998

Goodwin A. T.

Goodwin A. T., Amrani M., Gray C. C., Jayakumar J. & Yacoub M. H. Role of endogenous endothelin in the regulation of basal coronary tone in the rat **511**, 549, 1998

Gorassini M. *see Prochazka A. & Gorassini M.* **507**, 277, 1998

see Prochazka A. & Gorassini M. **507**, 293, 1998

Gordienko D. V. *see Tare M., Prestwich S. A., Gordienko D. V., Parveen S., Carver J. E., Robinson C. & Bolton T. B.* **506**, 303, 1998

Gordienko D. V., Bolton T. B. & Cannell M. B. Variability in spontaneous subcellular calcium release in guinea-pig ileum smooth muscle cells **507**, 707, 1998

Gordon T. *see Rafuse V. F. & Gordon T.* **509**, 909, 1998

Gosselin H. *see Leblanc N., Chartier D., Gosselin H. & Rouleau J.-L.* **511**, 533, 1998

Goto M. *see Hiramatsu O., Goto M., Yada T., Kimura A., Chiba Y., Tachibana H., Ogasawara Y., Tsujioka K. & Kajiya F.* **509**, 619, 1998

Gottmann K. *see Lindlbauer R., Mohrmann R., Hatt H. & Gottmann K.* **508**, 495, 1998

Graier W. F.

Graier W. F., Paltauf-Doburzynska J., Hill B. J. F., Fleischhacker E., Hoebel B. G., Kostner G. M. & Sturek M. Submaximal stimulation of porcine endothelial cells causes focal Ca^{2+} elevation beneath the cell membrane **506**, 109, 1998

see Paltauf-Doburzynska J., Posch K., Paltauf G. & Graier W. F. **513**, 369, 1998

Grant D. A. *see Johnston R. V., Grant D. A., Wilkinson M. H. & Walker A. M.* **510**, 651, 1998

Grapengiesser E. *see Liu Y.-J., Tengholm A., Grapengiesser E., Hellman B. & Gylfe E.* **508**, 471, 1998

Grassi F.

Grassi F., Epifano O., Mileo A. M., Barabino B. & Eusebi F. The open duration of fetal ACh receptor–channel changes during mouse muscle development **508**, 393, 1998

Gray C. C. *see Goodwin A. T., Amrani M., Gray C. C., Jayakumar J. & Yacoub M. H.* **511**, 549, 1998

Gray D. A.

Gray D. A. & Maloney S. K. Antidiuretic hormone and angiotensin II plasma concentrations in febrile Pekin ducks **511**, 605, 1998

Green D. G. *see Kusaka S., Kapousta-Bruneau N., Green D. G. & Puro D. G.* **506**, 445, 1998

Green D. S.

Green D. S., George A. L. Jr & Cannon S. C. Human sodium channel gating defects caused by missense mutations in S6 segments associated with myotonia: S804F and V1293I **510**, 685, 1998

Green L. R.

Green L. R., McGarrigle H. H. G., Bennet L. & Hanson M. A. Angiotensin II and cardiovascular chemoreflex responses to acute hypoxia in late gestation fetal sheep **507**, 857, 1998

Green L. R., McGarrigle H. H. G., Bennet L. & Hanson M. A. The role of endothelin-A receptors in cardiovascular responses to acute hypoxaemia in the late gestation sheep fetus **509**, 297, 1998

Greffrath W.

Greffrath W., Martin E., Reuss S. & Boehmer G. Components of after-hyperpolarization in magnocellular neurones of the rat supraoptic nucleus *in vitro* **513**, 493, 1998

Greger R. *see Briel M., Greger R. & Kunzelmann K.* **508**, 825, 1998

Gregory J. E. *see Wise A. K., Gregory J. E. & Proske U.* **508**, 325, 1998

Gregory J. E., Wise A. K., Wood S. A., Prochazka A. & Proske U. Muscle history, fusimotor activity and the human stretch reflex **513**, 927, 1998

Gresham G. A. *see Wise R. G., Huang C. L., Gresham G. A., Al-Shafei A. I. M., Carpenter T. A. & Hall L. D.* **513**, 873, 1998

Griffith T. M. *see Chaytor A. T., Evans W. H. & Griffith T. M.* **508**, 561, 1998

Grissmer S. *see Jäger H., Rauer H., Nguyen A. N., Aiyar J., Chandy K. G. & Grissmer S.* **506**, 291, 1998

Grotjohann I.

Grotjohann I., Gitter A. H., Köckerling A., Bertog M., Schulzke J. D. & Fromm M. Localization of cAMP- and aldosterone-induced K^+ secretion in rat distal colon by conductance scanning **507**, 561, 1998

Gruber H. *see Windisch A., Gundersen K., Szabolcs M. J., Gruber H. & Lomo T.* **510**, 623, 1998

Grudt T. J.

Grudt T. J. & Henderson G. Glycine and $GABA_A$ receptor-mediated synaptic transmission in rat substantia gelatinosa: inhibition by μ-opioid and $GABA_B$ agonists **507**, 473, 1998

Grundy D. *see Hillsley K., Kirkup A. J. & Grundy D.* **506**, 551, 1998

see Hillsley K. & Grundy D. **509**, 717, 1998

Gruß M. *see Scholz A., Gruß M. & Vogel W.* **513**, 55, 1998

Grzywacz N. M.

Grzywacz N. M., Amthor F. R. & Merwine D. K. Necessity of acetylcholine for retinal directionally selective responses to drifting gratings in rabbit **512**, 575, 1998

Gu Q.

Gu Q. & Moss R. L. Novel mechanism for non-genomic action of 17β-oestradiol on kainate-induced currents in isolated rat CA1 hippocampal neurones **506**, 745, 1998

Gu Y.

Gu Y. & Huang L.-Y. M. Cross-modulation of glycine-activated Cl^- channels by protein kinase C and cAMP-dependent protein kinase in the rat **506**, 331, 1998

Gunawardena S.

Gunawardena S., Bravo E. & Kappagoda C. T. Effect of chronic mitral valve damage on activity of pulmonary rapidly adapting receptors in the rabbit **511**, 79, 1998

Gundersen K. *see Windisch A., Gundersen K., Szabolcs M. J., Gruber H. & Lomo T.* **510**, 623, 1998

Gustafsson B. *see Pananceau M., Chen H.-X. & Gustafsson B.* **508**, 503, 1998

Gutkowska J. *see Ernest S., Jankowski M., Mukaddam-Daher S., Cusson J. & Gutkowska J.* **506**, 867, 1998

Gwinner W.

Gwinner W., Deters-Evers U., Brandes R. P., Kubat B., Koch K.-M., Pape M. & Olbricht C. J. Antioxidant–oxidant balance in the glomerulus and proximal tubule of the rat kidney **509**, 599, 1998

Gylfe E. *see Liu Y.-J., Tengholm A., Grapengiesser E., Hellman B. & Gylfe E.* **508**, 471, 1998

Györke S. *see Lukyanenko V., Wiesner T. F. & Györke S.* **507**, 667, 1998

Haage D.

Haage D., Karlsson U. & Johansson S. Heterogeneous presynaptic Ca^{2+} channel types triggering GABA release onto medial preoptic neurons from rat **507**, 77, 1998

Häbler H.-J. *see McLachlan E. M., Häbler H.-J., Jamieson J. & Davies P. J.* **511**, 461, 1998

HADDOW L. J. *see* RIBCHESTER R. R., THOMSON D., HADDOW L. J. & USHKARYOV Y. A. **512**, 635, 1998

HAGA T. *see* SHUI Z., KHAN I. A., TSUGA H., HAGA T. & BOYETT M. R. **507**, 325, 1998

HAGBARTH K.-E.

HAGBARTH K.-E. & NORDIN M. Postural after-contractions in man attributed to muscle spindle thixotropy **506**, 875, 1998

HAINAUT K. *see* VAN CUTSEM M., DUCHATEAU J. & HAINAUT K. **513**, 295, 1998

HAINSWORTH R. *see* NOBLE B. J., DRINKHILL M. J., MYERS D. S. & HAINSWORTH R. **513**, 263, 1998

see MCMAHON N. C., DRINKHILL M. J. & HAINSWORTH R. **513**, 543, 1998

HAJI A. *see* PIERREFICHE O., HAJI A., FOUTZ A. S., TAKEDA R., CHAMPAGNAT J. & DENAVIT-SAUBIÉ M. **508**, 549, 1998

HAJNAL J. V. *see* RICO-SANZ J., HAJNAL J. V., THOMAS E. L., MIERISOVÁ Š., ALA-KORPELA M. & BELL J. D. **510**, 615, 1998

HALASY K. *see* VIDA I., HALASY K., SZINYEI C., SOMOGYI P. & BUHL E. H. **506**, 755, 1998

HALL L. *see* MCLAUGHLIN J. T., LOMAX R. B., HALL L., DOCKRAY G. J., THOMPSON D. G. & WARHURST G. **513**, 11, 1998

HALL L. D. *see* WISE R. G., HUANG C. L., GRESHAM G. A., AL-SHAFEI A. I. M., CARPENTER T. A. & HALL L. D. **513**, 873, 1998

HALLER M. *see* MIRONOV S. L., LANGOHR K., HALLER M. & RICHTER D. W. **509**, 755, 1998

HALLETT M. *see* GERLOFF C., COHEN L. G., FLOETER M. K., CHEN R., CORWELL B. & HALLETT M. **510**, 249, 1998

HALLIWELL J. V.

HALLIWELL J. V. & HORNE A. L. Evidence for enhancement of gap junctional coupling between rat island of Calleja granule cells *in vitro* by the activation of dopamine D_3 receptors **506**, 175, 1998

HAMDY S.

HAMDY S., AZIZ Q., ROTHWELL J. C., HOBSON A. & THOMPSON D. G. Sensorimotor modulation of human cortical swallowing pathways **506**, 857, 1998

HAMILL O. P. *see* ZHANG Y., MCBRIDE D. W. JR & HAMILL O. P. **508**, 763, 1998

HAMMARSTRÖM A. K. M.

HAMMARSTRÖM A. K. M. & GAGE P. W. Inhibition of oxidative metabolism increases persistent sodium current in rat CA1 hippocampal neurons **510**, 735, 1998

HAMMERMANN R. *see* RACKÉ K., HEY C., MÖSSNER J., HAMMERMANN R., STICHNOTE C. & WESSLER I. **511**, 813, 1998

HAMMERUM M. S.

HAMMERUM M. S., BIE P., PUMP B., JOHANSEN L. B., CHRISTENSEN N. J. & NORSK P. Vasopressin, angiotensin II and renal responses during water immersion in hydrated humans **511**, 323, 1998

HAMMOND C. *see* KWIECIEN R., ROBERT C., CANNON R., VIGUES S., ARNOUX A., KORDON C. & HAMMOND C. **508**, 883, 1998

HAMON M. *see* SÉVOZ-COUCHE C., NOSJEAN A., FRANC B., HAMON M. & LAGUZZI R. **508**, 747, 1998

HAN X.

HAN X., KOBZIK L., SEVERSON D. & SHIMONI Y. Characteristics of nitric oxide-mediated cholinergic modulation of calcium current in rabbit sino-atrial node **509**, 741, 1998

HAN Y.

HAN Y. & SLAUGHTER M. M. Protein kinases modulate two glycine currents in salamander retinal ganglion cells **508**, 681, 1998

HANAJIMA R.

HANAJIMA R., UGAWA Y., TERAO Y., SAKAI K., FURUBAYASHI T., MACHII K. & KANAZAWA I. Paired-pulse magnetic stimulation of the human motor cortex: differences among I waves **509**, 607, 1998

HANLEY P. J.

HANLEY P. J. & LOISELLE D. S. Mechanisms of force inhibition by halothane and isoflurane in intact rat cardiac muscle **506**, 231, 1998

HANRAHAN J. W. *see* MATHEWS C. J., TABCHARANI J. A., CHANG X.-B., JENSEN T. J., RIORDAN J. R. & HANRAHAN J. W. **508**, 365, 1998

see LINSDELL P., ZHENG S.-X. & HANRAHAN J. W. **512**, 1, 1998

HANSE E. *see* GARASCHUK O., HANSE E. & KONNERTH A. **507**, 219, 1998

HANSON M. A. *see* GREEN L. R., MCGARRIGLE H. H. G., BENNET L. & HANSON M. A. **507**, 857, 1998

see GREEN L. R., MCGARRIGLE H. H. G., BENNET L. & HANSON M. A. **509**, 297, 1998

see STEYN C. & HANSON M. A. **512**, 295, 1998

HARASZTOSI C. *see* DOUGHTY J. M., BARNES-DAVIES M., RUSZNÁK Z., HARASZTOSI C. & FORSYTHE I. D. **512**, 365, 1998

HARASZTOSI CS. *see* SIPOS I., JURKAT-ROTT K., HARASZTOSI CS., FONTAINE B., KOVACS L., MELZER W. & LEHMANN-HORN F. Erratum: *Journal of Physiology* **483**, 299–306 (1995) **508**, 955, 1998

HARAYAMA N.

HARAYAMA N., SHIBUYA I., TANAKA K., KABASHIMA N., UETA Y. & YAMASHITA H. Inhibition of N- and P/Q-type calcium channels by postsynaptic $GABA_B$ receptor activation in rat supraoptic neurones **509**, 371, 1998

HARDER D. R. *see* GEBREMEDHIN D., LANGE A. R., NARAYANAN J., AEBLY M. R., JACOBS E. R. & HARDER D. R. **507**, 771, 1998

HARDINGHAM N. R.

HARDINGHAM N. R. & LARKMAN A. U. The reliability of excitatory synaptic transmission in slices of rat visual cortex *in vitro* is temperature dependent **507**, 249, 1998

HARMS C. A.

HARMS C. A., MCCLARAN S. R., NICKELE G. A., PEGELOW D. F., NELSON W. B. & DEMPSEY J. A. Exercise-induced arterial hypoxaemia in healthy young women **507**, 619, 1998

HARRIS B. *see* TONKONOGI M., HARRIS B. & SAHLIN K. **510**, 279, 1998

HARTLEY R. H. *see* CARPENTER G. H., GARRETT J. R., HARTLEY R. H. & PROCTOR G. B. **512**, 567, 1998

HARTMANN J.

HARTMANN J. & VERKHRATSKY A. Relations between intracellular Ca^{2+} stores and store-operated Ca^{2+} entry in primary cultured human glioblastoma cells **513**, 411, 1998

HARVEY B. J. *see* EGÉE S., MIGNEN O., HARVEY B. J. & THOMAS S. **511**, 213, 1998

HARVEY J.

HARVEY J. & ASHFORD M. L. J. Role of tyrosine phosphorylation in leptin activation of ATP-sensitive K^+ channels in the rat insulinoma cell line CRI-G1 **510**, 47, 1998

HARVEY J. & ASHFORD M. L. J. Insulin occludes leptin activation of ATP-sensitive K^+ channels in rat CRI-G1 insulin secreting cells **511**, 695, 1998

HASHIMOTO K.

HASHIMOTO K. & KANO M. Presynaptic origin of paired-pulse depression at climbing fibre–Purkinje cell synapses in the rat cerebellum **506**, 391, 1998

HASHITANI H.

HASHITANI H., WINDLE A. & SUZUKI H. Neuroeffector transmission in arterioles of the guinea-pig choroid **510**, 209, 1998

see NISHIYAMA M., HASHITANI H., FUKUTA H., YAMAMOTO Y. & SUZUKI H. **510**, 455, 1998

HASTINGS L. A. *see* KAMBOURIS N. G., HASTINGS L. A., STEPANOVIC S., MARBAN E., TOMASELLI G. F. & BALSER J. R. **512**, 693, 1998

HASTINGS S. L. *see* DOBRETSOV M., HASTINGS S. L. & STIMERS J. R. **507**, 527, 1998

HATT H. *see* LINDLBAUER R., MOHRMANN R., HATT H. & GOTTMANN K. **508**, 495, 1998

HATZINGER M. *see* NEUMANN I. D., JOHNSTONE H. A., HATZINGER M., LIEBSCH G., SHIPSTON M., RUSSELL J. A., LANDGRAF R. & DOUGLAS A. J. **508**, 289, 1998

HAYAKAWA T. *see* ISHIGURO H., NARUSE S., STEWARD M. C., KITAGAWA M., KO S. B. H., HAYAKAWA T. & CASE R. M. **511**, 407, 1998

HAYASHI H.

HAYASHI H. & SUZUKI Y. Regulation of intracellular pH during H^+-coupled oligopeptide absorption in enterocytes from guinea-pig ileum **511**, 573, 1998

HAYASHI K. *see* TAKENAKA T., SUZUKI H., OKADA H., HAYASHI K., KANNO Y. & SARUTA T. **511**, 245, 1998

HAZAMA A. *see* TSUMURA T., HAZAMA A., MIYOSHI T., UEDA S. & OKADA Y. **512**, 765, 1998

HEAD S. D. *see* KAJIMURA M., HEAD S. D. & MICHEL C. C. **511**, 707, 1998

HEADLEY P. M. *see* CHIZH B. A., HEADLEY P. M. & PATON J. F. R. **508**, 907, 1998

HEATH B. M.

HEATH B. M., XIA J., DONG E., AN R. H., BROOKS A., LIANG C.-S., FEDEROFF H. J. & KASS R. S. Overexpression of nerve growth factor in the heart alters ion channel activity and β-adrenergic signalling in an adult transgenic mouse **512**, 779, 1998

HECKMANN M. *see* PARZEFALL F., WILHELM R., HECKMANN M. & DUDEL J. **512**, 181, 1998

HEINEMANN Á. *see* WACHTER C. H., HEINEMANN Á., DONNERER J., PABST M. A. & HOLZER P. **509**, 541, 1998

HEINEMANN S. F. *see* SWANSON G. T. & HEINEMANN S. F. **513**, 639, 1998

HEINEMANN S. H. *see* MEYER R. & HEINEMANN S. H. **508**, 49, 1998

HEINEMANN U. *see* SCHMITZ D., GLOVELI T., EMPSON R. M., DRAGUHN A. & HEINEMANN U. **508**, 119, 1998
see ENGEL D., SCHMITZ D., GLOVELI T., FRAHM C., HEINEMANN U. & DRAGUHN A. **512**, 643, 1998

HELLIWELL R. M.
HELLIWELL R. M. & LARGE W. A. Facilitatory effect of Ca^{2+} on the noradrenaline-evoked cation current in rabbit portal vein smooth muscle cells **512**, 731, 1998

HELLMAN B. *see* LIU Y.-J., TENGHOLM A., GRAPENGIESSER E., HELLMAN B. & GYLFE E. **508**, 471, 1998

HENDERSON G. *see* GRUDT T. J. & HENDERSON G. **507**, 473, 1998
see KHAKH B. S. & HENDERSON G. **510**, 695, 1998

HENDERSON R. P. *see* WILLIAMS T. P., WEBBERS J. P. P., GIORDANO L. & HENDERSON R. P. **508**, 515, 1998

HERBERT H. *see* DUTSCHMANN M. & HERBERT H. **510**, 793, 1998

HERBERT R. D. *see* GANDEVIA S. C., HERBERT R. D. & LEEPER J. B. **512**, 595, 1998

HERMANN C. *see* OSTROWSKI K., HERMANN C., BANGASH A., SCHJERLING P., NIELSEN J. N. & PEDERSEN B. K. **513**, 889, 1998

HERMES M. L. H. J. *see* PENNARTZ C. M. A., DE JEU M. T. G., GEURTSEN A. M. S., SLUITER A. A. & HERMES M. L. H. J. **506**, 775, 1998

HERNANDEZ Y. M. *see* LINDSEY B. G., ARATA A., MORRIS K. F., HERNANDEZ Y. M. & SHANNON R. **512**, 863, 1998
see LINDSEY B. G., ARATA A., MORRIS K. F., HERNANDEZ Y. M. & SHANNON R. Erratum: *Journal of Physiology* **512**, 863–882 (1998) **513**, 935, 1998

HERZBERG I. M.
HERZBERG I. M., TRUDEAU M. C. & ROBERTSON G. A. Transfer of rapid inactivation and sensitivity to the class III antiarrhythmic drug E-4031 from HERG to M-eag channels **511**, 3, 1998

HERZIG K.-H. *see* GLASSMEIER G., HERZIG K.-H., HÖPFNER M., LEMMER K., JANSEN A. & SCHERÜBL H. **510**, 805, 1998

HERZOG W. *see* KOH T. J. & HERZOG W. **508**, 267, 1998

HEY C. *see* RACKÉ K., HEY C., MÖSSNER J., HAMMERMANN R., STICHNOTE C. & WESSLER I. **511**, 813, 1998

HICKMAN M. E. *see* MACVINISH L. J., HICKMAN M. E., MUFTI D. A. H., DURRINGTON H. J. & CUTHBERT A. W. **510**, 237, 1998

HICKS D. *see* PICAUD S., PATTNAIK B., HICKS D., FORSTER V., FONTAINE V., SAHEL J. & DREYFUS H. **513**, 33, 1998

HICKS G. A.
HICKS G. A. & MARRION N. V. Ca^{2+}-dependent inactivation of large conductance Ca^{2+}-activated K^+ (BK) channels in rat hippocampal neurones produced by pore block from an associated particle **508**, 721, 1998

HIGASHI H. *see* CUNNINGHAM S. M. C., MIHARA S. & HIGASHI H. **509**, 425, 1998

HIGASHIDA H.
HIGASHIDA H., HOSHI N., KNIJNIK R., ZADINA J. E. & KASTIN A. J. Endomorphins inhibit high-threshold Ca^{2+} channel currents in rodent NG108-15 cells overexpressing μ-opioid receptors **507**, 71, 1998

HIGGINS C. F. *see* BOND T. D., VALVERDE M. A. & HIGGINS C. F. **508**, 333, 1998

HILDEBRANDT J. *see* ZIEMANN U., TERGAU F., WASSERMANN E. M., WISCHER S., HILDEBRANDT J. & PAULUS W. **511**, 181, 1998

HILL B. J. F. *see* GRAIER W. F., PALTAUF-DOBURZYNSKA J., HILL B. J. F., FLEISCHHACKER E., HOEBEL B. G., KOSTNER G. M. & STUREK M. **506**, 109, 1998

HILL J. A. *see* LONDON B., WANG D. W., HILL J. A. & BENNETT P. B. **509**, 171, 1998

HILLSLEY K.
HILLSLEY K., KIRKUP A. J. & GRUNDY D. Direct and indirect actions of 5-hydroxytryptamine on the discharge of mesenteric afferent fibres innervating the rat jejunum **506**, 551, 1998
HILLSLEY K. & GRUNDY D. Sensitivity to 5-hydroxytryptamine in different afferent subpopulations within mesenteric nerves supplying the rat jejunum **509**, 717, 1998

HILSTED L. *see* NIELSEN O. B., HILSTED L. & CLAUSEN T. **512**, 819, 1998

HIRAMATSU O.
HIRAMATSU O., GOTO M., YADA T., KIMURA A., CHIBA Y., TACHIBANA H., OGASAWARA Y., TSUJIOKA K. & KAJIYA F. In vivo observations of the intramural arterioles and venules in beating canine hearts **509**, 619, 1998

HIRASHIMA N. *see* SATOH Y., HIRASHIMA N., TOKUMARU H., TAKAHASHI M. P., KANG J., VIGLIONE M. P., KIM Y. I. & KIRINO Y. **508**, 427, 1998

HIRCHE H. *see* DOEPNER B., THIERFELDER S., HIRCHE H. & BENNDORF K. Retraction: *Journal of Physiology* **500**, 85–94 (1997) **508**, 956, 1998

HIROSE K.
HIROSE K., KADOWAKI S. & IINO M. Allosteric regulation by cytoplasmic Ca^{2+} and IP_3 of the gating of IP_3 receptors in permeabilized guinea-pig vascular smooth muscle cells **506**, 407, 1998

HIRST B. H. *see* WALKER D., THWAITES D. T., SIMMONS N. L., GILBERT H. J. & HIRST B. H. **507**, 697, 1998
see MATTHEWS C. J., MCEWAN G. T. A., REDFERN C. P. F., THOMAS E. J. & HIRST B. H. **513**, 443, 1998

HO A. K. *see* DUSZYK M., SHU Y., HO A. K. & MAN S. F. P. **512**, 129, 1998

HO C.-Y. *see* HONG J.-L., HO C.-Y., KWONG K. & LEE L.-Y. **508**, 109, 1998

HO W.-K.
HO W.-K., KIM I., LEE C. O. & EARM Y. E. Voltage-dependent blockade of HERG channels expressed in *Xenopus* oocytes by external Ca^{2+} and Mg^{2+} **507**, 631, 1998

HOBSON A. *see* HAMDY S., AZIZ Q., ROTHWELL J. C., HOBSON A. & THOMPSON D. G. **506**, 857, 1998

HOEBEL B. G. *see* GRAIER W. F., PALTAUF-DOBURZYNSKA J., HILL B. J. F., FLEISCHHACKER E., HOEBEL B. G., KOSTNER G. M. & STUREK M. **506**, 109, 1998

HOFMANN F. *see* LUCIUS C., ARNER A., STEUSLOFF A., TROSCHKA M., HOFMANN F., AKTORIES K. & PFITZER G. **506**, 83, 1998

HOLZER P. *see* WACHTER C. H., HEINEMANN Á., DONNERER J., PABST M. A. & HOLZER P. **509**, 541, 1998

HONG J.-L.
HONG J.-L., HO C.-Y., KWONG K. & LEE L.-Y. Activation of pulmonary C fibres by adenosine in anaesthetized rats: role of adenosine A_1 receptors **508**, 109, 1998

HOPE A. G. *see* BROWN A. M., HOPE A. G., LAMBERT J. J. & PETERS J. A. **507**, 653, 1998

HÖPFNER M. *see* GLASSMEIER G., HERZIG K.-H., HÖPFNER M., LEMMER K., JANSEN A. & SCHERÜBL H. **510**, 805, 1998

HORIE M. *see* ISHIDA-TAKAHASHI A., OTANI H., TAKAHASHI C., WASHIZUKA T., TSUJI K., NODA M., HORIE M. & SASAYAMA S. **508**, 23, 1998
see TAKANO M., XIE L.-H., OTANI H. & HORIE M. **512**, 395, 1998

HORIE T. *see* IIZUKA K., YOSHII A., DOBASHI K., HORIE T., MORI M. & NAKAZAWA T. **511**, 915, 1998

HORIO Y. *see* SATOH E., YAMADA M., KONDO C., REPUNTE V. P., HORIO Y., IIJIMA T. & KURACHI Y. **511**, 663, 1998

HORNBY D. *see* BEESLEY A. H., HORNBY D. & WHITE S. J. **509**, 629, 1998

HORNE A. L. *see* HALLIWELL J. V. & HORNE A. L. **506**, 175, 1998

HOROWITZ B. *see* YAMAZAKI J., DUAN D., JANIAK R., KUENZLI K., HOROWITZ B. & HUME J. R. **507**, 729, 1998

HOSHI N. *see* HIGASHIDA H., HOSHI N., KNIJNIK R., ZADINA J. E. & KASTIN A. J. **507**, 71, 1998

HOSIE K. B. *see* RITZHAUPT A., ELLIS A., HOSIE K. B. & SHIRAZI-BEECHEY S. P. **507**, 819, 1998
see RITZHAUPT A., WOOD I. S., ELLIS A., HOSIE K. B. & SHIRAZI-BEECHEY S. P. **513**, 719, 1998

HOSONO T. *see* CHEN X.-M., HOSONO T., YODA T., FUKUDA Y. & KANOSUE K. **512**, 883, 1998

HOUNSGAARD J. *see* RUSSO R. E., NAGY F. & HOUNSGAARD J. **506**, 795, 1998

HOWE J. R. *see* PEMBERTON K. E., BELCHER S. M., RIPELLINO J. A. & HOWE J. R. **510**, 401, 1998

HOWLETT S. E. *see* FERRIER G. R., ZHU J., REDONDO I. M. & HOWLETT S. E. **513**, 185, 1998

HOYT K. R.
HOYT K. R., STOUT A. K., CARDMAN J. M. & REYNOLDS I. J. The role of intracellular Na^+ and mitochondria in buffering of kainate-induced intracellular free Ca^{2+} changes in rat forebrain neurones **509**, 103, 1998

HSU K.-S. *see* CHOU C.-Y., SHEN M.-R., HSU K.-S., HUANG H.-Y. & LIN H.-C. **512**, 435, 1998

HSUEH W. *see* QU X.-W., ROZENFELD R. A., HUANG W., CRAWFORD S. E., GONZALEZ-CRUSSI F. & HSUEH W. **512**, 227, 1998

HUANG C. L.-H.
HUANG C. L.-H. The influence of perchlorate ions on complex charging transients in amphibian striated muscle **506**, 699, 1998
HUANG C. L.-H. The influence of caffeine on intramembrane charge movements in intact frog striated muscle **512**, 707, 1998
see ADEBANJO O. A., IGIETSEME J., HUANG C. L.-H. & ZAIDI M. **513**, 399, 1998
see WISE R. G., HUANG C. L.-H., GRESHAM G. A., AL-SHAFEI A. I. M., CARPENTER T. A. & HALL L. D. **513**, 873, 1998

HUANG H.-Y. *see* CHOU C.-Y., SHEN M.-R., HSU K.-S., HUANG H.-Y. & LIN H.-C. **512**, 435, 1998

Huang L. *see Xiao Y.-F., Huang L. & Morgan J. P.* **508**, 777, 1998

Huang L.-Y. M. *see Gu Y. & Huang L.-Y. M.* **506**, 331, 1998

Huang P. L. *see Kline D. D., Yang T., Huang P. L. & Prabhakar N. R.* **511**, 273, 1998

Huang W. *see Qu X.-W., Rozenfeld R. A., Huang W., Crawford S. E., Gonzalez-Crussi F. & Hsueh W.* **512**, 227, 1998

Huelseweh B. *see Kohl B., Wagner C. A., Huelseweh B., Busch A. E. & Werner A.* **508**, 341, 1998

Huettner J. E. *see Wilding T. J., Chai Y. H. & Huettner J. E.* **513**, 331, 1998

Huguenard J. R. *see Xiang Z., Huguenard J. R. & Prince D. A.* **506**, 715, 1998

Hui C. S.

Hui C. S. A slow calcium-dependent component of charge movement in *Rana temporaria* cut twitch fibres **509**, 869, 1998

Huizinga J. D.

Huizinga J. D., Ambrous K. & Der-Silaphet T. Co-operation between neural and myogenic mechanisms in the control of distension-induced peristalsis in the mouse small intestine **506**, 843, 1998

Hulin P. *see Bouyer P., Paulais M., Cougnon M., Hulin P., Anagnostopoulos T. & Planelles G.* **510**, 535, 1998

Hulliger M. *see Prochazka A. & Hulliger M.* **513**, 315, 1998

Hume J. R. *see Yamazaki J., Duan D., Janiak R., Kuenzli K., Horowitz B. & Hume J. R.* **507**, 729, 1998

Hume R. I. *see Zhou Z. & Hume R. I.* **507**, 353, 1998

Humphrey P. P. A. *see McQueen D. S., Bond S. M., Moores C., Chessell I., Humphrey P. P. A. & Dowd E.* **507**, 843, 1998

Hussain J. F.

Hussain J. F. & Mahaut-Smith M. P. ADP and inositol trisphosphate evoke oscillations of a monovalent cation conductance in rat megakaryocytes **511**, 791, 1998

Hussy N. *see Deleuze C., Duvoid A. & Hussy N.* **507**, 463, 1998

Igietseme J. *see Adebanjo O. A., Igietseme J., Huang C. L.-H. & Zaidi M.* **513**, 399, 1998

Iijima T. *see Satoh E., Yamada M., Kondo C., Repunte V. P., Horio Y., Iijima T. & Kurachi Y.* **511**, 663, 1998

see Ono K., Nakao M. & Iijima T. **511**, 837, 1998

Iino M. *see Hirose K., Kadowaki S. & Iino M.* **506**, 407, 1998

Iizuka K.

Iizuka K., Yoshii A., Dobashi K., Horie T., Mori M. & Nakazawa T. $Ins P_3$, but not novel Ca^{2+} releasers, contributes to agonist-initiated contraction in rabbit airway smooth muscle **511**, 915, 1998

Ikeda S. R. *see Ruiz-Velasco V. & Ikeda S. R.* **513**, 761, 1998

Illert M. *see Maier M. A., Illert M., Kirkwood P. A., Nielsen J. & Lemon R. N.* **511**, 191, 1998

Imaizumi Y.

Imaizumi Y., Torii Y., Ohi Y., Nagano N., Atsuki K., Yamamura H., Muraki K., Watanabe M. & Bolton T. B. Ca^{2+} images and K^+ current during depolarization in smooth muscle cells of the guinea-pig vas deferens and urinary bladder **510**, 705, 1998

Imanaga I. *see Inoue M., Fujishiro N. & Imanaga I.* **507**, 807, 1998

Inagaki N. *see Sánchez J. A., Gonoi T., Inagaki N., Katada T. & Seino S.* **507**, 315, 1998

Inazawa T.

Inazawa T., Okamura Y. & Takahashi K. Basic fibroblast growth factor induction of neuronal ion channel expression in ascidian ectodermal blastomeres **511**, 347, 1998

Inglis J. T.

Inglis J. T., Leeper J. B., Wilson L. R., Gandevia S. C. & Burke D. The development of conduction block in single human axons following a focal nerve injury **513**, 127, 1998

Inoue M.

Inoue M., Fujishiro N. & Imanaga I. Hypoxia and cyanide induce depolarization and catecholamine release in dispersed guinea-pig chromaffin cells **507**, 807, 1998

Inoue R. *see Waniishi Y., Inoue R., Morita H., Teramoto N., Abe K. & Ito Y.* **511**, 719, 1998

Insola A. *see Di Lazzaro V., Restuccia D., Oliviero A., Profice P., Ferrara L., Insola A., Mazzone P., Tonali P. & Rothwell J. C.* **508**, 625, 1998

Irving A. J.

Irving A. J. & Collingridge G. L. A characterization of muscarinic receptor-mediated intracellular Ca^{2+} mobilization in cultured rat hippocampal neurones **511**, 747, 1998

Isaev D. S. *see Tarasenko A. N., Isaev D. S., Eremin A. V. & Kostyuk P. G.* **509**, 385, 1998

Isenberg G. *see Kim S. J., Koh E.-M., Kang T. M., Kim Y. C., So I., Isenberg G. & Kim K. W.* **513**, 749, 1998

Ishibashi H. *see Arima J., Kubo C., Ishibashi H. & Akaike N.* **508**, 57, 1998

Ishida-Takahashi A.

Ishida-Takahashi A., Otani H., Takahashi C., Washizuka T., Tsuji K., Noda M., Horie M. & Sasayama S. Cystic fibrosis transmembrane conductance regulator mediates sulphonylurea block of the inwardly rectifying K^+ channel Kir6.1 **508**, 23, 1998

Ishiguro H.

Ishiguro H., Naruse S., Steward M. C., Kitagawa M., Ko S. B. H., Hayakawa T. & Case R. M. Fluid secretion in interlobular ducts isolated from guinea-pig pancreas **511**, 407, 1998

Ishihara K.

Ishihara K. & Ehara T. A repolarization-induced transient increase in the outward current of the inward rectifier K^+ channel in guinea-pig cardiac myocytes **510**, 755, 1998

Ito M.

Ito M., Kato M. & Kawabata M. Premature bifurcation of the apical dendritic trunk of vibrissa-responding pyramidal neurones of X-irradiated rat neocortex **512**, 543, 1998

Ito Y. *see Izumi H. & Ito Y.* **510**, 915, 1998

see Waniishi Y., Inoue R., Morita H., Teramoto N., Abe K. & Ito Y. **511**, 719, 1998

Itzhaki A. *see Perlman I., Itzhaki A., Asi H. & Alpern M.* **511**, 479, 1998

Ivorra I. *see Callamaras N., Sun X.-P., Ivorra I. & Parker I.* **511**, 395, 1998

Iwasaki S.

Iwasaki S. & Takahashi T. Developmental changes in calcium channel types mediating synaptic transmission in rat auditory brainstem **509**, 419, 1998

Iwase S. *see Sugenoya J., Iwase S., Mano T., Sugiyama Y., Ogawa T., Nishiyama T., Nishimura N. & Kimura T.* **507**, 603, 1998

Izumi H.

Izumi H. & Ito Y. Sympathetic attenuation of parasympathetic vasodilatation in oro-facial areas in the cat **510**, 915, 1998

Jack J. J. B. *see Tarczy-Hornoch K., Martin K. A. C., Jack J. J. B. & Stratford K. J.* **508**, 351, 1998

Jacob R. *see Morgan A. J. & Jacob R.* **513**, 83, 1998

Jacob T. J. C. *see Wang L., Chen L., Walker V. & Jacob T. J. C.* **511**, 33, 1998

Jacobs E. R. *see Gebremedhin D., Lange A. R., Narayanan J., Aebly M. R., Jacobs E. R. & Harder D. R.* **507**, 771, 1998

Jacquemond V.

Jacquemond V. & Allard B. Activation of Ca^{2+}-activated K^+ channels by an increase in intracellular Ca^{2+} induced by depolarization of mouse skeletal muscle fibres **509**, 93, 1998

Jäger H.

Jäger H., Rauer H., Nguyen A. N., Aiyar J., Chandy K. G. & Grissmer S. Regulation of mammalian *Shaker*-related K^+ channels: evidence for non-conducting closed and non-conducting inactivated states **506**, 291, 1998

Jamieson J. *see McLachlan E. M., Häbler H.-J., Jamieson J. & Davies P. J.* **511**, 461, 1998

Janiak R. *see Yamazaki J., Duan D., Janiak R., Kuenzli K., Horowitz B. & Hume J. R.* **507**, 729, 1998

Jankowska E.

Jankowska E. & Schomburg E. D. A leu-enkephalin depresses transmission from muscle and skin non-nociceptors to first-order feline spinal neurones **510**, 513, 1998

see Gladden M. H., Jankowska E. & Czarkowska-Bauch J. **512**, 507, 1998

Jankowska E., Gladden M. H. & Czarkowska-Bauch J. Modulation of responses of feline γ-motoneurones by noradrenaline, tizanidine and clonidine **512**, 521, 1998

Jankowski M. *see Ernest S., Jankowski M., Mukaddam-Daher S., Cusson J. & Gutkowska J.* **506**, 867, 1998

Jansen A. *see Glassmeier G., Herzig K.-H., Höpfner M., Lemmer K., Jansen A. & Scherübl H.* **510**, 805, 1998

Jansen J. R. C. *see Kornet L., Jansen J. R. C., te Nijenhuis F. C. A. M., Langewouters G. J. & Versprille A.* **512**, 917, 1998

JAWA A. *see* ERICKSON J. T., MAYER C., JAWA A., LING L., OLSON E. B. JR, VIDRUK E. H., MITCHELL G. S. & KATZ D. M. **509**, 519, 1998

JAYAKUMAR J. *see* GOODWIN A. T., AMRANI M., GRAY C. C., JAYAKUMAR J. & YACOUB M. H. **511**, 549, 1998

JENNINGS E.

JENNINGS E. & FITZGERALD M. Postnatal changes in responses of rat dorsal horn cells to afferent stimulation: a fibre-induced sensitization **509**, 859, 1998

JENSEN T. J. *see* MATHEWS C. J., TABCHARANI J. A., CHANG X.-B., JENSEN T. J., RIORDAN J. R. & HANRAHAN J. W. **508**, 365, 1998

JENTSCH T. J. *see* CLARK S., JORDT S.-E., JENTSCH T. J. & MATHIE A. **506**, 665, 1998

JIANG C.-H. *see* MAZIÈRES L., JIANG C.-H. & LINDSTRÖM S. **513**, 531, 1998

JOHANSEN L. B. *see* HAMMERUM M. S., BIE P., PUMP B., JOHANSEN L. B., CHRISTENSEN N. J. & NORSK P. **511**, 323, 1998

JOHANSSON S. *see* HAAGE D., KARLSSON U. & JOHANSSON S. **507**, 77, 1998

JOHN S. A.

JOHN S. A., MONCK J. R., WEISS J. N. & RIBALET B. The sulphonylurea receptor SUR1 regulates ATP-sensitive mouse Kir6.2 K^+ channels linked to the green fluorescent protein in human embryonic kidney cells (HEK 293) **510**, 333, 1998

JOHNSON C. D.

JOHNSON C. D. & GILBEY M. P. Focally recorded single sympathetic postganglionic neuronal activity supplying rat lateral tail vein **508**, 575, 1998

JOHNSON D. W.

JOHNSON D. W., SAUNDERS H. J., FIELD M. J. & POLLOCK C. A. Role of insulin-like growth factor binding proteins in human post-nephrectomy proximal tubule cells **508**, 587, 1998

JOHNSON S. W. *see* SHEN K.-Z. & JOHNSON S. W. **512**, 449, 1998

JOHNSTON R. V.

JOHNSTON R. V., GRANT D. A., WILKINSON M. H. & WALKER A. M. Repetitive hypoxia rapidly depresses arousal from active sleep in newborn lambs **510**, 651, 1998

JOHNSTONE H. A. *see* NEUMANN I. D., JOHNSTONE H. A., HATZINGER M., LIEBSCH G., SHIPSTON M., RUSSELL J. A., LANDGRAF R. & DOUGLAS A. J. **508**, 289, 1998

JONES D. A. *see* DE RUITER C. J., DE HAAN A., JONES D. A. & SARGEANT A. J. **507**, 583, 1998

JONES G. J.

JONES G. J. Membrane current noise in dark-adapted and light-adapted isolated retinal rods of the larval tiger salamander **511**, 903, 1998

JONES J. F. X.

JONES J. F. X., WANG Y. & JORDAN D. Activity of C fibre cardiac vagal efferents in anaesthetized cats and rats **507**, 869, 1998

see DALY M. DE B. & JONES J. F. X. **509**, 895, 1998

JONES S.

JONES S. & YAKEL J. L. Ca^{2+} influx through voltage-gated Ca^{2+} channels regulates 5-HT_3 receptor channel desensitization in rat glioma × mouse neuroblastoma hybrid NG108-15 cells **510**, 361, 1998

JORDAN D. *see* JONES J. F. X., WANG Y. & JORDAN D. **507**, 869, 1998

see WANG Y., RAMAGE A. G. & JORDAN D. **509**, 683, 1998

JORDT S.-E. *see* CLARK S., JORDT S.-E., JENTSCH T. J. & MATHIE A. **506**, 665, 1998

JÖRNTELL H. *see* GARWICZ M., JÖRNTELL H. & EKEROT C.-F. **512**, 277, 1998

JOSEPHSON R. K.

JOSEPHSON R. K. & EDMAN K. A. P. Changes in the maximum speed of shortening of frog muscle fibres early in a tetanic contraction and during relaxation **507**, 511, 1998

JOW F.

JOW F. & NUMANN R. Divalent ion block of inward rectifier current in human capillary endothelial cells and effects on resting membrane potential **512**, 119, 1998

JU Y.-K.

JU Y.-K. & ALLEN D. G. Intracellular calcium and Na^+–Ca^{2+} exchange current in isolated toad pacemaker cells **508**, 153, 1998

JUBRIAS S. A. *see* CONLEY K. E., KUSHMERICK M. J. & JUBRIAS S. A. **511**, 935, 1998

JULIAN F. J. *see* CLAFLIN D. R., MORGAN D. L. & JULIAN F. J. **508**, 179, 1998

see VANDENBOOM R., CLAFLIN D. R. & JULIAN F. J. **511**, 171, 1998

JULIEN C. *see* LÉTIENNE R., BARRÈS C., CERUTTI C. & JULIEN C. **506**, 263, 1998

see BERTRAM D., BARRÈS C., CUISINAUD G. & JULIEN C. **513**, 251, 1998

JURKAT-ROTT K. *see* SIPOS I., JURKAT-ROTT K., HARASZTOSI CS., FONTAINE B., KOVACS L., MELZER W. & LEHMANN-HORN F. Erratum: *Journal of Physiology* **483**, 299–306 (1995) **508**, 955, 1998

JUST A.

JUST A., WITTMANN U., EHMKE H. & KIRCHHEIM H. R. Autoregulation of renal blood flow in the conscious dog and the contribution of the tubuloglomerular feedback **506**, 275, 1998

see BERTHOLD H., JUST A., KIRCHHEIM H. R., OSSWALD H. & EHMKE H. **510**, 321, 1998

JUST A., KIRCHHEIM H. R. & EHMKE H. Buffering of blood pressure variability by the renin–angiotensin system in the conscious dog **512**, 583, 1998

JUUL B. *see* BUUS C. L., AALKJÆR C., NILSSON H., JUUL B., MØLLER J. V. & MULVANY M. J. **510**, 577, 1998

KABASHIMA N. *see* HARAYAMA N., SHIBUYA I., TANAKA K., KABASHIMA N., UETA Y. & YAMASHITA H. **509**, 371, 1998

KACZMAREK L. K. *see* MAGOSKI N. S. & KACZMAREK L. K. **509**, 1, 1998

see WANG L.-Y., GAN L., FORSYTHE I. D. & KACZMAREK L. K. **509**, 183, 1998

KADOWAKI S. *see* HIROSE K., KADOWAKI S. & IINO M. **506**, 407, 1998

KAELIN A. *see* LIU J.-H., BIJLENGA P., FISCHER-LOUGHEED J., OCCHIODORO T., KAELIN A., BADER C. R. & BERNHEIM L. **510**, 467, 1998

KAETZEL M. A. *see* XIE W., SOLOMONS K. R. H., FREEMAN S., KAETZEL M. A., BRUZIK K. S., NELSON D. J. & SHEARS S. B. **510**, 661, 1998

KAJIMURA M.

KAJIMURA M., HEAD S. D. & MICHEL C. C. The effects of flow on the transport of potassium ions through the walls of single perfused frog mesenteric capillaries **511**, 707, 1998

KAJIYA F. *see* HIRAMATSU O., GOTO M., YADA T., KIMURA A., CHIBA Y., TACHIBANA H., OGASAWARA Y., TSUJIOKA K. & KAJIYA F. **509**, 619, 1998

KAKEHATA S. *see* SANTOS-SACCHI J., KAKEHATA S. & TAKAHASHI S. **510**, 225, 1998

KAKUDA N.

KAKUDA N. & NAGAOKA M. Dynamic response of human muscle spindle afferents to stretch during voluntary contraction **513**, 621, 1998

KAMBOURIS N. G.

KAMBOURIS N. G., HASTINGS L. A., STEPANOVIC S., MARBAN E., TOMASELLI G. F. & BALSER J. R. Mechanistic link between lidocaine block and inactivation probed by outer pore mutations in the rat μ1 skeletal muscle sodium channel **512**, 693, 1998

KAMIYA H.

KAMIYA H. & OZAWA S. Kainate receptor-mediated inhibition of presynaptic Ca^{2+} influx and EPSP in area CA1 of the rat hippocampus **509**, 833, 1998

KAMM D. *see* SPIRIDON M., KAMM D., BILLUPS B., MOBBS P. & ATTWELL D. **506**, 363, 1998

KANAZAWA I. *see* HANAJIMA R., UGAWA Y., TERAO Y., SAKAI K., FURUBAYASHI T., MACHII K. & KANAZAWA I. **509**, 607, 1998

KANG J. *see* SATOH Y., HIRASHIMA N., TOKUMARU H., TAKAHASHI M. P., KANG J., VIGLIONE M. P., KIM Y. I. & KIRINO Y. **508**, 427, 1998

KANG T. M. *see* KIM S. J., KOH E.-M., KANG T. M., KIM Y. C., SO I., ISENBERG G. & KIM K. W. **513**, 749, 1998

KANG Y. *see* MATSUO R. & KANG Y. **513**, 157, 1998

KANNO Y. *see* TAKENAKA T., SUZUKI H., OKADA H., HAYASHI K., KANNO Y. & SARUTA T. **511**, 245, 1998

KANO M. *see* HASHIMOTO K. & KANO M. **506**, 391, 1998

KANOSUE K. *see* CHEN X.-M., HOSONO T., YODA T., FUKUDA Y. & KANOSUE K. **512**, 883, 1998

KAPOUSTA-BRUNEAU N. *see* KUSAKA S., KAPOUSTA-BRUNEAU N., GREEN D. G. & PURO D. G. **506**, 445, 1998

KAPPAGODA C. T. *see* RAVI K., BRAVO M. & KAPPAGODA C. T. Erratum: *Journal of Physiology* **505**, 833–840 (1997) **508**, 956, 1998

see GUNAWARDENA S., BRAVO E. & KAPPAGODA C. T. **511**, 79, 1998

KARLSSON T. *see* WALLIN B. G., BÅTELSSON K., KIENBAUM P., KARLSSON T., GAZELIUS B. & ELAM M. **513**, 559, 1998

KARLSSON U. *see* HAAGE D., KARLSSON U. & JOHANSSON S. **507**, 77, 1998

KAROON P.

KAROON P., KNIGHT G. & BURNSTOCK G. Enhanced vasoconstrictor responses in renal and femoral arteries of the golden hamster during hibernation **512**, 927, 1998

KARSCHIN A.

KARSCHIN A., BROCKHAUS J. & BALLANYI K. K_{ATP} channel formation by the sulphonylurea receptors SUR1 with Kir6.2 subunits in rat dorsal vagal neurons *in situ* **509**, 339, 1998

KASS R. S. *see* HEATH B. M., XIA J., DONG E., AN R. H., BROOKS A., LIANG C.-S., FEDEROFF H. J. & KASS R. S. **512**, 779, 1998

KASTIN A. J. *see* HIGASHIDA H., HOSHI N., KNIJNIK R., ZADINA J. E. & KASTIN A. J. **507**, 71, 1998

KATADA T. *see SÁNCHEZ J. A., GONOI T., INAGAKI N., KATADA T. & SEINO S.* **507**, 315, 1998

KATO M. *see ITO M., KATO M. & KAWABATA M.* **512**, 543, 1998

KATZ D. M. *see ERICKSON J. T., MAYER C., JAWA A., LING L., OLSON E. B. JR, VIDRUK E. H., MITCHELL G. S. & KATZ D. M.* **509**, 519, 1998

see BALKOWIEC A. & KATZ D. M. **510**, 527, 1998

KAWABATA M. *see ITO M., KATO M. & KAWABATA M.* **512**, 543, 1998

KAWANISHI T. *see TANAKA H., SEKINE T., KAWANISHI T., NAKAMURA R. & SHIGENOBU K.* **508**, 145, 1998

KEAST J. R. *see LUCKENSMEYER G. B. & KEAST J. R.* **510**, 549, 1998

KEEF K. D. *see RAE M. G., FLEMING N., MCGREGOR D. B., SANDERS K. M. & KEEF K. D.* **510**, 309, 1998

KELLER B. U. *see LIPS M. B. & KELLER B. U.* **511**, 105, 1998

KELLY J. S. *see LARKMAN P. M. & KELLY J. S.* **508**, 67, 1998

KELLY M. E. M. *see RYAN J. S., TAO Q.-P. & KELLY M. E. M.* **511**, 145, 1998

KEMP J. A. *see KNOFLACH F. & KEMP J. A.* **509**, 347, 1998

see KEW J. N. C. & KEMP J. A. **512**, 17, 1998

KENTISH J. C.

KENTISH J. C. & WRZOSEK A. Changes in force and cytosolic Ca^{2+} concentration after length changes in isolated rat ventricular trabeculae **506**, 431, 1998

KEW J. N. C.

KEW J. N. C. & KEMP J. A. An allosteric interaction between the NMDA receptor polyamine and ifenprodil sites in rat cultured cortical neurones **512**, 17, 1998

KHAKH B. S.

KHAKH B. S. & HENDERSON G. Hyperpolarization-activated cationic currents (I_h) in neurones of the trigeminal mesencephalic nucleus of the rat **510**, 695, 1998

KHAN I. A. *see SHUI Z., KHAN I. A., TSUGA H., HAGA T. & BOYETT M. R.* **507**, 325, 1998

KHODOROV B. I. *see SOBOLEVSKY A. I., KOSHELEV S. G. & KHODOROV B. I.* **512**, 47, 1998

KHROMOV A. S.

KHROMOV A. S., SOMLYO A. V. & SOMLYO A. P. Thiophosphorylation of myosin light chain increases rigor stiffness of rabbit smooth muscle **512**, 345, 1998

KIDD J. F. *see LANSDELL K. A., KIDD J. F., DELANEY S. J., WAINWRIGHT B. J. & SHEPPARD D. N.* **512**, 751, 1998

KIENBAUM P. *see WALLIN B. G., BÄTELSSON K., KIENBAUM P., KARLSSON T., GAZELIUS B. & ELAM M.* **513**, 559, 1998

KIENS B. *see ASP S., DAUGAARD J. R., KRISTIANSEN S., KIENS B. & RICHTER E. A.* **509**, 305, 1998

KIERNAN M. C. *see VAGG R., MOGYOROS I., KIERNAN M. C. & BURKE D.* **507**, 919, 1998

KIM A. M.

KIM A. M. & VERGARA J. L. Fast voltage gating of Ca^{2+} release in frog skeletal muscle revealed by supercharging pulses **511**, 509, 1998

KIM I. *see HO W.-K., KIM I., LEE C. O. & EARM Y. E.* **507**, 631, 1998

KIM K. W. *see KIM S. J., KOH E.-M., KANG T. M., KIM Y. C., SO I., ISENBERG G. & KIM K. W.* **513**, 749, 1998

KIM S. J.

KIM S. J., KOH E.-M., KANG T. M., KIM Y. C., SO I., ISENBERG G. & KIM K. W. Ca^{2+} influx through carbachol-activated non-selective cation channels in guinea-pig gastric myocytes **513**, 749, 1998

KIM Y. C. *see KIM S. J., KOH E.-M., KANG T. M., KIM Y. C., SO I., ISENBERG G. & KIM K. W.* **513**, 749, 1998

KIM Y. I. *see SATOH Y., HIRASHIMA N., TOKUMARU H., TAKAHASHI M. P., KANG J., VIGLIONE M. P., KIM Y. I. & KIRINO Y.* **508**, 427, 1998

KIMURA A. *see HIRAMATSU O., GOTO M., YADA T., KIMURA A., CHIBA Y., TACHIBANA H., OGASAWARA Y., TSUJIOKA K. & KAJIYA F.* **509**, 619, 1998

KIMURA S. *see WAKATSUKI H., GOMI H., KUDOH M., KIMURA S., TAKAHASHI K., TAKEDA M. & SHIBUKI K.* **513**, 71, 1998

KIMURA T. *see SUGENOYA J., IWASE S., MANO T., SUGIYAMA Y., OGAWA T., NISHIYAMA T., NISHIMURA N. & KIMURA T.* **507**, 603, 1998

KING B. F. *see MORRISON M. S., TURIN L., KING B. F., BURNSTOCK G. & ARNETT T. R.* **511**, 495, 1998

KIRCHHEIM H. R. *see JUST A., WITTMANN U., EHMKE H. & KIRCHHEIM H. R.* **506**, 275, 1998

see BERTHOLD H., JUST A., KIRCHHEIM H. R., OSSWALD H. & EHMKE H. **510**, 321, 1998

see JUST A., KIRCHHEIM H. R. & EHMKE H. **512**, 583, 1998

KIRINO Y. *see SATOH Y., HIRASHIMA N., TOKUMARU H., TAKAHASHI M. P., KANG J., VIGLIONE M. P., KIM Y. I. & KIRINO Y.* **508**, 427, 1998

KIRKUP A. J. *see HILLSLEY K., KIRKUP A. J. & GRUNDY D.* **506**, 551, 1998

KIRKWOOD P. A. *see MAIER M. A., ILLERT M., KIRKWOOD P. A., NIELSEN J. & LEMON R. N.* **511**, 191, 1998

KITAGAWA M. *see ISHIGURO H., NARUSE S., STEWARD M. C., KITAGAWA M., KO S. B. H., HAYAKAWA T. & CASE R. M.* **511**, 407, 1998

KITAZAWA T. *see LI L., ETO M., LEE M. R., MORITA F., YAZAWA M. & KITAZAWA T.* **508**, 871, 1998

KLAERKE D. A. *see MEINILD A.-K., KLAERKE D. A., LOO D. D. F., WRIGHT E. M. & ZEUTHEN T.* **508**, 15, 1998

KLINE D. D.

KLINE D. D., YANG T., HUANG P. L. & PRABHAKAR N. R. Altered respiratory responses to hypoxia in mutant mice deficient in neuronal nitric oxide synthase **511**, 273, 1998

KNIGHT G. *see KAROON P., KNIGHT G. & BURNSTOCK G.* **512**, 927, 1998

KNIJNIK R. *see HIGASHIDA H., HOSHI N., KNIJNIK R., ZADINA J. E. & KASTIN A. J.* **507**, 71, 1998

KNOFLACH F.

KNOFLACH F. & KEMP J. A. Metabotropic glutamate group II receptors activate a G protein-coupled inwardly rectifying K^+ current in neurones of the rat cerebellum **509**, 347, 1998

KNORR U. *see CLASSEN J., KNORR U., WERHAHN K. J., SCHLAUG G., KUNESCH E., COHEN L. G., SEITZ R. J. & BENECKE R.* **512**, 163, 1998

KNOT H. J.

KNOT H. J. & NELSON M. T. Regulation of arterial diameter and wall $[Ca^{2+}]$ in cerebral arteries of rat by membrane potential and intravascular pressure **508**, 199, 1998

KNOT H. J., STANDEN N. B. & NELSON M. T. Ryanodine receptors regulate arterial diameter and wall $[Ca^{2+}]$ in cerebral arteries of rat via Ca^{2+}-dependent K^+ channels **508**, 211, 1998

KO S. B. H. *see ISHIGURO H., NARUSE S., STEWARD M. C., KITAGAWA M., KO S. B. H., HAYAKAWA T. & CASE R. M.* **511**, 407, 1998

KO W. H.

KO W. H., CHAN H. C., CHEW S. B. & WONG P. Y. D. Regulated anion secretion in cultured epithelia from Sertoli cells of immature rats **512**, 471, 1998

KOBAYASHI S.

KOBAYASHI S., CONFORTI L., PUN R. Y. K. & MILLHORN D. E. Adenosine modulates hypoxia-induced responses in rat PC12 cells via the A_{2A} receptor **508**, 95, 1998

KOBAYASHI S., BEITNER-JOHNSON D., CONFORTI L. & MILLHORN D. E. Chronic hypoxia reduces adenosine A_{2A} receptor-mediated inhibition of calcium current in rat PC12 cells via downregulation of protein kinase A **512**, 351, 1998

KOBZIK L. *see HAN X., KOBZIK L., SEVERSON D. & SHIMONI Y.* **509**, 741, 1998

KOCH K.-M. *see GWINNER W., DETERS-EVERS U., BRANDES R. P., KUBAT B., KOCH K.-M., PAPE M. & OLBRICHT C. J.* **509**, 599, 1998

KÖCKERLING A. *see GROTJOHANN I., GITTER A. H., KÖCKERLING A., BERTOG M., SCHULZKE J. D. & FROMM M.* **507**, 561, 1998

KOH E.-M. *see KIM S. J., KOH E.-M., KANG T. M., KIM Y. C., SO I., ISENBERG G. & KIM K. W.* **513**, 749, 1998

KOH S. D.

KOH S. D., SANDERS K. M. & WARD S. M. Spontaneous electrical rhythmicity in cultured interstitial cells of Cajal from the murine small intestine **513**, 203, 1998

KOH T. J.

KOH T. J. & HERZOG W. Excursion is important in regulating sarcomere number in the growing rabbit tibialis anterior **508**, 267, 1998

KOHDA M.

KOHDA M., KOMORI S., UNNO T. & OHASHI H. Carbachol-induced oscillations in membrane potential and $[Ca^{2+}]_i$ in guinea-pig ileal smooth muscle cells **511**, 559, 1998

KOHL B.

KOHL B., WAGNER C. A., HUELSEWEH B., BUSCH A. E. & WERNER A. The Na^+–phosphate cotransport system (NaP_i-II) with a cleaved protein backbone: implications on function and membrane insertion **508**, 341, 1998

KOHMOTO H. *see MINAMI N., BERGLUND K., SAKABA T., KOHMOTO H. & TACHIBANA M.* **512**, 219, 1998

KOHNO T. *see BABA H., KOHNO T., OKAMOTO M., GOLDSTEIN P. A., SHIMOJI K. & YOSHIMURA M.* **508**, 83, 1998

KOLESNIKOV S. S.

KOLESNIKOV S. S. & MARGOLSKEE R. F. Extracellular K^+ activates a K^+- and H^+-permeable conductance in frog taste receptor cells **507**, 415, 1998

KOMIYAMA T. *see ZEHR E. P., STEIN R. B. & KOMIYAMA T.* **507**, 305, 1998

KOMORI S. *see KOHDA M., KOMORI S., UNNO T. & OHASHI H.* **511**, 559, 1998

KONDO C. *see SATOH E., YAMADA M., KONDO C., REPUNTE V. P., HORIO Y., IIJIMA T. & KURACHI Y.* **511**, 663, 1998

KONDO S.

KONDO S. & MARTY A. Synaptic currents at individual connections among stellate cells in rat cerebellar slices **509**, 221, 1998

KONDO S. & MARTY A. Differential effects of noradrenaline on evoked, spontaneous and miniature IPSCs in rat cerebellar stellate cells **509**, 233, 1998

KONNERTH A. *see GARASCHUK O., HANSE E. & KONNERTH A.* **507**, 219, 1998

KORDON C. *see KWIECIEN R., ROBERT C., CANNON R., VIGUES S., ARNOUX A., KORDON C. & HAMMOND C.* **508**, 883, 1998

KORNET L.

KORNET L., JANSEN J. R. C., TE NIJENHUIS F. C. A. M., LANGEWOUTERS G. J. & VERSPRILLE A. The compliance of the porcine pulmonary artery depends on pressure and heart rate **512**, 917, 1998

KORNGREEN A.

KORNGREEN A., MA W., PRIEL Z. & SILBERBERG S. D. Extracellular ATP directly gates a cation-selective channel in rabbit airway ciliated epithelial cells **508**, 703, 1998

KORYAK Y.

KORYAK Y. Electromyographic study of the contractile and electrical properties of the human triceps surae muscle in a simulated microgravity environment **510**, 287, 1998

KOSHELEV S. G. *see SOBOLEVSKY A. I., KOSHELEV S. G. & KHODOROV B. I.* **512**, 47, 1998

KOSTNER G. M. *see GRAIER W. F., PALTAUF-DOBURZYNSKA J., HILL B. J. F., FLEISCHHACKER E., HOEBEL B. G., KOSTNER G. M. & STUREK M.* **506**, 109, 1998

KOSTYUK P. G. *see TARASENKO A. N., ISAEV D. S., EREMIN A. V. & KOSTYUK P. G.* **509**, 385, 1998

KOU Y. R. *see LAI C. J. & KOU Y. R.* **508**, 597, 1998

KOVACS L. *see SIPOS I., JURKAT-ROTT K., HARASZTOSI CS., FONTAINE B., KOVACS L., MELZER W. & LEHMANN-HORN F.* Erratum: *Journal of Physiology* **483**, 299–306 (1995) **508**, 955, 1998

KOYANO K. *see FUNABIKI K., KOYANO K. & OHMORI H.* **508**, 851, 1998

KOZAK J. A.

KOZAK J. A., MISLER S. & LOGOTHETIS D. E. Characterization of a Ca^{2+}-activated K^+ current in insulin-secreting murine βTC-3 cells **509**, 355, 1998

KRAUSE E. *see SCHMID A., BLUM R. & KRAUSE E.* **513**, 453, 1998

KREFT M. *see SIKDAR S. K., KREFT M. & ZOREC R.* **511**, 851, 1998

KRISHEK B. J.

KRISHEK B. J., MOSS S. J. & SMART T. G. Interaction of H^+ and Zn^{2+} on recombinant and native rat neuronal $GABA_A$ receptors **507**, 639, 1998

KRISTIANSEN S. *see ASP S., DAUGAARD J. R., KRISTIANSEN S., KIENS B. & RICHTER E. A.* **509**, 305, 1998

KRIZSAN-AGBAS D.

KRIZSAN-AGBAS D., ZHANG R., MARZBAN F. & SMITH P. G. Presynaptic adrenergic facilitation of parasympathetic neurotransmission in sympathectomized rat smooth muscle **512**, 841, 1998

KROS C. J.

KROS C. J. The paradox of hair cell adaptation **506**, 1, 1998

KUBAT B. *see GWINNER W., DETERS-EVERS U., BRANDES R. P., KUBAT B., KOCH K.-M., PAPE M. & OLBRICHT C. J.* **509**, 599, 1998

KUBO C. *see ARIMA J., KUBO C., ISHIBASHI H. & AKAIKE N.* **508**, 57, 1998

KUDOH M. *see WAKATSUKI H., GOMI H., KUDOH M., KIMURA S., TAKAHASHI K., TAKEDA M. & SHIBUKI K.* **513**, 71, 1998

KUENZLI K. *see YAMAZAKI J., DUAN D., JANIAK R., KUENZLI K., HOROWITZ B. & HUME J. R.* **507**, 729, 1998

KUNER T. *see WOLLMUTH L. P., KUNER T. & SAKMANN B.* **506**, 13, 1998

see WOLLMUTH L. P., KUNER T. & SAKMANN B. **506**, 33, 1998

KUNESCH E. *see CLASSEN J., KNORR U., WERHAHN K. J., SCHLAUG G., KUNESCH E., COHEN L. G., SEITZ R. J. & BENECKE R.* **512**, 163, 1998

KUNZE W. A. A.

KUNZE W. A. A., FURNESS J. B., BERTRAND P. P. & BORNSTEIN J. C. Intracellular recording from myenteric neurons of the guinea-pig ileum that respond to stretch **506**, 827, 1998

KUNZELMANN K. *see BRIEL M., GREGER R. & KUNZELMANN K.* **508**, 825, 1998

KUPPER J.

KUPPER J., ASCHER P. & NEYTON J. Internal Mg^{2+} block of recombinant NMDA channels mutated within the selectivity filter and expressed in *Xenopus* oocytes **507**, 1, 1998

KURACHI Y. *see SATOH E., YAMADA M., KONDO C., REPUNTE V. P., HORIO Y., IIJIMA T. & KURACHI Y.* **511**, 663, 1998

KURODA H. *see ENDO Y., TABATA T., KURODA H., TADANO T., MATSUSHIMA K. & WATANABE M.* **509**, 587, 1998

KURYSHEV Y. A. *see ACCILI E. A., KURYSHEV Y. A., WIBLE B. A. & BROWN A. M.* **512**, 325, 1998

KUSAKA S.

KUSAKA S., KAPOUSTA-BRUNEAU N., GREEN D. G. & PURO D. G. Serum-induced changes in the physiology of mammalian retinal glial cells: role of lysophosphatidic acid **506**, 445, 1998

KUSHMERICK M. J. *see CONLEY K. E., KUSHMERICK M. J. & JUBRIAS S. A.* **511**, 935, 1998

KWIECIEN R.

KWIECIEN R., ROBERT C., CANNON R., VIGUES S., ARNOUX A., KORDON C. & HAMMOND C. Endogenous pacemaker activity of rat tumour somatotrophs **508**, 883, 1998

KWONG K. *see HONG J.-L., HO C.-Y., KWONG K. & LEE L.-Y.* **508**, 109, 1998

LACEY M. G. *see MIYAZAKI T. & LACEY M. G.* **513**, 805, 1998

LAGUZZI R. *see SÉVOZ-COUCHE C., NOSJEAN A., FRANC B., HAMON M. & LAGUZZI R.* **508**, 747, 1998

LAI C. J.

LAI C. J. & KOU Y. R. Stimulation of pulmonary rapidly adapting receptors by inhaled wood smoke in rats **508**, 597, 1998

LAI K.S. *see MACCABEE P. J., NAGARAJAN S. S., AMASSIAN V. E., DURAND D. M., SZABO A. Z., AHAD A. B., CRACCO R. Q., LAI K. S. & EBERLE L. P.* **513**, 571, 1998

LAKATTA E. G. *see SONG L.-S., SHAM J. S. K., STERN M. D., LAKATTA E. G. & CHENG H.* **512**, 677, 1998

LAKIE M. *see CAMPBELL K. S. & LAKIE M.* **510**, 941, 1998

LAM D. M.-K. *see CHANG A. S. & LAM D. M.-K.* **510**, 903, 1998

LAMB G. D. *see COONAN J. R. & LAMB G. D.* **509**, 551, 1998

LAMBERT J. D. C. *see ANDREASEN M. & LAMBERT J. D. C.* **507**, 441, 1998

LAMBERT J. J. *see BROWN A. M., HOPE A. G., LAMBERT J. J. & PETERS J. A.* **507**, 653, 1998

LAMONT C.

LAMONT C., LUTHER P. W., BALKE C. W. & WIER W. G. Intercellular Ca^{2+} waves in rat heart muscle **512**, 669, 1998

LANDGRAF R. *see NEUMANN I. D., JOHNSTONE H. A., HATZINGER M., LIEBSCH G., SHIPSTON M., RUSSELL J. A., LANDGRAF R. & DOUGLAS A. J.* **508**, 289, 1998

LANGE A. R. *see GEBREMEDHIN D., LANGE A. R., NARAYANAN J., AEBLY M. R., JACOBS E. R. & HARDER D. R.* **507**, 771, 1998

LANGEWOUTERS G. J. *see KORNET L., JANSEN J. R. C., TE NIJENHUIS F. C. A. M., LANGEWOUTERS G. J. & VERSPRILLE A.* **512**, 917, 1998

LANGOHR K. *see MIRONOV S. L., LANGOHR K., HALLER M. & RICHTER D. W.* **509**, 755, 1998

LANGTON P. D. *see DOUGHTY J. M., MILLER A. L. & LANGTON P. D.* **507**, 433, 1998

see MILLER A. L. & LANGTON P. D. **508**, 793, 1998

LÄNNERGREN J. *see WESTERBLAD H., DAHLSTEDT A. J. & LÄNNERGREN J.* **510**, 269, 1998

LANSDELL K. A.

LANSDELL K. A., DELANEY S. J., LUNN D. P., THOMSON S. A., SHEPPARD D. N. & WAINWRIGHT B. J. Comparison of the gating behaviour of human and murine cystic fibrosis transmembrane conductance regulator Cl^- channels expressed in mammalian cells **508**, 379, 1998

LANSDELL K. A., KIDD J. F., DELANEY S. J., WAINWRIGHT B. J. & SHEPPARD D. N. Regulation of murine cystic fibrosis transmembrane conductance regulator Cl^- channels expressed in Chinese hamster ovary cells **512**, 751, 1998

LARGE W. A. *see HELLIWELL R. M. & LARGE W. A.* **512**, 731, 1998

LARKMAN A. U. *see HARDINGHAM N. R. & LARKMAN A. U.* **507**, 249, 1998

LARKMAN P. M.

LARKMAN P. M. & KELLY J. S. Characterization of 5-HT-sensitive potassium conductances in neonatal rat facial motoneurones *in vitro* **508**, 67, 1998

LAUF P. K.

LAUF P. K. K^+–Cl^- cotransport: 'to be or not to be' oxygen sensitive **511**, 1, 1998

LAURITZEN M. *see MATHIESEN C., CAESAR K., AKGÖREN N. & LAURITZEN M.* **512**, 555, 1998

LAWSON S. N. *see DJOUHRI L., BLEAZARD L. & LAWSON S. N.* **513**, 857, 1998

LEBLANC N.

LEBLANC N., CHARTIER D., GOSSELIN H. & ROULEAU J.-L. Age and gender differences in excitation–contraction coupling of the rat ventricle **511**, 533, 1998

LEE C. O. *see HO W.-K., KIM I., LEE C. O. & EARM Y. E.* **507**, 631, 1998

LEE K.

LEE K., DIXON A. K., FREEMAN T. C. & RICHARDSON P. J. Identification of an ATP-sensitive potassium channel current in rat striatal cholinergic interneurones **510**, 441, 1998

LEE L.-Y. *see HONG J.-L., HO C.-Y., KWONG K. & LEE L.-Y.* **508**, 109, 1998

LEE M. G.

LEE M. G., SCHULTHEIS P. J., YAN M., SHULL G. E., BOOKSTEIN C., CHANG E., TSE M., DONOWITZ M., PARK K. & MUALLEM S. Membrane-limited expression and regulation of Na^+–H^+ exchanger isoforms by P_2 receptors in the rat submandibular gland duct **513**, 341, 1998

LEE M. R. *see LI L., ETO M., LEE M. R., MORITA F., YAZAWA M. & KITAZAWA T.* **508**, 871, 1998

LEEM C.-H.

LEEM C.-H. & VAUGHAN-JONES R. D. Out-of-equilibrium pH transients in the guinea-pig ventricular myocyte **509**, 471, 1998

LEEM C.-H. & VAUGHAN-JONES R. D. Sarcolemmal mechanisms for pH_i recovery from alkalosis in the guinea-pig ventricular myocyte **509**, 487, 1998

LEEPER J. B. *see GANDEVIA S. C., HERBERT R. D. & LEEPER J. B.* **512**, 595, 1998

see INGLIS J. T., LEEPER J. B., WILSON L. R., GANDEVIA S. C. & BURKE D. **513**, 127, 1998

LE FOLL F.

LE FOLL F., CASTEL H., SORIANI O., VAUDRY H. & CAZIN L. Gramicidin-perforated patch revealed depolarizing effect of GABA in cultured frog melanotrophs **507**, 55, 1998

LEGRAND A. *see DE TROYER A., LEGRAND A., GEVENOIS P.-A. & WILSON T. A.* **513**, 915, 1998

LEHMANN-HORN F. *see SIPOS I., JURKAT-ROTT K., HARASZTOSI CS., FONTAINE B., KOVACS L., MELZER W. & LEHMANN-HORN F.* Erratum: *Journal of Physiology* **483**, 299–306 (1995) **508**, 955, 1998

LEMMER K. *see GLASSMEIER G., HERZIG K.-H., HÖPFNER M., LEMMER K., JANSEN A. & SCHERÜBL H.* **510**, 805, 1998

LEMON R. N. *see MAIER M. A., ILLERT M., KIRKWOOD P. A., NIELSEN J. & LEMON R. N.* **511**, 191, 1998

LEMOS J. R. *see TROADEC J.-D., THIRION S., NICAISE G., LEMOS J. R. & DAYANITHI G.* **511**, 89, 1998

LENFANT J. *see FARÈS N, BOIS P, LENFANT J. & POTREAU D.* **506**, 73, 1998

LENG G. *see BROWN C. H., MURPHY N. P., MUNRO G., LUDWIG M., BULL P. M., LENG G. & RUSSELL J. A.* **507**, 831, 1998

LENG G. & RUSSELL J. A. Learning to cope with repeated stress **510**, 331, 1998

LENZ R. A.

LENZ R. A., WAGNER J. J. & ALGER B. E. N- and L-type calcium channel involvement in depolarization-induced suppression of inhibition in rat hippocampal CA1 cells **512**, 61, 1998

LERESCHE N. *see PINAULT D., LERESCHE N., CHARPIER S., DENIAU J.-M., MARESCAUX C., VERGNES M. & CRUNELLI V.* **509**, 449, 1998

LÉTIENNE R.

LÉTIENNE R., BARRÈS C., CERUTTI C. & JULIEN C. Short-term haemodynamic variability in the conscious areflexic rat **506**, 263, 1998

LÉVÉNÈS C.

LÉVÉNÈS C., DANIEL H., SOUBRIÉ P. S. & CRÉPEL F. Cannabinoids decrease excitatory synaptic transmission and impair long-term depression in rat cerebellar Purkinje cells **510**, 867, 1998

LEVI R. C. *see GALLO M. P., GHIGO D., BOSIA A., ALLOATTI G., COSTAMAGNA C., PENNA C. & LEVI R. C.* **506**, 639, 1998

LEVICK J. R. *see SCOTT D., COLEMAN P. J., MASON R. M. & LEVICK J. R.* **508**, 619, 1998

see COLEMAN P. J., SCOTT D., ABIONA A., ASHHURST D. E., MASON R. M. & LEVICK J. R. **509**, 695, 1998

see SCOTT D., COLEMAN P. J., ABIONA A., ASHHURST D. E., MASON R. M. & LEVICK J. R. **511**, 629, 1998

LEVIEL F. *see BLANCHARD A., ELADARI D., LEVIEL F., TSIMARATOS M., PAILLARD M. & PODEVIN R.-A.* **506**, 689, 1998

LEWIS T. M.

LEWIS T. M., SIVILOTTI L. G., COLQUHOUN D., GARDINER R. M., SCHOEPFER R. & REES M. Properties of human glycine receptors containing the hyperekplexia mutation α1(K276E), expressed in *Xenopus* oocytes **507**, 25, 1998

LEYLAND M. L. *see DART C., LEYLAND M. L., BARRETT-JOLLEY R., SHELTON P. A., SPENCER P. J., CONLEY E. C., SUTCLIFFE M. J. & STANFIELD P. R.* **511**, 15, 1998

see DART C., LEYLAND M. L., SPENCER P. J., STANFIELD P. R. & SUTCLIFFE M. J. **511**, 25, 1998

LHUILLIER L. *see PLASSART-SCHIESS E., LHUILLIER L., GEORGE A. L. JR, FONTAINE B. & TABTI N.* **507**, 721, 1998

LI B. *see WÖRGÖTTER F., NELLE E., LI B. & FUNKE K.* **509**, 797, 1998

LI H. S.

LI H. S., MONHEMIUS R., SIMPSON B. A. & ROBERTS M. H. T. Supraspinal inhibition of nociceptive dorsal horn neurones in the anaesthetized rat: tonic or dynamic? **506**, 459, 1998

LI L.

LI L., ETO M., LEE M. R., MORITA F., YAZAWA M. & KITAZAWA T. Possible involvement of the novel CPI-17 protein in protein kinase C signal transduction of rabbit arterial smooth muscle **508**, 871, 1998

LI Y.-W.

LI Y.-W. & BAYLISS D. A. Presynaptic inhibition by 5-HT_{1B} receptors of glutamatergic synaptic inputs onto serotonergic caudal raphe neurones in rat **510**, 121, 1998

LI Y.-X.

LI Y.-X., SCHAFFNER A. E., WALTON M. K. & BARKER J. L. Astrocytes regulate developmental changes in the chloride ion gradient of embryonic rat ventral spinal cord neurons in culture **509**, 847, 1998

LIANG C.-S. *see HEATH B. M., XIA J., DONG E., AN R. H., BROOKS A., LIANG C.-S., FEDEROFF H. J. & KASS R. S.* **512**, 779, 1998

LIEBER R. L. *see LUTZ G. J., CUIZON D. B., RYAN A. F. & LIEBER R. L.* **508**, 667, 1998

LIEBSCH G. *see NEUMANN I. D., JOHNSTONE H. A., HATZINGER M., LIEBSCH G., SHIPSTON M., RUSSELL J. A., LANDGRAF R. & DOUGLAS A. J.* **508**, 289, 1998

LIGHTMAN S. L. *see MA X.-M. & LIGHTMAN S. L.* **510**, 605, 1998

LIM R. *see BELLINGHAM M. C., LIM R. & WALMSLEY B.* **511**, 861, 1998

LIN H.-C. *see CHOU C.-Y., SHEN M.-R., HSU K.-S., HUANG H.-Y. & LIN H.-C.* **512**, 435, 1998

LINDENTHAL S. *see SCHMIEDER S., LINDENTHAL S., BANDERALI U. & EHRENFELD J.* **511**, 379, 1998

LINDLBAUER R.

LINDLBAUER R., MOHRMANN R., HATT H. & GOTTMANN K. Regulation of kinetic and pharmacological properties of synaptic NMDA receptors depends on presynaptic exocytosis in rat hippocampal neurones **508**, 495, 1998

LINDSEY B. G.

LINDSEY B. G., ARATA A., MORRIS K. F., HERNANDEZ Y. M. & SHANNON R. Medullary raphe neurones and baroreceptor modulation of the respiratory motor pattern in the cat **512**, 863, 1998

see LINDSEY B. G., ARATA A., MORRIS K. F., HERNANDEZ Y. M. & SHANNON R. Erratum: *Journal of Physiology* **512**, 863–882 (1998) **513**, 935, 1998

LINDSTRÖM S. *see MAZIÈRES L., JIANG C.-H. & LINDSTRÖM S.* **513**, 531, 1998

LING L. *see ERICKSON J. T., MAYER C., JAWA A., LING L., OLSON E. B. JR, VIDRUK E. H., MITCHELL G. S. & KATZ D. M.* **509**, 519, 1998

LING L., OLSON E. B. JR, VIDRUK E. H. & MITCHELL G. S. Slow recovery of impaired phrenic responses to hypoxia following perinatal hyperoxia in rats **511**, 599, 1998

LINSDELL P.

LINSDELL P., ZHENG S.-X. & HANRAHAN J. W. Non-pore lining amino acid side chains influence anion selectivity of the human CFTR Cl^- channel expressed in mammalian cell lines **512**, 1, 1998

LINZ K. W.

LINZ K. W. & MEYER R. Control of L-type calcium current during the action potential of guinea-pig ventricular myocytes **513**, 425, 1998

LIOU H.-C. *see FU W.-M., LIOU H.-C., CHEN Y.-H. & WANG S.-M.* **509**, 497, 1998

LIPOSITS ZS. *see FARKAS I., BARANYI L., TAKAHASHI M., FUKUDA A., LIPOSITS ZS., YAMAMOTO T. & OKADA H.* **507**, 679, 1998

LIPP P.

LIPP P. & BOOTMAN M. D. Which Ca^{2+} channels control cardiac E–C coupling? **508**, 331, 1998

LIPP P. & NIGGLI E. Fundamental calcium release events revealed by two-photon excitation photolysis of caged calcium in guinea-pig cardiac myocytes **508**, 801, 1998

LIPP P. & NIGGLI E. Erratum: *Journal of Physiology* **508**, 801–809 (1998) **510**, 987, 1998

Lips M. B.

Lips M. B. & Keller B. U. Endogenous calcium buffering in motoneurones of the nucleus hypoglossus from mouse **511**, 105, 1998

Liu J.-H.

Liu J.-H., Bijlenga P., Fischer-Lougheed J., Occhiodoro T., Kaelin A., Bader C. R. & Bernheim L. Role of an inward rectifier K^+ current and of hyperpolarization in human myoblast fusion **510**, 467, 1998

see Bijlenga P., Occhiodoro T., Liu J.-H., Bader C. R., Bernheim L. & Fischer-Lougheed J. **512**, 317, 1998

Liu Q.-Y.

Liu Q.-Y., Schaffner A. E. & Barker J. L. Kainate induces an intracellular Na^+-activated current in cultured embryonic rat hippocampal neurones **510**, 721, 1998

Liu Y.

Liu Y. & Schneider M. F. Fibre type-specific gene expression activated by chronic electrical stimulation of adult mouse skeletal muscle fibres in culture **512**, 337, 1998

Liu Y.-J.

Liu Y.-J., Tengholm A., Grapengiesser E., Hellman B. & Gylfe E. Origin of slow and fast oscillations of Ca^{2+} in mouse pancreatic islets **508**, 471, 1998

Llano I. *see Fierro L., DiPolo R. & Llano I.* **510**, 499, 1998

Logan S. D. *see Spanswick D., Renaud L. P. & Logan S. D.* **509**, 195, 1998

Logothetis D. E. *see Kozak J. A., Misler S. & Logothetis D. E.* **509**, 355, 1998

Loirand G. *see Cario-Toumaniantz C., Loirand G., Ferrier L. & Pacaud P.* **508**, 659, 1998

Loiselle D. S. *see Hanley P. J. & Loiselle D. S.* **506**, 231, 1998

Lokuta A. J.

Lokuta A. J., Darszon A., Beltrán C. & Valdivia H. H. Detection and functional characterization of ryanodine receptors from sea urchin eggs **510**, 155, 1998

Lomax R. B. *see McLaughlin J. T., Lomax R. B., Hall L., Dockray G. J., Thompson D. G. & Warhurst G.* **513**, 11, 1998

Lømo T. *see Windisch A., Gundersen K., Szabolcs M. J., Gruber H. & Lømo T.* **510**, 623, 1998

London B.

London B., Wang D. W., Hill J. A. & Bennett P. B. The transient outward current in mice lacking the potassium channel gene *Kv1.4* **509**, 171, 1998

Longhurst J. C. *see Fu L.-W. & Longhurst J. C.* **509**, 729, 1998

see Tjen-A-Looi S. C., Pan H.-L. & Longhurst J. C. **510**, 633, 1998

Loo D. D. F. *see Meinild A.-K., Klaerke D. A., Loo D. D. F., Wright E. M. & Zeuthen T.* **508**, 15, 1998

Lopantsev V.

Lopantsev V. & Avoli M. Laminar organization of epileptiform discharges in the rat entorhinal cortex *in vitro* **509**, 785, 1998

López-Barneo J. *see Molina A., Ortega-Sáenz P. & López-Barneo J.* **509**, 327, 1998

Losito V. A.

Losito V. A., Tsushima R. G., Diaz R. J., Wilson G. J. & Backx P. H. Preferential regulation of rabbit cardiac L-type Ca^{2+} current by glycolytic derived ATP via a direct allosteric pathway **511**, 67, 1998

Lovinger D. M. *see Zhou Q., Verdoorn T. A. & Lovinger D. M.* **507**, 335, 1998

Low S. Y.

Low S. Y. & Taylor P. M. Integrin and cytoskeletal involvement in signalling cell volume changes to glutamine transport in rat skeletal muscle **512**, 481, 1998

Lu W.-Y.

Lu W.-Y., Xiong Z.-G., Orser B. A. & MacDonald J. F. Multiple sites of action of neomycin, Mg^{2+} and spermine on the NMDA receptors of rat hippocampal CA1 pyramidal neurones **512**, 29, 1998

Lucius C.

Lucius C., Arner A., Steusloff A., Troschka M., Hofmann F., Aktories K. & Pfitzer G. Clostridium difficile toxin B inhibits carbachol-induced force and myosin light chain phosphorylation in guinea-pig smooth muscle: role of Rho proteins **506**, 83, 1998

Luckensmeyer G. B.

Luckensmeyer G. B. & Keast J. R. Activation of α- and β-adrenoceptors by sympathetic nerve stimulation in the large intestine of the rat **510**, 549, 1998

Ludwig J. *see Engeland B., Neu A., Ludwig J., Roeper J. & Pongs O.* **513**, 647, 1998

Ludwig M. *see Brown C. H., Murphy N. P., Munro G., Ludwig M., Bull P. M., Leng G. & Russell J. A.* **507**, 831, 1998

Lukyanenko V.

Lukyanenko V., Wiesner T. F. & Györke S. Termination of Ca^{2+} release during Ca^{2+} sparks in rat ventricular myocytes **507**, 667, 1998

Lukyanetz E. A.

Lukyanetz E. A., Piper T. P. & Sihra T. S. Calcineurin involvement in the regulation of high-threshold Ca^{2+} channels in NG108-15 (rodent neuroblastoma × glioma hybrid) cells **510**, 371, 1998

Lunam C. A. *see Smith T. K. & Lunam C. A.* **510**, 563, 1998

Lunn D. P. *see Lansdell K. A., Delaney S. J., Lunn D. P., Thomson S. A., Sheppard D. N. & Wainwright B. J.* **508**, 379, 1998

Luther P. W. *see Lamont C., Luther P. W., Balke C. W. & Wier W. G.* **512**, 669, 1998

Lutz G. J.

Lutz G. J., Cuizon D. B., Ryan A. F. & Lieber R. L. Four novel myosin heavy chain transcripts define a molecular basis for muscle fibre types in *Rana pipiens* **508**, 667, 1998

Lynch C. L. III *see Sirois J. E., Pancrazio J. J., Lynch C. L. III & Bayliss D. A.* **512**, 851, 1998

Ma W. *see Korngreen A., Ma W., Priel Z. & Silberberg S. D.* **508**, 703, 1998

Ma X.-M.

Ma X.-M. & Lightman S. L. The arginine vasopressin and corticotrophin-releasing hormone gene transcription responses to varied frequencies of repeated stress in rats **510**, 605, 1998

McBain C. J.

McBain C. J. A short-term mechanism of plasticity for interneurones? **511**, 331, 1998

McBride D. W. Jr *see Zhang Y., McBride D. W. Jr & Hamill O. P.* **508**, 763, 1998

Maccabee P. J.

Maccabee P. J., Nagarajan S. S., Amassian V. E., Durand D. M., Szabo A. Z., Ahad A. B., Cracco R. Q., Lai K. S. & Eberle L. P. Influence of pulse sequence, polarity and amplitude on magnetic stimulation of human and porcine peripheral nerve **513**, 571, 1998

McCarron J. G. *see McGeown J. G., McCarron J. G., Drummond R. M. & Fay F. S.* **506**, 95, 1998

McCarron S. L. *see Smith T. K. & McCarron S. L.* **512**, 893, 1998

McClaran S. R. *see Harms C. A., McClaran S. R., Nickele G. A., Pegelow D. F., Nelson W. B. & Dempsey J. A.* **507**, 619, 1998

McCloskey D. I. *see Refshauge K. M., Taylor J. L., McCloskey D. I., Gianoutsos M., Mathews P. & Fitzpatrick R. C.* **513**, 307, 1998

MacDonald J. F. *see Lu W.-Y., Xiong Z.-G., Orser B. A. & MacDonald J. F.* **512**, 29, 1998

McDonald K. S.

McDonald K. S., Wolff M. R. & Moss R. L. Force–velocity and power–load curves in rat skinned cardiac myocytes **511**, 519, 1998

McEwan G. T. A. *see Matthews C. J., McEwan G. T. A., Redfern C. P. F., Thomas E. J. & Hirst B. H.* **513**, 443, 1998

McGarrigle H. H. G. *see Green L. R., McGarrigle H. H. G., Bennet L. & Hanson M. A.* **507**, 857, 1998

see Green L. R., McGarrigle H. H. G., Bennet L. & Hanson M. A. **509**, 297, 1998

McGeown J. G.

McGeown J. G., McCarron J. G., Drummond R. M. & Fay F. S. Calcium–calmodulin-dependent mechanisms accelerate calcium decay in gastric myocytes from *Bufo marinus* **506**, 95, 1998

McGregor D. B. *see Rae M. G., Fleming N., McGregor D. B., Sanders K. M. & Keef K. D.* **510**, 309, 1998

Machii K. *see Hanajima R., Ugawa Y., Terao Y., Sakai K., Furubayashi T., Machii K. & Kanazawa I.* **509**, 607, 1998

Mackie P. D.

Mackie P. D. & Rowe M. J. Central projection of proprioceptive information from the wrist joint via a forearm 'muscle' nerve in the cat **510**, 261, 1998

Mackie P. D., Morley J. W., Zhang H. Q., Murray G. M. & Rowe M. J. Signalling of static and dynamic features of muscle spindle input by cuneate neurones in the cat **510**, 923, 1998

McKinnon D. *see Shi W., Wang H.-S., Pan Z., Wymore R. S., Cohen I. S., McKinnon D. & Dixon J. E.* **511**, 675, 1998

McLachlan E. M.

McLachlan E. M., Häbler H.-J., Jamieson J. & Davies P. J. Analysis of the periodicity of synaptic events in neurones in the superior cervical ganglion of anaesthetized rats **511**, 461, 1998

see Brock J. A., McLachlan E. M. & Belmonte C. **512**, 211, 1998

McLarnon J. G. *see* Church J., Baxter K. A. & McLarnon J. G. **511**, 119, 1998

McLaughlin J. T.
McLaughlin J. T., Lomax R. B., Hall L., Dockray G. J., Thompson D. G. & Warhurst G. Fatty acids stimulate cholecystokinin secretion via an acyl chain length-specific, Ca^{2+}-dependent mechanism in the enteroendocrine cell line STC-1 **513**, 11, 1998

MacLeod K. T. *see* Terracciano C. M. N., De Souza A. I., Philipson K. D. & MacLeod K. T. **512**, 651, 1998

McMahon N. C.
McMahon N. C., Drinkhill M. J. & Hainsworth R. Absence of early resetting of coronary baroreceptors in anaesthetized dogs **513**, 543, 1998

McMillen I. C. *see* Rychkov G. Y., Adams M. B., McMillen I. C. & Roberts M. L. **509**, 887, 1998

McNaughton P. A. *see* Nadal A., Sul J.-Y., Valdeolmillos M. & McNaughton P. A. **509**, 711, 1998

McNeil Alexander R.
McNeil Alexander R. Muscle geometry **512**, 315, 1998

Maconochie D. J.
Maconochie D. J. & Steinbach J. H. The channel opening rate of adult- and fetal-type mouse muscle nicotinic receptors activated by acetylcholine **506**, 53, 1998

MacPhee P. J.
MacPhee P. J. Estimating rat renal medullary interstitial oncotic pressures and the driving force for fluid uptake into ascending vasa recta **506**, 529, 1998

McQueen D. S.
McQueen D. S., Bond S. M., Moores C., Chessell I., Humphrey P. P. A. & Dowd E. Activation of P2X receptors for adenosine triphosphate evokes cardiorespiratory reflexes in anaesthetized rats **507**, 843, 1998

MacVinish L. J.
MacVinish L. J., Hickman M. E., Mufti D. A. H., Durrington H. J. & Cuthbert A. W. Importance of basolateral K^+ conductance in maintaining Cl^- secretion in murine nasal and colonic epithelia **510**, 237, 1998

Madarász E. *see* Deák F., Nagy G., Várnai P., Madarász E. & Spät A. **508**, 735, 1998

Maganaris C. N.
Maganaris C. N., Baltzopoulos V. & Sargeant A. J. Changes in Achilles tendon moment arm from rest to maximum isometric plantarflexion: *in vivo* observations in man **510**, 977, 1998
Maganaris C. N., Baltzopoulos V. & Sargeant A. J. *In vivo* measurements of the triceps surae complex architecture in man: implications for muscle function **512**, 603, 1998

Magoski N. S.
Magoski N. S. & Kaczmarek L. K. Direct and indirect regulation of a single ion channel **509**, 1, 1998

Mahaut-Smith M. P. *see* Hussain J. F. & Mahaut-Smith M. P. **511**, 791, 1998

Mahdy Z.
Mahdy Z., Otun H. A., Dunlop W. & Gillespie J. I. The responsiveness of isolated human hand vein endothelial cells in normal pregnancy and in pre-eclampsia **508**, 609, 1998

Maier M. A.
Maier M. A., Illert M., Kirkwood P. A., Nielsen J. & Lemon R. N. Does a C3-C4 propriospinal system transmit corticospinal excitation in the primate? An investigation in the macaque monkey **511**, 191, 1998

Mair N.
Mair N., Frick M., Meraner A., Schramek H. & Dietl P. Long-term induction of a unique Cl^- current by endothelin-1 in an epithelial cell line from rat lung: evidence for regulation of cytoplasmic calcium **511**, 55, 1998

Majithia A. A. *see* Thompson S. W. N. & Majithia A. A. **506**, 809, 1998

Malagelada J.-R. *see* Serra J., Azpiroz F. & Malagelada J.-R. **506**, 579, 1998

Maloney S. K. *see* Gray D. A. & Maloney S. K. **511**, 605, 1998

Man S. F. P. *see* Duszyk M., Shu Y., Ho A. K. & Man S. F. P. **512**, 129, 1998

Mancia M. *see* Formenti A., Martina M., Plebani A. & Mancia M. **509**, 395, 1998

Mangel S. C.
Mangel S. C. The generation of directionally selective responses in the retina **512**, 316, 1998

Mann G. E. *see* Sobrevia L., Yudilevich D. L. & Mann G. E. **506**, 219, 1998

Mano T. *see* Sugenoya J., Iwase S., Mano T., Sugiyama Y., Ogawa T., Nishiyama T., Nishimura N. & Kimura T. **507**, 603, 1998

Manolopoulos V. *see* Voets T., Manolopoulos V., Eggermont J., Ellory C., Droogmans G. & Nilius B. **506**, 341, 1998

Mantegazza M.
Mantegazza M., Franceschetti S. & Avanzini G. Anemone toxin (ATX II)-induced increase in persistent sodium current: effects on the firing properties of rat neocortical pyramidal neurones **507**, 105, 1998

Maple B. R.
Maple B. R. & Wu S. M. Glycinergic synaptic inputs to bipolar cells in the salamander retina **506**, 731, 1998

Marban E. *see* Gao W. D., Perez N. G. & Marban E. **507**, 175, 1998
Marban E., Yamagishi T. & Tomaselli G. F. Structure and function of voltage-gated sodium channels **508**, 647, 1998
see Kambouris N. G., Hastings L. A., Stepanovic S., Marban E., Tomaselli G. F. & Balser J. R. **512**, 693, 1998

Marchant J. S. *see* Sun X.-P., Callamaras N., Marchant J. S. & Parker I. **509**, 67, 1998
see Callamaras N., Marchant J. S., Sun X.-P. & Parker I. **509**, 81, 1998

Marescaux C. *see* Pinault D., Leresche N., Charpier S., Deniau J.-M., Marescaux C., Vergnes M. & Crunelli V. **509**, 449, 1998

Margolskee R. F. *see* Kolesnikov S. S. & Margolskee R. F. **507**, 415, 1998

Marple-Horvat D. E.
Marple-Horvat D. E., Criado J. M. & Armstrong D. M. Neuronal activity in the lateral cerebellum of the cat related to visual stimuli at rest, visually guided step modification, and saccadic eye movements **506**, 489, 1998

Marrion N. V. *see* Hicks G. A. & Marrion N. V. **508**, 721, 1998

Marshall J. M. *see* Coney A. M. & Marshall J. M. **509**, 507, 1998

Martin D. *see* Roth J., Martin D., Störr B. & Zeisberger E. **509**, 267, 1998

Martin E. *see* Greffrath W., Martin E., Reuss S. & Boehmer G. **513**, 493, 1998

Martin K. A. C. *see* Tarczy-Hornoch K., Martin K. A. C., Jack J. J. B. & Stratford K. J. **508**, 351, 1998

Martin P. R.
Martin P. R. Colour processing in the primate retina: recent progress **513**, 631, 1998

Martina M. *see* Formenti A., Martina M., Plebani A. & Mancia M. **509**, 395, 1998

Marty A. *see* Kondo S. & Marty A. **509**, 221, 1998
see Kondo S. & Marty A. **509**, 233, 1998
see Pouzat C. & Marty A. **509**, 777, 1998

Marzban F. *see* Krizsan-Agbas D., Zhang R., Marzban F. & Smith P. G. **512**, 841, 1998

Mason R. M. *see* Scott D., Coleman P. J., Mason R. M. & Levick J. R. **508**, 619, 1998
see Coleman P. J., Scott D., Abiona A., Ashhurst D. E., Mason R. M. & Levick J. R. **509**, 695, 1998
see Scott D., Coleman P. J., Abiona A., Ashhurst D. E., Mason R. M. & Levick J. R. **511**, 629, 1998

Mateika J. H. *see* Fuller D., Mateika J. H. & Fregosi R. F. **507**, 265, 1998

Mathews C. J.
Mathews C. J., Tabcharani J. A., Chang X.-B., Jensen T. J., Riordan J. R. & Hanrahan J. W. Dibasic protein kinase A sites regulate bursting rate and nucleotide sensitivity of the cystic fibrosis transmembrane conductance regulator chloride channel **508**, 365, 1998

Mathews P. *see* Refshauge K. M., Taylor J. L., McCloskey D. I., Gianoutsos M., Mathews P. & Fitzpatrick R. C. **513**, 307, 1998

Mathias R. T. *see* Wang Y., Gao J., Mathias R. T., Cohen I. S., Sun X. & Baldo G. J. **509**, 117, 1998

Mathie A. *see* Clark S., Jordt S.-E., Jentsch T. J. & Mathie A. **506**, 665, 1998

Mathiesen C.
Mathiesen C., Caesar K., Akgören N. & Lauritzen M. Modification of activity-dependent increases of cerebral blood flow by excitatory synaptic activity and spikes in rat cerebellar cortex **512**, 555, 1998

Matlib M. A. *see* Zhou Z., Matlib M. A. & Bers D. M. **507**, 379, 1998

Matsuda H. *see* Oishi K., Omori K., Ohyama H., Shingu K. & Matsuda H. **510**, 675, 1998

Matsuo R.
Matsuo R. & Kang Y. Two types of parasympathetic preganglionic neurones in the superior salivatory nucleus characterized electrophysiologically in slice preparations of neonatal rats **513**, 157, 1998

Matsuoka S. *see* Fujioka Y., Matsuoka S., Ban T. & Noma A. **509**, 457, 1998

Matsushima K. *see* Endo Y., Tabata T., Kuroda H., Tadano T., Matsushima K. & Watanabe M. **509**, 587, 1998

MATTHEWS C. J.

MATTHEWS C. J., MCEWAN G. T. A., REDFERN C. P. F., THOMAS E. J. & HIRST B. H. Absorptive apical amiloride-sensitive Na^+ conductance in human endometrial epithelium **513**, 443, 1998

MATTIAZZI A. R. *see AIELLO E. A., PETROFF M. G. V., MATTIAZZI A. R. & CINGOLANI H. E.* **512**, 137, 1998

MAYER C. *see ERICKSON J. T., MAYER C., JAWA A., LING L., OLSON E. B. JR, VIDRUK E. H., MITCHELL G. S. & KATZ D. M.* **509**, 519, 1998

MAYER M. L. *see BÄHRING R. & MAYER M. L.* **509**, 635, 1998

MAZIÈRES L.

MAZIÈRES L., JIANG C.-H. & LINDSTRÖM S. The C fibre reflex of the cat urinary bladder **513**, 531, 1998

MAZZONE P. *see DI LAZZARO V., RESTUCCIA D., OLIVIERO A., PROFICE P., FERRARA L., INSOLA A., MAZZONE P., TONALI P. & ROTHWELL J. C.* **508**, 625, 1998

MEECH R. W. *see NIU X. W. & MEECH R. W.* **508**, 401, 1998

MEINILD A.-K.

MEINILD A.-K., KLAERKE D. A., LOO D. D. F., WRIGHT E. M. & ZEUTHEN T. The human Na^+–glucose cotransporter is a molecular water pump **508**, 15, 1998

MELAMED-BOOK N.

MELAMED-BOOK N. & RAHAMIMOFF R. The revival of the role of the mitochondrion in regulation of transmitter release **509**, 2, 1998

MELLOR J. R.

MELLOR J. R. & RANDALL A. D. Voltage-dependent deactivation and desensitization of GABA responses in cultured murine cerebellar granule cells **506**, 377, 1998

MELZER W. *see SIPOS I., JURKAT-ROTT K., HARASZTOSI CS., FONTAINE B., KOVACS L., MELZER W. & LEHMANN-HORN F.* Erratum: *Journal of Physiology* **483**, 299–306 (1995) **508**, 955, 1998

see DIETZE B., BERTOCCHINI F., BARONE V., STRUK A., SORRENTINO V. & MELZER W. **513**, 3, 1998

MENDEZ F.

MENDEZ F. & PENNER R. Near-visible ultraviolet light induces a novel ubiquitous calcium-permeable cation current in mammalian cell lines **507**, 365, 1998

MERANER A. *see MAIR N., FRICK M., MERANER A., SCHRAMEK H. & DIETL P.* **511**, 55, 1998

MEREDITH D.

MEREDITH D., BOYD C. A. R., BRONK J. R., BAILEY P. D., MORGAN K. M., COLLIER I. D. & TEMPLE C. S. 4-Aminomethylbenzoic acid is a non-translocated competitive inhibitor of the epithelial peptide transporter PepT1 **512**, 629, 1998

MERWINE D. K. *see GRZYWACZ N. M., AMTHOR F. R. & MERWINE D. K.* **512**, 575, 1998

MÉSZÁROS L. G. *see ZAHRADNÍKOVÁ A. & MÉSZÁROS L. G.* **509**, 29, 1998

MEUNIER F.-M. *see MOTHET J.-P., FOSSIER P., MEUNIER F.-M., STINNAKRE J., TAUC L. & BAUX G.* **507**, 405, 1998

MEYER R.

MEYER R. & HEINEMANN S. H. Characterization of an eag-like potassium channel in human neuroblastoma cells **508**, 49, 1998

see LINZ K. W. & MEYER R. **513**, 425, 1998

MICHEL C. C. *see KAJIMURA M., HEAD S. D. & MICHEL C. C.* **511**, 707, 1998

MIENVILLE J.-M.

MIENVILLE J.-M. Persistent depolarizing action of GABA in rat Cajal–Retzius cells **512**, 809, 1998

MIERISOVÁ Š. *see RICO-SANZ J., HAJNAL J. V., THOMAS E. L., MIERISOVÁ Š., ALA-KORPELA M. & BELL J. D.* **510**, 615, 1998

MIFFLIN S. W. *see ZHANG J. & MIFFLIN S. W.* **511**, 733, 1998

MIGNEN O. *see EGÉE S., MIGNEN O., HARVEY B. J. & THOMAS S.* **511**, 213, 1998

MIHARA S. *see CUNNINGHAM S. M. C., MIHARA S. & HIGASHI H.* **509**, 425, 1998

MIKALA G.

see ALLEN T. J. A., MIKALA G., WU X.-P. & DOLPHIN A. C. **508**, 1, 1998

MILEO A. M. *see GRASSI F., EPIFANO O., MILEO A. M., BARABINO B. & EUSEBI F.* **508**, 393, 1998

MILLER A. L. *see DOUGHTY J. M., MILLER A. L. & LANGTON P. D.* **507**, 433, 1998

MILLER A. L. & LANGTON P. D. Streptomycin inhibition of myogenic tone, K^+-induced force and block of L-type calcium current in rat cerebral arteries **508**, 793, 1998

MILLHORN D. E. *see KOBAYASHI S., CONFORTI L., PUN R. Y. K. & MILLHORN D. E.* **508**, 95, 1998

see KOBAYASHI S., BEITNER-JOHNSON D., CONFORTI L. & MILLHORN D. E. **512**, 351, 1998

MINAMI N.

MINAMI N., BERGLUND K., SAKABA T., KOHMOTO H. & TACHIBANA M. Potentiation of transmitter release by protein kinase C in goldfish retinal bipolar cells **512**, 219, 1998

MIRONOV S. L.

MIRONOV S. L., LANGOHR K., HALLER M. & RICHTER D. W. Hypoxia activates ATP-dependent potassium channels in inspiratory neurones of neonatal mice **509**, 755, 1998

MIRONOV S. L. & RICHTER D. W. L-type Ca^{2+} channels in inspiratory neurones of mice and their modulation by hypoxia **512**, 75, 1998

MISLER S. *see KOZAK J. A., MISLER S. & LOGOTHETIS D. E.* **509**, 355, 1998

MITCHELL G. S. *see ERICKSON J. T., MAYER C., JAWA A., LING L., OLSON E. B. JR, VIDRUK E. H., MITCHELL G. S. & KATZ D. M.* **509**, 519, 1998

see LING L., OLSON E. B. JR, VIDRUK E. H. & MITCHELL G. S. **511**, 599, 1998

MITCHELL J. H. *see POTTS J. T. & MITCHELL J. H.* **508**, 646, 1998

MIYAZAKI T.

MIYAZAKI T. & LACEY M. G. Presynaptic inhibition by dopamine of a discrete component of GABA release in rat substantia nigra pars reticulata **513**, 805, 1998

MIYOSHI T. *see TSUMURA T., HAZAMA A., MIYOSHI T., UEDA S. & OKADA Y.* **512**, 765, 1998

MIZUNO M. *see RATKEVIČIUS A., MIZUNO M., POVILONIS E. & QUISTORFF B.* **507**, 593, 1998

MOBBS P. *see SPIRIDON M., KAMM D., BILLUPS B., MOBBS P. & ATTWELL D.* **506**, 363, 1998

MODY I. *see NÄGERL U. V. & MODY I.* **509**, 39, 1998

see WILLIAMS S. R., BUHL E. H. & MODY I. **510**, 477, 1998

MOGYOROS I. *see VAGG R., MOGYOROS I., KIERNAN M. C. & BURKE D.* **507**, 919, 1998

MOHAMMAD S. *see BOND T. D., AMBIKAPATHY S., MOHAMMAD S. & VALVERDE M. A.* **511**, 45, 1998

MOHRMANN R. *see LINDLBAUER R., MOHRMANN R., HATT H. & GOTTMANN K.* **508**, 495, 1998

MOISES H. C. *see SOLDO B. L. & MOISES H. C.* **513**, 787, 1998

MOLINA A.

MOLINA A., ORTEGA-SÁENZ P. & LÓPEZ-BARNEO J. Pore mutations alter closing and opening kinetics in *Shaker* K^+ channels **509**, 327, 1998

MØLLER J. V. *see BUUS C. L., AALKJÆR C., NILSSON H., JUUL B., MØLLER J. V. & MULVANY M. J.* **510**, 577, 1998

MOMIYAMA A. *see SILVER R. A., MOMIYAMA A. & CULL-CANDY S. G.* **510**, 881, 1998

MONCK J. R. *see JOHN S. A., MONCK J. R., WEISS J. N. & RIBALET B.* **510**, 333, 1998

MONHEMIUS R. *see LI H. S., MONHEMIUS R., SIMPSON B. A. & ROBERTS M. H. T.* **506**, 459, 1998

MOODY W. J. *see DALLMAN J. E., DAVIS A. K. & MOODY W. J.* **511**, 683, 1998

MOORES C. *see MCQUEEN D. S., BOND S. M., MOORES C., CHESSELL I., HUMPHREY P. P. A. & DOWD E.* **507**, 843, 1998

MOORMAN A. F. M. *see VAN DER VELDEN J., MOORMAN A. F. M. & STIENEN G. J. M.* **507**, 497, 1998

MORETÓ M. *see SORIANO-GARCÍA J. F., TORRAS-LLORT M., FERRER R. & MORETÓ M.* **509**, 527, 1998

MORGAN A. J.

MORGAN A. J. & JACOB R. Differential modulation of the phases of a Ca^{2+} spike by the store Ca^{2+}-ATPase in human umbilical vein endothelial cells **513**, 83, 1998

MORGAN D. L. *see CLAFLIN D. R., MORGAN D. L. & JULIAN F. J.* **508**, 179, 1998

see WHITEHEAD N. P., ALLEN T. J., MORGAN D. L. & PROSKE U. **512**, 615, 1998

MORGAN E. H. *see SAVIGNI D. L. & MORGAN E. H.* **508**, 837, 1998

MORGAN J. P. *see XIAO Y.-F., HUANG L. & MORGAN J. P.* **508**, 777, 1998

MORGAN K. G. *see PARKER C. A., TAKAHASHI K., TANG J. X., TAO T. & MORGAN K. G.* **508**, 187, 1998

MORGAN K. M. *see MEREDITH D., BOYD C. A. R., BRONK J. R., BAILEY P. D., MORGAN K. M., COLLIER I. D. & TEMPLE C. S.* **512**, 629, 1998

MORI M. *see IIZUKA K., YOSHII A., DOBASHI K., HORIE T., MORI M. & NAKAZAWA T.* **511**, 915, 1998

MORITA F. *see LI L., ETO M., LEE M. R., MORITA F., YAZAWA M. & KITAZAWA T.* **508**, 871, 1998

MORITA H. *see WANIISHI Y., INOUE R., MORITA H., TERAMOTO N., ABE K. & ITO Y.* **511**, 719, 1998

see PETERSEN N., CHRISTENSEN L. O. D., MORITA H., SINKJÆR T. & NIELSEN J. **512**, 267, 1998

Morley J. W. *see Mackie P. D., Morley J. W., Zhang H. Q., Murray G. M. & Rowe M. J.* **510**, 923, 1998

Morris H. A. *see O'Loughlin P. D. & Morris H. A.* **511**, 313, 1998

Morris K. F. *see Lindsey B. G., Arata A., Morris K. F., Hernandez Y. M. & Shannon R.* **512**, 863, 1998

see Lindsey B. G., Arata A., Morris K. F., Hernandez Y. M. & Shannon R. Erratum: *Journal of Physiology* **512**, 863–882 (1998) **513**, 935, 1998

Morrison M. S.

Morrison M. S., Turin L., King B. F., Burnstock G. & Arnett T. R. ATP is a potent stimulator of the activation and formation of rodent osteoclasts **511**, 495, 1998

Moser T.

Moser T. Low-conductance intercellular coupling between mouse chromaffin cells *in situ* **506**, 195, 1998

Moss R. L. *see Gu Q. & Moss R. L.* **506**, 745, 1998

see McDonald K. S., Wolff M. R. & Moss R. L. **511**, 519, 1998

see Fitzsimons D. P., Patel J. R. & Moss R. L. **513**, 171, 1998

Moss S. J. *see Krishek B. J., Moss S. J. & Smart T. G.* **507**, 639, 1998

Mössner J. *see Racké K., Hey C., Mössner J., Hammermann R., Stichnote C. & Wessler I.* **511**, 813, 1998

Mothet J.-P.

Mothet J.-P., Fossier P., Meunier F.-M., Stinnakre J., Tauc L. & Baux G. Cyclic ADP-ribose and calcium-induced calcium release regulate neurotransmitter release at a cholinergic synapse of *Aplysia* **507**, 405, 1998

Mounfield P. R.

Mounfield P. R. & Robson L. The role of Ca^{2+} in volume regulation induced by Na^+-coupled alanine uptake in single proximal tubule cells isolated from frog kidney **510**, 145, 1998

Muallem S. *see Lee M. G., Schultheis P. J., Yan M., Shull G. E., Bookstein C., Chang E., Tse M., Donowitz M., Park K. & Muallem S.* **513**, 341, 1998

Mubagwa K. *see Stengl M., Carmeliet E., Mubagwa K. & Flameng W.* **511**, 827, 1998

Mückenhoff K. *see Oyamada Y., Ballantyne D., Mückenhoff K. & Scheid P.* **513**, 381, 1998

Mufti D. A. H. *see MacVinish L. J., Hickman M. E., Mufti D. A. H., Durrington H. J. & Cuthbert A. W.* **510**, 237, 1998

Mügge A. *see Zhang H., Garlichs C. D., Mügge A. & Daniel W. G.* **513**, 359, 1998

Mukaddam-Daher S. *see Ernest S., Jankowski M., Mukaddam-Daher S., Cusson J. & Gutkowska J.* **506**, 867, 1998

Mulder A. L. M.

Mulder A. L. M., van Golde J. C., Prinzen F. W. & Blanco C. E. Cardiac output distribution in response to hypoxia in the chick embryo in the second half of the incubation time **508**, 281, 1998

Mulle C. *see Bureau I. & Mulle C.* **509**, 817, 1998

Mulvany M. J. *see Buus C. L., Aalkjær C., Nilsson H., Juul B., Møller J. V. & Mulvany M. J.* **510**, 577, 1998

Mundy L. *see Fowden A. L., Mundy L. & Silver M.* **508**, 937, 1998

Muneo G. *see Brown C. H., Murphy N. P., Munro G., Ludwig M., Bull P. M., Leng G. & Russell J. A.* **507**, 831, 1998

Muraki K. *see Imaizumi Y., Torii Y., Ohi Y., Nagano N., Atsuki K., Yamamura H., Muraki K., Watanabe M. & Bolton T. B.* **510**, 705, 1998

Murphy N. P. *see Brown C. H., Murphy N. P., Munro G., Ludwig M., Bull P. M., Leng G. & Russell J. A.* **507**, 831, 1998

Murray G. M. *see Mackie P. D., Morley J. W., Zhang H. Q., Murray G. M. & Rowe M. J.* **510**, 923, 1998

Mutungi G.

Mutungi G. & Ranatunga K. W. Temperature-dependent changes in the viscoelasticity of intact resting mammalian (rat) fast- and slow-twitch muscle fibres **508**, 253, 1998

Myers D. S. *see Noble B. J., Drinkhill M. J., Myers D. S. & Hainsworth R.* **513**, 263, 1998

Nadal A.

Nadal A., Sul J.-Y., Valdeolmillos M. & McNaughton P. A. Albumin elicits calcium signals from astrocytes in brain slices from neonatal rat cortex **509**, 711, 1998

Nagano N. *see Imaizumi Y., Torii Y., Ohi Y., Nagano N., Atsuki K., Yamamura H., Muraki K., Watanabe M. & Bolton T. B.* **510**, 705, 1998

Nagaoka M. *see Kakuda N. & Nagaoka M.* **513**, 621, 1998

Nagarajan S. S. *see Maccabee P. J., Nagarajan S. S., Amassian V. E., Durand D. M., Szabo A. Z., Ahad A. B., Cracco R. Q., Lai K. S. & Eberle L. P.* **513**, 571, 1998

Nägerl U. V.

Nägerl U. V. & Mody I. Calcium-dependent inactivation of high-threshold calcium currents in human dentate gyrus granule cells **509**, 39, 1998

Nagy F. *see Russo R. E., Nagy F. & Hounsgaard J.* **506**, 795, 1998

Nagy G. *see Deák F., Nagy G., Várnai P., Madarász E. & Spät A.* **508**, 735, 1998

Nakahira Y. *see Yamamoto Y., Fukuta H., Nakahira Y. & Suzuki H.* **511**, 501, 1998

Nakamura R. *see Tanaka H., Sekine T., Kawanishi T., Nakamura R. & Shigenobu K.* **508**, 145, 1998

Nakao K.

Nakao K., Takahashi T., Utsunomiya J. & Owyang C. Extrinsic neural control of nitric oxide synthase expression in the myenteric plexus of rat jejunum **507**, 549, 1998

Nakao M. *see Ono K., Nakao M. & Iijima T.* **511**, 837, 1998

Nakazawa T. *see Iizuka K., Yoshii A., Dobashi K., Horie T., Mori M. & Nakazawa T.* **511**, 915, 1998

Narayanan J. *see Gebremedhin D., Lange A. R., Narayanan J., Aebly M. R., Jacobs E. R. & Harder D. R.* **507**, 771, 1998

Naruse S. *see Ishiguro H., Naruse S., Steward M. C., Kitagawa M., Ko S. B. H., Hayakawa T. & Case R. M.* **511**, 407, 1998

Nathanielsz P. W. *see Shinozuka N. & Nathanielsz P. W.* **513**, 273, 1998

Nelle E. *see Wörgötter F., Nelle E., Li B. & Funke K.* **509**, 797, 1998

Nelson D. J. *see Xie W., Solomons K. R. H., Freeman S., Kaetzel M. A., Bruzik K. S., Nelson D. J. & Shears S. B.* **510**, 661, 1998

Nelson M. T.

Nelson M. T. Bayliss, myogenic tone and volume-regulated chloride channels in arterial smooth muscle **507**, 631, 1998

see Knot H. J. & Nelson M. T. **508**, 199, 1998

see Knot H. J., Standen N. B. & Nelson M. T. **508**, 211, 1998

Nelson W. B. *see Harms C. A., McClaran S. R., Nickele G. A., Pegelow D. F., Nelson W. B. & Dempsey J. A.* **507**, 619, 1998

Nett W.

Nett W. & Deitmer J. W. Intracellular Ca^{2+} regulation by the leech giant glial cell **507**, 147, 1998

Neu A. *see Engeland B., Neu A., Ludwig J., Roeper J. & Pongs O.* **513**, 647, 1998

Neumann I. D.

Neumann I. D., Johnstone H. A., Hatzinger M., Liebsch G., Shipston M., Russell J. A., Landgraf R. & Douglas A. J. Attenuated neuroendocrine responses to emotional and physical stressors in pregnant rats involve adenohypophysial changes **508**, 289, 1998

Neunlist M.

Neunlist M., Frieling T., Rupprecht C. & Schemann M. Polarized enteric submucosal circuits involved in secretory responses of the guinea-pig proximal colon **506**, 539, 1998

Neyton J. *see Kupper J., Ascher P. & Neyton J.* **507**, 1, 1998

Nguyen A. N. *see Jäger H., Rauer H., Nguyen A. N., Aiyar J., Chandy K. G. & Grissmer S.* **506**, 291, 1998

Nicaise G. *see Troadec J.-D., Thirion S., Nicaise G., Lemos J. R. & Dayanithi G.* **511**, 89, 1998

Nickele G. A. *see Harms C. A., McClaran S. R., Nickele G. A., Pegelow D. F., Nelson W. B. & Dempsey J. A.* **507**, 619, 1998

Nielsen B. *see González-Alonso J., Calbet J. A. L. & Nielsen B.* **513**, 895, 1998

Nielsen H. B. *see Perko M. J., Nielsen H. B., Skak C., Clemmesen J. O., Schroeder T. V. & Secher N. H.* **513**, 907, 1998

Nielsen J. *see Maier M. A., Illert M., Kirkwood P. A., Nielsen J. & Lemon R. N.* **511**, 191, 1998

see Petersen N., Christensen L. O. D., Morita H., Sinkjær T. & Nielsen J. **512**, 267, 1998

see Petersen N., Christensen L. O. D. & Nielsen J. **513**, 599, 1998

Nielsen J. N. *see Ostrowski K., Hermann C., Bangash A., Schjerling P., Nielsen J. N. & Pedersen B. K.* **513**, 889, 1998

Nielsen O. B.

Nielsen O. B., Hilsted L. & Clausen T. Excitation-induced force recovery in potassium-inhibited rat soleus muscle **512**, 819, 1998

Niggli E. *see Lipp P. & Niggli E.* **508**, 801, 1998

see Lipp P. & Niggli E. Erratum: *Journal of Physiology* **508**, 801–809 (1998) **510**, 987, 1998

Nilius B. *see Voets T., Manolopoulos V., Eggermont J., Ellory C., Droogmans G. & Nilius B.* **506**, 341, 1998

Nilius B., Prenen J., Voets T., Eggermont J. & Droogmans G. Activation of volume-regulated chloride currents by reduction of intracellular ionic strength in bovine endothelial cells **506**, 353, 1998

Nilsson H. *see Buus C. L., Aalkjær C., Nilsson H., Juul B., Møller J. V. & Mulvany M. J.* **510**, 577, 1998

Nishimura N. *see Sugenoya J., Iwase S., Mano T., Sugiyama Y., Ogawa T., Nishiyama T., Nishimura N. & Kimura T.* **507**, 603, 1998

Nishiyama M.

Nishiyama M., Hashitani H., Fukuta H., Yamamoto Y. & Suzuki H. Potassium channels activated in the endothelium-dependent hyperpolarization in guinea-pig coronary artery **510**, 455, 1998

Nishiyama T. *see Sugenoya J., Iwase S., Mano T., Sugiyama Y., Ogawa T., Nishiyama T., Nishimura N. & Kimura T.* **507**, 603, 1998

Niu X. W.

Niu X. W. & Meech R. W. The effect of polyamines on K_{ATP} channels in guinea-pig ventricular myocytes **508**, 401, 1998

Noble B. J.

Noble B. J., Drinkhill M. J., Myers D. S. & Hainsworth R. Reflex control of splanchnic blood volume in anaesthetized dogs **513**, 263, 1998

Noceti F. *see Costantin J., Noceti F., Qin N., Wei X., Birnbaumer L. & Stefani E.* **507**, 93, 1998

Noda M. *see Ishida-Takahashi A., Otani H., Takahashi C., Washizuka T., Tsuji K., Noda M., Horie M. & Sasayama S.* **508**, 23, 1998

Noma A. *see Fujioka Y., Matsuoka S., Ban T. & Noma A.* **509**, 457, 1998

Nordin M. *see Hagbarth K.-E. & Nordin M.* **506**, 875, 1998

Norsk P. *see Hammerum M. S., Bie P., Pump B., Johansen L. B., Christensen N. J. & Norsk P.* **511**, 323, 1998

North R. A. *see Thomas S., Virginio C., North R. A. & Surprenant A.* **509**, 411, 1998

see Virginio C., North R. A. & Surprenant A. **510**, 27, 1998

see Calabresi P., Centonze D., Pisani A., Sancesario G., North R. A. & Bernardi G. **510**, 421, 1998

Northmore D. P. M.

Northmore D. P. M. & Oh D.-J. Axonal conduction velocities of functionally characterized retinal ganglion cells in goldfish **506**, 207, 1998

Nosjean A. *see Sévoz-Couche C., Nosjean A., Franc B., Hamon M. & Laguzzi R.* **508**, 747, 1998

Nowicky A. V.

Nowicky A. V. & Duchen M. R. Changes in $[Ca^{2+}]_i$ and membrane currents during impaired mitochondrial metabolism in dissociated rat hippocampal neurons **507**, 131, 1998

Nowycky M. C. *see Engisch K. L. & Nowycky M. C.* **506**, 591, 1998

Nucifora P. G. P.

Nucifora P. G. P. & Fox A. P. Barium triggers rapid endocytosis in calf adrenal chromaffin cells **508**, 483, 1998

Numann R. *see Jow F. & Numann R.* **512**, 119, 1998

Nurse C. A. *see Thompson R. J. & Nurse C. A.* **512**, 421, 1998

Occhiodoro T. *see Liu J.-H., Bijlenga P., Fischer-Lougheed J., Occhiodoro T., Kaelin A., Bader C. R. & Bernheim L.* **510**, 467, 1998

see Bijlenga P., Occhiodoro T., Liu J.-H., Bader C. R., Bernheim L. & Fischer-Lougheed J. **512**, 317, 1998

Ochi R. *see Akuzawa-Tateyama M., Tateyama M. & Ochi R.* **513**, 775, 1998

Ogasawara Y. *see Hiramatsu O., Goto M., Yada T., Kimura A., Chiba Y., Tachibana H., Ogasawara Y., Tsujioka K. & Kajiya F.* **509**, 619, 1998

Ogawa T. *see Sugenoya J., Iwase S., Mano T., Sugiyama Y., Ogawa T., Nishiyama T., Nishimura N. & Kimura T.* **507**, 603, 1998

Ogden D. *see Carter T. D., Zupancic G., Smith S. M., Wheeler-Jones C. & Ogden D.* **513**, 845, 1998

O'Grady S. M. *see Deachapunya C. & O'Grady S. M.* **508**, 31, 1998

Oh D.-J. *see Northmore D. P. M. & Oh D.-J.* **506**, 207, 1998

Ohana O.

Ohana O. & Sakmann B. Transmitter release modulation in nerve terminals of rat neocortical pyramidal cells by intracellular calcium buffers **513**, 135, 1998

Ohashi H. *see Kohda M., Komori S., Unno T. & Ohashi H.* **511**, 559, 1998

Ohi Y. *see Imaizumi Y., Torii Y., Ohi Y., Nagano N., Atsuki K., Yamamura H., Muraki K., Watanabe M. & Bolton T. B.* **510**, 705, 1998

Ohmori H. *see Funabiki K., Koyano K. & Ohmori H.* **508**, 851, 1998

Ohyama H. *see Oishi K., Omori K., Ohyama H., Shingu K. & Matsuda H.* **510**, 675, 1998

Oishi K.

Oishi K., Omori K., Ohyama H., Shingu K. & Matsuda H. Neutralization of aspartate residues in the murine inwardly rectifying K^+ channel IRK1 affects the substate behaviour in Mg^{2+} block **510**, 675, 1998

Okada H. *see Farkas I., Baranyi L., Takahashi M., Fukuda A., Liposits Zs., Yamamoto T. & Okada H.* **507**, 679, 1998

see Takenaka T., Suzuki H., Okada H., Hayashi K., Kanno Y. & Saruta T. **511**, 245, 1998

Okada Y. *see Tsumura T., Hazama A., Miyoshi T., Ueda S. & Okada Y.* **512**, 765, 1998

Okamoto M. *see Baba H., Kohno T., Okamoto M., Goldstein P. A., Shimoji K. & Yoshimura M.* **508**, 83, 1998

Okamura Y. *see Inazawa T., Okamura Y. & Takahashi K.* **511**, 347, 1998

Olbricht C. J. *see Gwinner W., Deters-Evers U., Brandes R. P., Kubat B., Koch K.-M., Pape M. & Olbricht C. J.* **509**, 599, 1998

Olivera B. M. *see Ramirez J. M., Schwarzacher S. W., Pierrefiche O., Olivera B. M. & Richter D. W.* **507**, 895, 1998

Oliviero A. *see Di Lazzaro V., Restuccia D., Oliviero A., Profice P., Ferrara L., Insola A., Mazzone P., Tonali P. & Rothwell J. C.* **508**, 625, 1998

O'Loughlin P. D.

O'Loughlin P. D. & Morris H. A. Oestrogen deficiency impairs intestinal calcium absorption in the rat **511**, 313, 1998

Olson E. B. Jr *see Erickson J. T., Mayer C., Jawa A., Ling L., Olson E. B. Jr, Vidruk E. H., Mitchell G. S. & Katz D. M.* **509**, 519, 1998

see Ling L., Olson E. B. Jr, Vidruk E. H. & Mitchell G. S. **511**, 599, 1998

Omori K. *see Oishi K., Omori K., Ohyama H., Shingu K. & Matsuda H.* **510**, 675, 1998

O'Neill N. *see Amis T. C., O'Neill N., Somma E. D. & Wheatley J. R.* **512**, 307, 1998

O'Neill S. C. *see Overend C. L., O'Neill S. C. & Eisner D. A.* **507**, 759, 1998

Ono K.

Ono K., Nakao M. & Iijima T. Chloride-sensitive nature of the histamine-induced Ca^{2+} entry in cultured human aortic endothelial cells **511**, 837, 1998

Orser B. A. *see Lu W.-Y., Xiong Z.-G., Orser B. A. & MacDonald J. F.* **512**, 29, 1998

Ortega-Sáenz P. *see Molina A., Ortega-Sáenz P. & López-Barneo J.* **509**, 327, 1998

Osswald H. *see Berthold H., Just A., Kirchheim H. R., Osswald H. & Ehmke H.* **510**, 321, 1998

Ostrowski K.

Ostrowski K., Rohde T., Zacho M., Asp S. & Pedersen B. K. Evidence that interleukin-6 is produced in human skeletal muscle during prolonged running **508**, 949, 1998

Ostrowski K., Hermann C., Bangash A., Schjerling P., Nielsen J. N. & Pedersen B. K. A trauma-like elevation of plasma cytokines in humans in response to treadmill running **513**, 889, 1998

Otani H. *see Ishida-Takahashi A., Otani H., Takahashi C., Washizuka T., Tsuji K., Noda M., Horie M. & Sasayama S.* **508**, 23, 1998

see Takano M., Xie L.-H., Otani H. & Horie M. **512**, 395, 1998

Otani S.

Otani S. & Connor J. A. Requirement of rapid Ca^{2+} entry and synaptic activation of metabotropic glutamate receptors for the induction of long-term depression in adult rat hippocampus **511**, 761, 1998

Otun H. A. *see Mahdy Z., Otun H. A., Dunlop W. & Gillespie J. I.* **508**, 609, 1998

Overend C. L.

Overend C. L., O'Neill S. C. & Eisner D. A. The effect of tetracaine on stimulated contractions, sarcoplasmic reticulum Ca^{2+} content and membrane current in isolated rat ventricular myocytes **507**, 759, 1998

Owyang C. *see Nakao K., Takahashi T., Utsunomiya J. & Owyang C.* **507**, 549, 1998

Oyamada Y.

Oyamada Y., Ballantyne D., Mückenhoff K. & Scheid P. Respiration modulated membrane potential and chemosensitivity of locus coeruleus neurones in the *in vitro* brainstem–spinal cord of the neonatal rat **513**, 381, 1998

Ozawa S. *see Kamiya H. & Ozawa S.* **509**, 833, 1998

Pabst M. A. *see Wachter C. H., Heinemann Á., Donnerer J., Pabst M. A. & Holzer P.* **509**, 541, 1998

Pacaud P. *see Cario-Toumaniantz C., Loirand G., Ferrier L. & Pacaud P.* **508**, 659, 1998

PAGE A. J.
PAGE A. J. & BLACKSHAW L. A. An *in vitro* study of the properties of vagal afferent fibres innervating the ferret oesophagus and stomach **512**, 907, 1998

PAGE K. M. *see STEPHENS G. J., CANTÍ C., PAGE K. M. & DOLPHIN A. C.* **509**, 163, 1998
see WYATT C. N., PAGE K. M., BERROW N. S., BRICE N. L. & DOLPHIN A. C. **510**, 347, 1998

PAILLARD M. *see BLANCHARD A., ELADARI D., LEVIEL F., TSIMARATOS M., PAILLARD M. & PODEVIN R.-A.* **506**, 689, 1998

PALMER L. G.
PALMER L. G., SACKIN H. & FRINDT G. Regulation of Na^+ channels by luminal Na^+ in rat cortical collecting tubule **509**, 151, 1998

PALOMERO T. *see BARROS F., GÓMEZ-VARELA D., VILORIA C. G., PALOMERO T., GIRÁLDEZ T. & DE LA PEÑA P.* **511**, 333, 1998

PALTAUF G. *see PALTAUF-DOBURZYNSKA J., POSCH K., PALTAUF G. & GRAIER W. F.* **513**, 369, 1998

PALTAUF-DOBURZYNSKA J. *see GRAIER W. F., PALTAUF-DOBURZYNSKA J., HILL B. J. F., FLEISCHHACKER E., HOEBEL B. G., KOSTNER G. M. & STUREK M.* **506**, 109, 1998
PALTAUF-DOBURZYNSKA J., POSCH K., PALTAUF G. & GRAIER W. F. Stealth ryanodine-sensitive Ca^{2+} release contributes to activity of capacitative Ca^{2+} entry and nitric oxide synthase in bovine endothelial cells **513**, 369, 1998

PAN H.-L. *see TJEN-A-LOOI S. C., PAN H.-L. & LONGHURST J. C.* **510**, 633, 1998

PAN Z. *see SHI W., WANG H.-S., PAN Z., WYMORE R. S., COHEN I. S., MCKINNON D. & DIXON J. E.* **511**, 675, 1998

PANANCEAU M.
PANANCEAU M., CHEN H.-X. & GUSTAFSSON B. Short-term facilitation evoked during brief afferent tetani is not altered by long-term potentiation in the guinea-pig hippocampal CA1 region **508**, 503, 1998

PANCRAZIO J. J. *see SIROIS J. E., PANCRAZIO J. J., LYNCH C. L. III & BAYLISS D. A.* **512**, 851, 1998

PANISELLO J. M. *see DONNELLY D. F., PANISELLO J. M. & BOGGS D.* **511**, 301, 1998

PAPE M. *see GWINNER W., DETERS-EVERS U., BRANDES R. P., KUBAT B., KOCH K.-M., PAPE M. & OLBRICHT C. J.* **509**, 599, 1998

PARK K. *see LEE M. G., SCHULTHEIS P. J., YAN M., SHULL G. E., BOOKSTEIN C., CHANG E., TSE M., DONOWITZ M., PARK K. & MUALLEM S.* **513**, 341, 1998

PARKER C. A.
PARKER C. A., TAKAHASHI K., TANG J. X., TAO T. & MORGAN K. G. Cytoskeletal targeting of calponin in differentiated, contractile smooth muscle cells of the ferret **508**, 187, 1998

PARKER I. *see SUN X.-P., CALLAMARAS N., MARCHANT J. S. & PARKER I.* **509**, 67, 1998
see CALLAMARAS N., MARCHANT J. S., SUN X.-P. & PARKER I. **509**, 81, 1998
see CALLAMARAS N., SUN X.-P., IVORRA I. & PARKER I. **511**, 395, 1998

PARKER K. E.
PARKER K. E. Modulation of ATP-gated non-selective cation channel ($P2X_1$ receptor) activation and desensitization by the actin cytoskeleton **510**, 19, 1998

PARVEEN S. *see TARE M., PRESTWICH S. A., GORDIENKO D. V., PARVEEN S., CARVER J. E., ROBINSON C. & BOLTON T. B.* **506**, 303, 1998

PARZEFALL F.
PARZEFALL F., WILHELM R., HECKMANN M. & DUDEL J. Single channel currents at six microsecond resolution elicited by acetylcholine in mouse myoballs **512**, 181, 1998

PATEL J. R. *see FITZSIMONS D. P., PATEL J. R. & MOSS R. L.* **513**, 171, 1998

PATON J. F. R.
PATON J. F. R. Convergence properties of solitary tract neurones driven synaptically by cardiac vagal afferents in the mouse **508**, 237, 1998
see CHIZH B. A., HEADLEY P. M. & PATON J. F. R. **508**, 907, 1998

PATTNAIK B. *see PICAUD S., PATTNAIK B., HICKS D., FORSTER V., FONTAINE V., SAHEL J. & DREYFUS H.* **513**, 33, 1998

PAULAIS M. *see BOUYER P., PAULAIS M., COUGNON M., HULIN P., ANAGNOSTOPOULOS T. & PLANELLES G.* **510**, 535, 1998

PAULUS W. *see ZIEMANN U., TERGAU F., WASSERMANN E. M., WISCHER S., HILDEBRANDT J. & PAULUS W.* **511**, 181, 1998

PAUVERT V.
PAUVERT V., PIERROT-DESEILLIGNY E. & ROTHWELL J. C. Role of spinal premotoneurones in mediating corticospinal input to forearm motoneurones in man **508**, 301, 1998

PAWELZIK H. *see ALI A. B., DEUCHARS J., PAWELZIK H. & THOMSON A. M.* **507**, 201, 1998

PAYDARFAR D.
PAYDARFAR D., ELDRIDGE F. L. & PAYDARFAR J. A. Phase resetting of the respiratory oscillator by carotid sinus nerve stimulation in cats **506**, 515, 1998

PAYDARFAR J. A. *see PAYDARFAR D., ELDRIDGE F. L. & PAYDARFAR J. A.* **506**, 515, 1998

PEDERSEN B. K. *see OSTROWSKI K., ROHDE T., ZACHO M., ASP S. & PEDERSEN B. K.* **508**, 949, 1998
see OSTROWSKI K., HERMANN C., BANGASH A., SCHJERLING P., NIELSEN J. N. & PEDERSEN B. K. **513**, 889, 1998

PEERS C.
PEERS C. & CARPENTER E. Inhibition of Ca^{2+}-dependent K^+ channels in rat carotid body type I cells by protein kinase C **512**, 743, 1998

PEGELOW D. F. *see HARMS C. A., MCCLARAN S. R., NICKELE G. A., PEGELOW D. F., NELSON W. B. & DEMPSEY J. A.* **507**, 619, 1998

PEMBERTON K. E.
PEMBERTON K. E., BELCHER S. M., RIPELLINO J. A. & HOWE J. R. High-affinity kainate-type ion channels in rat cerebellar granule cells **510**, 401, 1998

PENNA C. *see GALLO M. P., GHIGO D., BOSIA A., ALLOATTI G., COSTAMAGNA C., PENNA C. & LEVI R. C.* **506**, 639, 1998

PENNARTZ C. M. A.
PENNARTZ C. M. A., DE JEU M. T. G., GEURTSEN A. M. S., SLUITER A. A. & HERMES M. L. H. J. Electrophysiological and morphological heterogeneity of neurons in slices of rat suprachiasmatic nucleus **506**, 775, 1998

PENNER R. *see MENDEZ F. & PENNER R.* **507**, 365, 1998

PEREZ N. G. *see GAO W. D., PEREZ N. G. & MARBAN E.* **507**, 175, 1998

PERKO M. J.
PERKO M. J., NIELSEN H. B., SKAK C., CLEMMESEN J. O., SCHROEDER T. V. & SECHER N. H. Mesenteric, coeliac and splanchnic blood flow in humans during exercise **513**, 907, 1998

PERKS A. M. *see CHUA B. A. & PERKS A. M.* **513**, 283, 1998

PERLMAN I.
PERLMAN I., ITZHAKI A., ASI H. & ALPERN M. Field sensitivity action spectra of cone photoreceptors in the turtle retina **511**, 479, 1998

PETERS J. A. *see BROWN A. M., HOPE A. G., LAMBERT J. J. & PETERS J. A.* **507**, 653, 1998

PETERSEN N.
PETERSEN N., CHRISTENSEN L. O. D., MORITA H., SINKJÆR T. & NIELSEN J. Evidence that a transcortical pathway contributes to stretch reflexes in the tibialis anterior muscle in man **512**, 267, 1998
PETERSEN N., CHRISTENSEN L. O. D. & NIELSEN J. The effect of transcranial magnetic stimulation on the soleus H reflex during human walking **513**, 599, 1998

PETROFF M. G. V. *see AIELLO E. A., PETROFF M. G. V., MATTIAZZI A. R. & CINGOLANI H. E.* **512**, 137, 1998

PFITZER G. *see LUCIUS C., ARNER A., STEUSLOFF A., TROSCHKA M., HOFMANN F., AKTORIES K. & PFITZER G.* **506**, 83, 1998

PHILIPSON K. D. *see TERRACCIANO C. M. N., DE SOUZA A. I., PHILIPSON K. D. & MACLEOD K. T.* **512**, 651, 1998

PICAUD S.
PICAUD S., PATTNAIK B., HICKS D., FORSTER V., FONTAINE V., SAHEL J. & DREYFUS H. $GABA_A$ and $GABA_C$ receptors in adult porcine cones: evidence from a photoreceptor–glia co-culture model **513**, 33, 1998

PIERREFICHE O. *see RAMIREZ J. M., SCHWARZACHER S. W., PIERREFICHE O., OLIVERA B. M. & RICHTER D. W.* **507**, 895, 1998
PIERREFICHE O., HAJI A., FOUTZ A. S., TAKEDA R., CHAMPAGNAT J. & DENAVIT-SAUBIÉ M. Synaptic potentials in respiratory neurones during evoked phase switching after NMDA receptor blockade in the cat **508**, 549, 1998
PIERREFICHE O., SCHWARZACHER S. W., BISCHOFF A. M. & RICHTER D. W. Blockade of synaptic inhibition within the pre-Bötzinger complex in the cat suppresses respiratory rhythm generation *in vivo* **509**, 245, 1998

PIERROT-DESEILLIGNY E. *see PAUVERT V., PIERROT-DESEILLIGNY E. & ROTHWELL J. C.* **508**, 301, 1998

PINAULT D.
PINAULT D., LERESCHE N., CHARPIER S., DENIAU J.-M., MARESCAUX C., VERGNES M. & CRUNELLI V. Intracellular recordings in thalamic neurones during spontaneous spike and wave discharges in rats with absence epilepsy **509**, 449, 1998

PIPER T. P. *see LUKYANETZ E. A., PIPER T. P. & SIHRA T. S.* **510**, 371, 1998

PISANI A. *see CALABRESI P., CENTONZE D., PISANI A., SANCESARIO G., NORTH R. A. & BERNARDI G.* **510**, 421, 1998

PIZZONIA J. H. *see WANG W., PIZZONIA J. H. & RICHERSON G. B.* **511**, 433, 1998

PLANELLES G. *see BOUYER P., PAULAIS M., COUGNON M., HULIN P., ANAGNOSTOPOULOS T. & PLANELLES G.* **510**, 535, 1998

PLASSART-SCHIESS E.

PLASSART-SCHIESS E., LHUILLIER L., GEORGE A. L. JR, FONTAINE B. & TABTI N. Functional expression of the Ile693Thr Na^+ channel mutation associated with paramyotonia congenita in a human cell line **507**, 721, 1998

PLEBANI A. *see FORMENTI A., MARTINA M., PLEBANI A. & MANCIA M.* **509**, 395, 1998

PODEVIN R.-A. *see BLANCHARD A., ELADARI D., LEVIEL F., TSIMARATOS M., PAILLARD M. & PODEVIN R.-A.* **506**, 689, 1998

POLLOCK C. A. *see JOHNSON D. W., SAUNDERS H. J., FIELD M. J. & POLLOCK C. A.* **508**, 587, 1998

PONGS O. *see ENGELAND B., NEU A., LUDWIG J., ROEPER J. & PONGS O.* **513**, 647, 1998

POSCH K. *see PALTAUF-DOBURZYNSKA J., POSCH K., PALTAUF G. & GRAIER W. F.* **513**, 369, 1998

POSTERINO G. S.

POSTERINO G. S. & FRYER M. W. Mechanisms underlying phosphate-induced failure of Ca^{2+} release in single skinned skeletal muscle fibres of the rat **512**, 97, 1998

POTREAU D. *see FARÈS N, BOIS P, LENFANT J. & POTREAU D.* **506**, 73, 1998

POTT L. *see BRANDTS B., BRANDTS A., WELLNER-KIENITZ M.-C., ZIDEK W., SCHLÜTER H. & POTT L.* **512**, 407, 1998

POTTS J. T.

POTTS J. T. & MITCHELL J. H. Synchronization of somato-sympathetic outflows during exercise: role for a spinal rhythm generator **508**, 646, 1998

POUCHER S. M.

POUCHER S. M., GARCIA S. & BROOKS R. The role of bradykinin in the regulation of blood flow to hindlimb muscle groups of the anaesthetized cat **510**, 643, 1998

POUZAT C.

POUZAT C. & MARTY A. Autaptic inhibitory currents recorded from interneurones in rat cerebellar slices **509**, 777, 1998

POVILONIS E. *see RATKEVIČIUS A., MIZUNO M., POVILONIS E. & QUISTORFF B.* **507**, 593, 1998

PRABHAKAR N. R. *see KLINE D. D., YANG T., HUANG P. L. & PRABHAKAR N. R.* **511**, 273, 1998

PRATT N. *see WALKER D. W. & PRATT N.* **506**, 253, 1998

PRÉMONT J. *see VENANCE L., PRÉMONT J., GLOWINSKI J. & GIAUME C.* **510**, 429, 1998

PRENEN J. *see NILIUS B., PRENEN J., VOETS T., EGGERMONT J. & DROOGMANS G.* **506**, 353, 1998

PRESTWICH S. A. *see TARE M., PRESTWICH S. A., GORDIENKO D. V., PARVEEN S., CARVER J. E., ROBINSON C. & BOLTON T. B.* **506**, 303, 1998

PRIEL Z. *see KORNGREEN A., MA W., PRIEL Z. & SILBERBERG S. D.* **508**, 703, 1998

PRINCE D. A. *see XIANG Z., HUGUENARD J. R. & PRINCE D. A.* **506**, 715, 1998

PRINZEN F. W. *see MULDER A. L. M., VAN GOLDE J. C., PRINZEN F. W. & BLANCO C. E.* **508**, 281, 1998

PRIOR C. *see SINGH S. & PRIOR C.* **511**, 451, 1998

PRIOR H. M.

PRIOR H. M., YATES M. S. & BEECH D. J. Functions of large conductance Ca^{2+}-activated (BK_{Ca}), delayed rectifier (K_V) and background K^+ channels in the control of membrane potential in rabbit renal arcuate artery **511**, 159, 1998

PRIORI A. *see BERTOLASI L., PRIORI A., TINAZZI M., BERTASI V. & ROTHWELL J. C.* **511**, 947, 1998

PROCHAZKA A.

PROCHAZKA A. & GORASSINI M. Models of ensemble firing of muscle spindle afferents recorded during normal locomotion in cats **507**, 277, 1998

PROCHAZKA A. & GORASSINI M. Ensemble firing of muscle afferents recorded during normal locomotion in cats **507**, 293, 1998

see COLLINS D. F., CAMERON T., GILLARD D. M. & PROCHAZKA A. **508**, 635, 1998

PROCHAZKA A. & HULLIGER M. The continuing debate about CNS control of proprioception **513**, 315, 1998

see GREGORY J. E., WISE A. K., WOOD S. A., PROCHAZKA A. & PROSKE U. **513**, 927, 1998

PROCTOR G. B. *see CARPENTER G. H., GARRETT J. R., HARTLEY R. H. & PROCTOR G. B.* **512**, 567, 1998

PROFICE P. *see DI LAZZARO V., RESTUCCIA D., OLIVIERO A., PROFICE P., FERRARA L., INSOLA A., MAZZONE P., TONALI P. & ROTHWELL J. C.* **508**, 625, 1998

PROSKE U. *see WISE A. K., GREGORY J. E. & PROSKE U.* **508**, 325, 1998

see WHITEHEAD N. P., ALLEN T. J., MORGAN D. L. & PROSKE U. **512**, 615, 1998

see GREGORY J. E., WISE A. K., WOOD S. A., PROCHAZKA A. & PROSKE U. **513**, 927, 1998

PUMP B. *see HAMMERUM M. S., BIE P., PUMP B., JOHANSEN L. B., CHRISTENSEN N. J. & NORSK P.* **511**, 323, 1998

PUN R. Y. K. *see KOBAYASHI S., CONFORTI L., PUN R. Y. K. & MILLHORN D. E.* **508**, 95, 1998

PURO D. G. *see KUSAKA S., KAPOUSTA-BRUNEAU N., GREEN D. G. & PURO D. G.* **506**, 445, 1998

QIN N. *see COSTANTIN J., NOCETI F., QIN N., WEI X., BIRNBAUMER L. & STEFANI E.* **507**, 93, 1998

QU X.-W.

QU X.-W., ROZENFELD R. A., HUANG W., CRAWFORD S. E., GONZALEZ-CRUSSI F. & HSUEH W. Interaction of platelet-activating factor, spleen and atrial natriuretic peptide in plasma volume regulation during endotoxaemia in rats **512**, 227, 1998

QUAYLE J. M. *see WELLMAN G. C., QUAYLE J. M. & STANDEN N. B.* **507**, 117, 1998

QUELLMALZ U. J. A. *see RAMIREZ J. M., QUELLMALZ U. J. A., WILKEN B. & RICHTER D. W.* **507**, 571, 1998

QUISTORFF B. *see RATKEVIČIUS A., MIZUNO M., POVILONIS E. & QUISTORFF B.* **507**, 593, 1998

RACKÉ K.

RACKÉ K., HEY C., MÖSSNER J., HAMMERMANN R., STICHNOTE C. & WESSLER I. Activation of L-arginine transport by protein kinase C in rabbit, rat and mouse alveolar macrophages **511**, 813, 1998

RAE M. G.

RAE M. G., FLEMING N., MCGREGOR D. B., SANDERS K. M. & KEEF K. D. Control of motility patterns in the human colonic circular muscle layer by pacemaker activity **510**, 309, 1998

RAFUSE V. F.

RAFUSE V. F. & GORDON T. Incomplete rematching of nerve and muscle properties in motor units after extensive nerve injuries in cat hindlimb muscle **509**, 909, 1998

RAGOZZINO D.

RAGOZZINO D., BARABINO B., FUCILE S. & EUSEBI F. Ca^{2+} permeability of mouse and chick nicotinic acetylcholine receptors expressed in transiently transfected human cells **507**, 743, 1998

RAHAMIMOFF R. *see MELAMED-BOOK N. & RAHAMIMOFF R.* **509**, 2, 1998

RAMAGE A. G. *see WANG Y., RAMAGE A. G. & JORDAN D.* **509**, 683, 1998

RAMIREZ J. M.

RAMIREZ J. M., QUELLMALZ U. J. A., WILKEN B. & RICHTER D. W. The hypoxic response of neurones within the *in vitro* mammalian respiratory network **507**, 571, 1998

RAMIREZ J. M., SCHWARZACHER S. W., PIERREFICHE O., OLIVERA B. M. & RICHTER D. W. Selective lesioning of the cat pre-Bötzinger complex *in vivo* eliminates breathing but not gasping **507**, 895, 1998

RANATUNGA K. W. *see MUTUNGI G. & RANATUNGA K. W.* **508**, 253, 1998

RANDALL A. D. *see MELLOR J. R. & RANDALL A. D.* **506**, 377, 1998

RATKEVIČIUS A.

RATKEVIČIUS A., MIZUNO M., POVILONIS E. & QUISTORFF B. Energy metabolism of the gastrocnemius and soleus muscles during isometric voluntary and electrically induced contractions in man **507**, 593, 1998

RAUER H. *see JÄGER H., RAUER H., NGUYEN A. N., AIYAR J., CHANDY K. G. & GRISSMER S.* **506**, 291, 1998

RAVI K.

RAVI K., BRAVO M. & KAPPAGODA C. T. Erratum: *Journal of Physiology* **505**, 833–840 (1997) **508**, 956, 1998

RECKZIEGEL G.

RECKZIEGEL G., BECK H., SCHRAMM J., ELGER C. E. & URBAN B. W. Electrophysiological characterization of Na^+ currents in acutely isolated human hippocampal dentate granule cells **509**, 139, 1998

REDFERN C. P. F. *see MATTHEWS C. J., MCEWAN G. T. A., REDFERN C. P. F., THOMAS E. J. & HIRST B. H.* **513**, 443, 1998

REDMAN R. S. *see SEARL T. J., REDMAN R. S. & SILINSKY E. M.* **510**, 783, 1998

REDONDO I. M. *see FERRIER G. R., ZHU J., REDONDO I. M. & HOWLETT S. E.* **513**, 185, 1998

REES M. *see LEWIS T. M., SIVILOTTI L. G., COLQUHOUN D., GARDINER R. M., SCHOEPFER R. & REES M.* **507**, 25, 1998

Refshauge K. M.
Refshauge K. M., Taylor J. L., McCloskey D. I., Gianoutsos M., Mathews P. & Fitzpatrick R. C. Movement detection at the human big toe **513**, 307, 1998

Reid M. B. *see Andrade F. H., Reid M. B., Allen D. G. & Westerblad H.* **509**, 565, 1998
see Andrade F. H., Reid M. B., Allen D. G. & Westerblad H. **509**, 577, 1998

Rembold C. M.
Rembold C. M. & Chen X.-L. The buffer barrier hypothesis, $[Ca^{2+}]_i$ homogeneity, and sarcoplasmic reticulum function in swine carotid artery **513**, 477, 1998

Renaud L. P. *see Spanswick D., Renaud L. P. & Logan S. D.* **509**, 195, 1998

Repunte V. P. *see Satoh E., Yamada M., Kondo C., Repunte V. P., Horio Y., Iijima T. & Kurachi Y.* **511**, 663, 1998

Restuccia D. *see Di Lazzaro V., Restuccia D., Oliviero A., Profice P., Ferrara L., Insola A., Mazzone P., Tonali P. & Rothwell J. C.* **508**, 625, 1998

Reuss S. *see Greffrath W., Martin E., Reuss S. & Boehmer G.* **513**, 493, 1998

Reynolds I. J. *see Hoyt K. R., Stout A. K., Cardman J. M. & Reynolds I. J.* **509**, 103, 1998

Rhijnsburger E. H. *see van Golde J. C., Borm P. J., Wolfs M. C., Rhijnsburger E. H. & Blanco C. E.* **509**, 289, 1998

Ribalet B. *see John S. A., Monck J. R., Weiss J. N. & Ribalet B.* **510**, 333, 1998

Ribchester R. R.
Ribchester R. R., Thomson D., Haddow L. J. & Ushkaryov Y. A. Enhancement of spontaneous transmitter release at neonatal mouse neuromuscular junctions by the glial cell line-derived neurotrophic factor (GDNF) **512**, 635, 1998

Ribera A. B.
Ribera A. B. Ion channel activity drives ion channel expression **511**, 645, 1998

Ricci A. J.
Ricci A. J. & Fettiplace R. Calcium permeation of the turtle hair cell mechanotransducer channel and its relation to the composition of endolymph **506**, 159, 1998

Ricci J.
Ricci J. & Fettiplace R. Erratum: *Journal of Physiology* **506**, 159–173 (1998) **507**, 939, 1998

Richard P. *see Sabatier N., Richard P. & Dayanithi G.* **513**, 699, 1998

Richardson P. J. *see Lee K., Dixon A. K., Freeman T. C. & Richardson P. J.* **510**, 441, 1998

Richerson G. B. *see Wang W., Pizzonia J. H. & Richerson G. B.* **511**, 433, 1998

Richter D. W. *see Ramirez J. M., Quellmalz U. J. A., Wilken B. & Richter D. W.* **507**, 571, 1998
see Ramirez J. M., Schwarzacher S. W., Pierrefiche O., Olivera B. M. & Richter D. W. **507**, 895, 1998
see Pierrefiche O., Schwarzacher S. W., Bischoff A. M. & Richter D. W. **509**, 245, 1998
see Mironov S. L., Langohr K., Haller M. & Richter D. W. **509**, 755, 1998
see Mironov S. L. & Richter D. W. **512**, 75, 1998

Richter E. A. *see Asp S., Daugaard J. R., Kristiansen S., Kiens B. & Richter E. A.* **509**, 305, 1998

Rico-Sanz J.
Rico-Sanz J., Hajnal J. V., Thomas E. L., Mierisová Š., Ala-Korpela M. & Bell J. D. Intracellular and extracellular skeletal muscle triglyceride metabolism during alternating intensity exercise in humans **510**, 615, 1998

Riordan J. R. *see Mathews C. J., Tabcharani J. A., Chang X.-B., Jensen T. J., Riordan J. R. & Hanrahan J. W.* **508**, 365, 1998

Ríos E. *see Shirokova N., García J. & Ríos E.* **512**, 377, 1998

Ripellino J. A. *see Pemberton K. E., Belcher S. M., Ripellino J. A. & Howe J. R.* **510**, 401, 1998

Ris L.
Ris L., Wattiez R., de Waele C., Vidal P.-P. & Godaux E. Reappearance of activity in the vestibular neurones of labyrinthectomized guinea-pigs is not delayed by cycloheximide **512**, 533, 1998

Ritzhaupt A.
Ritzhaupt A., Ellis A., Hosie K. B. & Shirazi-Beechey S. P. The characterization of butyrate transport across pig and human colonic luminal membrane **507**, 819, 1998
Ritzhaupt A., Wood I. S., Ellis A., Hosie K. B. & Shirazi-Beechey S. P. Identification and characterization of a monocarboxylate transporter (MCT1) in pig and human colon: its potential to transport L-lactate as well as butyrate **513**, 719, 1998

Robert A. *see Tran N. N. P., Spitzbarth E., Robert A., Giummelly P., Atkinson J. & Capdeville-Atkinson C.* **507**, 163, 1998

Robert C. *see Kwiecien R., Robert C., Cannon R., Vigues S., Arnoux A., Kordon C. & Hammond C.* **508**, 883, 1998

Roberts A. *see Zhao F.-Y., Burton B. G., Wolf E. & Roberts A.* **506**, 471, 1998
see Wolf E., Zhao F.-Y. & Roberts A. **511**, 871, 1998
see Zhao F.-Y., Wolf E. & Roberts A. **511**, 887, 1998

Roberts M. H. T. *see Li H. S., Monhemius R., Simpson B. A. & Roberts M. H. T.* **506**, 459, 1998

Roberts M. L. *see Rychkov G. Y., Adams M. B., McMillen I. C. & Roberts M. L.* **509**, 887, 1998

Robertson G. A. *see Herzberg I. M., Trudeau M. C. & Robertson G. A.* **511**, 3, 1998

Robertson S. J.
Robertson S. J. & Edwards F. A. ATP and glutamate are released from separate neurones in the rat medial habenula nucleus: frequency dependence and adenosine-mediated inhibition of release **508**, 691, 1998

Robertson W. J. *see Smith T. K. & Robertson W. J.* **506**, 563, 1998

Robinson C. *see Tare M., Prestwich S. A., Gordienko D. V., Parveen S., Carver J. E., Robinson C. & Bolton T. B.* **506**, 303, 1998

Robitaille R. *see Bourque M.-J. & Robitaille R.* **512**, 197, 1998

Robson L. *see Mounfield P. R. & Robson L.* **510**, 145, 1998

Roeper J. *see Engeland B., Neu A., Ludwig J., Roeper J. & Pongs O.* **513**, 647, 1998

Rohde T. *see Ostrowski K., Rohde T., Zacho M., Asp S. & Pedersen B. K.* **508**, 949, 1998

Role L. W. *see Yu C. R. & Role L. W.* **509**, 651, 1998
see Yu C. R. & Role L. W. **509**, 667, 1998

Rosa M. G. P. *see Funk A. P. & Rosa M. G. P.* **513**, 507, 1998

Rosário L. M. *see Barbosa R. M., Silva A. M., Tomé A. R., Stamford J. A., Santos R. M. & Rosário L. M.* **510**, 135, 1998

Roth J.
Roth J., Martin D., Störr B. & Zeisberger E. Neutralization of pyrogen-induced tumour necrosis factor by its type 1 soluble receptor in guinea-pigs: effects on fever and interleukin-6 release **509**, 267, 1998

Rothwell J. C. *see Hamdy S., Aziz Q., Rothwell J. C., Hobson A. & Thompson D. G.* **506**, 857, 1998
see Pauvert V., Pierrot-Deseilligny E. & Rothwell J. C. **508**, 301, 1998
see Di Lazzaro V., Restuccia D., Oliviero A., Profice P., Ferrara L., Insola A., Mazzone P., Tonali P. & Rothwell J. C. **508**, 625, 1998
see Bertolasi L., Priori A., Tinazzi M., Bertasi V. & Rothwell J. C. **511**, 947, 1998

Rouleau J.-L. *see Leblanc N., Chartier D., Gosselin H. & Rouleau J.-L.* **511**, 533, 1998

Rousselot M. *see Carranza M. L., Rousselot M., Chibalin A. V., Bertorello A. M., Favre H. & Féraille E.* **511**, 235, 1998

Rouzaire-Dubois B.
Rouzaire-Dubois B. & Dubois J. M. K^+ channel block-induced mammalian neuroblastoma cell swelling: a possible mechanism to influence proliferation **510**, 93, 1998

Rowan M. J. *see Wang Y., Wu J., Rowan M. J. & Anwyl R.* **513**, 467, 1998

Rowe M. J. *see Mackie P. D. & Rowe M. J.* **510**, 261, 1998
see Mackie P. D., Morley J. W., Zhang H. Q., Murray G. M. & Rowe M. J. **510**, 923, 1998

Rowley J. A.
Rowley J. A., Zahn B. R., Babcock M. A. & Badr M. S. The effect of rapid eye movement (REM) sleep on upper airway mechanics in normal human subjects **510**, 963, 1998

Rozenfeld R. A. *see Qu X.-W., Rozenfeld R. A., Huang W., Crawford S. E., Gonzalez-Crussi F. & Hsueh W.* **512**, 227, 1998

Rozov A.
Rozov A., Zilberter Y., Wollmuth L. P. & Burnashev N. Facilitation of currents through rat Ca^{2+}-permeable AMPA receptor channels by activity-dependent relief from polyamine block **511**, 361, 1998

RUBEN P. C. *see FEATHERSTONE D. E., FUJIMOTO E. & RUBEN P. C.* **506**, 627, 1998

RUIZ-VELASCO V.
RUIZ-VELASCO V. & IKEDA S. R. Heterologous expression and coupling of G protein-gated inwardly rectifying K^+ channels in adult rat sympathetic neurons **513**, 761, 1998

RUPPRECHT C. *see NEUNLIST M., FRIELING T., RUPPRECHT C. & SCHEMANN M.* **506**, 539, 1998

RUSH A. M.
RUSH A. M., BRÄU M. E., ELLIOTT A. A. & ELLIOTT J. R. Electrophysiological properties of sodium current subtypes in small cells from adult rat dorsal root ganglia **511**, 771, 1998

RUSSELL J. A. *see BROWN C. H., MURPHY N. P., MUNRO G., LUDWIG M., BULL P. M., LENG G. & RUSSELL J. A.* **507**, 831, 1998
see NEUMANN I. D., JOHNSTONE H. A., HATZINGER M., LIEBSCH G., SHIPSTON M., RUSSELL J. A., LANDGRAF R. & DOUGLAS A. J. **508**, 289, 1998
see LENG G. & RUSSELL J. A. **510**, 331, 1998

RUSSELL J. T. *see SIMPSON P. B. & RUSSELL J. T.* **508**, 413, 1998

RUSSO R. E.
RUSSO R. E., NAGY F. & HOUNSGAARD J. Inhibitory control of plateau properties in dorsal horn neurones in the turtle spinal cord *in vitro* **506**, 795, 1998

RUSZNÁK Z. *see DOUGHTY J. M., BARNES-DAVIES M., RUSZNÁK Z., HARASZTOSI C. & FORSYTHE I. D.* **512**, 365, 1998

RYAN A. F. *see LUTZ G. J., CUIZON D. B., RYAN A. F. & LIEBER R. L.* **508**, 667, 1998

RYAN J. S.
RYAN J. S., TAO Q.-P. & KELLY M. E. M. Adrenergic regulation of calcium-activated potassium current in cultured rabbit pigmented ciliary epithelial cells **511**, 145, 1998

RYCHKOV G. Y.
RYCHKOV G. Y., ADAMS M. B., MCMILLEN I. C. & ROBERTS M. L. Oxygen-sensing mechanisms are present in the chromaffin cells of the sheep adrenal medulla before birth **509**, 887, 1998

SABATIER N.
SABATIER N., RICHARD P. & DAYANITHI G. Activation of multiple intracellular transduction signals by vasopressin in vasopressin-sensitive neurones of the rat supraoptic nucleus **513**, 699, 1998

SACKIN H. *see PALMER L. G., SACKIN H. & FRINDT G.* **509**, 151, 1998

SADOWSKI J. *see DOBROWOLSKI L., BĄDZYŃSKA B., WALKOWSKA A. & SADOWSKI J.* **508**, 929, 1998

SAFRONOV B. V. *see WOLFF M., VOGEL W. & SAFRONOV B. V.* **509**, 767, 1998
see BISCHOFF U., VOGEL W. & SAFRONOV B. V. **510**, 743, 1998

SAHEL J. *see PICAUD S., PATTNAIK B., HICKS D., FORSTER V., FONTAINE V., SAHEL J. & DREYFUS H.* **513**, 33, 1998

SAHLIN K. *see TONKONOGI M., HARRIS B. & SAHLIN K.* **510**, 279, 1998

SAKABA T. *see MINAMI N., BERGLUND K., SAKABA T., KOHMOTO H. & TACHIBANA M.* **512**, 219, 1998

SAKAI K. *see HANAJIMA R., UGAWA Y., TERAO Y., SAKAI K., FURUBAYASHI T., MACHII K. & KANAZAWA I.* **509**, 607, 1998

SAKMANN B. *see WOLLMUTH L. P., KUNER T. & SAKMANN B.* **506**, 13, 1998
see WOLLMUTH L. P., KUNER T. & SAKMANN B. **506**, 33, 1998
see BORST J. G. G. & SAKMANN B. **506**, 143, 1998
see OHANA O. & SAKMANN B. **513**, 135, 1998
see BORST J. G. G. & SAKMANN B. **513**, 149, 1998

SALT T. E. *see TURNER J. P. & SALT T. E.* **510**, 829, 1998

SANCESARIO G. *see CALABRESI P., CENTONZE D., PISANI A., SANCESARIO G., NORTH R. A. & BERNARDI G.* **510**, 421, 1998

SÁNCHEZ J. A.
SÁNCHEZ J. A., GONOI T., INAGAKI N., KATADA T. & SEINO S. Modulation of reconstituted ATP-sensitive K^+ channels by GTP-binding proteins in a mammalian cell line **507**, 315, 1998

SANDERS K. M. *see BAYGUINOV O. & SANDERS K. M.* **509**, 437, 1998
see RAE M. G., FLEMING N., MCGREGOR D. B., SANDERS K. M. & KEEF K. D. **510**, 309, 1998
see KOH S. D., SANDERS K. M. & WARD S. M. **513**, 203, 1998

SANGUINETTI M. C. *see ZOU A., XU Q. P. & SANGUINETTI M. C.* **509**, 129, 1998
see TRISTANI-FIROUZI M. & SANGUINETTI M. C. **510**, 37, 1998

SANTOS R. M. *see BARBOSA R. M., SILVA A. M., TOMÉ A. R., STAMFORD J. A., SANTOS R. M. & ROSÁRIO L. M.* **510**, 135, 1998

SANTOS-SACCHI J.
SANTOS-SACCHI J., KAKEHATA S. & TAKAHASHI S. Effects of membrane potential on the voltage dependence of motility-related charge in outer hair cells of the guinea-pig **510**, 225, 1998

SARGEANT A. J. *see DE RUITER C. J., DE HAAN A., JONES D. A. & SARGEANT A. J.* **507**, 583, 1998
see MAGANARIS C. N., BALTZOPOULOS V. & SARGEANT A. J. **510**, 977, 1998
see MAGANARIS C. N., BALTZOPOULOS V. & SARGEANT A. J. **512**, 603, 1998

SARKER M. H.
SARKER M. H., EASTON A. S. & FRASER P. A. Regulation of cerebral microvascular permeability by histamine in the anaesthetized rat **507**, 909, 1998

SARUTA T. *see TAKENAKA T., SUZUKI H., OKADA H., HAYASHI K., KANNO Y. & SARUTA T.* **511**, 245, 1998

SASAKI M.
SASAKI M. Bladder motility and efferent nerve activity during isotonic and isovolumic recording in the cat **510**, 297, 1998

SASAYAMA S. *see ISHIDA-TAKAHASHI A., OTANI H., TAKAHASHI C., WASHIZUKA T., TSUJI K., NODA M., HORIE M. & SASAYAMA S.* **508**, 23, 1998

SATOH E.
SATOH E., YAMADA M., KONDO C., REPUNTE V. P., HORIO Y., IIJIMA T. & KURACHI Y. Intracellular nucleotide-mediated gating of SUR/Kir6.0 complex potassium channels expressed in a mammalian cell line and its modification by pinacidil **511**, 663, 1998

SATOH Y.
SATOH Y., HIRASHIMA N., TOKUMARU H., TAKAHASHI M. P., KANG J., VIGLIONE M. P., KIM Y. I. & KIRINO Y. Lambert–Eaton syndrome antibodies inhibit acetylcholine release and P/Q-type Ca^{2+} channels in electric ray nerve endings **508**, 427, 1998

SAUNDERS H. J. *see JOHNSON D. W., SAUNDERS H. J., FIELD M. J. & POLLOCK C. A.* **508**, 587, 1998

SAVIGNI D. L.
SAVIGNI D. L. & MORGAN E. H. Transport mechanisms for iron and other transition metals in rat and rabbit erythroid cells **508**, 837, 1998

SCHAFFNER A. E. *see LI Y.-X., SCHAFFNER A. E., WALTON M. K. & BARKER J. L.* **509**, 847, 1998
see LIU Q.-Y., SCHAFFNER A. E. & BARKER J. L. **510**, 721, 1998

SCHEID P. *see OYAMADA Y., BALLANTYNE D., MÜCKENHOFF K. & SCHEID P.* **513**, 381, 1998

SCHEMANN M. *see NEUNLIST M., FRIELING T., RUPPRECHT C. & SCHEMANN M.* **506**, 539, 1998

SCHEPENS B.
SCHEPENS B., WILLEMS P. A. & CAVAGNA G. A. The mechanics of running in children **509**, 927, 1998

SCHERÜBL H. *see GLASSMEIER G., HERZIG K.-H., HÖPFNER M., LEMMER K., JANSEN A. & SCHERÜBL H.* **510**, 805, 1998

SCHJERLING P. *see OSTROWSKI K., HERMANN C., BANGASH A., SCHJERLING P., NIELSEN J. N. & PEDERSEN B. K.* **513**, 889, 1998

SCHLAUG G. *see CLASSEN J., KNORR U., WERHAHN K. J., SCHLAUG G., KUNESCH E., COHEN L. G., SEITZ R. J. & BENECKE R.* **512**, 163, 1998

SCHLÜTER H. *see BRANDTS B., BRANDTS A., WELLNER-KIENITZ M.-C., ZIDEK W., SCHLÜTER H. & POTT L.* **512**, 407, 1998

SCHMID A.
SCHMID A., BLUM R. & KRAUSE E. Characterization of cell volume-sensitive chloride currents in freshly prepared and cultured pancreatic acinar cells from early postnatal rats **513**, 453, 1998

SCHMIEDER S.
SCHMIEDER S., LINDENTHAL S., BANDERALI U. & EHRENFELD J. Characterization of the putative chloride channel xClC-5 expressed in *Xenopus laevis* oocytes and comparison with endogenous chloride currents **511**, 379, 1998

SCHMITZ D.
SCHMITZ D., GLOVELI T., EMPSON R. M., DRAGUHN A. & HEINEMANN U. Serotonin reduces synaptic excitation in the superficial medial entorhinal cortex of the rat via a presynaptic mechanism **508**, 119, 1998
see ENGEL D., SCHMITZ D., GLOVELI T., FRAHM C., HEINEMANN U. & DRAGUHN A. **512**, 643, 1998

SCHNEIDER H.-P. *see DEITMER J. W. & SCHNEIDER H.-P.* **512**, 459, 1998

SCHNEIDER M. F. *see LIU Y. & SCHNEIDER M. F.* **512**, 337, 1998

SCHOEPFER R. *see LEWIS T. M., SIVILOTTI L. G., COLQUHOUN D., GARDINER R. M., SCHOEPFER R. & REES M.* **507**, 25, 1998

Scholz A.
Scholz A., Grußm. & Vogel W. Properties and functions of calcium-activated K^+ channels in small neurones of rat dorsal root ganglion studied in a thin slice preparation **513**, 55, 1998

Schomburg E. D. *see Jankowska E. & Schomburg E. D.* **510**, 513, 1998

Schramek H. *see Mair N., Frick M., Meraner A., Schramek H. & Dietl P.* **511**, 55, 1998

Schramm J. *see Reckziegel G., Beck H., Schramm J., Elger C. E. & Urban B. W.* **509**, 139, 1998

Schrauwen P.
Schrauwen P., van Aggel-Leijssen D. P. C., van Marken Lichtenbelt W. D., van Baak M. A., Gijsen A. P. & Wagenmakers A. J. M. Validation of the [1,2-^{13}C]acetate recovery factor for correction of [U-^{13}C]palmitate oxidation rates in humans **513**, 215, 1998

Schroeder T. V. *see Perko M. J., Nielsen H. B., Skak C., Clemmesen J. O., Schroeder T. V. & Secher N. H.* **513**, 907, 1998

Schultheis P. J. *see Lee M. G., Schultheis P. J., Yan M., Shull G. E., Bookstein C., Chang E., Tse M., Donowitz M., Park K. & Muallem S.* **513**, 341, 1998

Schulzke J. D. *see Grotjohann I., Gitter A. H., Köckerling A., Bertog M., Schulzke J. D. & Fromm M.* **507**, 561, 1998

Schwarzacher S. W. *see Ramirez J. M., Schwarzacher S. W., Pierrefiche O., Olivera B. M. & Richter D. W.* **507**, 895, 1998
see Pierrefiche O., Schwarzacher S. W., Bischoff A. M. & Richter D. W. **509**, 245, 1998

Scott D.
Scott D., Coleman P. J., Mason R. M. & Levick J. R. Direct evidence for the partial reflection of hyaluronan molecules by the lining of rabbit knee joints during trans-synovial flow **508**, 619, 1998
see Coleman P. J., Scott D., Abiona A., Ashhurst D. E., Mason R. M. & Levick J. R. **509**, 695, 1998
Scott D., Coleman P. J., Abiona A., Ashhurst D. E., Mason R. M. & Levick J. R. Effect of depletion of glycosaminoglycans and non-collagenous proteins on interstitial hydraulic permeability in rabbit synovium **511**, 629, 1998

Searl T. J.
Searl T. J., Redman R. S. & Silinsky E. M. Mutual occlusion of P2X ATP receptors and nicotinic receptors on sympathetic neurons of the guinea-pig **510**, 783, 1998
Searl T. J. & Silinsky E. M. Cross-talk between apparently independent receptors **513**, 629, 1998

Secher N. H. *see Perko M. J., Nielsen H. B., Skak C., Clemmesen J. O., Schroeder T. V. & Secher N. H.* **513**, 907, 1998

Seino S. *see Sánchez J. A., Gonoi T., Inagaki N., Katada T. & Seino S.* **507**, 315, 1998

Seitz R. J. *see Classen J., Knorr U., Werhahn K. J., Schlaug G., Kunesch E., Cohen L. G., Seitz R. J. & Benecke R.* **512**, 163, 1998

Sekine T. *see Tanaka H., Sekine T., Kawanishi T., Nakamura R. & Shigenobu K.* **508**, 145, 1998

Selemidis S.
Selemidis S., Ziogas J. & Cocks T. M. Apamin- and nitric oxide-sensitive biphasic non-adrenergic non-cholinergic inhibitory junction potentials in the rat anococcygeus muscle **513**, 835, 1998

Selyanko A. A.
Selyanko A. A. & Sim J. A. Ca^{2+}-inhibited non-inactivating K^+ channels in cultured rat hippocampal pyramidal neurones **510**, 71, 1998

Serra J.
Serra J., Azpiroz F. & Malagelada J.-R. Modulation of gut perception in humans by spatial summation phenomena **506**, 579, 1998

Severson D. *see Shimoni Y., Ewart H. S. & Severson D.* **507**, 485, 1998
see Han X., Kobzik L., Severson D. & Shimoni Y. **509**, 741, 1998

Sévoz-Couche C.
Sévoz-Couche C., Nosjean A., Franc B., Hamon M. & Laguzzi R. Dorsal medullary 5-HT_3 receptors and sympathetic premotor neurones in the rat **508**, 747, 1998

Shafaee N. *see Figl A., Viseshakul N., Shafaee N., Forsayeth J. & Cohen B. N.* **513**, 655, 1998

Sham J. S. K. *see Song L.-S., Sham J. S. K., Stern M. D., Lakatta E. G. & Cheng H.* **512**, 677, 1998

Shannon R. *see Lindsey B. G., Arata A., Morris K. F., Hernandez Y. M. & Shannon R.* **512**, 863, 1998
see Lindsey B. G., Arata A., Morris K. F., Hernandez Y. M. & Shannon R. Erratum: *Journal of Physiology* **512**, 863–882 (1998) **513**, 935, 1998

Shears S. B. *see Xie W., Solomons K. R. H., Freeman S., Kaetzel M. A., Bruzik K. S., Nelson D. J. & Shears S. B.* **510**, 661, 1998

Shelton P. A. *see Dart C., Leyland M. L., Barrett-Jolley R., Shelton P. A., Spencer P. J., Conley E. C., Sutcliffe M. J. & Stanfield P. R.* **511**, 15, 1998

Shen K.-Z.
Shen K.-Z. & Johnson S. W. Sodium pump evokes high density pump currents in rat midbrain dopamine neurons **512**, 449, 1998

Shen M.-R. *see Chou C.-Y., Shen M.-R., Hsu K.-S., Huang H.-Y. & Lin H.-C.* **512**, 435, 1998

Shen W.
Shen W. & Slaughter M. M. Metabotropic and ionotropic glutamate receptors regulate calcium channel currents in salamander retinal ganglion cells **510**, 815, 1998

Sheppard D. N. *see Lansdell K. A., Delaney S. J., Lunn D. P., Thomson S. A., Sheppard D. N. & Wainwright B. J.* **508**, 379, 1998
see Lansdell K. A., Kidd J. F., Delaney S. J., Wainwright B. J. & Sheppard D. N. **512**, 751, 1998

Shi W.
Shi W., Wang H.-S., Pan Z., Wymore R. S., Cohen I. S., McKinnon D. & Dixon J. E. Cloning of a mammalian *elk* potassium channel gene and EAG mRNA distribution in rat sympathetic ganglia **511**, 675, 1998

Shibuki K. *see Wakatsuki H., Gomi H., Kudoh M., Kimura S., Takahashi K., Takeda M. & Shibuki K.* **513**, 71, 1998

Shibuya I. *see Harayama N., Shibuya I., Tanaka K., Kabashima N., Ueta Y. & Yamashita H.* **509**, 371, 1998

Shigenobu K. *see Tanaka H., Sekine T., Kawanishi T., Nakamura R. & Shigenobu K.* **508**, 145, 1998

Shimoji K. *see Baba H., Kohno T., Okamoto M., Goldstein P. A., Shimoji K. & Yoshimura M.* **508**, 83, 1998

Shimoni Y.
Shimoni Y., Ewart H. S. & Severson D. Type I and II models of diabetes produce different modifications of K^+ currents in rat heart: role of insulin **507**, 485, 1998
see Han X., Kobzik L., Severson D. & Shimoni Y. **509**, 741, 1998

Shingu K. *see Oishi K., Omori K., Ohyama H., Shingu K. & Matsuda H.* **510**, 675, 1998

Shinozuka N.
Shinozuka N. & Nathanielsz P. W. Electrocortical activity in fetal sheep in the last seven days of gestation **513**, 273, 1998

Shipston M. *see Neumann I. D., Johnstone H. A., Hatzinger M., Liebsch G., Shipston M., Russell J. A., Landgraf R. & Douglas A. J.* **508**, 289, 1998

Shirazi-Beechey S. P. *see Ritzhaupt A., Ellis A., Hosie K. B. & Shirazi-Beechey S. P.* **507**, 819, 1998
see Ritzhaupt A., Wood I. S., Ellis A., Hosie K. B. & Shirazi-Beechey S. P. **513**, 719, 1998

Shirley D. G.
Shirley D. G., Walter S. J., Unwin R. J. & Giebisch G. Contribution of Na^+–H^+ exchange to sodium reabsorption in the loop of Henle: a micro-perfusion study in rats **513**, 243, 1998
Shirley D. G., Walter S. J., Folkerd E. J., Unwin R. J. & Bailey M. A. Transepithelial electrochemical gradients in the proximal convoluted tubule during potassium depletion in the rat **513**, 551, 1998

Shirokova N.
Shirokova N., García J. & Ríos E. Local calcium release in mammalian skeletal muscle **512**, 377, 1998

Shmigol A. V.
Shmigol A. V., Eisner D. A. & Wray S. Properties of voltage-activated $[Ca^{2+}]_i$ transients in single smooth muscle cells isolated from pregnant rat uterus **511**, 803, 1998

Shu Y. *see Duszyk M., Shu Y., Ho A. F. & Man S. F. P.* **512**, 129, 1998

Shui Z.
Shui Z., Khan I. A., Tsuga H., Haga T. & Boyett M. R. Role of receptor kinase in short-term desensitization of cardiac muscarinic K^+ channels expressed in Chinese hamster ovary cells **507**, 325, 1998

Shull G. E. *see Lee M. G., Schultheis P. J., Yan M., Shull G. E., Bookstein C., Chang E., Tse M., Donowitz M., Park K. & Muallem S.* **513**, 341, 1998

Shulz D. E. *see Debanne D., Shulz D. E. & Frégnac Y.* **508**, 523, 1998

Sihra T. S. *see* Lukyanetz E. A., Piper T. P. & Sihra T. S. **510**, 371, 1998

Sikdar S. K.

Sikdar S. K., Kreft M. & Zorec R. Modulation of the unitary exocytic event amplitude by cAMP in rat melanotrophs **511**, 851, 1998

Silberberg S. D. *see* Korngreen A., Ma W., Priel Z. & Silberberg S. D. **508**, 703, 1998

Silbernagl S. *see* Gekle M., Silbernagl S. & Wünsch S. **511**, 255, 1998

Silinsky E. M. *see* Searl T. J., Redman R. S. & Silinsky E. M. **510**, 783, 1998

see Searl T. J. & Silinsky E. M. **513**, 629, 1998

Silva A. M. *see* Barbosa R. M., Silva A. M., Tomé A. R., Stamford J. A., Santos R. M. & Rosário L. M. **510**, 135, 1998

Silver M. *see* Fowden A. L., Mundy L. & Silver M. **508**, 937, 1998

Silver R. A.

Silver R. A., Momiyama A. & Cull-Candy S. G. Locus of frequency-dependent depression identified with multiple-probability fluctuation analysis at rat climbing fibre–Purkinje cell synapses **510**, 881, 1998

Sim J. A. *see* Selyanko A. A. & Sim J. A. **510**, 71, 1998

Simmons N. L. *see* Walker D., Thwaites D. T., Simmons N. L., Gilbert H. J. & Hirst B. H. **507**, 697, 1998

Simpson B. A. *see* Li H. S., Monhemius R., Simpson B. A. & Roberts M. H. T. **506**, 459, 1998

Simpson P. B.

Simpson P. B. & Russell J. T. Mitochondrial Ca^{2+} uptake and release influence metabotropic and ionotropic cytosolic Ca^{2+} responses in rat oligodendrocyte progenitors **508**, 413, 1998

Sims S. M. *see* ZhuGe R., Sims S. M., Tuft R. A., Fogarty K. E. & Walsh J. V. Jr **513**, 711, 1998

Singh S.

Singh S. & Prior C. Prejunctional effects of the nicotinic ACh receptor agonist dimethylphenylpiperazinium at the rat neuromuscular junction **511**, 451, 1998

Sinkjær T. *see* Petersen N., Christensen L. O. D., Morita H., Sinkjær T. & Nielsen J. **512**, 267, 1998

Sipido K. R.

Sipido K. R., Carmeliet E. & Van de Werf F. T-type Ca^{2+} current as a trigger for Ca^{2+} release from the sarcoplasmic reticulum in guinea-pig ventricular myocytes **508**, 439, 1998

Sipos I.

Sipos I., Jurkat-Rott K., Harasztosi Cs., Fontaine B., Kovacs L., Melzer W. & Lehmann-Horn F. Erratum: *Journal of Physiology* **483**, 299–306 (1995) **508**, 955, 1998

Sirois J. E.

Sirois J. E., Pancrazio J. J., Lynch C. L. III & Bayliss D. A. Multiple ionic mechanisms mediate inhibition of rat motoneurones by inhalation anaesthetics **512**, 851, 1998

Sivilotti L. G. *see* Lewis T. M., Sivilotti L. G., Colquhoun D., Gardiner R. M., Schoepfer R. & Rees M. **507**, 25, 1998

Skak C. *see* Perko M. J., Nielsen H. B., Skak C., Clemmesen J. O., Schroeder T. V. & Secher N. H. **513**, 907, 1998

Skydsgaard J. M.

Skydsgaard J. M. Modification of Cl^- transport in skeletal muscle of *Rana temporaria* with the arginine-binding reagent phenylglyoxal **510**, 591, 1998

Slaughter M. M. *see* Han Y. & Slaughter M. M. **508**, 681, 1998

see Shen W. & Slaughter M. M. **510**, 815, 1998

Sluiter A. A. *see* Pennartz C. M. A., De Jeu M. T. G., Geurtsen A. M. S., Sluiter A. A. & Hermes M. L. H. J. **506**, 775, 1998

Smart T. G. *see* Krishek B. J., Moss S. J. & Smart T. G. **507**, 639, 1998

Smith B. N.

Smith B. N., Dou P., Barber W. D. & Dudek F. E. Vagally evoked synaptic currents in the immature rat nucleus tractus solitarii in an intact *in vitro* preparation **512**, 149, 1998

Smith G. A. M.

Smith G. A. M., Brett C. L. & Church J. Effects of noradrenaline on intracellular pH in acutely dissociated adult rat hippocampal CA1 neurones **512**, 487, 1998

Smith M. A.

Smith M. A. & Ashford M. L. J. Mode switching characterizes the activity of large conductance potassium channels recorded from rat cortical fused nerve terminals **513**, 733, 1998

Smith P. G. *see* Krizsan-Agbas D., Zhang R., Marzban F. & Smith P. G. **512**, 841, 1998

Smith S. M. *see* Carter T. D., Zupancic G., Smith S. M., Wheeler-Jones C. & Ogden D. **513**, 845, 1998

Smith T. K.

Smith T. K. & Robertson W. J. Synchronous movements of the longitudinal and circular muscle during peristalsis in the isolated guinea-pig distal colon **506**, 563, 1998

Smith T. K. & Lunam C. A. Electrical characteristics and responses to jejunal distension of neurons in Remak's juxta-jejunal ganglia of the domestic fowl **510**, 563, 1998

Smith T. K. & McCarron S. L. Nitric oxide modulates cholinergic reflex pathways to the longitudinal and circular muscle in the isolated guinea-pig distal colon **512**, 893, 1998

So I. *see* Kim S. J., Koh E.-M., Kang T. M., Kim Y. C., So I., Isenberg G. & Kim K. W. **513**, 749, 1998

Sobolevsky A. I.

Sobolevsky A. I., Koshelev S. G. & Khodorov B. I. Interaction of memantine and amantadine with agonist-unbound NMDA-receptor channels in acutely isolated rat hippocampal neurons **512**, 47, 1998

Sobrevia L.

Sobrevia L., Yudilevich D. L. & Mann G. E. Elevated D-glucose induces insulin insensitivity in human umbilical endothelial cells isolated from gestational diabetic pregnancies **506**, 219, 1998

Soldo B. L.

Soldo B. L. & Moises H. C. μ-Opioid receptor activation inhibits N- and P-type Ca^{2+} channel currents in magnocellular neurones of the rat supraoptic nucleus **513**, 787, 1998

Solomons K. R. H. *see* Xie W., Solomons K. R. H., Freeman S., Kaetzel M. A., Bruzik K. S., Nelson D. J. & Shears S. B. **510**, 661, 1998

Somlyo A. P. *see* Khromov A. S., Somlyo A. V. & Somlyo A. P. **512**, 345, 1998

Somlyo A. V. *see* Khromov A. S., Somlyo A. V. & Somlyo A. P. **512**, 345, 1998

Somma E. D. *see* Amis T. C., O'Neill N., Somma E. D. & Wheatley J. R. **512**, 307, 1998

Somogyi P. *see* Vida I., Halasy K., Szinyei C., Somogyi P. & Buhl E. H. **506**, 755, 1998

Song L.-S.

Song L.-S., Sham J. S. K., Stern M. D., Lakatta E. G. & Cheng H. Direct measurement of SR release flux by tracking 'Ca^{2+} sparks' in rat cardiac myocytes **512**, 677, 1998

Soriani O. *see* Le Foll F., Castel H., Soriani O., Vaudry H. & Cazin L. **507**, 55, 1998

Soriano-García J. F.

Soriano-García J. F., Torras-Llort M., Ferrer R. & Moretó M. Multiple pathways for L-methionine transport in brush-border membrane vesicles from chicken jejunum **509**, 527, 1998

Sorrentino V. *see* Dietze B., Bertocchini F., Barone V., Struk A., Sorrentino V. & Melzer W. **513**, 3, 1998

Soubrié P. S. *see* Lévénès C., Daniel H., Soubrié P. S. & Crépel F. **510**, 867, 1998

Spanswick D.

Spanswick D., Renaud L. P. & Logan S. D. Bilaterally evoked monosynaptic EPSPs, NMDA receptors and potentiation in rat sympathetic preganglionic neurones *in vitro* **509**, 195, 1998

Spät A. *see* Deák F., Nagy G., Várnai P., Madarász E. & Spät A. **508**, 735, 1998

Speake P. F. *see* Gibson J. S., Speake P. F. & Ellory J. C. **511**, 225, 1998

Speake T.

Speake T. & Elliott A. C. Modulation of calcium signals by intracellular pH in isolated rat pancreatic acinar cells **506**, 415, 1998

Spencer P. J. *see* Dart C., Leyland M. L., Barrett-Jolley R., Shelton P. A., Spencer P. J., Conley E. C., Sutcliffe M. J. & Stanfield P. R. **511**, 15, 1998

see Dart C., Leyland M. L., Spencer P. J., Stanfield P. R. & Sutcliffe M. J. **511**, 25, 1998

Spiridon M.

Spiridon M., Kamm D., Billups B., Mobbs P. & Attwell D. Modulation by zinc of the glutamate transporters in glial cells and cones isolated from the tiger salamander retina **506**, 363, 1998

Spitzbarth E. *see* Tran N. N. P., Spitzbarth E., Robert A., Ghummelly P., Atkinson J. & Capdeville-Atkinson C. **507**, 163, 1998

Spitzer K. W. *see* Cordeiro J. M., Spitzer K. W. & Giles W. R. **508**, 811, 1998

Spruce A. E. *see* Chauhan-Patel R. & Spruce A. E. **512**, 109, 1998

Stamford J. A. *see* Barbosa R. M., Silva A. M., Tomé A. R., Stamford J. A., Santos R. M. & Rosário L. M. **510**, 135, 1998

Standen N. B. *see Wellman G. C., Quayle J. M. & Standen N. B.* **507**, 117, 1998

see Knot H. J., Standen N. B. & Nelson M. T. **508**, 211, 1998

Stanfield P. R. *see Dart C., Leyland M. L., Barrett-Jolley R., Shelton P. A., Spencer P. J., Conley E. C., Sutcliffe M. J. & Stanfield P. R.* **511**, 15, 1998

see Dart C., Leyland M. L., Spencer P. J., Stanfield P. R. & Sutcliffe M. J. **511**, 25, 1998

Steele D. S. *see Duke A. M. & Steele D. S.* **513**, 43, 1998

Stefani E. *see Costantin J., Noceti F., Qin N., Wei X., Birnbaumer L. & Stefani E.* **507**, 93, 1998

Stein R. B. *see Zehr E. P., Stein R. B. & Komiyama T.* **507**, 305, 1998

Steinbach J. H. *see Maconochie D. J. & Steinbach J. H.* **506**, 53, 1998

Stengl M.

Stengl M., Carmeliet E., Mubagwa K. & Flameng W. Modulation of transient outward current by extracellular protons and Cd^{2+} in rat and human ventricular myocytes **511**, 827, 1998

Stepanovic S. *see Kambouris N. G., Hastings L. A., Stepanovic S., Marban E., Tomaselli G. F. & Balser J. R.* **512**, 693, 1998

Stephens G. J.

Stephens G. J., Brice N. L., Berrow N. S. & Dolphin A. C. Facilitation of rabbit α_{1B} calcium channels: involvement of endogenous $G\beta\gamma$ subunits **509**, 15, 1998

Stephens G. J., Cantí C., Page K. M. & Dolphin A. C. Role of domain I of neuronal Ca^{2+} channel $\alpha 1$ subunits in G protein modulation **509**, 163, 1998

Stephens M. J. *see Yang J. F., Stephens M. J. & Vishram R.* **507**, 927, 1998

Stephens R. H.

Stephens R. H., Benjamin A. R. & Walters D. V. The regulation of lung liquid absorption by endogenous cAMP in postnatal sheep lungs perfused *in situ* **511**, 587, 1998

Stern M. D. *see Song L.-S., Sham J. S. K., Stern M. D., Lakatta E. G. & Cheng H.* **512**, 677, 1998

Steusloff A. *see Lucius C., Arner A., Steusloff A., Troschka M., Hofmann F., Aktories K. & Pfitzer G.* **506**, 83, 1998

Steward M. C. *see Ishiguro H., Naruse S., Steward M. C., Kitagawa M., Ko S. B. H., Hayakawa T. & Case R. M.* **511**, 407, 1998

Stewart M. *see Funahashi M. & Stewart M.* **510**, 191, 1998

Steyn C.

Steyn C. & Hanson M. A. The effect of repeated acute hypoxaemia on fetal cardiovascular development in the sheep **512**, 295, 1998

Stichnote C. *see Racké K., Hey C., Mössner J., Hammermann R., Stichnote C. & Wessler I.* **511**, 813, 1998

Stienen G. J. M. *see van der Velden J., Moorman A. F. M. & Stienen G. J. M.* **507**, 497, 1998

Stimers J. R. *see Dobretsov M., Hastings S. L. & Stimers J. R.* **507**, 527, 1998

Stinnakre J. *see Mothet J.-P., Fossier P., Meunier F.-M., Stinnakre J., Tauc L. & Baux G.* **507**, 405, 1998

Stocca G.

Stocca G. & Vicini S. Increased contribution of NR2A subunit to synaptic NMDA receptors in developing rat cortical neurons **507**, 13, 1998

Störr B. *see Roth J., Martin D., Störr B. & Zeisberger E.* **509**, 267, 1998

Stout A. K. *see Hoyt K. R., Stout A. K., Cardman J. M. & Reynolds I. J.* **509**, 103, 1998

Stratford K. J. *see Tarczy-Hornoch K., Martin K. A. C., Jack J. J. B. & Stratford K. J.* **508**, 351, 1998

Struk A. *see Dietze B., Bertocchini F., Barone V., Struk A., Sorrentino V. & Melzer W.* **513**, 3, 1998

Sturek M. *see Graier W. F., Paltauf-Doburzynska J., Hill B. J. F., Fleischhacker E., Hoebel B. G., Kostner G. M. & Sturek M.* **506**, 109, 1998

Sugenoya J.

Sugenoya J., Iwase S., Mano T., Sugiyama Y., Ogawa T., Nishiyama T., Nishimura N. & Kimura T. Vasodilator component in sympathetic nerve activity destined for the skin of the dorsal foot of mildly heated humans **507**, 603, 1998

Sugiyama Y. *see Sugenoya J., Iwase S., Mano T., Sugiyama Y., Ogawa T., Nishiyama T., Nishimura N. & Kimura T.* **507**, 603, 1998

Sul J.-Y. *see Nadal A., Sul J.-Y., Valdeolmillos M. & McNaughton P. A.* **509**, 711, 1998

Sun Q.-Q.

Sun Q.-Q. & Dale N. Developmental changes in expression of ion currents accompany maturation of locomotor pattern in frog tadpoles **507**, 257, 1998

Sun Q.-Q. & Dale N. Differential inhibition of N and P/Q Ca^{2+} currents by 5-HT_{1A} and 5-HT_{1D} receptors in spinal neurons of *Xenopus* larvae **510**, 103, 1998

Sun X. *see Wang Y., Gao J., Mathias R. T., Cohen I. S., Sun X. & Baldo G. J.* **509**, 117, 1998

Sun X.-P.

Sun X.-P., Callamaras N., Marchant J. S. & Parker I. A continuum of $InsP_3$-mediated elementary Ca^{2+} signalling events in *Xenopus* oocytes **509**, 67, 1998

see Callamaras N., Marchant J. S., Sun X.-P. & Parker I. **509**, 81, 1998

see Callamaras N., Sun X.-P., Ivorra I. & Parker I. **511**, 395, 1998

Surprenant A. *see Thomas S., Virginio C., North R. A. & Surprenant A.* **509**, 411, 1998

see Virginio C., North R. A. & Surprenant A. **510**, 27, 1998

Sutcliffe M. J. *see Dart C., Leyland M. L., Barrett-Jolley R., Shelton P. A., Spencer P. J., Conley E. C., Sutcliffe M. J. & Stanfield P. R.* **511**, 15, 1998

see Dart C., Leyland M. L., Spencer P. J., Stanfield P. R. & Sutcliffe M. J. **511**, 25, 1998

Suzuki H. *see Hashitani H., Windle A. & Suzuki H.* **510**, 209, 1998

see Nishiyama M., Hashitani H., Fukuta H., Yamamoto Y. & Suzuki H. **510**, 455, 1998

see Takenaka T., Suzuki H., Okada H., Hayashi K., Kanno Y. & Saruta T. **511**, 245, 1998

see Yamamoto Y., Fukuta H., Nakahira Y. & Suzuki H. **511**, 501, 1998

Suzuki R. *see Chapman V., Suzuki R. & Dickenson A. H.* **507**, 881, 1998

Suzuki Y. *see Hayashi H. & Suzuki Y.* **511**, 573, 1998

Swanson G. T.

Swanson G. T. & Heinemann S. F. Heterogeneity of homomeric GluR5 kainate receptor desensitization expressed in HEK293 cells **513**, 639, 1998

Szabo A. Z. *see Maccabee P. J., Nagarajan S. S., Amassian V. E., Durand D. M., Szabo A. Z., Ahad A. B., Cracco R. Q., Lai K. S. & Eberle L. P.* **513**, 571, 1998

Szabolcs M. J. *see Windisch A., Gundersen K., Szabolcs M. J., Gruber H. & Lømo T.* **510**, 623, 1998

Szinyei C. *see Vida I., Halasy K., Szinyei C., Somogyi P. & Buhl E. H.* **506**, 755, 1998

Tabata T. *see Endo Y., Tabata T., Kuroda H., Tadano T., Matsushima K. & Watanabe M.* **509**, 587, 1998

Tabcharani J. A. *see Mathews C. J., Tabcharani J. A., Chang X.-B., Jensen T. J., Riordan J. R. & Hanrahan J. W.* **508**, 365, 1998

Tabti N. *see Plassart-Schiess E., Lhuillier L., George A. L. Jr, Fontaine B. & Tabti N.* **507**, 721, 1998

Tachibana H. *see Hiramatsu O., Goto M., Yada T., Kimura A., Chiba Y., Tachibana H., Ogasawara Y., Tsujioka K. & Kajiya F.* **509**, 619, 1998

Tachibana M. *see Minami N., Berglund K., Sakaba T., Kohmoto H. & Tachibana M.* **512**, 219, 1998

Tadano T. *see Endo Y., Tabata T., Kuroda H., Tadano T., Matsushima K. & Watanabe M.* **509**, 587, 1998

Taggart M. J.

Taggart M. J. & Wray S. Hypoxia and smooth muscle function: key regulatory events during metabolic stress **509**, 315, 1998

Taggart M. J. & Wray S. Contribution of sarcoplasmic reticular calcium to smooth muscle contractile activation: gestational dependence in isolated rat uterus **511**, 133, 1998

Takahashi C. *see Ishida-Takahashi A., Otani H., Takahashi C., Washizuka T., Tsuji K., Noda M., Horie M. & Sasayama S.* **508**, 23, 1998

Takahashi K. *see Parker C. A., Takahashi K., Tang J. X., Tao T. & Morgan K. G.* **508**, 187, 1998

see Inazawa T., Okamura Y. & Takahashi K. **511**, 347, 1998

see Wakatsuki H., Gomi H., Kudoh M., Kimura S., Takahashi K., Takeda M. & Shibuki K. **513**, 71, 1998

Takahashi M. *see Farkas I., Baranyi L., Takahashi M., Fukuda A., Liposits Zs., Yamamoto T. & Okada H.* **507**, 679, 1998

Takahashi M. P. *see Satoh Y., Hirashima N., Tokumaru H., Takahashi M. P., Kang J., Viglione M. P., Kim Y. I. & Kirino Y.* **508**, 427, 1998

Takahashi S. *see Santos-Sacchi J., Kakehata S. & Takahashi S.* **510**, 225, 1998

TAKAHASHI T. *see* *NAKAO K., TAKAHASHI T., UTSUNOMIYA J. & OWYANG C.* **507**, 549, 1998

see *IWASAKI S. & TAKAHASHI T.* **509**, 419, 1998

see *CUTTLE M. F., TSUJIMOTO T., FORSYTHE I. D. & TAKAHASHI T.* **512**, 723, 1998

TAKANO M.

TAKANO M., XIE L.-H., OTANI H. & HORIE M. Cytoplasmic terminus domains of Kir6.x confer different nucleotide-dependent gating on the ATP-sensitive K^+ channel **512**, 395, 1998

TAKEDA M. *see* *WAKATSUKI H., GOMI H., KUDOH M., KIMURA S., TAKAHASHI K., TAKEDA M. & SHIBUKI K.* **513**, 71, 1998

TAKEDA R. *see* *PIERREFICHE O., HAJI A., FOUTZ A. S., TAKEDA R., CHAMPAGNAT J. & DENAVIT-SAUBIÉ M.* **508**, 549, 1998

TAKENAKA T.

TAKENAKA T., SUZUKI H., OKADA H., HAYASHI K., KANNO Y. & SARUTA T. Mechanosensitive cation channels mediate afferent arteriolar myogenic constriction in the isolated rat kidney **511**, 245, 1998

TAMÁS G. *see* *BUHL E. H., TAMÁS G. & FISAHN A.* **513**, 117, 1998

TANAKA H.

TANAKA H., SEKINE T., KAWANISHI T., NAKAMURA R. & SHIGENOBU K. Intrasarcomere $[Ca^{2+}]$ gradients and their spatio-temporal relation to Ca^{2+} sparks in rat cardiomyocytes **508**, 145, 1998

TANAKA K. *see* *HARAYAMA N., SHIBUYA I., TANAKA K., KABASHIMA N., UETA Y. & YAMASHITA H.* **509**, 371, 1998

TANG J. X. *see* *PARKER C. A., TAKAHASHI K., TANG J. X., TAO T. & MORGAN K. G.* **508**, 187, 1998

TAO Q.-P. *see* *RYAN J. S., TAO Q.-P. & KELLY M. E. M.* **511**, 145, 1998

TAO T. *see* *PARKER C. A., TAKAHASHI K., TANG J. X., TAO T. & MORGAN K. G.* **508**, 187, 1998

TARASENKO A. N.

TARASENKO A. N., ISAEV D. S., EREMIN A. V. & KOSTYUK P. G. Developmental changes in the expression of low-voltage-activated Ca^{2+} channels in rat visual cortical neurones **509**, 385, 1998

TARCZY-HORNOCH K.

TARCZY-HORNOCH K., MARTIN K. A. C., JACK J. J. B. & STRATFORD K. J. Synaptic interactions between smooth and spiny neurones in layer 4 of cat visual cortex *in vitro* **508**, 351, 1998

TARE M.

TARE M., PRESTWICH S. A., GORDIENKO D. V., PARVEEN S., CARVER J. E., ROBINSON C. & BOLTON T. B. Inwardly rectifying whole cell potassium current in human blood eosinophils **506**, 303, 1998

TATEYAMA M. *see* *AKUZAWA-TATEYAMA M., TATEYAMA M. & OCHI R.* **513**, 775, 1998

TAUC L. *see* *MOTHET J.-P., FOSSIER P., MEUNIER F.-M., STINNAKRE J., TAUC L. & BAUX G.* **507**, 405, 1998

TAYLOR J. L. *see* *GANDEVIA S. C., BUTLER J. E., TAYLOR J. L. & CRAWFORD M. R.* **511**, 289, 1998

see *REFSHAUGE K. M., TAYLOR J. L., MCCLOSKEY D. I., GIANOUTSOS M., MATHEWS P. & FITZPATRICK R. C.* **513**, 307, 1998

TAYLOR P. M. *see* *LOW S. Y. & TAYLOR P. M.* **512**, 481, 1998

TEMPLE C. S. *see* *MEREDITH D., BOYD C. A. R., BRONK J. R., BAILEY P. D., MORGAN K. M., COLLIER I. D. & TEMPLE C. S.* **512**, 629, 1998

TENGHOLM A. *see* *LIU Y.-J., TENGHOLM A., GRAPENGIESSER E., HELLMAN B. & GYLFE E.* **508**, 471, 1998

TE NIJENHUIS F. C. A. M. *see* *KORNET L., JANSEN J. R. C., TE NIJENHUIS F. C. A. M., LANGEWOUTERS G. J. & VERSPRILLE A.* **512**, 917, 1998

TERAMOTO N. *see* *WANIISHI Y., INOUE R., MORITA H., TERAMOTO N., ABE K. & ITO Y.* **511**, 719, 1998

TERAO Y. *see* *HANAJIMA R., UGAWA Y., TERAO Y., SAKAI K., FURUBAYASHI T., MACHII K. & KANAZAWA I.* **509**, 607, 1998

TERGAU F. *see* *ZIEMANN U., TERGAU F., WASSERMANN E. M., WISCHER S., HILDEBRANDT J. & PAULUS W.* **511**, 181, 1998

TERRACCIANO C. M. N.

TERRACCIANO C. M. N., DE SOUZA A. I., PHILIPSON K. D. & MACLEOD K. T. Na^+–Ca^{2+} exchange and sarcoplasmic reticular Ca^{2+} regulation in ventricular myocytes from transgenic mice overexpressing the Na^+–Ca^{2+} exchanger **512**, 651, 1998

TERTYSHNIKOVA S.

TERTYSHNIKOVA S., YAN X. & FEIN A. cGMP inhibits IP_3-induced Ca^{2+} release in intact rat megakaryocytes via cGMP- and cAMP-dependent protein kinases **512**, 89, 1998

THEODOROU V. *see* *EUTAMENE H., THEODOROU V., VERGNOLLE N., COMERA C., FIORAMONTI J. & BUENO L.* **506**, 245, 1998

THIERFELDER S. *see* *DOEPNER B., THIERFELDER S., HIRCHE H. & BENNDORF K.* Retraction: *Journal of Physiology* **500**, 85–94 (1997) **508**, 956, 1998

THIRION S. *see* *TROADEC J.-D., THIRION S., NICAISE G., LEMOS J. R. & DAYANITHI G.* **511**, 89, 1998

THOMAS E. J. *see* *MATTHEWS C. J., MCEWAN G. T. A., REDFERN C. P. F., THOMAS E. J. & HIRST B. H.* **513**, 443, 1998

THOMAS E. L. *see* *RICO-SANZ J., HAJNAL J. V., THOMAS E. L., MIERISOVÁ Š., ALA-KORPELA M. & BELL J. D.* **510**, 615, 1998

THOMAS G. D.

THOMAS G. D. & VICTOR R. G. Nitric oxide mediates contraction-induced attenuation of sympathetic vasoconstriction in rat skeletal muscle **506**, 817, 1998

THOMAS S.

THOMAS S., VIRGINIO C., NORTH R. A. & SURPRENANT A. The antagonist trinitrophenyl-ATP reveals co-existence of distinct P2X receptor channels in rat nodose neurones **509**, 411, 1998

see *EGÉE S., MIGNEN O., HARVEY B. J. & THOMAS S.* **511**, 213, 1998

THOMPSON D. G. *see* *HAMDY S., AZIZ Q., ROTHWELL J. C., HOBSON A. & THOMPSON D. G.* **506**, 857, 1998

see *MCLAUGHLIN J. T., LOMAX R. B., HALL L., DOCKRAY G. J., THOMPSON D. G. & WARHURST G.* **513**, 11, 1998

THOMPSON R. J.

THOMPSON R. J. & NURSE C. A. Anoxia differentially modulates multiple K^+ currents and depolarizes neonatal rat adrenal chromaffin cells **512**, 421, 1998

THOMPSON S. M. *see* *DEBANNE D., GÄHWILER B. H. & THOMPSON S. M.* **507**, 237, 1998

THOMPSON S. W. N.

THOMPSON S. W. N. & MAJITHIA A. A. Leukemia inhibitory factor induces sympathetic sprouting in intact dorsal root ganglia in the adult rat *in vivo* **506**, 809, 1998

THOMSON A. M. *see* *ALI A. B. & THOMSON A. M.* **507**, 185, 1998

see *ALI A. B., DEUCHARS J., PAWELZIK H. & THOMSON A. M.* **507**, 201, 1998

THOMSON D. *see* *RIBCHESTER R. R., THOMSON D., HADDOW L. J. & USHKARYOV Y. A.* **512**, 635, 1998

THOMSON S. A. *see* *LANSDELL K. A., DELANEY S. J., LUNN D. P., THOMSON S. A., SHEPPARD D. N. & WAINWRIGHT B. J.* **508**, 379, 1998

THWAITES D. T. *see* *WALKER D., THWAITES D. T., SIMMONS N. L., GILBERT H. J. & HIRST B. H.* **507**, 697, 1998

TINAZZI M. *see* *BERTOLASI L., PRIORI A., TINAZZI M., BERTASI V. & ROTHWELL J. C.* **511**, 947, 1998

TINEL H. *see* *WEHNER F. & TINEL H.* **506**, 127, 1998

TIPTON M. J.

TIPTON M. J., EGLIN C. M. & GOLDEN F. ST C. Habituation of the initial responses to cold water immersion in humans: a central or peripheral mechanism? **512**, 621, 1998

TJEN-A-LOOI S. C.

TJEN-A-LOOI S. C., PAN H.-L. & LONGHURST J. C. Endogenous bradykinin activates ischaemically sensitive cardiac visceral afferents through kinin B_2 receptors in cats **510**, 633, 1998

TOKUMARU H. *see* *SATOH Y., HIRASHIMA N., TOKUMARU H., TAKAHASHI M. P., KANG J., VIGLIONE M. P., KIM Y. I. & KIRINO Y.* **508**, 427, 1998

TOMASELLI G. F. *see* *MARBAN E., YAMAGISHI T. & TOMASELLI G. F.* **508**, 647, 1998

see *KAMBOURIS N. G., HASTINGS L. A., STEPANOVIC S., MARBAN E., TOMASELLI G. F. & BALSER J. R.* **512**, 693, 1998

TOMÉ A. R. *see* *BARBOSA R. M., SILVA A. M., TOMÉ A. R., STAMFORD J. A., SANTOS R. M. & ROSÁRIO L. M.* **510**, 135, 1998

TONALI P. *see* *DI LAZZARO V., RESTUCCIA D., OLIVIERO A., PROFICE P., FERRARA L., INSOLA A., MAZZONE P., TONALI P. & ROTHWELL J. C.* **508**, 625, 1998

TONER L. V. *see* *ELDER G. C. B. & TONER L. V.* **512**, 251, 1998

TONKONOGI M.

TONKONOGI M., HARRIS B. & SAHLIN K. Mitochondrial oxidative function in human saponin-skinned muscle fibres: effects of prolonged exercise **510**, 279, 1998

TORII Y. *see* *IMAIZUMI Y., TORII Y., OHI Y., NAGANO N., ATSUKI K., YAMAMURA H., MURAKI K., WATANABE M. & BOLTON T. B.* **510**, 705, 1998

TORRAS-LLORT M. *see* *SORIANO-GARCÍA J. F., TORRAS-LLORT M., FERRER R. & MORETÓ M.* **509**, 527, 1998

TRAFFORD A. W. AND EISNER D. A.

TRAFFORD A. W. AND EISNER D. A. Another trigger for the heartbeat **513**, 1, 1998

TRAN N. N. P.
TRAN N. N. P., SPITZBARTH E., ROBERT A., GIUMMELLY P., ATKINSON J. & CAPDEVILLE-ATKINSON C. Nitric oxide lowers the calcium sensitivity of tension in the rat tail artery **507**, 163, 1998

TRISTANI-FIROUZI M.
TRISTANI-FIROUZI M. & SANGUINETTI M. C. Voltage-dependent inactivation of the human K^+ channel KvLQT1 is eliminated by association with the minimal K^+ channel (minK) subunits **510**, 37, 1998

TROADEC J.-D.
TROADEC J.-D., THIRION S., NICAISE G., LEMOS J. R. & DAYANITHI G. ATP-evoked increases in $[Ca^{2+}]_i$ and peptide release from rat isolated neurohypophysial terminals via a P_{2X2} purinoceptor **511**, 89, 1998

TROSCHKA M. *see LUCIUS C., ARNER A., STEUSLOFF A., TROSCHKA M., HOFMANN F., AKTORIES K. & PFITZER G.* **506**, 83, 1998

TRUDEAU M. C. *see HERZBERG I. M., TRUDEAU M. C. & ROBERTSON G. A.* **511**, 3, 1998

TSE A.
TSE A. & TSE F. W. α-Adrenergic stimulation of cytosolic Ca^{2+} oscillations and exocytosis in identified rat corticotrophs **512**, 385, 1998

TSE F. W. *see TSE A. & TSE F. W.* **512**, 385, 1998

TSE M. *see LEE M. G., SCHULTHEIS P. J., YAN M., SHULL G. E., BOOKSTEIN C., CHANG E., TSE M., DONOWITZ M., PARK K. & MUALLEM S.* **513**, 341, 1998

TSIMARATOS M. *see BLANCHARD A., ELADARI D., LEVIEL F., TSIMARATOS M., PAILLARD M. & PODEVIN R.-A.* **506**, 689, 1998

TSUGA H. *see SHUI Z., KHAN I. A., TSUGA H., HAGA T. & BOYETT M. R.* **507**, 325, 1998

TSUJI K. *see ISHIDA-TAKAHASHI A., OTANI H., TAKAHASHI C., WASHIZUKA T., TSUJI K., NODA M., HORIE M. & SASAYAMA S.* **508**, 23, 1998

TSUJIMOTO T. *see CUTTLE M. F., TSUJIMOTO T., FORSYTHE I. D. & TAKAHASHI T.* **512**, 723, 1998

TSUJIOKA K. *see HIRAMATSU O., GOTO M., YADA T., KIMURA A., CHIBA Y., TACHIBANA H., OGASAWARA Y., TSUJIOKA K. & KAJIYA F.* **509**, 619, 1998

TSUMURA T.
TSUMURA T., HAZAMA A., MIYOSHI T., UEDA S. & OKADA Y. Activation of cAMP-dependent Cl^- currents in guinea-pig Paneth cells without relevant evidence for CFTR expression **512**, 765, 1998

TSUSHIMA R. G. *see LOSITO V. A., TSUSHIMA R. G., DIAZ R. J., WILSON G. J. & BACKX P. H.* **511**, 67, 1998

TUFT R. A. *see ZHUGE R., SIMS S. M., TUFT R. A., FOGARTY K. E. & WALSH J. V. JR* **513**, 711, 1998

TURIN L. *see MORRISON M. S., TURIN L., KING B. F., BURNSTOCK G. & ARNETT T. R.* **511**, 495, 1998

TURNER J. P.
TURNER J. P. & SALT T. E. Characterization of sensory and corticothalamic excitatory inputs to rat thalamocortical neurones *in vitro* **510**, 829, 1998

UEDA S. *see TSUMURA T., HAZAMA A., MIYOSHI T., UEDA S. & OKADA Y.* **512**, 765, 1998

UETA Y. *see HARAYAMA N., SHIBUYA I., TANAKA K., KABASHIMA N., UETA Y. & YAMASHITA H.* **509**, 371, 1998

UGAWA Y. *see HANAJIMA R., UGAWA Y., TERAO Y., SAKAI K., FURUBAYASHI T., MACHII K. & KANAZAWA I.* **509**, 607, 1998

UMINO O.
UMINO O. & USHIO T. Spatio-temporal receptive fields in carp retinal horizontal cells **508**, 223, 1998

UNNO T. *see KOHDA M., KOMORI S., UNNO T. & OHASHI H.* **511**, 559, 1998

UNWIN R. J. *see SHIRLEY D. G., WALTER S. J., UNWIN R. J. & GIEBISCH G.* **513**, 243, 1998
see SHIRLEY D. G., WALTER S. J., FOLKERD E. J., UNWIN R. J. & BAILEY M. A. **513**, 551, 1998

URBAN B. W. *see RECKZIEGEL G., BECK H., SCHRAMM J., ELGER C. E. & URBAN B. W.* **509**, 139, 1998

USHIO T. *see UMINO O. & USHIO T.* **508**, 223, 1998

USHKARYOV Y. A. *see RIBCHESTER R. R., THOMSON D., HADDOW L. J. & USHKARYOV Y. A.* **512**, 635, 1998

UTSUNOMIYA J. *see NAKAO K., TAKAHASHI T., UTSUNOMIYA J. & OWYANG C.* **507**, 549, 1998

VAGG R.
VAGG R., MOGYOROS I., KIERNAN M. C. & BURKE D. Activity-dependent hyperpolarization of human motor axons produced by natural activity **507**, 919, 1998

VALDEOLMILLOS M. *see NADAL A., SUL J.-Y., VALDEOLMILLOS M. & MCNAUGHTON P. A.* **509**, 711, 1998

VALDIVIA H. H. *see LOKUTA A. J., DARSZON A., BELTRÁN C. & VALDIVIA H. H.* **510**, 155, 1998

VALVERDE M. A. *see BOND T. D., VALVERDE M. A. & HIGGINS C. F.* **508**, 333, 1998
see BOND T. D., AMBIKAPATHY S., MOHAMMAD S. & VALVERDE M. A. **511**, 45, 1998

VAN AGGEL-LEIJSSEN D. P. C. *see SCHRAUWEN P., VAN AGGEL-LEIJSSEN D. P. C., VAN MARKEN LICHTENBELT W. D., VAN BAAK M. A., GIJSEN A. P. & WAGENMAKERS A. J. M.* **513**, 215, 1998

VAN BAAK M. A. *see SCHRAUWEN P., VAN AGGEL-LEIJSSEN D. P. C., VAN MARKEN LICHTENBELT W. D., VAN BAAK M. A., GIJSEN A. P. & WAGENMAKERS A. J. M.* **513**, 215, 1998

VAN BOLHUIS B. M.
VAN BOLHUIS B. M., GIELEN C. C. A. M. & VAN INGEN SCHENAU G. J. Activation patterns of mono- and bi-articular arm muscles as a function of force and movement direction of the wrist in humans **508**, 313, 1998

VAN CUTSEM M.
VAN CUTSEM M., DUCHATEAU J. & HAINAUT K. Changes in single motor unit behaviour contribute to the increase in contraction speed after dynamic training in humans **513**, 295, 1998

VANDECASTEELE G.
VANDECASTEELE G., ESCHENHAGEN T. & FISCHMEISTER R. Role of the NO–cGMP pathway in the muscarinic regulation of the L-type Ca^{2+} current in human atrial myocytes **506**, 653, 1998

VANDENBOOM R.
VANDENBOOM R., CLAFLIN D. R. & JULIAN F. J. Effects of rapid shortening on rate of force regeneration and myoplasmic $[Ca^{2+}]$ in intact frog skeletal muscle fibres **511**, 171, 1998

VAN DER KLOOT W.
VAN DER KLOOT W., BENJAMIN W. B. & BALEZINA O. P. Calcitonin gene-related peptide acts presynaptically to increase quantal size and output at frog neuromuscular junctions **507**, 689, 1998

VAN DER VELDEN J.
VAN DER VELDEN J., MOORMAN A. F. M. & STIENEN G. J. M. Age-dependent changes in myosin composition correlate with enhanced economy of contraction in guinea-pig hearts **507**, 497, 1998

VAN DE WERF F. *see SIPIDO K. R., CARMELIET E. & VAN DE WERF F.* **508**, 439, 1998

VAN GOLDE J. C. *see MULDER A. L. M., VAN GOLDE J. C., PRINZEN F. W. & BLANCO C. E.* **508**, 281, 1998
VAN GOLDE J. C., BORM P. J., WOLFS M. C., RHIJNSBURGER E. H. & BLANCO C. E. Induction of antioxidant enzyme activity by hyperoxia (60 % O_2) in the developing chick embryo **509**, 289, 1998

VAN INGEN SCHENAU G. J. *see VAN BOLHUIS B. M., GIELEN C. C. A. M. & VAN INGEN SCHENAU G. J.* **508**, 313, 1998

VAN MARKEN LICHTENBELT W. D. *see SCHRAUWEN P., VAN AGGEL-LEIJSSEN D. P. C., VAN MARKEN LICHTENBELT W. D., VAN BAAK M. A., GIJSEN A. P. & WAGENMAKERS A. J. M.* **513**, 215, 1998

VÁRNAI P. *see DEÁK F., NAGY G., VÁRNAI P., MADARÁSZ E. & SPÄT A.* **508**, 735, 1998

VAUDRY H. *see LE FOLL F., CASTEL H., SORIANI O., VAUDRY H. & CAZIN L.* **507**, 55, 1998

VAUGHAN-JONES R. D. *see LEEM C.-H. & VAUGHAN-JONES R. D.* **509**, 471, 1998
see LEEM C.-H. & VAUGHAN-JONES R. D. **509**, 487, 1998
see BUCKLER K. J. & VAUGHAN-JONES R. D. **513**, 819, 1998

VENANCE L.
VENANCE L., PRÉMONT J., GLOWINSKI J. & GIAUME C. Gap junctional communication and pharmacological heterogeneity in astrocytes cultured from the rat striatum **510**, 429, 1998

VERDOORN T. A. *see ZHOU Q., VERDOORN T. A. & LOVINGER D. M.* **507**, 335, 1998

VERGARA J. L. *see KIM A. M. & VERGARA J. L.* **511**, 509, 1998

VERGNES M. *see PINAULT D., LERESCHE N., CHARPIER S., DENIAU J.-M., MARESCAUX C., VERGNES M. & CRUNELLI V.* **509**, 449, 1998

VERGNOLLE N. *see EUTAMENE H., THEODOROU V., VERGNOLLE N., COMERA C., FIORAMONTI J. & BUENO L.* **506**, 245, 1998

VERHEUGEN J. A. H.
VERHEUGEN J. A. H. Elevation of intracellular Ca^{2+} in the physiologically relevant range does not inhibit voltage-gated K^+ channels in human T lymphocytes **508**, 167, 1998

VERKHRATSKY A. *see HARTMANN J. & VERKHRATSKY A.* **513**, 411, 1998

VERSPRILLE A. *see KORNET L., JANSEN J. R. C., TE NIJENHUIS F. C. A. M., LANGEWOUTERS G. J. & VERSPRILLE A.* **512**, 917, 1998

VICINI S. *see STOCCA G. & VICINI S.* **507**, 13, 1998
see ZHU W. J., WANG J. F., CORSI L. & VICINI S. **511**, 647, 1998

VICTOR R. G. *see THOMAS G. D. & VICTOR R. G.* **506**, 817, 1998

VIDA I.

VIDA I., HALASY K., SZINYEI C., SOMOGYI P. & BUHL E. H. Unitary IPSPs evoked by interneurons at the stratum radiatum–stratum lacunosum-moleculare border in the CA1 area of the rat hippocampus *in vitro* **506**, 755, 1998

VIDAL P.-P. *see RIS L., WATTIEZ R., DE WAELE C., VIDAL P.-P. & GODAUX E.* **512**, 533, 1998

VIDRUK E. H. *see ERICKSON J. T., MAYER C., JAWA A., LING L., OLSON E. B. JR, VIDRUK E. H., MITCHELL G. S. & KATZ D. M.* **509**, 519, 1998

see LING L., OLSON E. B. JR, VIDRUK E. H. & MITCHELL G. S. **511**, 599, 1998

VIGLIONE M. P. *see SATOH Y., HIRASHIMA N., TOKUMARU H., TAKAHASHI M. P., KANG J., VIGLIONE M. P., KIM Y. I. & KIRINO Y.* **508**, 427, 1998

VIGUES S. *see KWIECIEN R., ROBERT C., CANNON R., VIGUES S., ARNOUX A., KORDON C. & HAMMOND C.* **508**, 883, 1998

VILORIA C. G. *see BARROS F., GÓMEZ-VARELA D., VILORIA C. G., PALOMERO T., GIRÁLDEZ T. & DE LA PEÑA P.* **511**, 333, 1998

VIRGINIO C. *see THOMAS S., VIRGINIO C., NORTH R. A. & SURPRENANT A.* **509**, 411, 1998

VIRGINIO C., NORTH R. A. & SURPRENANT A. Calcium permeability and block at homomeric and heteromeric $P2X_2$ and $P2X_3$ receptors, and P2X receptors in rat nodose neurones **510**, 27, 1998

VISESHAKUL N. *see FIGL A., VISESHAKUL N., SHAFAEE N., FORSAYETH J. & COHEN B. N.* **513**, 655, 1998

VISHRAM R. *see YANG J. F., STEPHENS M. J. & VISHRAM R.* **507**, 927, 1998

VOETS T.

VOETS T., MANOLOPOULOS V., EGGERMONT J., ELLORY C., DROOGMANS G. & NILIUS B. Regulation of a swelling-activated chloride current in bovine endothelium by protein tyrosine phosphorylation and G proteins **506**, 341, 1998

see NILIUS B., PRENEN J., VOETS T., EGGERMONT J. & DROOGMANS G. **506**, 353, 1998

VOGEL R.

VOGEL R. & WEINGART R. Mathematical model of vertebrate gap junctions derived from electrical measurements on homotypic and heterotypic channels **510**, 177, 1998

VOGEL W. *see WOLFF M., VOGEL W. & SAFRONOV B. V.* **509**, 767, 1998

see BISCHOFF U., VOGEL W. & SAFRONOV B. V. **510**, 743, 1998

see SCHOLZ A., GRUß M. & VOGEL W. **513**, 55, 1998

VOISIN D. L. *see FISHER T. E., VOISIN D. L. & BOURQUE C. W.* **511**, 423, 1998

WACHTER C. H.

WACHTER C. H., HEINEMANN Á., DONNERER J., PABST M. A. & HOLZER P. Mediation by 5-hydroxytryptamine of the femoral vasoconstriction induced by acid challenge of the rat gastric mucosa **509**, 541, 1998

WAGENMAKERS A. J. M. *see SCHRAUWEN P., VAN AGGEL-LEIJSSEN D. P. C., VAN MARKEN LICHTENBELT W. D., VAN BAAK M. A., GIJSEN A. P. & WAGENMAKERS A. J. M.* **513**, 215, 1998

WAGNER C. A. *see KOHL B., WAGNER C. A., HUELSEWEH B., BUSCH A. E. & WERNER A.* **508**, 341, 1998

WAGNER J. J. *see LENZ R. A., WAGNER J. J. & ALGER B. E.* **512**, 61, 1998

WAINWRIGHT B. J. *see LANSDELL K. A., DELANEY S. J., LUNN D. P., THOMSON S. A., SHEPPARD D. N. & WAINWRIGHT B. J.* **508**, 379, 1998

see LANSDELL K. A., KIDD J. F., DELANEY S. J., WAINWRIGHT B. J. & SHEPPARD D. N. **512**, 751, 1998

WAKATSUKI H.

WAKATSUKI H., GOMI H., KUDOH M., KIMURA S., TAKAHASHI K., TAKEDA M. & SHIBUKI K. Layer-specific NO dependence of long-term potentiation and biased NO release in layer V in the rat auditory cortex **513**, 71, 1998

WALKER A. M. *see JOHNSTON R. V., GRANT D. A., WILKINSON M. H. & WALKER A. M.* **510**, 651, 1998

WALKER D.

WALKER D., THWAITES D. T., SIMMONS N. L., GILBERT H. J. & HIRST B. H. Substrate upregulation of the human small intestinal peptide transporter, hPepT1 **507**, 697, 1998

WALKER D. W.

WALKER D. W. & PRATT N. Effect of probenecid on breathing movements and cerebral clearance of prostaglandin E_2 in fetal sheep **506**, 253, 1998

WALKER V. *see WANG L., CHEN L., WALKER V. & JACOB T. J. C.* **511**, 33, 1998

WALKOWSKA A. *see DOBROWOLSKI L., BĄDZYŃSKA B., WALKOWSKA A. & SADOWSKI J.* **508**, 929, 1998

WALLIN B. G.

WALLIN B. G., BÄTELSSON K., KIENBAUM P., KARLSSON T., GAZELIUS B. & ELAM M. Two neural mechanisms for respiration-induced cutaneous vasodilatation in humans? **513**, 559, 1998

WALMSLEY B. *see BELLINGHAM M. C., LIM R. & WALMSLEY B.* **511**, 861, 1998

WALSH J. V. JR *see ZHUGE R., SIMS S. M., TUFT R. A., FOGARTY K. E. & WALSH J. V. JR* **513**, 711, 1998

WALTER S. J. *see SHIRLEY D. G., WALTER S. J., UNWIN R. J. & GIEBISCH G.* **513**, 243, 1998

see SHIRLEY D. G., WALTER S. J., FOLKERD E. J., UNWIN R. J. & BAILEY M. A. **513**, 551, 1998

WALTERS D. V. *see STEPHENS R. H., BENJAMIN A. R. & WALTERS D. V.* **511**, 587, 1998

WALTON M. K. *see LI Y.-X., SCHAFFNER A. E., WALTON M. K. & BARKER J. L.* **509**, 847, 1998

WANG D. W. *see LONDON B., WANG D. W., HILL J. A. & BENNETT P. B.* **509**, 171, 1998

WANG H.-S. *see SHI W., WANG H.-S., PAN Z., WYMORE R. S., COHEN I. S., MCKINNON D. & DIXON J. E.* **511**, 675, 1998

WANG J. F. *see ZHU W. J., WANG J. F., CORSI L. & VICINI S.* **511**, 647, 1998

WANG L.

WANG L., CHEN L., WALKER V. & JACOB T. J. C. Antisense to *MDR1* mRNA reduces P-glycoprotein expression, swelling-activated Cl^- current and volume regulation in bovine ciliary epithelial cells **511**, 33, 1998

WANG L.-Y.

WANG L.-Y., GAN L., FORSYTHE I. D. & KACZMAREK L. K. Contribution of the Kv3.1 potassium channel to high-frequency firing in mouse auditory neurones **509**, 183, 1998

WANG S.-M. *see FU W.-M., LIOU H.-C., CHEN Y.-H. & WANG S.-M.* **509**, 497, 1998

WANG W.

WANG W., PIZZONIA J. H. & RICHERSON G. B. Chemosensitivity of rat medullary raphe neurones in primary tissue culture **511**, 433, 1998

WANG Y. *see JONES J. F. X., WANG Y. & JORDAN D.* **507**, 869, 1998

WANG Y., GAO J., MATHIAS R. T., COHEN I. S., SUN X. & BALDO G. J. α-Adrenergic effects on Na^+–K^+ pump current in guinea-pig ventricular myocytes **509**, 117, 1998

WANG Y., RAMAGE A. G. & JORDAN D. Presynaptic 5-HT_3 receptors evoke an excitatory response in dorsal vagal preganglionic neurones in anaesthetized rats **509**, 683, 1998

WANG Y., WU J., ROWAN M. J. & ANWYL R. Role of protein kinase C in the induction of homosynaptic long-term depression by brief low frequency stimulation in the dentate gyrus of the rat hippocampus *in vitro* **513**, 467, 1998

WANIISHI Y.

WANIISHI Y., INOUE R., MORITA H., TERAMOTO N., ABE K. & ITO Y. Cyclic GMP-dependent but G-kinase-independent inhibition of Ca^{2+}-dependent Cl^- currents by NO donors in cat tracheal smooth muscle **511**, 719, 1998

WARD S. M. *see KOH S. D., SANDERS K. M. & WARD S. M.* **513**, 203, 1998

WARHURST G. *see MCLAUGHLIN J. T., LOMAX R. B., HALL L., DOCKRAY G. J., THOMPSON D. G. & WARHURST G.* **513**, 11, 1998

WASHIZUKA T. *see ISHIDA-TAKAHASHI A., OTANI H., TAKAHASHI C., WASHIZUKA T., TSUJI K., NODA M., HORIE M. & SASAYAMA S.* **508**, 23, 1998

WASSERMANN E. M. *see ZIEMANN U., TERGAU F., WASSERMANN E. M., WISCHER S., HILDEBRANDT J. & PAULUS W.* **511**, 181, 1998

WATANABE M. *see ENDO Y., TABATA T., KURODA H., TADANO T., MATSUSHIMA K. & WATANABE M.* **509**, 587, 1998

see IMAIZUMI Y., TORII Y., OHI Y., NAGANO N., ATSUKI K., YAMAMURA H., MURAKI K., WATANABE M. & BOLTON T. B. **510**, 705, 1998

WATERS D. J.

WATERS D. J. & ALLEN T. G. J. Ca^{2+}-permeable non-NMDA glutamate receptors in rat magnocellular basal forebrain neurones **508**, 453, 1998

WATSON S. R. D.

WATSON S. R. D. & COLEBATCH J. G. Vestibulocollic reflexes evoked by short-duration galvanic stimulation in man **513**, 587, 1998

WATTIEZ R. *see RIS L., WATTIEZ R., DE WAELE C., VIDAL P.-P. & GODAUX E.* **512**, 533, 1998

WEBBERS J. P. P. *see WILLIAMS T. P., WEBBERS J. P. P., GIORDANO L. & HENDERSON R. P.* **508**, 515, 1998

WEHNER F.

WEHNER F. & TINEL H. Role of Na^+ conductance, Na^+–H^+ exchange, and Na^+–K^+–$2Cl^-$ symport in the regulatory volume increase of rat hepatocytes **506**, 127, 1998

WEI X. *see CONSTANTIN J., NOCETI F., QIN N., WEI X., BIRNBAUMER L. & STEFANI E.* **507**, 93, 1998

WEINGART R. *see VOGEL R. & WEINGART R.* **510**, 177, 1998

Weiss J. N. *see John S. A., Monck J. R., Weiss J. N. & Ribalet B.* **510**, 333, 1998

Wellman G. C.
Wellman G. C., Quayle J. M. & Standen N. B. ATP-sensitive K^+ channel activation by calcitonin gene-related peptide and protein kinase A in pig coronary arterial smooth muscle **507**, 117, 1998

Wellner-Kienitz M.-C. *see Brandis B., Brandis A., Wellner-Kienitz M.-C., Zidek W., Schlüter H. & Pott L.* **512**, 407, 1998

Werhahn K. J. *see Classen J., Knorr U., Werhahn K. J., Schlaug G., Kunesch E., Cohen L. G., Seitz R. J. & Benecke R.* **512**, 163, 1998

Werner A. *see Kohl B., Wagner C. A., Huelseweh B., Busch A. E. & Werner A.* **508**, 341, 1998

Wessler I. *see Racké K., Hey C., Mössner J., Hammermann R., Stichnote C. & Wessler I.* **511**, 813, 1998

Westerblad H. *see Andrade F. H., Reid M. B., Allen D. G. & Westerblad H.* **509**, 565, 1998
see Andrade F. H., Reid M. B., Allen D. G. & Westerblad H. **509**, 577, 1998
Westerblad H., Dahlstedt A. J. & Lännergren J. Mechanisms underlying reduced maximum shortening velocity during fatigue of intact, single fibres of mouse muscle **510**, 269, 1998

Wheatley J. R. *see Amis T. C., O'Neill N., Somma E. D. & Wheatley J. R.* **512**, 307, 1998

Wheeler-Jones C. *see Carter T. D., Zupancic G., Smith S. M., Wheeler-Jones C. & Ogden D.* **513**, 845, 1998

White S. J. *see Beesley A. H., Hornby D. & White S. J.* **509**, 629, 1998

Whitehead N. P.
Whitehead N. P., Allen T. J., Morgan D. L. & Proske U. Damage to human muscle from eccentric exercise after training with concentric exercise **512**, 615, 1998

Wible B. A. *see Accili E. A., Kuryshev Y. A., Wible B. A. & Brown A. M.* **512**, 325, 1998

Widdicombe J. G.
Widdicombe J. G. The J Reflex **511**, 2, 1998

Wier W. G.
Wier W. G. Ca^{2+}-induced Ca^{2+} release: physiological experiments on a new level **508**, 645, 1998
see Lamont C., Luther P. W., Balke C. W. & Wier W. G. **512**, 669, 1998

Wiesner T. F. *see Lukyanenko V., Wiesner T. F. & Györke S.* **507**, 667, 1998

Wilding T. J.
Wilding T. J., Chai Y. H. & Huettner J. E. Inhibition of rat neuronal kainate receptors by *cis*-unsaturated fatty acids **513**, 331, 1998

Wilhelm R. *see Parzefall F., Wilhelm R., Heckmann M. & Dudel J.* **512**, 181, 1998

Wilken B. *see Ramirez J. M., Quellmalz U. J. A., Wilken B. & Richter D. W.* **507**, 571, 1998

Wilkinson M. H. *see Johnston R. V., Grant D. A., Wilkinson M. H. & Walker A. M.* **510**, 651, 1998

Willems P. A. *see Schepens B., Willems P. A. & Cavagna G. A.* **509**, 927, 1998

Williams S. R.
Williams S. R., Buhl E. H. & Mody I. The dynamics of synchronized neurotransmitter release determined from compound spontaneous IPSCs in rat dentate granule neurones *in vitro* **510**, 477, 1998

Williams T. P.
Williams T. P., Webbers J. P. P., Giordano L. & Henderson R. P. Distribution of photon absorption rates across the rat retina **508**, 515, 1998

Wilson G. J. *see Losito V. A., Tsushima R. G., Diaz R. J., Wilson G. J. & Backx P. H.* **511**, 67, 1998

Wilson L. R. *see Inglis J. T., Leeper J. B., Wilson L. R., Gandevia S. C. & Burke D.* **513**, 127, 1998

Wilson T. A. *see De Troyer A., Legrand A., Gevenois P.-A. & Wilson T. A.* **513**, 915, 1998

Windisch A.
Windisch A., Gundersen K., Szabolcs M. J., Gruber H. & Lømo T. Fast to slow transformation of denervated and electrically stimulated rat muscle **510**, 623, 1998

Windle A. *see Hashitani H., Windle A. & Suzuki H.* **510**, 209, 1998

Wischer S. *see Ziemann U., Tergau F., Wassermann E. M., Wischer S., Hildebrandt J. & Paulus W.* **511**, 181, 1998

Wise A. K.
Wise A. K., Gregory J. E. & Proske U. Detection of movements of the human forearm during and after co-contractions of muscles acting at the elbow joint **508**, 325, 1998
see Gregory J. E., Wise A. K., Wood S. A., Prochazka A. & Proske U. **513**, 927, 1998

Wise R. G.
Wise R. G., Huang C. L., Gresham G. A., Al-Shafei A. I. M., Carpenter T. A. & Hall L. D. Magnetic resonance imaging analysis of left ventricular function in normal and spontaneously hypertensive rats **513**, 873, 1998

Wittmann U. *see Just A., Wittmann U., Ehmke H. & Kirchheim H. R.* **506**, 275, 1998

Wolf E. *see Zhao F.-Y., Burton B. G., Wolf E. & Roberts A.* **506**, 471, 1998
Wolf E., Zhao F.-Y. & Roberts A. Non-linear summation of excitatory synaptic inputs to small neurones: a case study in spinal motoneurones of the young *Xenopus* tadpole **511**, 871, 1998
see Zhao F.-Y., Wolf E. & Roberts A. **511**, 887, 1998

Wolff M.
Wolff M., Vogel W. & Safronov B. V. Uneven distribution of K^+ channels in soma, axon and dendrites of rat spinal neurones: functional role of the soma in generation of action potentials **509**, 767, 1998

Wolff M. R. *see McDonald K. S., Wolff M. R. & Moss R. L.* **511**, 519, 1998

Wolfs M. C. *see van Golde J. C., Borm P. J., Wolfs M. C., Rhijnsburger E. H. & Blanco C. E.* **509**, 289, 1998

Wollmuth L. P.
Wollmuth L. P., Kuner T. & Sakmann B. Adjacent asparagines in the NR2-subunit of the NMDA receptor channel control the voltage-dependent block by extracellular Mg^{2+} **506**, 13, 1998
Wollmuth L. P., Kuner T. & Sakmann B. Intracellular Mg^{2+} interacts with structural determinants of the narrow constriction contributed by the NR1-subunit in the NMDA receptor channel **506**, 33, 1998
see Rozov A., Zilberter Y., Wollmuth L. P. & Burnashev N. **511**, 361, 1998

Wong P. Y. D. *see Ko W. H., Chan H. C., Chew S. B. & Wong P. Y. D.* **512**, 471, 1998

Wood I. S. *see Ritzhaupt A., Wood I. S., Ellis A., Hosie K. B. & Shirazi-Beechey S. P.* **513**, 719, 1998

Wood S. A. *see Gregory J. E., Wise A. K., Wood S. A., Prochazka A. & Proske U.* **513**, 927, 1998

Wörgötter F.
Wörgötter F., Nelle E., Li B. & Funke K. The influence of corticofugal feedback on the temporal structure of visual responses of cat thalamic relay cells **509**, 797, 1998

Wray S. *see Taggart M. J. & Wray S.* **509**, 315, 1998
see Taggart M. J. & Wray S. **511**, 133, 1998
see Shmigol A. V., Eisner D. A. & Wray S. **511**, 803, 1998

Wright E. M. *see Meinild A.-K., Klaerke D. A., Loo D. D. F., Wright E. M. & Zeuthen T.* **508**, 15, 1998

Wrzosek A. *see Kentish J. C. & Wrzosek A.* **506**, 431, 1998

Wu C.
Wu C. & Fry C. H. The effects of extracellular and intracellular pH on intracellular Ca^{2+} regulation in guinea-pig detrusor smooth muscle **508**, 131, 1998

Wu J. *see Wang Y., Wu J., Rowan M. J. & Anwyl R.* **513**, 467, 1998

Wu M.-L. *see Chen Y.-H., Wu M.-L. & Fu W.-M.* **507**, 41, 1998

Wu S. M. *see Maple B. R. & Wu S. M.* **506**, 731, 1998

Wu X.-P. *see Allen T. J. A., Mikala G., Wu X.-P. & Dolphin A. C.* **508**, 1, 1998

Wünsch S. *see Gekle M., Silbernagl S. & Wünsch S.* **511**, 255, 1998

Wyatt C. N.
Wyatt C. N., Page K. M., Berrow N. S., Brice N. L. & Dolphin A. C. The effect of overexpression of auxiliary Ca^{2+} channel subunits on native Ca^{2+} channel currents in undifferentiated mammalian NG108-15 cells **510**, 347, 1998

Wyllie D. J. A.
Wyllie D. J. A., Béhé P. & Colquhoun D. Single-channel activations and concentration jumps: comparison of recombinant NR1a/NR2A and NR1a/NR2D NMDA receptors **510**, 1, 1998
Wyllie D. J. A., Béhé P. & Colquhoun D. Erratum: *Journal of Physiology* **510**, 1–18 (1998) **512**, 939, 1998

Wymore R. S. *see Shi W., Wang H.-S., Pan Z., Wymore R. S., Cohen I. S., McKinnon D. & Dixon J. E.* **511**, 675, 1998

Xia J. *see* Heath B. M., Xia J., Dong E., An R. H., Brooks A., Liang C.-S., Federoff H. J. & Kass R. S. **512**, 779, 1998

Xiang Z.

Xiang Z., Huguenard J. R. & Prince D. A. $GABA_A$ receptor-mediated currents in interneurons and pyramidal cells of rat visual cortex **506**, 715, 1998

Xiao Y.-F.

Xiao Y.-F., Huang L. & Morgan J. P. Cytochrome P450: a novel system modulating Ca^{2+} channels and contraction in mammalian heart cells **508**, 777, 1998

Xie L.-H. *see* Takano M., Xie L.-H., Otani H. & Horie M. **512**, 395, 1998

Xie W.

Xie W., Solomons K. R. H., Freeman S., Kaetzel M. A., Bruzik K. S., Nelson D. J. & Shears S. B. Regulation of Ca^{2+}-dependent Cl^- conductance in a human colonic epithelial cell line (T_{84}): cross-talk between $Ins(3,4,5,6)P_4$ and protein phosphatases **510**, 661, 1998

Xiong Z.-G. *see* Lu W.-Y., Xiong Z.-G., Orser B. A. & MacDonald J. F. **512**, 29, 1998

Xu Q. P. *see* Zou A., Xu Q. P. & Sanguinetti M. C. **509**, 129, 1998

Yacoub M. H. *see* Goodwin A. T., Amrani M., Gray C. C., Jayakumar J. & Yacoub M. H. **511**, 549, 1998

Yada T. *see* Hiramatsu O., Goto M., Yada T., Kimura A., Chiba Y., Tachibana H., Ogasawara Y., Tsujioka K. & Kajiya F. **509**, 619, 1998

Yakel J. L. *see* Jones S. & Yakel J. L. **510**, 361, 1998

Yamada M. *see* Satoh E., Yamada M., Kondo C., Repunte V. P., Horio Y., Iijima T. & Kurachi Y. **511**, 663, 1998

Yamagishi T. *see* Marban E., Yamagishi T. & Tomaselli G. F. **508**, 647, 1998

Yamamoto T. *see* Farkas I., Baranyi L., Takahashi M., Fukuda A., Liposits Zs., Yamamoto T. & Okada H. **507**, 679, 1998

Yamamoto Y. *see* Nishiyama M., Hashitani H., Fukuta H., Yamamoto Y. & Suzuki H. **510**, 455, 1998

Yamamoto Y., Fukuta H., Nakahira Y. & Suzuki H. Blockade by 18β-glycyrrhetinic acid of intercellular electrical coupling in guinea-pig arterioles **511**, 501, 1998

Yamamura H. *see* Imaizumi Y., Torii Y., Ohi Y., Nagano N., Atsuki K., Yamamura H., Muraki K., Watanabe M. & Bolton T. B. **510**, 705, 1998

Yamashita H. *see* Harayama N., Shibuya I., Tanaka K., Kabashima N., Ueta Y. & Yamashita H. **509**, 371, 1998

Yamazaki J.

Yamazaki J., Duan D., Janiak R., Kuenzli K., Horowitz B. & Hume J. R. Functional and molecular expression of volume-regulated chloride channels in canine vascular smooth muscle cells **507**, 729, 1998

Yan M. *see* Lee M. G., Schultheis P. J., Yan M., Shull G. E., Bookstein C., Chang E., Tse M., Donowitz M., Park K. & Muallem S. **513**, 341, 1998

Yan X. *see* Tertyshnikova S., Yan X. & Fein A. **512**, 89, 1998

Yang J. F.

Yang J. F., Stephens M. J. & Vishram R. Infant stepping: a method to study the sensory control of human walking **507**, 927, 1998

Yang T. *see* Kline D. D., Yang T., Huang P. L. & Prabhakar N. R. **511**, 273, 1998

Yang Z.

Yang Z. & Coote J. H. Influence of the hypothalamic paraventricular nucleus on cardiovascular neurones in the rostral ventrolateral medulla of the rat **513**, 521, 1998

see Yang Z. & Coote J. H. Erratum: *Journal of Physiology* **513**, 521–530 (1998) **513**, 935, 1998

Yates M. S. *see* Prior H. M., Yates M. S. & Beech D. J. **511**, 159, 1998

Yazawa M. *see* Li L., Eto M., Lee M. R., Morita F., Yazawa M. & Kitazawa T. **508**, 871, 1998

Yoda T. *see* Chen X.-M., Hosono T., Yoda T., Fukuda Y. & Kanosue K. **512**, 883, 1998

Yoshii A. *see* Iizuka K., Yoshii A., Dobashi K., Horie T., Mori M. & Nakazawa T. **511**, 915, 1998

Yoshimura M. *see* Baba H., Kohno T., Okamoto M., Golinstein P. A., Shimoji K. & Yoshimura M. **508**, 83, 1998

Yu C. R.

Yu C. R. & Role L. W. Functional contribution of the α7 subunit to multiple subtypes of nicotinic receptors in embryonic chick sympathetic neurones **509**, 651, 1998

Yu C. R. & Role L. W. Functional contribution of the α5 subunit to neuronal nicotinic channels expressed by chick sympathetic ganglion neurones **509**, 667, 1998

Yudilevich D. L. *see* Sobrevia L., Yudilevich D. L. & Mann G. E. **506**, 219, 1998

Zacho M. *see* Ostrowski K., Rohde T., Zacho M., Asp S. & Pedersen B. K. **508**, 949, 1998

Zadina J. E. *see* Higashida H., Hoshi N., Knijnik R., Zadina J. E. & Kastin A. J. **507**, 71, 1998

Zahn B. R. *see* Rowley J. A., Zahn B. R., Babcock M. A. & Badr M. S. **510**, 963, 1998

Zahradníková A.

Zahradníková A. & Mészáros L. G. Voltage change-induced gating transitions of the rabbit skeletal muscle Ca^{2+} release channel **509**, 29, 1998

Zaidi M. *see* Adebanjo O. A., Igietseme J., Huang C. L.-H. & Zaidi M. **513**, 399, 1998

Zehr E. P.

Zehr E. P., Stein R. B. & Komiyama T. Function of sural nerve reflexes during human walking **507**, 305, 1998

Zeisberger E. *see* Roth J., Martin D., Störr B. & Zeisberger E. **509**, 267, 1998

Zeuthen T. *see* Meinild A.-K., Klaerke D. A., Loo D. D. F., Wright E. M. & Zeuthen T. **508**, 15, 1998

Zhainazarov A. B.

Zhainazarov A. B. & Cottrell G. A. Single-channel currents of a peptide-gated sodium channel expressed in *Xenopus* oocytes **513**, 19, 1998

Zhang H.

Zhang H., Garlichs C. D., Mügge A. & Daniel W. G. Involvement of tyrosine kinases, Ca^{2+} and PKC in activation of mitogen-activated protein (MAP) kinase in human polymorphonuclear neutrophils **513**, 359, 1998

Zhang H. Q. *see* Mackie P. D., Morley J. W., Zhang H. Q., Murray G. M. & Rowe M. J. **510**, 923, 1998

Zhang J.

Zhang J. & Mifflin S. W. Differential roles for NMDA and non-NMDA receptor subtypes in baroreceptor afferent integration in the nucleus of the solitary tract of the rat **511**, 733, 1998

Zhang R. *see* Krizsan-Agbas D., Zhang R., Marzban F. & Smith P. G. **512**, 841, 1998

Zhang Y.

Zhang Y., McBride D. W. Jr & Hamill O. P. The ion selectivity of a membrane conductance inactivated by extracellular calcium in *Xenopus* oocytes **508**, 763, 1998

Zhao F.-Y.

Zhao F.-Y., Burton B. G., Wolf E. & Roberts A. Asymmetries in sensory pathways from skin to motoneurons on each side of the body determine the direction of an avoidance response in hatchling *Xenopus* tadpoles **506**, 471, 1998

see Wolf E., Zhao F.-Y. & Roberts A. **511**, 871, 1998

Zhao F.-Y., Wolf E. & Roberts A. Longitudinal distribution of components of excitatory synaptic input to motoneurones during swimming in young *Xenopus* tadpoles: experiments with antagonists **511**, 887, 1998

Zheng S.-X. *see* Linsdell P., Zheng S.-X. & Hanrahan J. W. **512**, 1, 1998

Zhou Q.

Zhou Q., Veridoorn T. A. & Lovinger D. M. Alcohols potentiate the function of 5-HT_3 receptor–channels on NCB-20 neuroblastoma cells by favouring and stabilizing the open channel state **507**, 335, 1998

Zhou X.

Zhou X. & Galligan J. J. Non-additive interaction between nicotinic cholinergic and P2X purine receptors in guinea-pig enteric neurons in culture **513**, 685, 1998

Zhou Z.

Zhou Z. & Hume R. I. Two mechanisms for inward rectification of current flow through the purinoceptor $P2X_2$ class of ATP-gated channels **507**, 353, 1998

Zhou Z., Matlib M. A. & Bers D. M. Cytosolic and mitochondrial Ca^{2+} signals in patch clamped mammalian ventricular myocytes **507**, 379, 1998

Zhu J. *see* Ferrier G. R., Zhu J., Redonido I. M. & Howlett S. E. **513**, 185, 1998

Zhu W. J.

Zhu W. J., Wang J. F., Corsi L. & Vicini S. Lanthanum-mediated modification of $GABA_A$ receptor deactivation, desensitization and inhibitory synaptic currents in rat cerebellar neurons **511**, 647, 1998

Zhu Y. *see* Barajas-López C., Espinosa-Luna R. & Zhu Y. **513**, 671, 1998

ZhuGe R.

ZhuGe R., Sims S. M., Tuft R. A., Fogarty K. E. & Walsh J. V. Jr Ca^{2+} sparks activate K^+ and Cl^- channels, resulting in spontaneous transient currents in guinea-pig tracheal myocytes **513**, 711, 1998

Zidek W. *see* Brandts B., Brandts A., Wellner-Kienitz M.-C., Zidek W., Schlüter H. & Pott L. **512**, 407, 1998

ZIEMANN U.

ZIEMANN U., TERGAU F., WASSERMANN E. M., WISCHER S., HILDEBRANDT J. & PAULUS W. Demonstration of facilitatory I wave interaction in the human motor cortex by paired transcranial magnetic stimulation **511**, 181, 1998

ZILBERTER Y. *see ROZOV A., ZILBERTER Y., WOLLMUTH L. P. & BURNASHEV N.* **511**, 361, 1998

ZIOGAS J. *see SELEMIDIS S., ZIOGAS J. & COCKS T. M.* **513**, 835, 1998

ZOREC R. *see SIKDAR S. K., KREFT M. & ZOREC R.* **511**, 851, 1998

ZOU A.

ZOU A., XU Q. P. & SANGUINETTI M. C. A mutation in the pore region of HERG K^+ channels expressed in *Xenopus* oocytes reduces rectification by shifting the voltage dependence of inactivation **509**, 129, 1998

ZUPANCIC G. *see CARTER T. D., ZUPANCIC G., SMITH S. M., WHEELER-JONES C. & OGDEN D.* **513**, 845, 1998

Author Index: Proceedings

Proceedings of The Physiological Society
Volumes 506.P – 513.P

(February – November 1998)

AALKJÆR C.

AALKJÆR C. Regulation of intracellular pH (pH_i) in vascular smooth muscle and the effect of pH on contraction **511.P**, 166*P*, 1998

AARONSON P. *see KNOCK G., SAWDY R., SMIRNOV S., POSTON L., BENNETT P. & AARONSON P.* **507.P**, 69*P*, 1998

AARONSON P. I. *see BECK R., ABBOT S. E., AARONSON P. I. & SMIRNOV S. V.* **507.P**, 71*P*, 1998

see SMIRNOV S. V., KNOCK G. A. & AARONSON P. I. **507.P**, 72*P*, 1998

see SMIRNOV S. V., BECK R., BERTOLINO S., ABBOT S. E. & AARONSON P. I. **511.P**, 165*P*, 1998

see HAGUE D. E., AARONSON P. I. & WARD J. P. T. **511.P**, 172*P*, 1998

ABBATE F.

ABBATE F. & DE HAAN A. The effect of high-frequency initial pulses on power output of skeletal muscle in the anaesthetized rat **506.P**, 60*P*, 1998

ABBITT K. B.

ABBITT K. B., NASH G. B. & EGGINTON S. Effects of exposure to the cold on flow resistance of individual human neutrophils **506.P**, 39*P*, 1998

ABBOT S. E. *see BECK R., ABBOT S. E., AARONSON P. I. & SMIRNOV S. V.* **507.P**, 71*P*, 1998

see SMIRNOV S. V., BECK R., BERTOLINO S., ABBOT S. E. & AARONSON P. I. **511.P**, 165*P*, 1998

ABBOTT N. J. *see KOOB S., STRICKLAND C. & ABBOTT N. J.* **509.P**, 75*P*, 1998

see MISTRY H., KOOB S., STRICKLAND C. & ABBOTT N. J. **509.P**, 75*P*, 1998

ABBOTT N. J. The glial–endothelial interface at the blood–brain barrier; barrier induction and interstitial fluid dynamics **511.P**, 8*S*, 1998

ABDRACHMANOVA G.

ABDRACHMANOVA G., VLACHOVÁ V., PALEČEK J. & VYKLICKÝ L. JR Properties of glutamate receptor ion channels underlying EPSC on rat spinal cord motoneurones **511.P**, 18*S*, 1998

see PALEČEK J., ABDRACHMANOVA G. & VYKLICKÝ L. JR **511.P**, 35*S*, 1998

ABERNETHY P. J. *see JÜRIMÄE J. & ABERNETHY P. J.* **506.P**, 120*P*, 1998

ABI-GERGES N. *see FISCHMEISTER R., VANDECASTEELE G., ABI-GERGES N., VERDE I., ESCHENHAGEN T. & MÉRY P.-F.* **511.P**, 2*S*, 1998

ABOGADIE F. *see BROWN D. A., ABOGADIE F., ALLEN T. G. J., BUCKLEY N. J., DELMAS P., DAYRELL M. & HALEY J. E.* **511.P**, 5*S*, 1998

ABRAHAM D. *see GAO B., CASH D., ABRAHAM D., BLACK C., BRUCKDORFER K. R. & JACOBS M.* **513.P**, 153*P*, 1998

ABRAMOVICH D. R. *see HAGGARTY P., ASHTON J., JOYNSON M., ABRAMOVICH D. R. & PAGE K.* **507.P**, 48*P*, 1998

ABREU P. *see ALONSO R., HERNÁNDEZ-DÍAZ F., ABREU P., LÓPEZ-COVIELLA I., DÍAZ-CRUZ A., MARTÍNEZ-MORALES J. R., SÁNCHEZ J. J., TABARES L. & SALIDO E.* **509.P**, 16*S*, 1998

ACHE B. *see ZHAINAZAROV A., JEZIORSKI M. C., ANDERSON P. A. V., ACHE B. & COTTRELL G. A.* **506.P**, 47*P*, 1998

ACUÑA-CASTROVIEJO D. *see GARCÍA J. J., REITER R. J., ACUÑA-CASTROVIEJO D., PIÉ J., BALLARÍN E. M. & YU B. P.* **509.P**, 95*P*, 1998

ADAMS D. J. *see HARPER A. A., HOGG R. C. & ADAMS D. J.* **509.P**, 65*P*, 1998

see HOGG R. C., HARPER A. A. & ADAMS D. J. **513.P**, 22*P*, 1998

see SMITH A. B. & ADAMS D. J. **513.P**, 31*P*, 1998

see KATNIK C. & ADAMS D. J. **513.P**, 156*P*, 1998

ADAMS L. *see CORFIELD D. R., MURPHY K., JOSEPHS O., ADAMS L. & TURNER R.* **513.P**, 87*P*, 1998

ADAMS W. *see OVEREND C. L., ADAMS W., O'NEILL S. C. & EISNER D. A.* **511.P**, 85*P*, 1998

ADEGHATE E. A. *see DRAPER C. E., SINGH J., PONNERY A. S., MASON N. & ADEGHATE E. A.* **511.P**, 22*P*, 1998

see SINGH J., YAGO M. D. & ADEGHATE E. A. **511.P**, 24*P*, 1998

see DRAPER C. E., SINGH J., LAWRENCE P. A., PALLOT D. J. & ADEGHATE E. A. **513.P**, 48*P*, 1998

ADINOLFI M.

ADINOLFI M., SHERLOCK J. & RODECK C. Trophoblastic cells in peripheral maternal blood and endocervical samples **507.P**, 46*P*, 1998

see SHERLOCK J., CIRIGLIANO V., PETRU M. & ADINOLFI M. **507.P**, 46*P*, 1998

AGGELOPOULOS N. C.

AGGELOPOULOS N. C. & MEISSL H. Responses of suprachiasmatic neurones to retinal illumination during photopic and scotopic conditions in the rat **509.P**, 88*P*, 1998

AGIS-TORRES A. *see LOPEZ-OLIVA M. E., AGIS-TORRES A., UNZAGA M. T. & MUÑOZ-MARTINEZ E.* **509.P**, 100*P*, 1998

AGÜERA E. I. *see MUÑOZ A., CASTEJON F. M., RUBIO M. D., AGÜERA E. I., ESCRIBANO B. M. & SANTISTEBAN R.* **509.P**, 100*P*, 1998

see MUÑOZ A., SANTISTEBAN R., RUBIO M. D., AGÜERA E. I., ESCRIBANO B. M. & CASTEJON F. M. **509.P**, 101*P*, 1998

see FERNÁNDEZ P., CASTEJON F. M., AGÜERA E. I., ESCRIBANO B. M., MUÑOZ A. & RUBIO M. D. **509.P**, 102*P*, 1998

see FERNANDEZ P., CASTEJON F. M., AGÜERA E. I., ESCRIBANO B. M., MUÑOZ A. & RUBIO M. D. **509.P**, 147*P*, 1998

AGUIRRE J. A. *see DAWID-MILNER M. S., LÓPEZ DE MIGUEL P., LARA J. P., MARCOS P., AGUIRRE J. A. & GONZÁLEZ-BARÓN S.* **509.P**, 126*P*, 1998

AHMAD Z.

AHMAD Z. & MICHEL C. C. The effects of L-arginine and N^{ω}-nitro-L-arginine (L-NNA) on increases in permeability induced in rat venules by histamine and serotonin **506.P**, 26*P*, 1998

AHMED A. *see BRANT A. M., YAO P. C. & AHMED A.* **507.P**, 4*P*, 1998

see YAO P. C., HARPER A. A., BRANT A. M., RENNIE M. J. & AHMED A. **507.P**, 5*P*, 1998

see HINDE A. & AHMED A. **507.P**, 6*P*, 1998

see BAKER S. N., KILNER J. M., AHMED A., FITZGERALD W. J., MAYSTON M. J. & LEMON R. N. **509.P**, 168*P*, 1998

AHN S. C.

AHN S. C., KIM S. J. & KIM K. W. Effect of protein kinase C on calcium-activated potassium current in guinea-pig stomach **507.P**, 78*P*, 1998

AKHTAR S. *see BELL N., AKHTAR S., DOLLY J. O. & ROBERTSON B.* **509.P**, 199*P*, 1998

AKOPIAN A. N. *see ENGLAND S., CHEN C.-C., AKOPIAN A. N. & WOOD J. N.* **509.P**, 34*P*, 1998

AKOPIAN A. N., OKUSE K., SOUSLOVA V., ENGLAND S., SIVILOTTI L., FITZGERALD E., RAVENALL S., DOLPHIN A. C. & WOOD J. N. Sensory neuron voltage-gated sodium channels and nociception **513.P**, 20*S*, 1998

AL-ATTAR Z.

AL-ATTAR Z., O'BOYLE D. J. & CODY F. W. J. Effects of site of delivery of an electrical cutaneous metronome on the magnitude of the synchronization error during human temporal tracking **509.P**, 181*P*, 1998

ALBA I. *see SUCH L., CHORRO F. J., COLOM F., ALBA I., SECADURAS A., SUCH L. M., MESEGUER I., SORIA B. & ALBEROLA A.* **509.P**, 148*P*, 1998

ALBEROLA A.

ALBEROLA A., MESEGUER I., TORREBLANCA M., MOYA A., SANCHO S., POLO B., SORIA B. & SUCH L. Halocin H7 decreases infarct size and ectopic beats after myocardial reperfusion in dogs **509.P**, 148*P*, 1998

see SUCH L., CHORRO F. J., COLOM F., ALBA I., SECADURAS A., SUCH L. M., MESEGUER I., SORIA B. & ALBEROLA A. **509.P**, 148*P*, 1998

ALCÓN S. *see POZO M. J., ALCÓN S., CAMELLO P., SALIDO G. M. & SCARPIGNATO C.* **509.P**, 16*P*, 1998

ALCÓN S., CAMELLO P. J., SALIDO G. M., SCARPIGNATO C. & POZO M. J. Multiple pathways involved in CCK-induced guinea-pig gallbladder contraction **509.P**, 20*P*, 1998

ALDA J. O. *see GIMÉNEZ I., MARTÍNEZ R. M., LOU J. M., MAYORAL J. A., ALDA J. O. & GARAY R. P.* **509.P**, 23*P*, 1998

ALÉS E. *see POYATO J. M., TABARES L., ALÉS E., LINDAU M. & ALVAREZ DE TOLEDO G.* **509.P**, 60*P*, 1998

ALÉS E., TABARES L., POYATO J. M., LINDAU M. & ALVAREZ DE TOLEDO G. Dynamics of exocytosis of rat chromaffin granules **509.P**, 71*P*, 1998

ALEXANDER R. MCN.

ALEXANDER R. MCN. Elastic structures: their importance for human locomotion **506.P**, 5*S*, 1998

ALFONSO M. *see ARIAS B., DURÁN R., ARUFE M. & ALFONSO M.* **509.P**, 70*P*, 1998

ALI A. B. *see BROWN L. A., LOVICK T. A., KEY B. J., THOMSON A. M., ALI A. B. & PAWELZIK H.* **511.P**, 115*P*, 1998

ALI A. B. & THOMSON A. M. IPSPs elicited by two morphological subclasses of basket cells in pyramidal cells in adult rat hippocampus: paired intracellular recordings and biocytin labelling in slices **513.P**, 30*P*, 1998

ALICAN İ. *see YEGEN B. C., BOZKURT A., COSKUN T., KARAKOYUN B., KURTEL H. & ALICAN İ.* **509.P**, 9*P*, 1998

ALLEN J. M. *see HILL I. D., ROBINSON J., BAXTER G. D. & ALLEN J. M.* **506.P**, 115*P*, 1998

see OSIPENKO O. N., BARRIE A. P., ALLEN J. M. & GURNEY A. M. **509.P**, 187*P*, 1998

see BOYLE D., GILLOOLY D. J. & ALLEN J. M. **509.P**, 198*P*, 1998

see MELENDEZ A. J., GILLOOLY D. J., HARNETT M. M. & ALLEN J. M. **509.P**, 198*P*, 1998

see CAMPBELL I., HARRISON P. T. & ALLEN J. M. **509.P**, 199*P*, 1998

ALLEN T. G. J.

ALLEN T. G. J. Ca^{2+} channel subtypes underlying acetylcholine release from rat basal forebrain neurones and their modulation by cholinergic agonists **509.P**, 61*P*, 1998

see BROWN D. A., ABOGADIE F., ALLEN T. G. J., BUCKLEY N. J., DELMAS P., DAYRELL M. & HALEY J. E. **511.P**, 5*S*, 1998

ALONSO M. T.

ALONSO M. T., BARRERO M. J., CARNICERO E., MONTERO M., MICHELENA P., GARCÍA A., GARCÍA-SANCHO J. & ALVAREZ J. Functional measurements of $[Ca^{2+}]$ in the endoplasmic reticulum of a variety of cell types using targeted aequorin delivered with a Herpes virus **509.P**, 10*S*, 1998

ALONSO R. *see HERNÁNDEZ G., HERNÁNDEZ-JIMÉNEZ J. G., SÁNCHEZ-CRIADO J. E., MORA O. A. & ALONSO R.* **509.P**, 92*P*, 1998

see MORA O. A., ALONSO R. & SANCHEZ-CRIADO J. E. **509.P**, 93*P*, 1998

see REYES R., GONZÁLEZ M., NEGRÍN I., ALONSO R. & BELLO A. R. **509.P**, 93*P*, 1998

see LÓPEZ-COVIELLA I., HERNÁNDEZ-JIMÉNEZ J. G., BLUSZTAJN J. K., MARTÍNEZ-MORALES J. R. & ALONSO R. **509.P**, 98*P*, 1998

ALONSO R., HERNÁNDEZ-DÍAZ F., ABREU P., LÓPEZ-COVIELLA I., DÍAZ-CRUZ A., MARTÍNEZ-MORALES J. R., SÁNCHEZ J. J., TABARES L. & SALIDO E. Oestrogen modulation of adrenergic transmission. A model for cross-talk between neurotransmitter and hormone-activated receptors **509.P**, 16*S*, 1998

ALSTON R. *see GOODWIN F., BROWNLEE D. J. A., ALSTON R., BAGUST J. & WALKER R. J.* **513.P**, 112*P*, 1998

ALTRINGHAM J. D. *see HARWOOD C. L., ALTRINGHAM J. D. & WHITE E.* **511.P**, 87*P*, 1998

ALVAREZ J. *see ALONSO M. T., BARRERO M. J., CARNICERO E., MONTERO M., MICHELENA P., GARCÍA A., GARCÍA-SANCHO J. & ALVAREZ J.* **509.P**, 10*S*, 1998

ALVAREZ DE LA ROSA D. *see TRUJILLO E., ALVAREZ DE LA ROSA D., MOBASHERI A., AVILA J., GONZÁLEZ T. & MARTÍN-VASALLO P.* **511.P**, 40*P*, 1998

ALVAREZ DE TOLEDO A. *see VALERO V., RAMÍREZ-PONCE P., MATEOS J. C., ALVAREZ DE TOLEDO A. & BELLIDO J.* **509.P**, 106*P*, 1998

ALVAREZ DE TOLEDO G. *see POYATO J. M., TABARES L., ALÉS E., LINDAU M. & ALVAREZ DE TOLEDO G.* **509.P**, 60*P*, 1998

see ALÉS E., TABARES L., POYATO J. M., LINDAU M. & ALVAREZ DE TOLEDO G. **509.P**, 71*P*, 1998

ALVAREZ DE TOLEDO G. Dynamics of release through the exocytotic fusion pore in secretory cells **509.P**, 10*S*, 1998

AMASSIAN V. E.

AMASSIAN V. E., ROTHWELL J. C., CRACCO R. Q., MACCABEE P. J., VERGARA M., HASSAN N. & EBERLE L. What is excited by near-threshold twin magnetic stimuli over human cerebral cortex? **506.P**, 122*P*, 1998

AMASSIAN V. E., CRACCO R. Q., MACCABEE P. J., VERGARA M., CAPADAY C. & ROTHWELL J. C. Joint afferents subserve human proprioception that is interhemispherically transferred **509.P**, 162*P*, 1998

AMAT C.

AMAT C., LAPIED B., FRENCH A. S. & HUE B. Neuritic localization of spontaneous action potentials triggering calcium spikes in isolated dorsal paired median neuron cell body from the cockroach **513.P**, 103*P*, 1998

AMATO A.

AMATO A., MCDONALD B. J., MOSS S. J. & SMART T. G. Modulation of recombinant murine $GABA_A$ receptors by cAMP-dependent protein kinase **506.P**, 44*P*, 1998

ÄMMÄLÄ C. *see COSGROVE K. E., ÄMMÄLÄ C., JAMES R. F. L. & DUNNE M. J.* **509.P**, 189*P*, 1998

see DUNNE M. J., HASHMI M. N., SHEPHERD R. M., CHAPMAN J. C., COSGROVE K. E., KAMIMURA N., JAMES R. F. L., AYNSLEY-GREEN A., LINDLEY K. J., MACFARLANE W. N., DOCHERTY K. D. & ÄMMÄLÄ C. **509.P**, 11*S*, 1998

AMOBI N. I. B.

AMOBI N. I. B., SUGDEN D. & SMITH I. C. H. Activation of the rat vas deferens in calcium-free media **513.P**, 97*P*, 1998

AMOS B. J.

AMOS B. J. & CHESLER M. Properties of an intracellular alkalinization of rat astrocytes triggered by metabotropic glutamate receptors **506.P**, 12*S*, 1998

ANDĚROVÁ M.

ANDĚROVÁ M., CHVÁTAL A., ŽIAK D. & SYKOVÁ E. Differences between K^+ tail currents of astrocytes and oligodendrocytes in rat spinal cord slices **511.P**, 15*P*, 1998

ANDERSEN J. L. *see HARRIDGE S. D. R., ANDERSEN J. L., KJÆR M., HARTKOPP A., BIERING-SØRENSEN F. & ZHOU S.* **506.P**, 108*P*, 1998

ANDERSON J. C. *see LAUGHLIN S. B., DE RUYTER VAN STEVENINCK R. R. & ANDERSON J. C.* **506.P**, 92*P*, 1998

ANDERSON J. M. *see SHETH B., HAY M., ANDERSON J. M. & FLEMING T. P.* **513.P**, 65*P*, 1998

ANDERSON K. G.

ANDERSON K. G., TAYLOR I. H., DENNIFF P. & HIRST B. H. Paracellular diffusion of polyethylene glycols in human intestinal Caco-2 epithelia **509.P**, 26*P*, 1998

ANDERSON N. *see CARSWELL H. V. O., DOMINICZAK A. F., MCCULLOCH J., ANDERSON N., GRAHAM D., JEFFS B., CLARK J. S. & MACRAE I. M.* **509.P**, 97*P*, 1998

ANDERSON P. A. V. *see ZHAINAZAROV A., JEZIORSKI M. C., ANDERSON P. A. V., ACHE B. & COTTRELL G. A.* **506.P**, 47*P*, 1998

ANDERSON P. N. *see HARDING D. I., GREENSMITH L., ANDERSON P. N. & VRBOVÁ G.* **511.P**, 143*P*, 1998

ANDERSSON K.-E.

ANDERSSON K.-E. Advances in the pharmacological control of the bladder **507.P**, 6*S*, 1998

ANDOLINA I.

ANDOLINA I., HALLIDAY F. C. & GIBB A. J. Single-channel properties of NMDA receptors of interneurones in the stratum oriens sub-field of the CA1 region in slices of rat hippocampus **511.P**, 18*P*, 1998

ANDREU E. *see NADAL A., ROVIRA J. M., LARIBI O., LEON-QUINTO T., ANDREU E., RIPOLL C. & SORIA B.* **509.P**, 90*P*, 1998

ANDREWS P. L. R.

ANDREWS P. L. R. & TANSEY E. M. Tim Scratcherd (1924–1997): reminiscences and reflections of a gastrointestinal physiologist **509.P**, 18*P*, 1998

ANGEL A. *see ARNOTT R. H. & ANGEL A.* **509.P**, 160*P*, 1998

ANGELINI G. D. *see SULEIMAN M.-S., CAPUTO M., ANGELINI G. D., BRYAN A. J. & CALAFIORE A. M.* **511.P**, 74*P*, 1998

ANIENTO I. *see ROCHE E., BUTEAU J., ANIENTO I., SORIA B. & PRENTKI M.* **509.P**, 197*P*, 1998

ANNETTS C.

ANNETTS C., HANSON P. & TERRAR D. A. High-speed system for analysis of video images **513.P**, 2*P*, 1998

ANSON L. C.

ANSON L. C., CHEN P. E., WYLLIE D. J. A., COLQUHOUN D. & SCHOEPFER R. Single-channel recordings of rat recombinant NR1/NR2A NMDA receptors which carry a point mutation at a putative glutamate binding residue **506.P**, 147*P*, 1998

see CHEN P. E., ANSON L. C., COLQUHOUN D. & SCHOEPFER R. **507.P**, 30*P*, 1998

ANWAR N.

ANWAR N. & SUGDEN D. Diurnal variation in adrenergic receptor mRNA expression in the rat pineal gland using quantitative competitive RT-PCR **509.P**, 201*P*, 1998

AONUMA H.

AONUMA H., NAGAYAMA T. & NEWLAND P. L. Identified interneurones in the escape generating network of crayfish receive excitatory proprioceptive inputs **513.P**, 104*P*, 1998

APPLETON N. M.

APPLETON N. M. & FRY C. H. The regulation of human prostate smooth muscle contraction **507.P**, 73*P*, 1998

APTEL H.

APTEL H. & FREESTONE N. Correlation between Ca^{2+} waves, Ca^{2+} sparks and the loading state of the sarcoplasmic reticulum in rat ventricular cardiomyocytes **509.P**, 155*P*, 1998

ARAIN M.

ARAIN M. & NAFTALIN R. J. Sodium pentobarbitone is a mixed inhibitor of D-glucose transport in human red cells **507.P**, 4*P*, 1998

ARAQUE A.

ARAQUE A., PARPURA V., SANZGIRI R. & HAYDON P. G. Astrocyte-induced modulation of synaptic transmission **513.P**, 13*S*, 1998

ARCHER J. *see JOHNSON C. D., ARCHER J. & MARSHALL J.* **513.P**, 82*P*, 1998

ARGENTE J. *see CHOWEN J. A., ARGENTE J., CARDONA-GOMEZ G. P., AZCOITIA I. & GARCÍA-SEGURA L. M.* **509.P**, 15*S*, 1998

ARIAS B.

ARIAS B., DURÁN R., ARUFE M. & ALFONSO M. In vivo release of dopamine and its metabolites from rat striatum in response to domoic acid **509.P**, 70*P*, 1998

ARITAN S.

ARITAN S., DABNICHKI P. & SARGEANT A. J. In vivo measurement of bulk muscle properties in humans **506.P**, 10*P*, 1998

ARIZNAVARRETA C. *see PÉREZ-ROMERO A., DIALYNAS E., BARTKE A., SALAMÉ F., ARIZNAVARRETA C. & TRESGUERRES J. A. F.* **509.P**, 94*P*, 1998

ARKISON S. *see BLACKSHAW S. E., ARKISON S., DAVIES J. A. & HOLMES D.* **509.P**, 191*P*, 1998

see BLACKSHAW S. E., ARKISON S., CATTIGAN A., CHAMBERS R. & RAINEY E. M. **511.P**, 139*P*, 1998

ARMSTRONG D. M. *see MARPLE-HORVAT D. E., HOLLANDS M. A., CROWDY K. A., CRIADO J. M. & ARMSTRONG D. M.* **509.P**, 29*S*, 1998

ARNOTT R. H.

ARNOTT R. H. & ANGEL A. The effect of Etomidate on the behaviour of thalamic reticular cells in the urethane-anaesthetized rat **509.P**, 160*P*, 1998

ARTILLO R.

ARTILLO R., MURILLO M. L., TAVARES E. & CARRERAS O. Comparative effects of zinc intestinal absorption through different intestinal segments in offspring rats: effects of ethanol **509.P**, 21*P*, 1998

see FUENTES M. L. M., ARTILLO R., CARRERAS O. & MURILLO M. L. **509.P**, 22*P*, 1998

ARUFE M. *see ARIAS B., DURÁN R., ARUFE M. & ALFONSO M.* **509.P**, 70*P*, 1998

ASGHAR A. U. R.

ASGHAR A. U. R. & KING A. E. The novel anticonvulsant remacemide and its metabolite AR-R12495AA reduce carrageenan-induced mechanical hyperalgesia and oedema in the rat **511.P**, 56*P*, 1998

see BIRD G. C., ASGHAR A. U. R. & KING A. E. **513.P**, 26*P*, 1998

ASH J. F. *see LEVY L. M., ATTWELL D., HOOVER F., ASH J. F., BJØRÅS M. & DANBOLT N. C.* **506.P**, 148*P*, 1998

ASHFORD M. L. J. *see ROWE I. C. M., SPANSWICK D. & ASHFORD M. L. J.* **506.P**, 152*P*, 1998

see NOLAN M. F., LOGAN S. D., ASHFORD M. L. J. & SPANSWICK D. **506.P**, 155*P*, 1998

see HERSON P. S., LEE K., ASHFORD M. L. J. & PINNOCK R. D. **507.P**, 15*P*, 1998

see SMITH M. A. & ASHFORD M. L. J. **509.P**, 63*P*, 1998

see MCKENNA F., ASHFORD M. L. J. & PEERS C. **509.P**, 188*P*, 1998

ASHLEY C. C. *see GRIFFITHS P. J., ASHLEY C. C., BAGNI M. A., CECCHI G. & RAPP G.* **506.P**, 62*P*, 1998

see HOSKINS B. K., GRIFFITHS P. J., ASHLEY C. C. & RAPP G. **506.P**, 62*P*, 1998

see HOSKINS B. K., GRIFFITHS P. J., ASHLEY C. C. & RAPP G. **511.P**, 156*P*, 1998

see RAPP G., ASHLEY C. C., CECCHI G., GRIFFITHS P. J. & BAGNI M. A. **511.P**, 157*P*, 1998

ASHMORE J. *see RICHMOND S. & ASHMORE J.* **513.P**, 133*P*, 1998

ASHMORE J. F. *see GÉLÉOC G. S. G. & ASHMORE J. F.* **506.P**, 131*P*, 1998

see JAGGER D. J., RIVOLTA M. N., HOLLEY M. C. & ASHMORE J. F. **509.P**, 189*P*, 1998

see GÉLÉOC G. S. G. & ASHMORE J. F. **511.P**, 120*P*, 1998

ASHTON J. *see HAGGARTY P., ASHTON J., JOYNSON M., ABRAMOVICH D. R. & PAGE K.* **507.P**, 48*P*, 1998

ASKHAM C. *see PELAH A., SECKER B., BISHOP A. & ASKHAM C.* **506.P**, 12*P*, 1998

ASP S. *see SCHJERLING P., JONSDOTTIR I. H., OSTROWSKI K., ASP S. & PEDERSEN B. K.* **509.P**, 47*P*, 1998

ATHANASSIOU P. *see KOSTOGLOU-ATHANASSIOU I., ATHANASSIOU P., TREACHER D. F., WHEELER M. J. & FORSLING M. L.* **506.P**, 142*P*, 1998

ATHERTON J. C. *see KALIA N., JONES C., BARDHAN K. D., REED M. W. R., ATHERTON J. C. & BROWN N. J.* **513.P**, 151*P*, 1998

ATTWELL D. *see LEVY L. M., ATTWELL D., HOOVER F., ASH J. F., BJØRÅS M. & DANBOLT N. C.* **506.P**, 148*P*, 1998

see WARR O., LEVY L. M., BILLUPS B., DANBOLT N. C. & ATTWELL D. **511.P**, 10*S*, 1998

see ROSSI D., OSHIMA T. & ATTWELL D. **511.P**, 19*S*, 1998

see GRANT J., MORT D. J. & ATTWELL D. **513.P**, 16*P*, 1998

see TORSNEY C., SARANTIS M. & ATTWELL D. **513.P**, 20*P*, 1998

AUSTIN C. *see OTTER D. & AUSTIN C.* **509.P**, 129*P*, 1998

see OTTER D. & AUSTIN C. **511.P**, 166*P*, 1998

see SHAW L., TAGGART M. & AUSTIN C. **511.P**, 171*P*, 1998

AVELLA M. *see DURANTON C., AVELLA M., TAUC M. & POUJEOL P.* **513.P**, 136*P*, 1998

AVIGNONE E. *see BOLEA S., AVIGNONE E., SANCHEZ-ANDRES J. V., BERRETTA N. & CHERUBINI E.* **509.P**, 69*P*, 1998

AVILA J. *see TRUJILLO E., ALVAREZ DE LA ROSA D., MOBASHERI A., AVILA J., GONZÁLEZ T. & MARTÍN-VASALLO P.* **511.P**, 40*P*, 1998

AYNSLEY-GREEN A. *see CHAPMAN J. C., MACFARLANE W. N., JAMES R. F. L., LINDLEY K. J., AYNSLEY-GREEN A., DOCHERTY K. D. & DUNNE M. J.* **509.P**, 35*P*, 1998

see HASHMI M. N., MACFARLANE W. N., SHEPHERD R. M., JAMES R. F. L., AYNSLEY-GREEN A., DOCHERTY K. D. & DUNNE M. J. **509.P**, 106*P*, 1998

see DUNNE M. J., HASHMI M. N., SHEPHERD R. M., CHAPMAN J. C., COSGROVE K. E., KAMIMURA N., JAMES R. F. L., AYNSLEY-GREEN A., LINDLEY K. J., MACFARLANE W. N., DOCHERTY K. D. & ÄMMÄLÄ C. **509.P**, 11*S*, 1998

AYUK P.

AYUK P., GLAZIER J., SIDES K., D'SOUZA S. & SIBLEY C. L-Arginine transport in human placental syncytiotrophoblast microvillous and basal plasma membrane vesicles: membrane polarization and gestational regulation **509.P**, 78*P*, 1998

AZCOITIA I. *see CHOWEN J. A., ARGENTE J., CARDONA-GOMEZ G. P., AZCOITIA I. & GARCÍA-SEGURA L. M.* **509.P**, 15*S*, 1998

BABICH L. G. *see KOSTERIN S. A., BURDYGA T. V., BABICH L. G. & SHLYKOV S. G.* **506.P**, 68*P*, 1998

BADDELEY R. J. *see SCHNUPP J. W. H., GILES J. D., BADDELEY R. J. & KING A. J.* **506.P**, 90*P*, 1998

BADIE-MAHDAVI H.

BADIE-MAHDAVI H., WITHINGTON D. J., INGHAM N. J. & KING A. E. Expression of *c-fos* following single or multisensory stimulation in the superior colliculus **511.P**, 44*P*, 1998

BADR S. M. *see MORRELL M. J., ROWLEY J. A. & BADR S. M.* **513.P**, 5*S*, 1998

BAGNI M. A. *see GRIFFITHS P. J., ASHLEY C. C., BAGNI M. A., CECCHI G. & RAPP G.* **506.P**, 62*P*, 1998

see RAPP G., ASHLEY C. C., CECCHI G., GRIFFITHS P. J. & BAGNI M. A. **511.P**, 157*P*, 1998

BAGUST J. *see MORGAN E., ZHANG L. & BAGUST J.* **513.P**, 25*P*, 1998

see GOODWIN F., BROWNLEE D. J. A., ALSTON R., BAGUST J. & WALKER R. J. **513.P**, 112*P*, 1998

BÄHRING R. *see MAYER M. L., BÄHRING R. & BOWIE D.* **511.P**, 16*S*, 1998

BAILEY A. R. T. *see DICKSON S. L., MACDONALD L. P. & BAILEY A. R. T.* **506.P**, 7*P*, 1998

BAILEY A. R. T., SMITH L. C., BROWN C. H., SMITH R. G., DICKSON S. L. & LENG G. Effects of chronic central growth hormone secretagogue infusion on the activation of arcuate nucleus neurones in the conscious male rat **506.P**, 142*P*, 1998

BAILEY A. R. T., GILES M. E., OPSTAD K., SMITH R. G. & LENG G. The effects of chronic central growth hormone secretagogue infusion on the expression of mRNA for neuropeptide Y, somatostatin and growth hormone-releasing hormone in the hypothalamus of the rat **511.P**, 49*P*, 1998

BAILEY C. J. *see MACDONALD S., SMITH M. E. & BAILEY C. J.* **506.P**, 93*P*, 1998

BAILEY C. P.

BAILEY C. P. & JONES R. S. G. Presynaptic NK_2 receptors increase the frequency of spontaneous glutamate-mediated excitatory events in rat nucleus tractus solitarii neurones *in vitro* **513.P**, 17*P*, 1998

BAILEY M. A.

BAILEY M. A. & WALTER S. J. Lack of effect of probenecid on the natriuretic response to intravenous glibenclamide in the rat **507.P**, 40*P*, 1998

see THOMPSON A., BAILEY M. A., MICHAEL A. E. & UNWIN R. J. **513.P**, 38*P*, 1998

BAILEY M. A., IMBERT-TEBOUL M., BURNSTOCK G. & UNWIN R. J. P2-purinoceptors in the rat thin descending limb of Henle **513.P**, 39*P*, 1998

BAILEY P. D. *see TEMPLE C. S., COLLIER I. D., BRONK J. R., BAILEY P. D. & BOYD C. A. R.* **511.P**, 26*P*, 1998

BAJO V. M. *see YAJEYA J., BAJO V. M., DE LA FUENTE A., CRIADO J. M., RIOLOBOS A. S. & HEREDIA M.* **509.P**, 69*P*, 1998

BAKER G. E. *see SMYTH D., TOLHURST D. J., BAKER G. E. & THOMPSON I. D.* **509.P**, 50*P*, 1998

BAKER M. D.

BAKER M. D. & BOSTOCK H. Multiple forms of Na^+ channel gating behaviour underlie late and persistent Na^+ current in adult rat large sensory neurones in culture **509.P**, 38*P*, 1998

BAKER M. D. & BOSTOCK H. Selective block of persistent Na^+ current by lidocaine in cultured rat sensory neurones **511.P**, 123*P*, 1998

BAKER S. N.

BAKER S. N., KILNER J. M., AHMED A., FITZGERALD W. J., MAYSTON M. J. & LEMON R. N. Use of a 'blind separation' algorithm to remove electrical cross-talk from multiple EMG recordings **509.P**, 168*P*, 1998

see KILNER J. M., BAKER S. N., SALENIUS S., HARI R. & LEMON R. N. **509.P**, 175*P*, 1998

BAKER S. N., CURIO G. & LEMON R. N. Non-monotonic recovery of 600 Hz sensory evoked potentials in a conscious monkey **511.P**, 56*P*, 1998

BALDERSON D. J.

BALDERSON D. J., CHAHAL H., OWEN F. & SLATER P. Expression of NMDA R1 receptor subunit mRNA during development **513.P**, 18*P*, 1998

see PARKER L. C., BALDERSON D. J., ROTHWELL N. J. & LUHESHI G. N. **513.P**, 21*P*, 1998

BALL D. *see FERGUSON R. A., BALL D. & SARGEANT A. J.* **511.P**, 8*P*, 1998

BALL S. G. *see FEARON I. M., PALMER A. C. V., BALMFORTH A. J., BALL S. G., SCHWARTZ A. & PEERS C.* **506.P**, 48*P*, 1998

see FEARON I. M., PALMER A. C. V., BALMFORTH A. J., BALL S. G., VARADI G. & PEERS C. **513.P**, 126*P*, 1998

BALLANYI K.

BALLANYI K. Activity-related and metabolic modulation of intracellular calcium and pH in spontaneously active dorsal vagal neurons *in situ* **506.P**, 13*S*, 1998

BALLARÍN E. M. *see GARCÍA J. J., REITER R. J., ACUÑA-CASTROVIEJO D., PIÉ J., BALLARÍN E. M. & YU B. P.* **509.P**, 95*P*, 1998

BALLOCH K. J. D.

BALLOCH K. J. D., KIBBLE J. D. & ROBSON L. Solute-induced and osmotic cell swelling responses of renal proximal tubule cells isolated from wild-type and ΔF508 cystic fibrosis mice **513.P**, 61*P*, 1998

BALMFORTH A. J. *see FEARON I. M., PALMER A. C. V., BALMFORTH A. J., BALL S. G., SCHWARTZ A. & PEERS C.* **506.P**, 48*P*, 1998

see FEARON I. M., PALMER A. C. V., BALMFORTH A. J., BALL S. G., VARADI G. & PEERS C. **513.P**, 126*P*, 1998

BALTZOPOULOS V. *see MAGANARIS C. N. & BALTZOPOULOS V.* **506.P**, 113*P*, 1998

see MAGANARIS C. N., BALTZOPOULOS V. & SARGEANT A. J. **513.P**, 34*P*, 1998

BAMBER C.

BAMBER C., SHEERIN F., TYSOME J. & FITZSIMONS J. T. Failure of subcutaneous injection of 3,4-methylenedioxymethamphetamine (MDMA) to stimulate drinking in rat **506.P**, 143*P*, 1998

BANDARCHI J. *see SAMPATH A. P., MATTHEWS H. R., CORNWALL M. C., BANDARCHI J. & FAIN G. L.* **506.P**, 89*P*, 1998

BANGSBO J.

BANGSBO J. Human muscle energetics measured in dynamic exercise **506.P**, 4*S*, 1998

BANKS R. W.

BANKS R. W. On the number of spindles in mammalian muscles **511.P**, 69*P*, 1998

BANNATYNE B. A.

BANNATYNE B. A., RIDDELL J. S., MAXWELL D. J. & SCOTT D. T. A confocal and electron microscopic examination of the terminals of midlumbar premotor interneurones in the feline spinal cord **509.P**, 171*P*, 1998

BANNIGAN J. *see HOPKINS N., CADOGAN E., GILES S., BANNIGAN J. & MCLOUGHLIN P.* **511.P**, 110*P*, 1998

BANNING A. P. *see NASH M. P., THORNTON J. M., BANNING A. P. & PATERSON D. J.* **513.P**, 162*P*, 1998

BANNISTER A. P. *see HUGHES D. I., BANNISTER A. P., ILIA M., WEST D. C. & THOMSON A. M.* **513.P**, 3*P*, 1998

BANNISTER J. P. A.

BANNISTER J. P. A., YOUNG B. A., MAIN M. J., SIVAPRASADARAO A. & WRAY D. Cysteine reactive reagents inhibit mouse IRK3 but not ROMK1 when applied extracellularly **513.P**, 139*P*, 1998

BANNON J. W. *see CAMPBELL I. T., PERERA D. M., BANNON J. W., KEEGAN M. A. & WILLATT D. J.* **506.P**, 98*P*, 1998

BARBER A. *see DIEZ-SAMPEDRO A., LOSTAO M. P., URDANETA E. & BARBER A.* **509.P**, 25*P*, 1998

see URDANETA E., BARBER A. & LOSTAO M. P. **509.P**, 202*P*, 1998

BARDHAN K. D. *see KALIA N., JONES C., BARDHAN K. D., REED M. W. R., ATHERTON J. C. & BROWN N. J.* **513.P**, 151*P*, 1998

BARER G. *see KAPPELEROVA O., LAUDE E., EMERY C. & BARER G.* **511.P**, 109*P*, 1998

BARGHI E. *see GLADDEN M. H., BARGHI E. & LAWSON C.* **511.P**, 64*P*, 1998

BARGIOTA A. *see PARKER D. R., HASLAM N., BARGIOTA A., HALLIWELL M. & CORRALL R. J. M.* **513.P**, 119*P*, 1998

BARGMANN C.

BARGMANN C. Molecular analysis of olfactory behaviour and olfactory signalling in the nematode *Caenorhabditis elegans* **513.P**, 17*S*, 1998

BARISH M. E. *see WU R.-L. & BARISH M. E.* **511.P**, 121*P*, 1998

BARKER A. *see SIMPSON N. A. B., BARKER A., WALL O., SNOWDEN S., SMYE S. & WALKER J. J.* **507.P**, 68*P*, 1998

BARLOW H. B. *see TRIPATHY S. P. & BARLOW H. B.* **506.P**, 86*P*, 1998

BARNARD E. A. *see FILIPPOV A. K., WEBB T. E., BARNARD E. A. & BROWN D. A.* **509.P**, 64*P*, 1998

BARNES G. R. *see MARSDEN J. F., BARNES G. R. & BROWN P.* **506.P**, 112*P*, 1998

see CAUQUIL A. S., COLLINS C. J. S., BESSOU M., BARNES G. R. & DAY B. L. **506.P**, 112*P*, 1998

see WELLS S. G. & BARNES G. R. **509.P**, 178*P*, 1998

see XIA R. & BARNES G. R. **509.P**, 181*P*, 1998

see XIA R. & BARNES G. R. **511.P**, 67*P*, 1998

BARNES N. M. *see GLADWELL S. J., PYNER S., BARNES N. M. & COOTE J. H.* **506.P**, 135*P*, 1998

BARON K. T. *see THAYER S. A., USACHEV Y. M., WERTH J. L. & BARON K. T.* **506.P**, 10*S*, 1998

BARREIRO E. *see GEA J., ENNION S., PASTÓ M., GALLEGO P., BARREIRO E., BROQUETAS J. & GOLDSPINK G.* **509.P**, 114*P*, 1998

BARRERO M. J. *see ALONSO M. T., BARRERO M. J., CARNICERO E., MONTERO M., MICHELENA P., GARCÍA A., GARCÍA-SANCHO J. & ALVAREZ J.* **509.P**, 10*S*, 1998

BARRIE A. P. *see OSIPENKO O. N., BARRIE A. P., ALLEN J. M. & GURNEY A. M.* **509.P**, 187*P*, 1998

BARRIGA C.

BARRIGA C., NOGALES G., MARCHENA J. M., ORTEGA E. & RODRÍGUEZ A. B. Myeloperoxidase activity in ring dove heterophils after latex bead ingestion. Effect of melatonin **509.P**, 95*P*, 1998

see RODRÍGUEZ A. B., MARCHENA J. M., NOGALES G., DURÁN J. & BARRIGA C. **509.P**, 96*P*, 1998

BARRY J. A. *see RIBCHESTER R. R., COSTANZO E. M., PARSON S. H., MATTISON R. J. & BARRY J. A.* **511.P**, 37*S*, 1998

BARRY M. F.

BARRY M. F., CHRISTOFI G. & BINDMAN L. J. Retraction: *Journal of Physiology* **477.P**, 52*P* (1994) **509.P**, 207*P*, 1998

BARSBY R. W. J. *see HEBLICH F., BARSBY R. W. J. & MCFADZEAN I.* **507.P**, 15*P*, 1998

BARSTOW T. J. *see JONES A. M., BARSTOW T. J., NGUYEN P. H. & CASABURI R.* **511.P**, 9*P*, 1998

BARTKE A. *see PÉREZ-ROMERO A., DIALYNAS E., BARTKE A., SALAMÉ F., ARIZNAVARRETA C. & TRESGUERRES J. A. F.* **509.P**, 94*P*, 1998

BARTLETT I.

BARTLETT I., HUTTON P. & MARSHALL J. M. Effects of a decrease in temperature on contraction evoked in rat aorta *in vitro* by adrenoreceptor agonists **509.P**, 131*P*, 1998

BASS A. *see OSTADAL B., PUCELÍK P., BASS A. & NOVÁKOVÁ O.* **511.P**, 76*P*, 1998

BASSEY E. J.

BASSEY E. J., ROTHWELL M. C., LITTLEWOOD J. J. & PYE D. W. Comparison of muscle strength and balance in post-menopausal women between those on HRT and those who were oestrogen deplete **506.P**, 119*P*, 1998

BATE G. W.

BATE G. W., VARRO A., DIMALINE R., WANG T. C., KOH T. J. & DOCKRAY G. J. Control of enterochromaffin-like (ECL) cell function in transgenic mice expressing gastrin in pancreatic β-cells **509.P**, 10*P*, 1998

BATEMAN A.

BATEMAN A., GREENWOOD R. J. & SCOTT O. M. Quadriceps femoris strength and fatiguability in patients after recent brain injury **509.P**, 44*P*, 1998

BATES D. O. *see HILLMAN N. J., TAS M., MURRAY R. C., WILLIAMS B. & BATES D. O.* **513.P**, 154*P*, 1998

BATES G. *see MURPHY K. P. S. J., LIONE L. A., CARTER R. J., HUMBY T., MANGIARINI L., MAHAL A., BATES G., DUNNETT S. & MORTON A. J.* **513.P**, 12*P*, 1998

BATTEN T. F. C.

BATTEN T. F. C., POW D. V. & ZAFRA F. Immunohistochemical study of glycine and GABA transporters in rat nucleus tractus solitarii **509.P**, 126*P*, 1998

BAULIEU E. E. *see SCHUMACHER M., GUENNOUN R., SHAZAND K., DESARNAUD F., KOENIG H. & BAULIEU E. E.* **509.P**, 14*S*, 1998

BAUMGARTEN J. *see MORITA H., BAUMGARTEN J., CHRISTENSEN L. O. D. & NIELSEN J.* **509.P**, 174*P*, 1998

BAXTER G. D. *see HILL I. D., ROBINSON J., BAXTER G. D. & ALLEN J. M.* **506.P**, 115*P*, 1998

Baydoun A. R.

Baydoun A. R., Wheeler-Jones C. P. D., Pearson J. D. & Closs E. I. Role of p38 mitogen-activated kinase in induction of nitric oxide synthase in smooth muscle cells **506.P**, 29*P*, 1998

Bayliss M.

Bayliss M., Newgreen D. & Fry C. H. Changes to the functional properties of human detrusor smooth muscle and its innervation with disease **507.P**, 73*P*, 1998

Bayón J. E.

Bayón J. E., Pascolo L., Serrano M. A., Cupelli F., Tiribelli C., Gonzalez-Gallego J. & Marin J. G. Transport of unconjugated bilirubin (UCB) across the basal membrane of human term trophoblast **509.P**, 26*P*, 1998

Beck R.

Beck R., Abbot S. E., Aaronson P. I. & Smirnov S. V. Effect of temperature and albumin on membrane fluidity in vascular smooth muscle and endothelial cells **507.P**, 71*P*, 1998

see Smirnov S. V., Beck R., Bertolino S., Abbot S. E. & Aaronson P. I. **511.P**, 165*P*, 1998

Beckh S. *see Pardo L. A., del Camino D., Brüggermann A., Beckh S., Sánchez A. & Stühmer W.* **509.P**, 4*S*, 1998

Bee D. *see Carpenter E., Bee D. & Peers C.* **506.P**, 51*P*, 1998

Bee D. & Laude E. A. Acute hypoxic ventilatory and pulmonary responses of two strains of rat considered resistant and susceptible to development of pulmonary hypertension **511.P**, 107*P*, 1998

see Laude E. A., Emery C. J. & Bee D. **511.P**, 107*P*, 1998

see Emery C. J., Phillips H. M., Marriott H. M., Laude E. A. & Bee D. **511.P**, 108*P*, 1998

Beech D. J. *see Guibert C. & Beech D. J.* **509.P**, 31*P*, 1998

see Quinn K. & Beech D. J. **509.P**, 35*P*, 1998

see Guibert C., Quinn K. & Beech D. J. **513.P**, 123*P*, 1998

see Quinn K. & Beech D. J. **513.P**, 127*P*, 1998

see Hough E., Xu S. Z., Beech D. J. & Sivaprasadarao A. **513.P**, 137*P*, 1998

Beesley A. H.

Beesley A. H., Hornby D. & White S. J. Novel splicing of ROMK K^+ channel RNA generates new isoforms in rat kidney **511.P**, 29*P*, 1998

Belan P. *see Tepikin A., Belan P., Gerasimenko O., Craske M., Takeo T., Török K. & Petersen O. H.* **509.P**, 8*S*, 1998

Bell C.

Bell C., Paterson D. H., Palinkas V., Kowalchuk J. M. & Cunningham D. A. Hyperoxia does not accelerate oxygen uptake kinetics during the on-transient of moderate intensity exercise in older humans **509.P**, 118*P*, 1998

Bell M. I.

Bell M. I. & Lee K. Characterization of the effects of tachykinin agonists on rat striatal cholinergic interneurones **507.P**, 14*P*, 1998

Bell N.

Bell N., Akhtar S., Dolly J. O. & Robertson B. Properties of heteromultimeric Kv1 channels expressed in *Xenopus* oocytes **509.P**, 199*P*, 1998

Belle M. D. C. *see Woodcock C. P., Belle M. D. C. & Lea R. W.* **513.P**, 7*P*, 1998

Bellido J. *see Valero V., Ramírez-Ponce P., Mateos J. C., Alvarez de Toledo A. & Bellido J.* **509.P**, 106*P*, 1998

Bello A. R. *see Reyes R., González M., Negrín I., Alonso R. & Bello A. R.* **509.P**, 93*P*, 1998

Bender K. *see Brandts B., Brandts A., Bender K., Wellner-Kienitz M.-C. & Pott L.* **511.P**, 77*P*, 1998

Benešová O.

Benešová O., Tejkalová H., Krištofiková Z., Nedvídková J. & Hušek P. Neuroendocrine and behavioural deviations in adult rats after neonatal indomethacine or dexamethazone administration **511.P**, 50*P*, 1998

Benham C. D. *see Clarke C. E., Meadows H. J., Tomlinson W. J., Carpenter D., Sanger G. J. & Benham C. D.* **506.P**, 44*P*, 1998

Benjamin A. R.

Benjamin A. R., Stephens R. H. & Walters D. V. The effect of eicosa-5,8,11,14-tetraynoic acid (ETYA) on fetal sheep lung liquid secretion *in vivo* **513.P**, 65*P*, 1998

Bennett A. R. *see Clough G., Bennett A. R. & Church M. K.* **513.P**, 153*P*, 1998

Bennett D. L. *see Lancaster M. K., Bennett D. L., Cook S. J. & O'Neill S. C.* **509.P**, 138*P*, 1998

Bennett D. L., O'Neill S. C. & Eisner D. A. Changes in sarcolemmal flux balance in guinea-pig ventricular myocytes during application of strophanthidin **509.P**, 147*P*, 1998

Bennett P. *see Knock G., Sawdy R., Smirnov S., Poston L., Bennett P. & Aaronson P.* **507.P**, 69*P*, 1998

Bennie K. J.

Bennie K. J. & Dolan P. Recovery of the biceps brachii following fatiguing contractions: an investigation using surface EMG **511.P**, 160*P*, 1998

Benson P. J. *see Tolhurst D. J., Troscianko T., Benson P. J. & Parraga C. A.* **506.P**, 11*P*, 1998

Berardelli A. *see Priori A., Pedace F., Giovannelli M., Inghilleri M. & Berardelli A.* **507.P**, 34*P*, 1998

see Modugno N., Priori A., Gilio F., Lorenzano C. & Berardelli A. **513.P**, 34*P*, 1998

Bergersen T. K.

Bergersen T. K., Hisdal J. & Walloe L. Blood velocity and skin temperature during cold-induced vasodilatation **509.P**, 118*P*, 1998

Bernácer R. *see Gamundí A., Roca C., Bernácer R., Nicolau M. C. & Rial R. V.* **509.P**, 89*P*, 1998

Bernardi G. *see Hainsworth A. H., Spadoni F., Calabresi P., Leach M. J., Bernardi G. & Stefani A.* **511.P**, 124*P*, 1998

Bernášková K.

Bernášková K. & Mareš P. Vigabatrin in a model of simple partial seizures in young rats **511.P**, 71*P*, 1998

Berretta N. *see Bolea S., Avignone E., Sanchez-Andres J. V., Berretta N. & Cherubini E.* **509.P**, 69*P*, 1998

Berridge M. J. *see Thomas D., Lipp P., Berridge M. J. & Bootman M. D.* **509.P**, 186*P*, 1998

see Tovey S. C., Thomas D., Lipp P., Berridge M. J. & Bootman M. D. **509.P**, 200*P*, 1998

Berrow N. S. *see Meir A., Wyatt C. N., Page K. M., Berrow N. S., Brice N. L. & Dolphin A. C.* **509.P**, 5*S*, 1998

Berry M. *see Reddington F., Berry M., Rattray M., Kirvell S. & Butt A. M.* **513.P**, 68*P*, 1998

see Goddard D. R., Berry M. & Butt A. M. **513.P**, 69*P*, 1998

Bertog M.

Bertog M., Smith D. J., Harris A. & Korbmacher C. Evidence for amiloride-sensitive electrogenic Na^+ absorption and cAMP-activated Cl^- secretion in cultured ovine male genital duct epithelial cells **513.P**, 60*P*, 1998

Bertolino S. *see Smirnov S. V., Beck R., Bertolino S., Abbot S. E. & Aaronson P. I.* **511.P**, 165*P*, 1998

Bessou M. *see Cauquil A. S., Collins C. J. S., Bessou M., Barnes G. R. & Day B. L.* **506.P**, 112*P*, 1998

Best L.

Best L., Miley H. E. & Brown P. D. Methylglyoxal causes swelling and induces inward currents in rat pancreatic β-cells **509.P**, 34*P*, 1998

see Miley H. E., Brown P. D. & Best L. **511.P**, 22*P*, 1998

Bett G. C. L.

Bett G. C. L. & Sachs F. Mechanosensitive ion channels in mammalian ventricular myocytes **511.P**, 90*P*, 1998

Betts L. C.

Betts L. C., Salter K. J. & Kozlowski R. Z. Electrophysiological actions of endothelin-1 in rat renal arterial myocytes **513.P**, 118*P*, 1998

Bevan S. *see Nicolson T., Bevan S. & Richards C. D.* **511.P**, 122*P*, 1998

see McLatchie L. M. & Bevan S. **513.P**, 129*P*, 1998

Bhandari R. N. B. *see Clarke R. W. & Bhandari R. N. B.* **509.P**, 165*P*, 1998

Bian J.-S.

Bian J.-S., Wang H.-X., Zhang W.-M. & Wong T.-M. Protein kinase C mediates the actions of κ-opioid receptor stimulation in rat cardiac ventricular myocytes *in vitro* **509.P**, 143*P*, 1998

Bíbová J. *see Herget J., Novotná J., Hampl V. & Bíbová J.* **511.P**, 117*P*, 1998

Bien M. *see de Haan A. & Bien M.* **506.P**, 60*P*, 1998

Biering-Sørensen F. *see Harridge S. D. R., Andersen J. L., Kjær M., Hartkopp A., Biering-Sørensen F. & Zhou S.* **506.P**, 108*P*, 1998

Biktashev V. N.

Biktashev V. N. & Holden A. V. Functionally defined re-entry in a two-dimensional model of ventricular tissue simulating long QT syndrome **509.P**, 139*P*, 1998

Biktashev V. N., Holden A. V., Mironov S. F., Pertsov A. M. & Zaitsev A. V. Three-dimensional aspects of re-entry in two models of ventricular fibrillation **509.P**, 139*P*, 1998

Bilbaut A. *see* Brunold C., Guyot A., Rougier O., Bilbaut A. & Ojeda C. **513.P**, 53*P*, 1998

Billups B. *see* Warr O., Levy L. M., Billups B., Danbolt N. C. & Attwell D. **511.P**, 10*S*, 1998

Bindman L. J. *see* Barry M. F., Christofi G. & Bindman L. J. **509.P**, 207*P*, 1998

Binks A. P.
Binks A. P. & Reed J. W. The effect of an inappropriate breathing pattern upon dyspnoea **513.P**, 72*P*, 1998

Bird G. C.
Bird G. C., Asghar A. U. R. & King A. E. The effect of glutamate uptake inhibition on primary afferent-mediated synaptic transmission in the immature rat spinal cord *in vitro* **513.P**, 26*P*, 1998

Birrell J.
Birrell J., Ritchie J. W. A., Low S. Y. & Taylor P. M. Effects of osmotically induced swelling on glutamine transport in rat adipocytes **513.P**, 62*P*, 1998

Bischoff A. M. *see* Büsselberg D., Schwarzacher S. W., Bischoff A. M., Paton J. F. R. & Richter D. W. **509.P**, 124*P*, 1998

Bishop A. *see* Pelah A., Secker B., Bishop A. & Askham C. **506.P**, 12*P*, 1998

Bishop L. A. *see* Blackmore C. G., Bishop L. A., Dimaline R., Gallacher D. V., Varro A. & Dockray G. J. **509.P**, 195*P*, 1998

Bispham J.
Bispham J., Heasman L., Ingelton P., Stephenson T. & Symonds M. E. Impact of maternal nutrient restriction in early to mid-gestation on prolactin receptor abundance in brown adipose and hepatic tissue in the late gestation ovine fetus **511.P**, 96*P*, 1998

Bjørås M. *see* Levy L. M., Attwell D., Hoover F., Ash J. F., Bjørås M. & Danbolt N. C. **506.P**, 148*P*, 1998

Black C. *see* Gao B., Cash D., Abraham D., Black C., Bruckdorfer K. R. & Jacobs M. **513.P**, 153*P*, 1998

Blackmore C. G.
Blackmore C. G., Bishop L. A., Dimaline R., Gallacher D. V., Varro A. & Dockray G. J. Control of progastrin cleavage by vesicular monoamine transporter type 2 in hamster insulinoma (HIT) cells **509.P**, 195*P*, 1998

Blackshaw S. E.
Blackshaw S. E., Arkison S., Davies J. A. & Holmes D. Intracellular injection of antisense oligonucleotides into identifed leech neurons regenerating in 3-D cultures **509.P**, 191*P*, 1998
Blackshaw S. E., Arkison S., Cattigan A., Chambers R. & Rainey E. M. The morphology and behaviour of axons and microglia in 3-dimensional collagen gel cultures of isolated leech ganglia **511.P**, 139*P*, 1998

Blaikley J. F.
Blaikley J. F., Sutton P. M., Walter M. F., Sumeray M. S., Woolfson R. & Unwin R. J. Neutral endopeptidase enzymuria following cardiac bypass surgery **509.P**, 82*P*, 1998

Blannin A. K. *see* Robson P. J., Blannin A. K., Walsh N. P., Cook L. & Gleeson M. **506.P**, 118*P*, 1998
Blannin A. K., Walsh N. P., Clark A. M. & Gleeson M. Rates of glutamine and glucose utilization by quiescent and stimulated human neutrophils *in vitro* **506.P**, 121*P*, 1998

Blatter L. A. *see* Sedova M., Klishin A. & Blatter L. A. **506.P**, 20*P*, 1998

Bleasby K. *see* Brown C. D. A., Wang L. & Bleasby K. **511.P**, 28*P*, 1998
Bleasby K., Walker D., Wang L., Lauffart B. & Brown C. D. A. Expression of rat renal organic cation–proton antiport in *Xenopus laevis* oocytes **513.P**, 52*P*, 1998

Bleecker E. *see* Hughes E., Moore W. C., Bleecker E. & Warner J. A. **513.P**, 74*P*, 1998

Blogg S. L.
Blogg S. L., Butler P. J. & Taylor E. W. Localization of preganglionic vagal neurones in the brainstem of the anaesthetized tufted duck, *Aythya fuligula* **506.P**, 156*P*, 1998

Blond O. *see* Otani S., Desce J.-M., Blond O. & Crépel F. **507.P**, 26*P*, 1998

Bloomfield M. *see* Fowden A. L., Forhead A. J., Bloomfield M., Taylor P. M. & Silver M. **507.P**, 49*P*, 1998

Blusztajn J. K. *see* López-Coviella I., Hernández-Jiménez J. G., Blusztajn J. K., Martínez-Morales J. R. & Alonso R. **509.P**, 98*P*, 1998

Boddy A. *see* Pelah A. & Boddy A. **506.P**, 111*P*, 1998

Boissin-Agasse L. *see* Hurbin A., Boissin-Agasse L., Orcel H., Rabié A., Joux N., Desarménien M. G., Richard Ph. & Moos F. C. **509.P**, 87*P*, 1998

Bolea S.
Bolea S., Avignone E., Sanchez-Andres J. V., Berretta N. & Cherubini E. Non-NMDA receptor activation is essential for generating giant depolarizing potentials (GDPs) in neonatal rat hippocampal slices **509.P**, 69*P*, 1998

Bolton T. B. *see* Zholos A. V. & Bolton T. B. **511.P**, 3*S*, 1998

Bonnardel V.
Bonnardel V. Demonstration of a new stimulator for human colour vision testing **506.P**, 13*P*, 1998

Bonora M. *see* Vízek M. & Bonora M. **511.P**, 104*P*, 1998

Boobis L. *see* Tsintzas K., Williams C., Constantin-Teodosiu D., Hultman E., Boobis L. & Greenhaff P. **506.P**, 101*P*, 1998

Boot-Handford R. P. *see* Morgan S. R., Boot-Handford R. P. & Sandle G. I. **513.P**, 59*P*, 1998

Bootman M. D. *see* Thomas D., Lipp P., Berridge M. J. & Bootman M. D. **509.P**, 186*P*, 1998
see Tovey S. C., Thomas D., Lipp P., Berridge M. J. & Bootman M. D. **509.P**, 200*P*, 1998

Born G. V. R. *see* Farmer H., Rösen R., Klaus W. & Born G. V. R. **506.P**, 27*P*, 1998
see Medina R., Cardona-Sanclemente L. E. & Born G. V. R. **506.P**, 28*P*, 1998
see Cardona-Sanclemente L. E., Harbrecht U., Medina R., Farmer H. & Born G. V. R. **511.P**, 114*P*, 1998

Borok Z. *see* Kemp P. J., Borok Z., Danto S. I., Kim K.-J., Lubman R. & Crandall E. D. **513.P**, 59*P*, 1998

Borschke J.-U.
Borschke J.-U. & Isenberg G. Time-dependent increments in cytosolic [Na^+] related to Na^+ influx through veratrine-modified Na^+ channels in guinea-pig ventricular myocytes **509.P**, 152*P*, 1998

Bostock H. *see* Baker M. D. & Bostock H. **509.P**, 38*P*, 1998
see Baker M. D. & Bostock H. **511.P**, 123*P*, 1998

Bottinelli R.
Bottinelli R., Pellegrino M. A., Canepari M., Stienen G. J. M. & Reggiani C. Single fibre studies of human muscle fibres: contractile and energetic properties **506.P**, 4*S*, 1998

Bouillier H. *see* Dagher G., Samain E., Bouillier H., Perret C. & Safar M. **506.P**, 18*P*, 1998
see Samain E., Bouillier H., Perret C., Safar M. & Dagher G. **506.P**, 19*P*, 1998
Bouillier H., Samain E., Perret C., Safar M. & Dagher G. The effect of extracellular matrix elements on AII-induced calcium release in vascular smooth muscle cells from normotensive and hypertensive rats **511.P**, 168*P*, 1998
Bouillier H., Samain E., Perret C., Safar M. & Dagher G. The effect of bFGF on angiotensin II-induced Ca^{2+} mobilization is mediated by the MAP kinase pathway **511.P**, 168*P*, 1998
Bouillier H., Samain E., Perret C., Safar M. & Dagher G. Actin filaments regulate angiotensin II-induced Ca^{2+} influx in vascular smooth muscle cells from spontaneous hypertensive rats **511.P**, 173*P*, 1998

Boulos P. B. *see* Ojo-Aromokudu O., Pitt J., Boulos P. B., Knight S. L. & Craggs M. D. **507.P**, 19*P*, 1998

Bouloux P. *see* Skarli M., Yang S. Y., Bouloux P., Yellon D. M. & Goldspink G. **509.P**, 192*P*, 1998

Boulton C. L. *see* Irving A. J., Boulton C. L., Garthwaite J. & Collingridge G. L. **506.P**, 149*P*, 1998

Bowie D. *see* Mayer M. L., Bähring R. & Bowie D. **511.P**, 16*S*, 1998

Bowser D. N.
Bowser D. N., Minamikawa T. & Williams D. A. Role of mitochondria in calcium regulation of spontaneously contracting cardiac muscle cells **506.P**, 74*P*, 1998

Bowtell J. L.
Bowtell J. L., Smith K., Watt P. W. & Rennie M. J. Modulation of leucine oxidation and transamination by variation in dietary protein and glucose supplementation in humans **511.P**, 10*P*, 1998

Boyd C. A. R. *see* Meredith D., Temple C. S. & Boyd C. A. R. **506.P**, 131*P*, 1998
see Temple C. S., Collier I. D., Bronk J. R., Bailey P. D. & Boyd C. A. R. **511.P**, 26*P*, 1998
see Clark M. F., Young J. D. & Boyd C. A. R. **511.P**, 27*P*, 1998
see Stewart A. K., Boyd C. A. R. & Vaughan-Jones R. D. **511.P**, 31*P*, 1998
see Meredith D. & Boyd C. A. R. **511.P**, 39*P*, 1998

BOYETT M. R. *see* DOBRZYNSKI H., HENDERSON Z., TAKAGISHI Y., ROTHERY S., SEVERS N. J., HONJO H., TAMKUN M. M., KODAMA I. & BOYETT M. R. **506.P**, 54*P*, 1998

see ZHANG H., BOYETT M. R., HOLDEN A. V., HONJO H. & KODAMA I. **506.P**, 54*P*, 1998

see DAVIES L. A., HARRISON S. M., BOYETT M. R. & HOPKINS P. M. **509.P**, 156*P*, 1998

see ZHANG H., BOYETT M. R., HOLDEN A. V., HONJO H. & KODAMA I. **511.P**, 76*P*, 1998

see LEI M. & BOYETT M. R. **511.P**, 78*P*, 1998

see SHUI Z., KHAN I. A., TSUGA H., HAGA T. & BOYETT M. R. **511.P**, 78*P*, 1998

BOYETT M. R., KODAMA I., NIKMARAM M. R., YAMAMOTO M., HONJO H., NIWA R., ZHANG H. & HOLDEN A. V. Regional differences in the role of the rapid delayed rectifier K^+ current, $i_{K,r}$, within the rabbit sinoatrial node **511.P**, 79*P*, 1998

see HOWARTH F. C., BOYETT M. R. & WHITE E. **511.P**, 84*P*, 1998

see DAVIES L. A., BOYETT M. R., HARRISON S. M. & HOPKINS P. M. **511.P**, 85*P*, 1998

see DOBRZYNSKI H., MARPLES D., ROTHERY S., TAKAGISHI Y., HONJO H., SEVERS N. J., TAMKUN M. M., KODAMA I., HENDERSON Z. & BOYETT M. R. **511.P**, 148*P*, 1998

see CONLEY E. C., O'BEIRNE H. A., OWEN J. M., HOPKINS P. M., BOYETT M. R. & HANCOX J. C. **511.P**, 149*P*, 1998

BOYLE D.

BOYLE D., GILLOOLY D. J. & ALLEN J. M. The human macrophage immunoglobulin G receptor mediates phagocytosis through activation of the src-like kinase, LYN and SYK kinase **509.P**, 198*P*, 1998

BOZKURT A. *see* YEGEN B. C., BOZKURT A., COSKUN T., KARAKOYUN B., KURTEL H. & ALICAN I. **509.P**, 9*P*, 1998

BRADBURY M. W. B.

BRADBURY M. W. B. Diffusion of zinc–histidine complexes in an anionic gel **513.P**, 116*P*, 1998

BRADING A. F. *see* RIVERA L., MCMURRAY G. & BRADING A. F. **507.P**, 21*P*, 1998

BRADING A. F. The physiology of the mammalian urinary outflow tract **507.P**, 7*S*, 1998

BRAIN N. J. R. *see* ROUTLEDGE H. S., MUIR T. C., BRAIN N. J. R., SMITH G. L. & MCCARRON J. G. **509.P**, 111*P*, 1998

BRANDTS A. *see* BRANDTS B., BRANDTS A., BENDER K., WELLNER-KIENITZ M.-C. & POTT L. **511.P**, 77*P*, 1998

BRANDTS B.

BRANDTS B., BRANDTS A., BENDER K., WELLNER-KIENITZ M.-C. & POTT L. Metabolic activation of K_{ATP} channels and inhibition of K_{ACh} channels in guinea-pig atrial myocytes by diadenosine polyphosphates: evidence against an A_1-agonistic action **511.P**, 77*P*, 1998

BRANT A. M.

BRANT A. M., YAO P. C. & AHMED A. Arginine efflux in neutral and basic amino acid transporter (NBAT) cRNA-injected *Xenopus laevis* oocytes **507.P**, 4*P*, 1998

see YAO P. C., HARPER A. A., BRANT A. M., RENNIE M. J. & AHMED A. **507.P**, 5*P*, 1998

BRAVO P. *see* MACIAS R. I. R., SERRANO M. A., BRIZ O., BRAVO P., LARENA M., PASCUAL M. J. & MARIN J. J. G. **509.P**, 15*P*, 1998

BRAY K. *see* CONWAY B. A., HALLIDAY D. M., BRAY K., CAMERON M., MCLELLAND D., MULCAHY E., FARMER S. F. & ROSENBERG J. R. **509.P**, 175*P*, 1998

BRENNAN H. J.

BRENNAN H. J., PEARCE N. W. & JOHNSON C. D. Mechanisms of bradykinin-induced contraction of human gallbladder muscle *in vitro* **509.P**, 16*P*, 1998

BRENNAN H. J., PEARCE N. W., CLEVERLY J. & JOHNSON C. D. A comparison of serum cholecystokinin levels and gallbladder volume between normal individuals, gallstone patients and individuals with irritable bowel syndrome **509.P**, 17*P*, 1998

BRENNAN H. J., PEARCE N. W. & JOHNSON C. D. A study of the receptors involved in bradykinin induced contraction of human gallbladder *in vitro* **513.P**, 94*P*, 1998

BRENNECKE S. P. *see* PARKINGTON H. C., TONTA M. A., BRENNECKE S. P., HOLMAN M. E. & COLEMAN H. A. **507.P**, 68*P*, 1998

BRICE N. L.

BRICE N. L., LI M. & DOLPHIN A. C. Subcellular targeting of voltage-dependent calcium channels in a polarized canine cell line **509.P**, 187*P*, 1998

see MEIR A., WYATT C. N., PAGE K. M., BERROW N. S., BRICE N. L. & DOLPHIN A. C. **509.P**, 5*S*, 1998

BRICKLEY S. *see* MISRA C., BRICKLEY S., FARRANT M. & CULL-CANDY S. **507.P**, 27*P*, 1998

see CULL-CANDY S., MISRA C., BRICKLEY S. & FARRANT M. **511.P**, 17*S*, 1998

BRIZ O. *see* MACIAS R. I. R., SERRANO M. A., BRIZ O., BRAVO P., LARENA M., PASCUAL M. J. & MARIN J. J. G. **509.P**, 15*P*, 1998

BROAD L. M.

BROAD L. M. & TAYLOR C. W. Characterization of a vasopressin-activated Ca^{2+} influx pathway in rat A7r5 vascular smooth muscle cells **506.P**, 66*P*, 1998

BROAD L. M. & TAYLOR C. W. Vasopressin-activated Ca^{2+} extrusion from rat A7r5 vascular smooth muscle cells **507.P**, 74*P*, 1998

BRONK J. R. *see* TEMPLE C. S., COLLIER I. D., BRONK J. R., BAILEY P. D. & BOYD C. A. R. **511.P**, 26*P*, 1998

BRONSTEIN A. *see* CAUQUIL A. S., FALDON M., POPOV K., BRONSTEIN A. & DAY B. L. **506.P**, 110*P*, 1998

BROOKS A. N. *see* SWEENEY T., NICOL L. & BROOKS A. N. **509.P**, 90*P*, 1998

BROOKS D. D. *see* WOODRUFF K. T. & BROOKS D. D. **513.P**, 107*P*, 1998

BROPHY S.

BROPHY S., FORD T. W., CAREY M. & JONES J. F. X. Aortic chemoreceptors of the rat **513.P**, 85*P*, 1998

BROQUETAS J. *see* GEA J., ENNION S., PASTÓ M., GALLEGO P., BARREIRO E., BROQUETAS J. & GOLDSPINK G. **509.P**, 114*P*, 1998

BROŠEK G. *see* RYBALKO N., BROŠEK G. & SYKA J. **511.P**, 45*P*, 1998

BROUGHTON PIPKIN F. *see* FORHEAD A. J., BROUGHTON PIPKIN F. & FOWDEN A. L. **507.P**, 51*P*, 1998

BROWN C. D. A.

BROWN C. D. A., WANG L. & BLEASBY K. P-glycoprotein and the secretion of MPP^+ across Caco-2 intestinal cell monolayers **511.P**, 28*P*, 1998

see BLEASBY K., WALKER D., WANG L., LAUFFART B. & BROWN C. D. A. **513.P**, 52*P*, 1998

BROWN C. H. *see* BAILEY A. R. T., SMITH L. C., BROWN C. H., SMITH R. G., DICKSON S. L. & LENG G. **506.P**, 142*P*, 1998

BROWN D.

BROWN D. & SMITH M. W. Modelling gene expression in differentiating enterocytes **513.P**, 48*P*, 1998

BROWN D. A. *see* FILIPPOV A. K., WEBB T. E., BARNARD E. A. & BROWN D. A. **509.P**, 64*P*, 1998

see SELYANKO A. A., MENENDEZ DE LA PRIDA L., MARSH S. J. & BROWN D. A. **509.P**, 64*P*, 1998

see HADLEY J. K., SELYANKO A. A. & BROWN D. A. **509.P**, 71*P*, 1998

BROWN D. A., ABOGADIE F., ALLEN T. G. J., BUCKLEY N. J., DELMAS P., DAYRELL M. & HALEY J. E. Some functional effects of postsynaptic and presynaptic muscarinic receptors in the nervous system **511.P**, 5*S*, 1998

BROWN E. R. *see* LIMA P. A., MESSENGER J. B. & BROWN E. R. **513.P**, 127*P*, 1998

see ROGERS C. M. & BROWN E. R. **513.P**, 135*P*, 1998

BROWN E. R. Axon–glial relations in the squid giant axon **513.P**, 10*S*, 1998

BROWN H. *see* GAGG J., SMITH L., BROWN H., PERRY V. H. & KOZLOWSKI R. **506.P**, 46*P*, 1998

BROWN J

BROWN J., HONG G. & MAHALEKAM M. Erratum: *Journal of Physiology* **505.P**, 112*P* (1997). **507.P**, 8*S*, 1998

BROWN J., HONG G. & MAHALEKAM M. Erratum: *Journal of Physiology* **505.P**, 113*P* (1997). **507.P**, 8*S*, 1998

BROWN L. A.

BROWN L. A., LOVICK T. A., KEY B. J., THOMSON A. M., ALI A. B. & PAWELZIK H. Relationship between cerebral microvessels, pyramidal layer neurones and a nitric oxide synthase-containing nerve network in rat hippocampus: a morphological basis for flow-metabolism coupling in the brain? **511.P**, 115*P*, 1998

BROWN M. D. *see* JEAL S., BROWN M. D., BRYANT J. & GAMBLE J. **506.P**, 23*P*, 1998

see COLE M. A. & BROWN M. D. **506.P**, 107*P*, 1998

see HUDLICKÁ O., BROWN M. D. & DAWSON J. M. **511.P**, 158*P*, 1998

BROWN N. J. *see* KALIA N., JONES C., BARDHAN K. D., REED M. W. R., ATHERTON J. C. & BROWN N. J. **513.P**, 151*P*, 1998

BROWN P. *see* MARSDEN J. F., BARNES G. R. & BROWN P. **506.P**, 112*P*, 1998

BROWN P., SALENIUS S., ROTHWELL J. C. & HARI R. The cortical correlate of the Piper rhythm in man **507.P**, 34*P*, 1998

BROWN P., FARMER S. F., HALLIDAY D. M. & ROSENBERG J. R. Coherent cortical and muscle discharge in patients with cortical myoclonus **509.P**, 176*P*, 1998

see LIMOUSIN P., BROWN P., MARSDEN J., DEFEBVRE L. & ROTHWELL J. **509.P**, 176*P*, 1998

BROWN P. D. *see* KAJITA H. & BROWN P. D. **507.P**, 2*P*, 1998

see BEST L., MILEY H. E. & BROWN P. D. **509.P**, 34*P*, 1998

see SPEAKE T., DOUGLAS I. J. & BROWN P. D. **511.P**, 22*P*, 1998

see MILEY H. E., BROWN P. D. & BEST L. **511.P**, 22*P*, 1998

see WHITWELL C. & BROWN P. D. **513.P**, 63*P*, 1998

see KIBBLE J. D. & BROWN P. D. **513.P**, 63*P*, 1998

see SPEAKE T. & BROWN P. D. **513.P**, 64*P*, 1998

BROWN S. J. *see* CHILD R. B., BROWN S. J., DAY S. H. & DONNELLY A. E. **509.P**, 46*P*, 1998

BROWN S. J. Spectral characteristics of human skeletal muscle electromyograph with increasing force of contraction **511.P**, 11*P*, 1998

BROWNE G. P.

BROWNE G. P., WALSH D. E., VAN BERKEL A., HARVEY B. J. & URBACH V. Regulation of calcium-dependent chloride secretion by CFTR in murine intestine **511.P**, 32*P*, 1998

BROWNING J. A.

BROWNING J. A. & WILKINS R. J. The modulation of Na^+–H^+ exchange by hydrostatic pressure in bovine articular chondrocytes **506.P**, 129*P*, 1998

BROWNING J. A. & WILKINS R. J. The characterization of mechanisms regulating intracellular pH in a transformed human articular chondrocyte cell line C-20/A4 **513.P**, 54*P*, 1998

BROWNLEE D. J.

BROWNLEE D. J., HOLDEN-DYE L. & WALKER R. J. The effect of classical transmitters on the pharyngeal musculature of the nematode roundworm *Ascaris suum* **513.P**, 109*P*, 1998

BROWNLEE D. J. A. *see* GOODWIN F., BROWNLEE D. J. A., ALSTON R., BAGUST J. & WALKER R. J. **513.P**, 112*P*, 1998

BRUCE J. I. E.

BRUCE J. I. E., FERGUSON C. & RICCARDI D. Identification of an extracellular calcium-sensing receptor in rat pancreatic acinar cells **513.P**, 50*P*, 1998

BRUCE L. *see* SMITH G. L., DUNCAN A. M., BRUCE L. & NEARY P. **509.P**, 145*P*, 1998

BRUCE S. A. *see* SKELTON D. A., PHILLIPS S. K., BRUCE S. A., NAYLOR C. H. & WOLEDGE R. C. **506.P** , 105*P*, 1998

BRUCKDORFER K. R. *see* MUMTAZ F. H., NASEEM K. M., THOMPSON C. S., SULLIVAN M. E., MIKHAILIDIS D. P., MORGAN R. J. & BRUCKDORFER K. R. **507.P**, 23*P*, 1998

see GAO B., CASH D., ABRAHAM D., BLACK C., BRUCKDORFER K. R. & JACOBS M. **513.P**, 153*P*, 1998

see TULLETT J. M., NASEEM K. M. & BRUCKDORFER K. R. **513.P**, 155*P*, 1998

BRÜGGERMANN A. *see* PARDO L. A., DEL CAMINO D., BRÜGGERMANN A., BECKH S., SÁNCHEZ A. & STÜHMER W. **509.P**, 48, 1998

BRUNINI T. M. C. *see* MENDES RIBEIRO A. C., BRUNINI T. M. C., YAQOOB M., ELLORY J. C. & MANN G. E. **506.P**, 30*P*, 1998

BRUNINI T. M. C., ROBERTS N., YAQOOB M., ELLORY J. C., MANN G. E. & MENDES RIBEIRO A. C. L-Arginine–nitric oxide pathway in a rat model of uraemia **506.P**, 33*P*, 1998

BRUNOLD C.

BRUNOLD C., GUYOT A., ROUGIER O., BILBAUT A. & OJEDA C. Characterization of Na^+–Ca^{2+} exchange in plasmalemmal vesicles from zona fasciculata cells of the bovine adrenal gland **513.P**, 53*P*, 1998

BRUNS R.

BRUNS R., LISS B., HEYMANN J.-P. & ROEPER J. Characterization of A-type potassium channels in identified mouse dopaminergic substantia nigra neurons *in vitro* **507.P**, 28*P*, 1998

BRYAN A. J. *see* SULEIMAN M.-S., CAPUTO M., ANGELINI G. D., BRYAN A. J. & CALAFIORE A. M. **511.P**, 74*P*, 1998

BRYAN P. *see* DEVECI D., BRYAN P., EGGINTON S. & MARSHALL J. M. **513.P**, 86*P*, 1998

BRYAN P. T.

BRYAN P. T. & MARSHALL J. M. Does chronic hypoxia affect the functional importance of adenosine A_1 receptors in regulating the cardiovascular system of the rat? **509.P**, 120*P*, 1998

BRYANT J. *see* JEAL S., BROWN M. D., BRYANT J. & GAMBLE J. **506.P**, 23*P*, 1998

BUCKLER K. J. *see* WILLIAMS B. A. & BUCKLER K. J. **509.P**, 35*P*, 1998

BUCKLEY N. J. *see* BROWN D. A., ABOGADIE F., ALLEN T. G. J., BUCKLEY N. J., DELMAS P., DAYRELL M. & HALEY J. E. **511.P**, 5*S*, 1998

BUDD S. L. *see* NICHOLLS D. G. & BUDD S. L. **506.P**, 11*S*, 1998

BUECHEL C. *see* GRIFFITHS T. D., REES G., REES A., GREEN G. G. R., WITTON C., ROWE D., BUECHEL C., TURNER R. & FRACKOWIAK R. S. J. **506.P**, 85*P*, 1998

BUKCHARAEVA E. A.

BUKCHARAEVA E. A., NIKOLSKY E. E., MORAVEC J. & VYSKOČIL F. The action of adrenergic compounds on synchronization of the evoked release of quanta in frog endplate **511.P**, 142*P*, 1998

BUKHARAEVA E. *see* VYSKOČIL F., BUKHARAEVA E., GINIATULLIN R. & NIKOLSKY E. E. **511.P**, 36*S*, 1998

BURBIDGE S. A.

BURBIDGE S. A., POWELL A. J., DALE T. J., XIE X. M. & CLARE J. J. Cloning and expression of the human brain type VI voltage-gated Na^+ channel in a mammalian cell line **513.P**, 130*P*, 1998

BURDYGA T. *see* MANKOURI H. W., BURDYGA T., TAGGART M. J. & WRAY S. **509.P**, 2*P*, 1998

BURDYGA T. V. *see* KOSTERIN S. A., BURDYGA T. V., BABICH L. G. & SHLYKOV S. G. **506.P**, 68*P*, 1998

BURKE J. F.

BURKE J. F., COX K. J. A., PERRY S., TENSEN C. P. & VAN HEERIKHUIZEN H. FMRFamide-related peptides: their expression, their receptors and their role in mammals **513.P**, 16*S*, 1998

BURLEIGH D. E.

BURLEIGH D. E. Barium reduces electrogenic responses of human ileal mucosa to *Escherichia coli* heat-stable enterotoxin and D-glucose **507.P**, 8*P*, 1998

BURN-MURDOCH R. A.

BURN-MURDOCH R. A. Correlations between the eruption rates of the lower and upper incisor teeth of rats **507.P**, 47*P*, 1998

BURNS P. A.

BURNS P. A., MCMULLAN S. S., RICHARDSON H. C., RYAN W. G., SEDDON S., WHITMORE J. & WILSON C. L. Electromyographic responses to tibial displacement of antagonist muscles acting at the human knee **511.P**, 61*P*, 1998

BURNSTOCK G. *see* WONG A., BURNSTOCK G. & GIBB A. J. **511.P**, 17*P*, 1998

see BAILEY M. A., IMBERT-TEBOUL M., BURNSTOCK G. & UNWIN R. J. **513.P**, 39*P*, 1998

BURRONE J.

BURRONE J. & LAGNADO L. Desensitization of the exocytic machinery contributes to paired-pulse depression in the synaptic terminal of depolarizing bipolar cells **513.P**, 31*P*, 1998

BUSH E. R.

BUSH E. R., HOLDEN-DYE L. M. & WALKER R. J. The action of barbiturates and benzodiazepines at the *Caenorhabditis elegans* glutamate-gated chloride channel **513.P**, 108*P*, 1998

BÜSSELBERG D.

BÜSSELBERG D., SCHWARZACHER S. W., BISCHOFF A. M., PATON J. F. R. & RICHTER D. W. Effects of inhibitory synaptic transmission blockade and pontomedullary transection on phrenic motor outflow in arterially perfused adult mice **509.P**, 124*P*, 1998

BUTCHER J. W.

BUTCHER J. W., KASPAROV S. & PATON J. F. R. Differential effects of apamin on neuronal excitability in the nucleus of the solitary tract (NTS) studied *in vitro* **509.P**, 128*P*, 1998

BUTEAU J. *see* ROCHE E., BUTEAU J., ANIENTO I., SORIA B. & PRENTKI M. **509.P**, 197*P*, 1998

BUTLER J. E. *see* PETERSEN N., TAYLOR J. L., BUTLER J. E. & GANDEVIA S. C. **511.P**, 65*P*, 1998

BUTLER P. J. *see* BLOGG S. L., BUTLER P. J. & TAYLOR E. W. **506.P**, 156*P*, 1998

BUTT A. M. *see* JAMES G. A., KUNDAIKER S. & BUTT A. M. **513.P**, 68*P*, 1998

see REDDINGTON F., BERRY M., RATTRAY M., KIRVELL S. & BUTT A. M. **513.P**, 68*P*, 1998

see GODDARD D. R., BERRY M. & BUTT A. M. **513.P**, 69*P*, 1998

BUTT A. M. & HOWD A. G. Axon–glial signalling in isolated optic nerves from developing rats **513.P**, 10*S*, 1998

BUTT S. J. B.

BUTT S. J. B. & PITMAN R. M. Modulation by monoamines of ACh responses recorded from an identified cockroach (*Periplaneta americana*) motoneurone **513.P**, 102*P*, 1998

BUTTELL N. *see* LARCOMBE-MCDOUALL J., BUTTELL N., HARRISON N. & WRAY S. **509.P**, 29*P*, 1998

BUTTELL N. & WRAY S. A comparison of pH regulation rates from an acid load in non-pregnant and late pregnant Wistar rats **511.P**, 169*P*, 1998

BUYSE G. *see* VOETS T., BUYSE G., DROOGMANS G., EGGERMONT J. & NILIUS B. **506.P**, 47*P*, 1998

BYRNE P. *see* NEWTON S., CAMPBELL J. A., ELDRIDGE P., LEANDRI M. & BYRNE P. **509.P**, 183*P*, 1998

CABIOCH S. *see* EGÉE S., CABIOCH S. & THOMAS S. **511.P**, 150*P*, 1998

CADDY K. W. T. *see* VOŽEH F., CADDY K. W. T., MYSLIVEČEK J. & MOTÁŇOVÁ A. **511.P**, 72*P*, 1998

CADOGAN E. *see* OOI H., CADOGAN E., O'REGAN R. & MCLOUGHLIN P. **511.P**, 109*P*, 1998

see HOPKINS N., CADOGAN E., GILES S., BANNIGAN J. & MCLOUGHLIN P. **511.P**, 110*P*, 1998

CALABRESI P. *see* HAINSWORTH A. H., SPADONI F., CALABRESI P., LEACH M. J., BERNARDI G. & STEFANI A. **511.P**, 124*P*, 1998

CALAFIORE A. M. *see* SULEIMAN M.-S., CAPUTO M., ANGELINI G. D., BRYAN A. J. & CALAFIORE A. M. **511.P**, 74*P*, 1998

CALAGHAN S. C.

CALAGHAN S. C., COLYER J. & WHITE E. Co-ordinated changes in cAMP, phosphorylated phospholamban, Ca^{2+} and contraction following β-adrenergic stimulation in isolated rat ventricular myocytes **509.P**, 142*P*, 1998

CALAGHAN S. C., COLYER J. & WHITE E. Length-dependent modulation of cAMP and the phosphorylation of phospholamban in isolated ferret papillary muscle **511.P**, 82*P*, 1998

CALLAMARAS N. *see* MARCHANT J. S., CALLAMARAS N., SUN X.-P. & PARKER I. **506.P**, 70*P*, 1998

CALLINGHAM B. A.

CALLINGHAM B. A., CARR G. & MILTON A. S. The responses of the digital artery of the fallow deer, *Dama dama*, in a mild winter **511.P** , 2*P*, 1998

CAMELLO C. *see* CAMELLO P. J., CAMELLO C. & SALIDO G. M. **509.P**, 12*P*, 1998

CAMELLO C., SALIDO G. M. & CAMELLO P. J. Lanthanum and PK-C modulate capacitative Ca^{2+} entry in mouse pancreatic acinar cells **509.P**, 18*P*, 1998

CAMELLO P. *see* POZO M. J., ALCÓN S., CAMELLO P., SALIDO G. M. & SCARPIGNATO C. **509.P**, 16*P*, 1998

CAMELLO P. J.

CAMELLO P. J., CAMELLO C. & SALIDO G. M. Role of proton gradients and a vacuolar proton pump in the refilling of intracellular calcium pools in pancreatic acinar cells **509.P**, 12*P*, 1998

see CAMELLO C., SALIDO G. M. & CAMELLO P. J. **509.P**, 18*P*, 1998

see LAJAS A. I., POZO M. J., CAMELLO P. J., SALIDO G. M. & PARIENTE J. A. **509.P**, 19*P*, 1998

see ALCÓN S., CAMELLO P. J., SALIDO G. M., SCARPIGNATO C. & POZO M. J. **509.P**, 20*P*, 1998

see PARIENTE J. A., LAJAS A. I., POZO M. J., CAMELLO P. J. & SALIDO G. M. **509.P**, 20*P*, 1998

CAMERON M. *see* CONWAY B. A., HALLIDAY D. M., BRAY K., CAMERON M., MCLELLAND D., MULCAHY E., FARMER S. F. & ROSENBERG J. R. **509.P**, 175*P*, 1998

CAMERON T. *see* PROCHAZKA A., GILLARD D. & CAMERON T. **511.P**, 28*S*, 1998

CAMPA J. S.

CAMPA J. S., POSTON R. & POSTON L. Nitric oxide synthase (eNOS) is localized to the vascular endothelium of myometrium from pregnant women at term **507.P**, 69*P*, 1998

CAMPBELL E. H.

CAMPBELL E. H., ELLORY J. C. & GIBSON J. S. Anti-L antibody and the regulatory phosphorylation cascade of LK sheep red blood cells **509.P**, 80*P*, 1998

CAMPBELL E. H. & GIBSON J. S. O_2-dependent KCl cotransport in $[Mg^{2+}]_i$-clamped equine red cells **513.P**, 58*P*, 1998

CAMPBELL I.

CAMPBELL I., HARRISON P. T. & ALLEN J. M. Surface plasmon resonance to study receptor–ligand interactions for the human high-affinity receptor for immunoglobulin G **509.P**, 199*P*, 1998

CAMPBELL I. T.

CAMPBELL I. T., PERERA D. M., BANNON J. W., KEEGAN M. A. & WILLATT D. J. The effect of overnight nasal anaesthesia with cocaine and adrenaline on lung volume **506.P**, 98*P*, 1998

CAMPBELL J. A. *see* NEWTON S., CAMPBELL J. A., ELDRIDGE P., LEANDRI M. & BYRNE P. **509.P**, 183*P*, 1998

CAMPBELL V. A.

CAMPBELL V. A. & LYNCH M. A. Biphasic modulation of $[Ca^{2+}]_i$ by interleukin-1β in rat cortical synaptosomes **509.P**, 55*P*, 1998

CANAL J. R. *see* PÉREZ C., CANAL J. R., ROMERO A. & TORRES M. D. **509.P**, 23*P*, 1998

CANCELA J. M.

CANCELA J. M., MOGAMI H., TEPIKIN A. V. & PETERSEN O. H. Intracellular glucose inhibits cyclic ADP-ribose, but not inositol trisphosphate-evoked Ca^{2+} spiking in mouse pancreatic acinar cells **506.P**, 72*P*, 1998

CANCELA J. M. & PETERSEN O. H. Intracellular glucose controls a switch between cyclic ADPribose and inositol trisphosphate pathways involved in cholecystokinin-evoked cytosolic Ca^{2+} spiking in mouse pancreatic acinar cells **509.P**, 104*P*, 1998

see TINEL H., MOGAMI H., CANCELA J. M., TEPIKIN A. & PETERSEN O. H. **509.P**, 104*P*, 1998

CANDY S. M.

CANDY S. M. & SZATKOWSKI M. Increased inhibition of LTP by adenosine in hippocampal slices from streptozotocin-treated diabetic rats **513.P**, 13*P*, 1998

CANEDO A. *see* MARIÑO J. & CANEDO A. **509.P**, 180*P*, 1998

CANEDO A. & MARIÑO J. Corticofugal effects on somatosensory ascendant transmission in the cuneate nucleus of chloralose-anaesthetized cats **509.P**, 31*S*, 1998

CANEPARI M. *see* BOTTINELLI R., PELLEGRINO M. A., CANEPARI M., STIENEN G. J. M. & REGGIANI C. **506.P**, 4*S*, 1998

CANNON R. C. *see* WHEAL H. V., CANNON R. C. & TURNER D. A. **511.P**, 18*P*, 1998

CANO J. *see* ECHEVARRÍA M., RAMÍREZ R., VIZUETE M. L., VENERO J. L., REVUELTA M., CANO J. & ILUNDÁIN A. A. **509.P**, 13*P*, 1998

CANO M. J.

CANO M. J., GOMEZ-TUBIO A., MURILLO M. L. & CARRERAS O. Effect of ethanol on exocrine pancreatic function in newborn rats at 21 days postpartum **509.P**, 22*P*, 1998

CANTI C.

CANTI C., STEPHENS G. J., PAGE K. M. & DOLPHIN A. C. Involvement of the transmembrane domain I and the N-terminus of neuronal calcium channels in G protein modulation **509.P**, 38*P*, 1998

CAPADAY C. *see* AMASSIAN V. E., CRACCO R. Q., MACCABEE P. J., VERGARA M., CAPADAY C. & ROTHWELL J. C. **509.P**, 162*P*, 1998

CAPIOD T. *see* SESAY A. K., MAGNUS C. J., OGDEN D., LAI F. A. & CAPIOD T. **509.P**, 186*P*, 1998

CAPODAGLIO P. *see* NARICI M. V., CAPODAGLIO P., MINETTI A. E., FERRARI-BARDILE A., MAINI M. & CERRETELLI P. **506.P**, 59*P*, 1998

CAPUTO M. *see* SULEIMAN M.-S., CAPUTO M., ANGELINI G. D., BRYAN A. J. & CALAFIORE A. M. **511.P**, 74*P*, 1998

CARDONA-GOMEZ G. P. *see* CHOWEN J. A., ARGENTE J., CARDONA-GOMEZ G. P., AZCOITIA I. & GARCÍA-SEGURA L. M. **509.P**, 15*S*, 1998

CARDONA-SANCLEMENTE L. E. *see* MEDINA R., CARDONA-SANCLEMENTE L. E. & BORN G. V. R. **506.P**, 28*P*, 1998

CARDONA-SANCLEMENTE L. E., HARBRECHT U., MEDINA R., FARMER H. & BORN G. V. R. Effect of hydrocortisone on the accumulation of LDL and fibrinogen by arterial walls and other tissues of the rat **511.P**, 114*P*, 1998

CARDY T. J. A.

CARDY T. J. A., TRAYNOR D. & TAYLOR C. W. Ca^{2+}-independent inhibition by calmodulin of inositol trisphosphate binding to type 1 but not type 3 inositol trisphosphate receptors **506.P**, 73*P*, 1998

CAREW M. A.

CAREW M. A., ERMOLAYEVA E., GODDARD C. A. & THORN P. PGE_2 release from unstimulated epithelial cells of the mouse descending colon is an autocrine regulator of cellular cAMP **507.P**, 3*P*, 1998

CAREY M. *see* BROPHY S., FORD T. W., CAREY M. & JONES J. F. X. **513.P**, 85*P*, 1998

CAREY P. A.

CAREY P. A. & JORDAN D. Effects of central A_2 receptors on aortic baroreceptor and cardiopulmonary receptor reflexes in anaesthetized rabbits **513.P**, 79*P*, 1998

CARMELIET P.

CARMELIET P. Molecular analysis, via gene targeting and gene transfer, of blood vessel formation and disorders **506.P**, 19*S*, 1998

CARNICERO E. *see* ALONSO M. T., BARRERO M. J., CARNICERO E., MONTERO M., MICHELENA P., GARCÍA A., GARCÍA-SANCHO J. & ALVAREZ J. **509.P**, 10*S*, 1998

CARO C. G. *see* TARNAWSKI M., MCLEAN M., CARO C. G., DOORLY D. J. & DUMOULIN C. L. **506.P**, 16*P*, 1998

CARO C. G., WATKINS N., DOORLY D. J., SHERWIN S. J. & PEIRÓ J. Influence of non-planar geometry on flow separation **513.P**, 2*P*, 1998

CARPENTER D. *see* CLARKE C. E., MEADOWS H. J., TOMLINSON W. J., CARPENTER D., SANGER G. J. & BENHAM C. D. **506.P**, 44*P*, 1998

CARPENTER E. *see PEERS C. & CARPENTER E.* **506.P**, 50*P*, 1998

CARPENTER E., BEE D. & PEERS C. Effects of chronic hypoxia on K^+ currents recorded in isolated adult rat carotid body type I cells **506.P**, 51*P*, 1998

CARPENTER G. H.

CARPENTER G. H., PROCTOR G. B. & GARRETT J. R. Secretion of immunoglobulin A from the rat submandibular gland in the presence and absence of nerve stimulation **509.P**, 8*P*, 1998

CARPENTER R. H. S. *see HEYWOOD H. & CARPENTER R. H. S.* **506.P**, 122*P*, 1998

CARR G. *see CALLINGHAM B. A., CARR G. & MILTON A. S.* **511.P**, 2*P*, 1998

CARRERAS O. *see ARTILLO R., MURILLO M. L., TAVARES E. & CARRERAS O.* **509.P**, 21*P*, 1998

see CANO M. J., GOMEZ-TUBIO A., MURILLO M. L. & CARRERAS O. **509.P**, 22*P*, 1998

see FUENTES M. L. M., ARTILLO R., CARRERAS O. & MURILLO M. L. **509.P**, 22*P*, 1998

CARSTAIRS R. C.

CARSTAIRS R. C. & DENISON D. M. Cardiovascular effects of positive pressure breathing with counter pressure in humans **511.P**, 106*P*, 1998

CARSWELL H. V. O.

CARSWELL H. V. O., DOMINICZAK A. F., MCCULLOCH J., ANDERSON N., GRAHAM D., JEFFS B., CLARK J. S. & MACRAE I. M. Gender difference in response(s) to focal cerebral ischaemia **509.P**, 97*P*, 1998

CARTER R. J. *see MURPHY K. P. S. J., LIONE L. A., CARTER R. J., HUMBY T., MANGIARINI L., MAHAL A., BATES G., DUNNETT S. & MORTON A. J.* **513.P**, 12*P*, 1998

CARTMELL T.

CARTMELL T., MILLER A. J., MISTRY Y., ROTHWELL N. J. & LUHESHI G. N. Circulating IL-6 is derived from the site of inflammation in response to a localized injection of lipopolysaccharide in the rat **513.P**, 146*P*, 1998

CASABURI R. *see JONES A. M., BARSTOW T. J., NGUYEN P. H. & CASABURI R.* **511.P**, 9*P*, 1998

CASADEI B. *see KARDOS A., TAYLOR D. J., THOMPSON C. H., HANDS L., COLLIN J. & CASADEI B.* **506.P**, 98*P*, 1998

see HEINERT G., CASADEI B. & PATERSON D. J. **511.P**, 110*P*, 1998

CASE R. M. *see STEWARD M. C., LANG T. F., SAN ROMÁN J. I. & CASE R. M.* **509.P**, 3*P*, 1998

see STEWARD M. C., LANG T. F., YANG X.-S., SAN ROMÁN J. I., VARGA G. & CASE R. M. **511.P**, 23*P*, 1998

see SAN ROMÁN J. I., CASE R. M. & STEWARD M. C. **513.P**, 53*P*, 1998

see ISHIGURO H., NARUSE S., CASE R. M. & STEWARD M. C. **513.P**, 54*P*, 1998

CASEY A. *see STEENGE G. R., LAMBOURNE J., CASEY A., MACDONALD I. A. & GREENHAFF P. L.* **506.P**, 103*P*, 1998

CASH D. *see GAO B., CASH D., ABRAHAM D., BLACK C., BRUCKDORFER K. R. & JACOBS M.* **513.P**, 153*P*, 1998

CASIS L. *see VEGAS L., ECHEVARRÍA E., MUÑOZ C., MUGABURU G. F., SILIÓ M. & CASIS L.* **509.P**, 94*P*, 1998

CASIS O.

CASIS O., IRIARTE M. M., GALLEGO M. & SÁNCHEZ-CHAPULA J. A. Differences in regional distribution of K^+ current densities in rat ventricle **509.P**, 153*P*, 1998

CASTEJON F. M. *see MUÑOZ A., CASTEJON F. M., RUBIO M. D., AGÜERA E. I., ESCRIBANO B. M. & SANTISTEBAN R.* **509.P**, 100*P*, 1998

see MUÑOZ A., SANTISTEBAN R., RUBIO M. D., AGÜERA E. I., ESCRIBANO B. M. & CASTEJON F. M. **509.P**, 101*P*, 1998

see FERNÁNDEZ P., CASTEJON F. M., AGÜERA E. I., ESCRIBANO B. M., MUÑOZ A. & RUBIO M. D. **509.P**, 102*P*, 1998

see FERNANDEZ P., CASTEJON F. M., AGÜERA E. I., ESCRIBANO B. M., MUÑOZ A. & RUBIO M. D. **509.P**, 147*P*, 1998

CASTELL L. M.

CASTELL L. M., PHOENIX J., EDWARDS R. H. T. & NEWSHOLME E. A. Plasma amino acid measurement in exercise-related chronic fatigue syndrome **509.P**, 206*P*, 1998

CASTELLANO A. *see MONJE F., CHIARA M. D., CASTELLANO A. & LÓPEZ-BARNEO J.* **509.P**, 6*S*, 1998

CASTRO-ALAMANCOS M. *see LAU D. H. P., CASTRO-ALAMANCOS M., CHOW A., OZAITA A., VEGA-SAENZ DE MIERA E., MATHEW S., GIBSON J., CONNORS B. & RUDY B.* **511.P**, 147*P*, 1998

CATALÁN M. P. *see DE LA FUENTE M., GUAYERBAS N., CATALÁN M. P., VÍCTOR V. M., DEL RÍO M. & MIQUEL J.* **509.P**, 72*P*, 1998

CATLEY M. *see ELLAWAY P. H., MOOSAVI S. H., CATLEY M., STOKES M. J. & HAQUE N.* **511.P**, 67*P*, 1998

CATSICAS M.

CATSICAS M. & MOBBS P. $GABA_B$ receptor modulation of spontaneous Ca^{2+} activity in the isolated developing chick retina **513.P**, 19*P*, 1998

CATTERALL W. A.

CATTERALL W. A. Structure, function and molecular pharmacology of Na^+ channels **513.P**, 22*S*, 1998

CATTIGAN A. *see BLACKSHAW S. E., ARKISON S., CATTIGAN A., CHAMBERS R. & RAINEY E. M.* **511.P**, 139*P*, 1998

CAULFIELD B. *see KERR T., GARRETT M. & CAULFIELD B.* **509.P**, 173*P*, 1998

CAUQUIL A. S.

CAUQUIL A. S., FALDON M., POPOV K., BRONSTEIN A. & DAY B. L. Torsional eye movements induced by galvanic vestibular stimulation in man **506.P**, 110*P*, 1998

CAUQUIL A. S., COLLINS C. J. S., BESSOU M., BARNES G. R. & DAY B. L. The influence of circular translation of the visual scene on human stance **506.P**, 112*P*, 1998

CAVIERES J. D. *see WARD D. G. & CAVIERES J. D.* **511.P**, 29*P*, 1998

CAZORLA O.

CAZORLA O., LE GUENNEC J.-Y. & WHITE E. Regional differences in the length–active tension relationship of isolated rat and ferret ventricular myocytes **509.P**, 138*P*, 1998

CECCHI G. *see GRIFFITHS P. J., ASHLEY C. C., BAGNI M. A., CECCHI G. & RAPP G.* **506.P**, 62*P*, 1998

see RAPP G., ASHLEY C. C., CECCHI G., GRIFFITHS P. J. & BAGNI M. A. **511.P**, 157*P*, 1998

CERRETELLI P. *see NARICI M. V., CAPODAGLIO P., MINETTI A. E., FERRARI-BARDILE A., MAINI M. & CERRETELLI P.* **506.P**, 59*P*, 1998

CHAD J. E. *see MARSDEN D. P., CHAD J. E. & WHEAL H. V.* **513.P**, 22*P*, 1998

see FRANKS C., CHAD J. E., WALKER R. J. & HOLDEN-DYE L. **513.P**, 106*P*, 1998

CHAHAL H. *see BALDERSON D. J., CHAHAL H., OWEN F. & SLATER P.* **513.P**, 18*P*, 1998

CHAMBERS P.

CHAMBERS P., NEAL D. E., EUROPE-FINNER G. N. & GILLESPIE J. I. G protein expression in human detrusor smooth muscle: their role in normal and unstable contractions **507.P**, 76*P*, 1998

CHAMBERS R. *see BLACKSHAW S. E., ARKISON S., CATTIGAN A., CHAMBERS R. & RAINEY E. M.* **511.P**, 139*P*, 1998

CHAN J. *see PFAFF D. W., DELLOVADE T., CHAN J., ZHU Y., KIA K., VENNSTROM B. & FORREST D.* **509.P**, 14*S*, 1998

CHAN N. W. K.

CHAN N. W. K. & HUANG Y. Role of endothelium in relaxation induced by glibenclamide in rat isolated mesenteric artery **506.P**, 26*P*, 1998

CHAN P. K. Y.

CHAN P. K. Y. & YUNG W.-H. The role of GABA uptake in governing the decay of inhibitory postsynaptic currents in rat substantia nigra pars reticulata **511.P**, 121*P*, 1998

CHAN Y. S.

CHAN Y. S. & LAI C. H. Spatial and dynamic characteristics of otolith neurons in vestibular nuclei during postnatal development of the rat **509.P**, 169*P*, 1998

CHANG H.-S.

CHANG H.-S. & GILBEY M. P. Rhythmic sympathetic activity recorded from the ventral collector nerve (VCN) innervating the rat tail **506.P**, 134*P*, 1998

CHANG H.-S., SMITH J. E., STARAS K. & GILBEY M. P. Synchronous and asynchronous rhythmical discharges of postganglionic sympathetic neurones innervating an identified blood vessel in the rat **509.P**, 123*P*, 1998

CHANG R. *see GONZALEZ-SERRATOS H., ORTEGA A., VALLE-AGUILERA R. & CHANG R.* **506.P**, 59*P*, 1998

CHAPMAN J. C.

CHAPMAN J. C., MACFARLANE W. N., JAMES R. F. L., LINDLEY K. J., AYNSLEY-GREEN A., DOCHERTY K. D. & DUNNE M. J. Recovery of ATP-sensitive potassium channels in defective human insulin-secreting β-cells *in vitro* **509.P**, 35*P*, 1998

see DUNNE M. J., HASHMI M. N., SHEPHERD R. M., CHAPMAN J. C., COSGROVE K. E., KAMIMURA N., JAMES R. F. L., AYNSLEY-GREEN A., LINDLEY K. J., MACFARLANE W. N., DOCHERTY K. D. & ÄMMÄLÄ C. **509.P**, 11*S*, 1998

CHARLTON R. G.

CHARLTON R. G., MORLEY A. R., NEAL D. E. & GILLESPIE J. I. Regional variations in nerve density in the bladder wall of patients with idiopathic and neuropathic instability: identification of three discrete areas **507.P**, 75*P*, 1998

CHEN C.-C. *see ENGLAND S., CHEN C.-C., AKOPIAN A. N. & WOOD J. N.* **509.P**, 34*P*, 1998

CHEN P. E. *see* ANSON L. C., CHEN P. E., WYLLIE D. J. A., COLQUHOUN D. & SCHOEPFER R. **506.P**, 147*P*, 1998

CHEN P. E., ANSON L. C., COLQUHOUN D. & SCHOEPFER R. Amino acid residues located on the NR2A subunit control glutamate potency in rat recombinant NR1/NR2A NMDA receptors **507.P**, 30*P*, 1998

CHEN Y. H. *see* DALE T. J., CHEN Y. H., CLARE J. J. & XIE X. M. **513.P**, 129*P*, 1998

CHERUBINI E. *see* BOLEA S., AVIGNONE E., SANCHEZ-ANDRES J. V., BERRETTA N. & CHERUBINI E. **509.P**, 69*P*, 1998

CHESLER M. *see* AMOS B. J. & CHESLER M. **506.P**, 12*S*, 1998

CHESSELL I. P. *see* DOWD E., MCQUEEN D. S., CHESSELL I. P. & HUMPHREY P. P. A. **509.P**, 162*P*, 1998

CHIARA M. D. *see* MONJE F., CHIARA M. D., CASTELLANO A. & LÓPEZ-BARNEO J. **509.P**, 6*S*, 1998

CHILD R. B.

CHILD R. B., BROWN S. J., DAY S. H. & DONNELLY A. E. Functional and biochemical changes in indices of muscle damage, lipid peroxidation and lysosomal enzyme release, following eccentric exercise in humans **509.P**, 46*P*, 1998

CHING L. L.

CHING L. L., WILLIAMS A. J. & SITSAPESAN R. The effects of AMP on the gating of the sheep cardiac ryanodine receptor **509.P**, 144*P*, 1998

CHIPPERFIELD A. R.

CHIPPERFIELD A. R., DAVEY P. & SEVERN P. S. Inhibition of Na^+–K^+–Cl^- cotransport in human red cells by chloride channel blockers **513.P**, 61*P*, 1998

CHISHTI A. H. *see* WOODWARD R., LUTCHMAN M., CHISHTI A. H. & MURRELL-LAGNADO R. D. **506.P**, 49*P*, 1998

CHO K.

CHO K., LITTLE H. J., SHIN J.-H. & SUH C.-K. Corticosterone induced cell death in dopamine-sensitive ventral tegmental area neurones in the rat **511.P**, 48*P*, 1998

CHOATE J. K.

CHOATE J. K. & PATERSON D. J. Inhibition of nitric oxide synthase increases the positive chronotropic response to sympathetic nerve stimulation in the isolated guinea-pig atria **506.P**, 134*P*, 1998

see SEARS C. E., CHOATE J. K. & PATERSON D. J. **507.P**, 57*P*, 1998

CHOATE J. K. & PATERSON D. J. Effect of sodium nitroprusside and 8-bromo-cyclic GMP on a the sympathetic control of heart rate and contraction in the isolated guinea-pig atria **509.P**, 120*P*, 1998

see SEARS C. E., CHOATE J. K. & PATERSON D. J. **509.P**, 121*P*, 1998

CHOI H. S.

CHOI H. S. & EISNER D. A. The role of the sarcolemmal Ca^{2+}-ATPase in the control of diastolic Ca^{2+} in rat ventricular myocyte **511.P**, 84*P*, 1998

CHORRO F. J. *see* SUCH L., CHORRO F. J., COLOM F., ALBA I., SECADURAS A., SUCH L. M., MESEGUER I., SORIA B. & ALBEROLA A. **509.P**, 148*P*, 1998

CHOW A. *see* LAU D. H. P., CASTRO-ALAMANCOS M., CHOW A., OZAITA A., VEGA-SAENZ DE MIERA E., MATHEW S., GIBSON J., CONNORS B. & RUDY B. **511.P**, 147*P*, 1998

CHOWEN J. A.

CHOWEN J. A., ARGENTE J., CARDONA-GOMEZ G. P., AZCOITIA I. & GARCÍA-SEGURA L. M. Neonatal and postpubertal sex steroid effects on the neuroendocrine hypothalamus **509.P**, 15*S*, 1998

CHOWIENCZYK P. J. *see* DAWES M., CHOWIENCZYK P. J. & RITTER J. M. **506.P**, 32*P*, 1998

CHRACHRI A.

CHRACHRI A. & WILLIAMSON R. Effects of acetylcholine on L-type calcium currents in dissociated statocyst sensory hair cells of octopus, *Eledone cirrhosa* **513.P**, 111*P*, 1998

CHRISTENSEN L. O. D. *see* MORITA H., BAUMGARTEN J., CHRISTENSEN L. O. D. & NIELSEN J. **509.P**, 174*P*, 1998

CHRISTIE G. R.

CHRISTIE G. R., WALKER D., FELLOWS E. A. & HIRST B. H. Basolateral expression of GLYT1 in human intestinal epithelia **509.P**, 13*P*, 1998

CHRISTIE G. R., WALKER D. & HIRST B. H. Protein kinase C regulation of basolateral glycine transport by GLYT1 in human intestinal Caco-2 epithelial cells **513.P**, 51*P*, 1998

CHRISTOFI G. *see* BARRY M. F., CHRISTOFI G. & BINDMAN L. J. **509.P**, 207*P*, 1998

CHURCH M. K. *see* CLOUGH G., JEFFERY S., GRIFFITHS T. & CHURCH M. K. **513.P**, 148*P*, 1998

see CLOUGH G., BENNETT A. R. & CHURCH M. K. **513.P**, 153*P*, 1998

CHVÁTAL A. *see* ANDĚROVÁ M., CHVÁTAL A., ŽIAK D. & SYKOVÁ E. **511.P**, 15*P*, 1998

CIDECIYAN A. V. *see* LAMB T. D., CIDECIYAN A. V., JACOBSON S. G. & PUGH E. N. JR **506.P**, 88*P*, 1998

CIRIGLIANO V. *see* SHERLOCK J., CIRIGLIANO V., PETRU M. & ADINOLFI M. **507.P**, 46*P*, 1998

CLARE J. J. *see* DALE T. J., CHEN Y. H., CLARE J. J. & XIE X. M. **513.P**, 129*P*, 1998

see BURBIDGE S. A., POWELL A. J., DALE T. J., XIE X. M. & CLARE J. J. **513.P**, 130*P*, 1998

see POWELL A. J., MAIN M. J., DALE T. J., NASSAU P. M., PLUMPTON C., XIE X. M., CLARE J. J. & PEAKMAN T. C. **513.P**, 141*P*, 1998

CLARK A. M. *see* BLANNIN A. K., WALSH N. P., CLARK A. M. & GLEESON M. **506.P**, 121*P*, 1998

CLARK J. A.

CLARK J. A. & LEA R. W. Immunocytochemical localization of tyrosine hydroxylase and progesterone receptors in the anterior hypothalamus of the ring dove (*Streptopelia risoria*) **513.P**, 8*P*, 1998

CLARK J. B. *see* HURST R. D. & CLARK J. B. **509.P**, 74*P*, 1998

CLARK J. E. *see* VESELY M. J. J., EXON D. J., CLARK J. E., GREEN C. J. & MOTTERLINI R. **506.P**, 16*P*, 1998

see FORESTI R., GREEN C. J., CLARK J. E. & MOTTERLINI R. **506.P**, 36*P*, 1998

see MOTTERLINI R., GONZALES A., FORESTI R., CLARK J. E., GREEN C. J. & WINSLOW R. M. **506.P**, 37*P*, 1998

CLARK J. S. *see* CARSWELL H. V. O., DOMINICZAK A. F., MCCULLOCH J., ANDERSON N., GRAHAM D., JEFFS B., CLARK J. S. & MACRAE I. M. **509.P**, 97*P*, 1998

CLARK M. F.

CLARK M. F., YOUNG J. D. & BOYD C. A. R. Changes in system y^+ activity in ovine lymphocytes challenged with endotoxin **511.P**, 27*P*, 1998

CLARK S. A.

CLARK S. A., KACZOROWSKI G. J. & WAFFORD K. A. Inhibition of the tetrodotoxin-resistant sodium current of acutely dissociated rat dorsal root ganglion (DRG) neurons by WIN17317-3 **513.P**, 140*P*, 1998

CLARK W. A. *see* NG Y., COLYER J., TAN L. B., CLARK W. A. & GOLDSPINK D. F. **511.P**, 157*P*, 1998

CLARKE C. E.

CLARKE C. E., MEADOWS H. J., TOMLINSON W. J., CARPENTER D., SANGER G. J. & BENHAM C. D. Extracellular acidification inhibits current flow through human $P2X_4$ receptors expressed in *Xenopus* oocytes **506.P**, 44*P*, 1998

CLARKE J. *see* LIM E., CLARKE J., EYRE J. A., KELLY S., MCCLELLAND V. M., MCDONOUGH S., METCALFE A. V. & MILLER S. **509.P**, 168*P*, 1998

CLARKE K. *see* MIELKE M., PATERSON D. J., RADDA G. K. & CLARKE K. **507.P**, 60*P*, 1998

CLARKE L. *see* HEASMAN L., CLARKE L. & SYMONDS M. E. **507.P**, 48*P*, 1998

CLARKE R. W.

CLARKE R. W. & BHANDARI R. N. B. The effects of kelatorphan, an enkephalinase inhibitor, on tonic and stimulus-evoked opioid-mediated inhibition of a spinal reflex in the decerebrated and spinalized rabbit **509.P**, 165*P*, 1998

CLARKE R. W. & SHARPE C. S. The involvement of OP_1 (δ) and OP_3 (μ) opioid receptors in stimulus-evoked, opioid-mediated inhibition of a spinal reflex in the decerebrated and spinalized rabbit **513.P**, 33*P*, 1998

CLAYDON T. *see* TURNER D. L. & CLAYDON T. **511.P**, 103*P*, 1998

CLEVERLY J. *see* BRENNAN H. J., PEARCE N. W., CLEVERLY J. & JOHNSON C. D. **509.P**, 17*P*, 1998

CLOSS E. I. *see* BAYDOUN A. R., WHEELER-JONES C. P. D., PEARSON J. D. & CLOSS E. I. **506.P**, 29*P*, 1998

CLOSS E. I., SCHELD J.-S., SHARAFI M. & FÖRSTERMANN U. Differences in the L-arginine supply of NO synthases in cultured macrophages and endothelial cell lines **506.P**, 29*P*, 1998

CLOUGH G.

CLOUGH G., JEFFERY S., GRIFFITHS T. & CHURCH M. K. Mediator release during the allergic response in human skin *in vivo*, measured using dermal microdialysis **513.P**, 148*P*, 1998

CLOUGH G., BENNETT A. R. & CHURCH M. K. Relationship between nitric oxide, cyclic GMP and vasodilatation in human skin *in vivo* **513.P**, 153*P*, 1998

CLUDERAY J.

CLUDERAY J. & LEWIS D. I. The distribution of neurones within the nucleus ambiguus of the juvenile rat that express ionotropic excitatory amino acid receptors **513.P**, 84*P*, 1998

Coats P.

Coats P. & Hillier C. Determination of a reliable normalization procedure for the study of isolated rat mesenteric resistance arteries on the pressure myograph **513.P**, 122*P*, 1998

Cobbe S. M. *see Neary P., Cobbe S. M. & Smith G. L.* **509.P**, 145*P*, 1998

Cody F. W. J. *see Zia S., Cody F. W. J. & O'Boyle D. J.* **509.P**, 180*P*, 1998

see Al-Attar Z., O'Boyle D. J. & Cody F. W. J. **509.P**, 181*P*, 1998

Cohen L. B. *see Lam Y. W., Cohen L. B. & Falk C. X.* **506.P**, 83*P*, 1998

Coker S. J. *see Díaz M. E., Eisner D. A. & Coker S. J.* **509.P**, 149*P*, 1998

Cole M. A.

Cole M. A. & Brown M. D. Contractile performance following chronic electrical stimulation of human lower leg muscles **506.P**, 107*P*, 1998

Coleman H. A. *see Parkington H. C., Tonta M. A., Brennecke S. P., Holman M. E. & Coleman H. A.* **507.P**, 68*P*, 1998

Coles J. A. *see Marcaggi P. & Coles J. A.* **513.P**, 15*P*, 1998

Colledge W. H. *see Riemen C. E., Muimo R., Ratcliff R. A., Colledge W. H., Evans M. J. & Mehta A.* **509.P**, 81*P*, 1998

Collier C. *see Collier D., Collier C., Gradwell D. & Rosenberg M.* **506.P**, 84*P*, 1998

Collier D.

Collier D., Collier C., Gradwell D. & Rosenberg M. Audiometry at high altitude (and its problems) **506.P**, 84*P*, 1998

Collier I. D. *see Temple C. S., Collier I. D., Bronk J. R., Bailey P. D. & Boyd C. A. R.* **511.P**, 26*P*, 1998

Collin J. *see Kardos A., Taylor D. J., Thompson C. H., Hands L., Collin J. & Casadei B.* **506.P**, 98*P*, 1998

Collingridge G. L. *see Irving A. J., Boulton C. L., Garthwaite J. & Collingridge G. L.* **506.P**, 149*P*, 1998

Collins A. J. *see Smith M. W. & Collins A. J.* **509.P**, 12*P*, 1998

Collins C. J. S. *see Cauquil A. S., Collins C. J. S., Bessou M., Barnes G. R. & Day B. L.* **506.P**, 112*P*, 1998

Collins R. O.

Collins R. O. & Thomas R. C. Intracellular calcium, caffeine and store refilling in snail neurones **511.P**, 42*P*, 1998

Collins T. *see Conlon K., Kidd C. & Collins T.* **509.P**, 122*P*, 1998

Colom F. *see Such L., Chorro F. J., Colom F., Alba I., Secaduras A., Such L. M., Meseguer I., Soria B. & Alberola A.* **509.P**, 148*P*, 1998

Colover J.

Colover J. The mathematics of the myelin sheath and its implications **506.P**, 152*P*, 1998

Colquhoun D. *see Anson L. C., Chen P. E., Wyllie D. J. A., Colquhoun D. & Schoepfer R.* **506.P**, 147*P*, 1998

see Chen P. E., Anson L. C., Colquhoun D. & Schoepfer R. **507.P**, 30*P*, 1998

Colyer J. *see Calaghan S. C., Colyer J. & White E.* **509.P**, 142*P*, 1998

see Calaghan S. C., Colyer J. & White E. **511.P**, 82*P*, 1998

see Ng Y., Colyer J., Tan L. B., Clark W. A. & Goldspink D. F. **511.P**, 157*P*, 1998

Conant A. R.

Conant A. R., Fisher M. J., McLennan A. G. & Simpson A. W. M. A comparison of the purinoceptor populations of primary human umbilical vein endothelial cells and the derived cell line ECV304 **506.P**, 33*P*, 1998

Condliffe S. B.

Condliffe S. B., Doolan C. M. & Harvey B. J. 17β-Oestradiol stimulates whole-cell potassium currents in T84 cells **511.P**, 30*P*, 1998

Conley E. C.

Conley E. C., O'Beirne H. A., Owen J. M., Hopkins P. M., Boyett M. R. & Hancox J. C. Cloning and expression of a Kv4.2 K^+ channel from the rabbit sinoatrial node **511.P**, 149*P*, 1998

Conlon K.

Conlon K., Kidd C. & Collins T. Nitric oxide inhibits the cardioaccelerator rate response to sympathetic stimulation in the anaesthetized ferret **509.P**, 122*P*, 1998

Conlon K. & Kidd C. Nitric oxide and vago-sympathetic interactions on the heart rate of the anaesthetized ferret **513.P**, 80*P*, 1998

Conn P. J. *see Gingrich M. B., Rouse S. T., Marino M. J., Conn P. J. & Traynelis S. F.* **507.P**, 26*P*, 1998

Connors B. *see Lau D. H. P., Castro-Alamancos M., Chow A., Ozaita A., Vega-Saenz de Miera E., Mathew S., Gibson J., Connors B. & Rudy B.* **511.P**, 147*P*, 1998

Constantin-Teodosiu D. *see Tsintzas K., Williams C., Constantin-Teodosiu D., Hultman E., Boobis L. & Greenhaff P.* **506.P**, 101*P*, 1998

Constantin-Teodosiu D., Simpson E. J. & Greenhaff P. L. Effects of pyruvate, dichloroacetate and adrenaline infusion on pyruvate dehydrogenase complex activation and tricarboxylic acid cycle intermediates in human skeletal muscle **506.P**, 102*P*, 1998

Convery M. K.

Convery M. K. & Hancox J. C. Na^+–Ca^{2+} exchanger current measured in isolated rabbit ventricular myocytes compared using voltage ramp and step protocols **509.P**, 155*P*, 1998

Convery M. K. & Hancox J. C. Na^+–Ca^{2+} exchange current in ventricular and atrioventricular nodal myocytes measured using 'action potential clamp' **511.P**, 93*P*, 1998

see Fitchett K. H., Convery M. K., Doggrell S. A. & Hancox J. C. **513.P**, 163*P*, 1998

Conway A. F.

Conway A. F. & Kumar P. Potassium-induced chemoexcitation in the *in vitro* rat carotid body is Ca^{2+} dependent **509.P**, 114*P*, 1998

Conway A. F. & Kumar P. Effects of Ca^{2+} channel antagonists upon K^+-induced chemoexcitation in the *in vitro* rat carotid body **511.P**, 100*P*, 1998

see Vandier C., Conway A. F. & Kumar P. **511.P**, 101*P*, 1998

Conway A. F. & Kumar P. Effect of exogenous adenosine upon CO_2 sensitivity in the neonatal rat carotid body, *in vitro* **513.P**, 73*P*, 1998

see Vandier C., Conway A. F. & Kumar P. **513.P**, 73*P*, 1998

Conway B. A. *see Halliday D. M., Conway B. A., Farmer S. F., Rosenberg J. R., McLelland D. & Vourekas G.* **506.P**, 82*P*, 1998

see Rigas A., Rosenberg J. R., Halliday D. M., Gray R. & Conway B. A. **509.P**, 6*P*, 1998

Conway B. A., Halliday D. M., Bray K., Cameron M., McLelland D., Mulcahy E., Farmer S. F. & Rosenberg J. R. Inter-muscle coherence during co-contraction of finger and wrist muscles in man **509.P**, 175*P*, 1998

Conway B. A., Farmer S. F., Halliday D. M. & Rosenberg J. R. Rhythmicity and synchronization in neural systems and its relation to human motor control **509.P**, 31*S*, 1998

Cook C. S. *see McDonagh M. J. N. & Cook C. S.* **506.P**, 7*S*, 1998

Cook L. *see Robson P. J., Blannin A. K., Walsh N. P., Cook L. & Gleeson M.* **506.P**, 118*P*, 1998

Cook S. J. *see Lancaster M. K., Bennett D. L., Cook S. J. & O'Neill S. C.* **509.P**, 138*P*, 1998

Cooke J. P.

Cooke J. P. Role of nitric oxide in the pathogenesis of atherosclerosis **506.P**, 20*S*, 1998

Cooper G. J. *see Ohnishi M., Kirkman E., Cooper G. J. & Watkins P.* **511.P**, 111*P*, 1998

Cooper N. P.

Cooper N. P. Basilar membrane motion in the hook region of the guinea-pig cochlea: an update **513.P**, 26*P*, 1998

Coote J. H. *see Farmer M. R., Vaile J. C., Townend J. N. & Coote J. H.* **506.P**, 109*P*, 1998

see Vaile J. C., Hammond J., Littler W. A., Coote J. H. & Townend J. N. **506.P**, 110*P*, 1998

see Gladwell S. J., Pyner S., Barnes N. M. & Coote J. H. **506.P**, 135*P*, 1998

see Yang Z. & Coote J. H. **509.P**, 131*P*, 1998

see Young M. M., Smith M. E. & Coote J. H. **513.P**, 18*P*, 1998

see Farmer M. R., Vaile J. C., Osman F., Townend J. N. & Coote J. H. **513.P**, 82*P*, 1998

Cope D. W. *see Hughes S. W., Cope D. W., Tóth T. I., Williams S. R. & Crunelli V.* **506.P**, 151*P*, 1998

Copping J.

Copping J. & Winlow W. Seasonal variability of synaptic connections associated with respiration in the pond snail *Lymnaea stagnalis* (L.) **507.P**, 31*P*, 1998

Cordón M. P. *see Narváez J. A., Cordón M. P., Díaz-Cabiale Z., Coveñas R. & González-Barón S.* **509.P**, 132*P*, 1998

Corfield D. R.

Corfield D. R., Murphy K., Josephs O., Adams L. & Turner R. Does hypercapnia modulate the haemodynamic response to neural activation in the human visual cortex assessed using functional magnetic resonance imaging (fMRI)? **513.P**, 87*P*, 1998

Corfield D. R. Sleep-related changes in human respiratory chemosensitivity **513.P**, 4*S*, 1998

CORKEY K.

CORKEY K. & WILKINS R. J. Increases in extracellular sulphate concentration decrease AE2 protein levels in the transformed human chondrocyte cell line C-20/A4 **513.P**, 49*P*, 1998

CORNWALL M. C. *see MATTHEWS H. R., SAMPATH A. P., REISERT J., CORNWALL M. C. & FAIN G. L.* **506.P**, 3*P*, 1998

see SAMPATH A. P., MATTHEWS H. R., CORNWALL M. C., BANDARCHI J. & FAIN G. L. **506.P**, 89*P*, 1998

CORRALL R. J. M. *see PARKER D. R., HASLAM N., BARGIOTA A., HALLIWELL M. & CORRALL R. J. M.* **513.P**, 119*P*, 1998

CORREA R. *see DEL RIO M., MEDINA S., CORREA R., HERNANZ A. & DE LA FUENTE M.* **509.P**, 73*P*, 1998

CORREA V.

CORREA V., MORRIS S. A., O'BEIRNE G. & TAYLOR C. W. Fluorescent Ca^{2+} indicators are competitive antagonists of inositol trisphosphate receptors at physiological pH **506.P**, 78*P*, 1998

COSGROVE K. E.

COSGROVE K. E., ÄMMÄLÄ C., JAMES R. F. L. & DUNNE M. J. Properties of voltage-dependent K^+ currents in isolated human pancreatic β-cells following loss of K_{ATP} channel function **509.P**, 189*P*, 1998

see DUNNE M. J., HASHMI M. N., SHEPHERD R. M., CHAPMAN J. C., COSGROVE K. E., KAMIMURA N., JAMES R. F. L., AYNSLEY-GREEN A., LINDLEY K. J., MACFARLANE W. N., DOCHERTY K. D. & ÄMMÄLÄ C. **509.P**, 11*S*, 1998

COSKUN T. *see YEGEN B. C., BOZKURT A., COSKUN T., KARAKOYUN B., KURTEL H. & ALICAN İ.* **509.P**, 9*P*, 1998

COSSINS A. R. *see MUZYAMBA M. C., COSSINS A. R. & GIBSON J. S.* **513.P**, 56*P*, 1998

see KIESSLING K., WEAVER Y. R., GIBSON J. S. & COSSINS A. R. **513.P**, 57*P*, 1998

COSTANZO E. M. *see RIBCHESTER R. R., COSTANZO E. M., PARSON S. H., MATTISON R. J. & BARRY J. A.* **511.P**, 37*S*, 1998

COTTON K. D. *see HOLLYWOOD M. A., COTTON K. D., THORNBURY K. D. & MCHALE N. G.* **509.P**, 28*P*, 1998

COTTON K. D., TOLAND H. M., HOLLYWOOD M. A., THORNBURY K. D. & MCHALE N. G. Characterization of a hyperpolarization-activated current in isolated sheep mesenteric lymphatic smooth muscle cells **513.P**, 95*P*, 1998

see SERGEANT G. P., HOLLYWOOD M. A., COTTON K. D., MCHALE N. G. & THORNBURY K. D. **513.P**, 95*P*, 1998

COTTRELL G. A. *see ZHAINAZAROV A., JEZIORSKI M. C., ANDERSON P. A. V., ACHE B. & COTTRELL G. A.* **506.P**, 47*P*, 1998

COTTRELL G. A. & GREEN K. A. The first peptide-gated ion channel: a neuronal, amiloride-sensitive, Na^+ channel **513.P**, 16*S*, 1998

COURDEROT-MASUYER C. *see DOBŠÁK P., COURDEROT-MASUYER C., EICHER J.-C., SIEGELOVÁ J., WOLF J.-E. & ROCHETTE L.* **511.P**, 114*P*, 1998

COVEÑAS R. *see NARVÁEZ J. A., CORDÓN M. P., DÍAZ-CABIALE Z., COVEÑAS R. & GONZÁLEZ-BARÓN S.* **509.P**, 132*P*, 1998

COX K. J. A. *see BURKE J. F., COX K. J. A., PERRY S., TENSEN C. P. & VAN HEERIKHUIZEN H.* **513.P**, 16*S*, 1998

COX V. M. *see TAIT C. J., HUDSON L. J., COX V. M. & GOLDSPINK D. F.* **506.P**, 61*P*, 1998

see HUDSON L. J., LOPEZ-OLIVA E. M., COX V. M. & GOLDSPINK D. F. **511.P**, 154*P*, 1998

CRACCO R. Q. *see AMASSIAN V. E., ROTHWELL J. C., CRACCO R. Q., MACCABEE P. J., VERGARA M., HASSAN N. & EBERLE L.* **506.P**, 122*P*, 1998

see AMASSIAN V. E., CRACCO R. Q., MACCABEE P. J., VERGARA M., CAPADAY C. & ROTHWELL J. C. **509.P**, 162*P*, 1998

CRAGGS M.

CRAGGS M. Neuromodulation of the lower urinary tract **507.P**, 4*S*, 1998

CRAGGS M. D.

CRAGGS M. D., EDHEM I., KNIGHT S. L., MCFARLANE J. P. & SHAH N. Suppression of normal human voiding reflexes by electrical stimulation of the dorsal penile nerve **507.P**, 19*P*, 1998

see OJO-AROMOKUDU O., PITT J., BOULOS P. B., KNIGHT S. L. & CRAGGS M. D. **507.P**, 19*P*, 1998

CRANDALL E. D. *see KEMP P. J., BOROK Z., DANTO S. I., KIM K.-J., LUBMAN R. & CRANDALL E. D.* **513.P**, 59*P*, 1998

CRASKE M. *see TAKEO T., CRASKE M., TÖRÖK K., PETERSEN O. H. & TEPIKIN A.* **506.P**, 74*P*, 1998

CRASKE M., TAKEO T., TÖRÖK K., PETERSEN O. H. & TEPIKIN A. V. Combined patch clamp and confocal microscopy studies of the loading and distribution of fluorescent forms of calmodulin in the cytoplasm of mouse pancreatic acinar cells **509.P**, 3*P*, 1998

see TEPIKIN A., BELAN P., GERASIMENKO O., CRASKE M., TAKEO T., TÖRÖK K. & PETERSEN O. H. **509.P**, 8*S*, 1998

CRAWFORD A. C. *see TURNER C. R. & CRAWFORD A. C.* **506.P**, 82*P*, 1998

see TURNER C. R. & CRAWFORD A. C. **509.P**, 50*P*, 1998

CRÉPEL F. *see OTANI S., DESCE J.-M., BLOND O. & CRÉPEL F.* **507.P**, 26*P*, 1998

CREVIER D. W. *see MEISTER M., CREVIER D. W. & ROBINSON H. P. C.* **506.P**, 2*P*, 1998

CRIADO J. M. *see YAJEYA J., BAJO V. M., DE LA FUENTE A., CRIADO J. M., RIOLOBOS A. S. & HEREDIA M.* **509.P**, 69*P*, 1998

see MARPLE-HORVAT D. E., HOLLANDS M. A., CROWDY K. A., CRIADO J. M. & ARMSTRONG D. M. **509.P**, 29*S*, 1998

CRILL W.

CRILL W. Sodium channel function in the CNS **513.P**, 20*S*, 1998

CROWDY K. A. *see MARPLE-HORVAT D. E., HOLLANDS M. A., CROWDY K. A., CRIADO J. M. & ARMSTRONG D. M.* **509.P**, 29*S*, 1998

CROWE C. *see HAWKINS P., CROWE C., MCGARRIGLE H. H. G., SAITO T., OZAKI T., STRATFORD L. L., NOAKES D. E. & HANSON M. A.* **507.P**, 50*P*, 1998

see OZAKI T., NISHINA H., HAWKINS P., CROWE C., POSTON L. & HANSON M. A. **513.P**, 118*P*, 1998

CRUCCU G. *see PRIORI A., TRUINI A. & CRUCCU G.* **513.P**, 33*P*, 1998

CRUNELLI V. *see ERDEMLI G. & CRUNELLI V.* **506.P**, 150*P*, 1998

see PARRI H. R. & CRUNELLI V. **506.P**, 150*P*, 1998

see HUGHES S. W., COPE D. W., TÓTH T. I., WILLIAMS S. R. & CRUNELLI V. **506.P**, 151*P*, 1998

see ERDEMLI G. & CRUNELLI V. **511.P**, 125*P*, 1998

see ERDEMLI G. & CRUNELLI V. **513.P**, 32*P*, 1998

CUI Y.

CUI Y., GALIONE A. & TERRAR D. A. Effects of photolysis of caged cADP-ribose on whole-cell Ca^{2+} transients and 'Ca^{2+} sparks' in guinea-pig and rat isolated ventricular myocytes **511.P**, 94*P*, 1998

CULHANE A. C.

CULHANE A. C., MOLINA-HOLGADO F., LUHESHI G. N. & ROTHWELL N. J. Interleukin-18 induces nitric oxide production in primary rat astrocyte cells **513.P**, 15*P*, 1998

CULL-CANDY S. *see MISRA C., BRICKLEY S., FARRANT M. & CULL-CANDY S.* **507.P**, 27*P*, 1998

CULL-CANDY S. Two functionally distinct families of native NMDA receptors **509.P**, 2*S*, 1998

CULL-CANDY S., MISRA C., BRICKLEY S. & FARRANT M. The cerebellum as a model system for examining functional properties of native NMDA channel subtypes **511.P**, 17*S*, 1998

CUNNINGHAM D. A. *see BELL C., PATERSON D. H., PALINKAS V., KOWALCHUK J. M. & CUNNINGHAM D. A.* **509.P**, 118*P*, 1998

CUNNINGHAM M. O.

CUNNINGHAM M. O. & JONES R. S. G. Phenytoin modifies spontaneous transmitter release at glutamate terminals in rat medial entorhinal cortex **511.P**, 126*P*, 1998

CUPELLI F. *see BAYÓN J. E., PASCOLO L., SERRANO M. A., CUPELLI F., TIRIBELLI C., GONZALEZ-GALLEGO J. & MARIN J. G.* **509.P**, 26*P*, 1998

CURIO G. *see BAKER S. N., CURIO G. & LEMON R. N.* **511.P**, 56*P*, 1998

CURRIE S.

CURRIE S. & SMITH G. L. Effect of arachidonic acid on sarcoplasmic reticulum Ca^{2+} uptake in isolated rabbit cardiac myocytes **509.P**, 157*P*, 1998

CURT A. *see RODIC B., SCHURCH B., SCHLÄPFER A., CURT A. & KNAPP P. A.* **507.P**, 20*P*, 1998

CURTIN N. A. *see HE Z.-H., FERENCZI M. A., LOU F., CURTIN N. A. & WOLEDGE R. C.* **509.P**, 42*P*, 1998

CURTIS S. A. *see WHITE A. R., CURTIS S. A. & WALKER R. J.* **513.P**, 108*P*, 1998

DABNICHKI P. *see ARITAN S., DABNICHKI P. & SARGEANT A. J.* **506.P**, 10*P*, 1998

DACKE C. G. *see PRICE M. E., DACKE C. G. & EBENEZER I. S.* **513.P**, 8*P*, 1998

DAGHER G.

DAGHER G., SAMAIN E., BOUILLIER H., PERRET C. & SAFAR M. TGF-β1 and bFGF modulate the angiotensin II-induced calcium release in vascular smooth muscle cells from normotensive and hypertensive rats **506.P**, 18*P*, 1998

see SAMAIN E., BOUILLIER H., PERRET C., SAFAR M. & DAGHER G. **506.P**, 19*P*, 1998

see BOUILLIER H., SAMAIN E., PERRET C., SAFAR M. & DAGHER G. **511.P**, 168*P*, 1998

see BOUILLIER H., SAMAIN E., PERRET C., SAFAR M. & DAGHER G. **511.P**, 168*P*, 1998

see BOUILLIER H., SAMAIN E., PERRET C., SAFAR M. & DAGHER G. **511.P**, 173*P*, 1998

DALE T. J.

DALE T. J., CHEN Y. H., CLARE J. J. & XIE X. M. Characterization and comparison of human brain type III with type IIA Na^+ channels stably expressed in Chinese hamster ovary cells **513.P**, 129*P*, 1998

see BURBIDGE S. A., POWELL A. J., DALE T. J., XIE X. M. & CLARE J. J. **513.P**, 130*P*, 1998

see POWELL A. J., MAIN M. J., DALE T. J., NASSAU P. M., PLUMPTON C., XIE X. M., CLARE J. J. & PEAKMAN T. C. **513.P**, 141*P*, 1998

D'ALOIA M. A. *see NOBLE A. R. & D'ALOIA M. A.* **513.P**, 42*P*, 1998

DALY L. *see THIN A., KELLY G., DALY L., FITZGERALD M. X. & MCLOUGHLIN P.* **513.P**, 75*P*, 1998

DALY M. DE B.

DALY M. DE B. Physiological and pathophysiological modifications of cardiorespiratory control in mammals **509.P**, 20*S*, 1998

DANBOLT N. C. *see LEVY L. M., ATTWELL D., HOOVER F., ASH J. F., BJØRÅS M. & DANBOLT N. C.* **506.P**, 148*P*, 1998

see WARR O., LEVY L. M., BILLUPS B., DANBOLT N. C. & ATTWELL D. **511.P**, 10*S*, 1998

DANDREA J.

DANDREA J., HEASMAN L., STEPHENSON T. & SYMONDS M. E. Influence of maternal nutrient restriction in early to mid-gestation on maternal plasma volume in sheep **511.P**, 97*P*, 1998

DANTO S. I. *see KEMP P. J., BOROK Z., DANTO S. I., KIM K.-J., LUBMAN R. & CRANDALL E. D.* **513.P**, 59*P*, 1998

DARLISON M. G.

DARLISON M. G. Structure and function of molluscan glutamate-gated ion channels and their likely role in feeding **513.P**, 17*S*, 1998

DARNLEY G. M.

DARNLEY G. M., DUKE A. M., STEELE D. S. & MACFARLANE N. G. Superoxide potentiates contractile force in isolated triton-treated rabbit diaphragm fibres **506.P**, 58*P*, 1998

see MACFARLANE N. G., DUKE A. M., DARNLEY G. M. & STEELE D. S. **506.P**, 58*P*, 1998

DARNLEY G. M., GRAY A. C., MCCLURE S. J., NEARY P., PETRIE M. C., MCMURRAY J. J. V. & MACFARLANE N. G. Effects of a progressive resistive breathing training programme on exercise capacity and diaphragm function in patients with ischaemic heart disease **509.P**, 119*P*, 1998

DARNLEY G. M., SMITH G. L. & MACFARLANE N. G. Reversal of the force–frequency and calcium–frequency relationships in perfused, phrenic stimulated hemi-diaphragms isolated from coronary artery ligated rabbits **509.P**, 132*P*, 1998

DASHWOOD M. R.

DASHWOOD M. R., MÜNTER K. & KIRCHENGAST M. Endothelin-1 (ET-1) and its receptors in porcine coronary artery: effect of balloon angioplasty **507.P**, 72*P*, 1998

DATTA A. K. *see LEWIS G. H., ROBERTSON I., WATSON P. & DATTA A. K.* **506.P**, 114*P*, 1998

DATTA S. *see MAYSTON M. J., HARRISON L. M., DATTA S. & STEPHENS J. A.* **511.P**, 136*P*, 1998

DAUNCEY M. J. *see LI J., FORHEAD A. J., FOWDEN A. L. & DAUNCEY M. J.* **507.P**, 53*P*, 1998

DAVEY N. J. *see HILL A. C., DAVEY N. J. & KENNARD C.* **509.P**, 178*P*, 1998

DAVEY N. J., SMITH H. C., SAVIC G. & ELLAWAY P. H. Motor unit synchronization in hand muscles of patients with incomplete spinal cord injury **511.P**, 66*P*, 1998

DAVEY P. *see CHIPPERFIELD A. R., DAVEY P. & SEVERN P. S.* **513.P**, 61*P*, 1998

DAVID-DUFILHO M. *see ZICHA J., LE QUAN SANG K. H., DAVID-DUFILHO M., KUNES J., PERNOLLET M.-G. & DEVYNCK M.-A.* **511.P**, 165*P*, 1998

DAVIE N. *see PARSON S. H., DAVIE N. & RIBCHESTER R. R.* **507.P**, 30*P*, 1998

DAVIES C. H. *see KEARNS I. R., MORTON R. A. & DAVIES C. H.* **511.P**, 129*P*, 1998

DAVIES J. A. *see BLACKSHAW S. E., ARKISON S., DAVIES J. A. & HOLMES D.* **509.P**, 191*P*, 1998

DAVIES L. A.

DAVIES L. A., HARRISON S. M., BOYETT M. R. & HOPKINS P. M. Involvement of the sarcoplasmic reticulum in contractile changes in single isolated rat ventricular myocytes during exposure to halothane, isoflurane and sevoflurane **509.P**, 156*P*, 1998

DAVIES L. A., BOYETT M. R., HARRISON S. M. & HOPKINS P. M. Effects of volatile general anaesthetics on Ca^{2+} content and release from the sarcoplasmic reticulum of isolated rat ventricular myocytes **511.P**, 85*P*, 1998

DAVIES N. W. *see THOMPSON G. A., PASSMORE G. M., SPENCER P. J., DAVIES N. W. & STANFIELD P. R.* **511.P**, 146*P*, 1998

DAWE G. S.

DAWE G. S. & STEPHENSON J. D. Protocols for efficient input–output analysis for the investigation of plasticities in mouse hippocampal slices **509.P**, 67*P*, 1998

DAWE G. S. & STEPHENSON J. D. A comparison of plasticities at CA1 synapses in C57BL/6 and DBA/2 mouse hippocampal slices **511.P**, 138*P*, 1998

DAWES M.

DAWES M., CHOWIENCZYK P. J. & RITTER J. M. Inhibition of vasodilator responses to acetylcholine by N^G-monomethyl-L-arginine in human forearm vasculature depends strongly on acetylcholine dose **506.P**, 32*P*, 1998

DAWID-MILNER M. S.

DAWID-MILNER M. S., LÓPEZ DE MIGUEL P., LARA J. P., MARCOS P., AGUIRRE J. A. & GONZÁLEZ-BARÓN S. Interactions of A5 region and medial parabrachial and Kölliker Fuse nuclei in respiratory and cardiovascular control in the anaesthetized rat **509.P**, 126*P*, 1998

DAWID-MILNER M. S. Interactions between chemosensory inputs in the nucleus tractus solitarii **509.P**, 23*S*, 1998

DAWSON J. M. *see HUDLICKÁ O., BROWN M. D. & DAWSON J. M.* **511.P**, 158*P*, 1998

DAWSON L. J.

DAWSON L. J. & SMITH P. M. Intracellular calcium signalling in mouse submandibular acinar cells co-cultured with activated splenic lymphocytes **509.P**, 107*P*, 1998

DAY B. L. *see CAUQUIL A. S., FALDON M., POPOV K., BRONSTEIN A. & DAY B. L.* **506.P**, 110*P*, 1998

see CAUQUIL A. S., COLLINS C. J. S., BESSOU M., BARNES G. R. & DAY B. L. **506.P**, 112*P*, 1998

DAY S. H. *see CHILD R. B., BROWN S. J., DAY S. H. & DONNELLY A. E.* **509.P**, 46*P*, 1998

DAYANITHI G. *see TROADEC J. D., THIRION S., NICAISE G., LEMOS J. R. & DAYANITHI G.* **506.P**, 66*P*, 1998

see GOUZÈNES L., SABATIER N., RICHARD PH., MOOS F. & DAYANITHI G. **509.P**, 86*P*, 1998

see SABATIER N., RICHARD PH. & DAYANITHI G. **509.P**, 86*P*, 1998

DAYRELL M. *see BROWN D. A., ABOGADIE F., ALLEN T. G. J., BUCKLEY N. J., DELMAS P., DAYRELL M. & HALEY J. E.* **511.P**, 5*S*, 1998

DEAVALL D. G. *see WATSON F., DEAVALL D. G., MACRO J. A. & DIMALINE R.* **509.P**, 193*P*, 1998

DEBNAM E. S.

DEBNAM E. S., MARKS J., DONG R., SRAI S. K. & UNWIN R. J. cAMP regulates SGLT-mediated glucose transport across isolated rat renal brush-border membrane **507.P**, 38*P*, 1998

see MARKS J., DEBNAM E. S. & UNWIN R. J. **513.P**, 45*P*, 1998

DEDES M. *see FLATMAN R., DEDES M., WILLIAMS M. & SHARP P.* **511.P**, 26*P*, 1998

DEFEBVRE L. *see LIMOUSIN P., BROWN P., MARSDEN J., DEFEBVRE L. & ROTHWELL J.* **509.P**, 176*P*, 1998

DE HAAN A.

DE HAAN A. & BIEN M. Excitation–contraction coupling is affected in skeletal muscle of anaesthetized creatine kinase-deficient mice **506.P**, 60*P*, 1998

see ABBATE F. & DE HAAN A. **506.P**, 60*P*, 1998

see DE RUITER C. J., DE HAAN A., JONES D. A. & SARGEANT A. J. **506.P**, 106*P*, 1998

see GERRITS H. L., DE HAAN A., HOPMAN M. T. E., VAN DER WOUDE L. & SARGEANT A. J. **509.P**, 43*P*, 1998

see KARATZAFERI C., DE HAAN A., OFFRINGA C., FERGUSON R. A. & SARGEANT A. J. **511.P**, 10*P*, 1998

DEISZ R. A.

DEISZ R. A., LEHMANN T.-N., LANKSCH W. R., MEENCKE H. J. & NITSCH R. Receptor mechanisms involved in hyperexcitability of cortical slices from epilepsy surgery **513.P**, 35*P*, 1998

DEITMER J. W.

DEITMER J. W., NETT W. & LOHR C. Calcium and proton dynamics in glial cells **506.P**, 15*S*, 1998

DEITMER J. W., LOHR C. & SCHMIDT J. Functional interaction between single glial cells and neurones **513.P**, 12*S*, 1998

DE LA FUENTE A. *see YAJEYA J., BAJO V. M., DE LA FUENTE A., CRIADO J. M., RIOLOBOS A. S. & HEREDIA M.* **509.P**, 69*P*, 1998

DE LA FUENTE M. *see ORTEGA E., GARCÍA J. J., SÁEZ M. C. & DE LA FUENTE M.* **509.P**, 24*P*, 1998

DE LA FUENTE M., GUAYERBAS N., CATALÁN M. P., VÍCTOR V. M., DEL RÍO M. & MIQUEL J. Relationship between exploratory activity and macrophage function in ageing mice **509.P**, 72*P*, 1998

see DEL RIO M., MEDINA S., CORREA R., HERNANZ A. & DE LA FUENTE M. **509.P**, 73*P*, 1998

see VICTOR V. M., GUAYERBAS N., DEL RIO M. & DE LA FUENTE M. **509.P**, 203*P*, 1998

DE LA HERMOSA M. A. *see* VÁZQUEZ C. M., DE LA HERMOSA M. A., MATE A., SÁNCHEZ-AGUAYO I. & PLANAS J. M. **509.P**, 25*P*, 1998

DEL CAMINO D. *see* PARDO L. A., DEL CAMINO D., BRÜGGERMANN A., BECKH S., SÁNCHEZ A. & STÜHMER W. **509.P**, 4*S*, 1998

DELGADO-GARCÍA J. M. *see* TRIGO J. A., GRUART A. & DELGADO-GARCÍA J. M. **509.P**, 28*S*, 1998

DELLOVADE T. *see* PFAFF D. W., DELLOVADE T., CHAN J., ZHU Y., KIA K., VENNSTROM B. & FORREST D. **509.P**, 14*S*, 1998

DELMAS P. *see* BROWN D. A., ABOGADIE F., ALLEN T. G. J., BUCKLEY N. J., DELMAS P., DAYRELL M. & HALEY J. E. **511.P**, 5*S*, 1998

DEL RÍO M.

see DE LA FUENTE M., GUAYERBAS N., CATALÁN M. P., VÍCTOR V. M., DEL RÍO M. & MIQUEL J. **509.P**, 72*P*, 1998

DEL RIO M., MEDINA S., CORREA R., HERNANZ A. & DE LA FUENTE M. Neuropeptide Y effects on murine lymphocyte functions **509.P**, 73*P*, 1998

see VICTOR V. M., GUAYERBAS N., DEL RIO M. & DE LA FUENTE M. **509.P**, 203*P*, 1998

DEMETRIADES A. K.

DEMETRIADES A. K., OSTLUND A., SUNDBLAD P. & LINNARSSON D. The carotid–cardiac baroreflex in man operates with unaffected mode in the mild to moderate narcotic situation as experienced with 39% nitrous oxide (N_2O) **511.P**, 117*P*, 1998

DENISON D. M. *see* CARSTAIRS R. C. & DENISON D. M. **511.P**, 106*P*, 1998

DENNIFF P. *see* ANDERSON K. G., TAYLOR I. H., DENNIFF P. & HIRST B. H. **509.P**, 26*P*, 1998

DENNY E. *see* SCHROTER R. C., MARLIN D. J. & DENNY E. **507.P**, 65*P*, 1998

DE PLATER G. M.

DE PLATER G. M., MARTIN R. L. & MILBURN P. J. Platypus (*Ornithorhynchus anatinus*) venom activates a Ca^{2+}-dependent inward current in rat dorsal root ganglion neurones **506.P**, 154*P*, 1998

DERRINGTON A.

DERRINGTON A. & FELISBERTI F. Suppression of the responses of LGN neurones of the cat by remote visual stimuli **506.P**, 92*P*, 1998

DE RUITER C. J.

DE RUITER C. J., DE HAAN A., JONES D. A. & SARGEANT A. J. Force is depressed following shortening in human adductor pollicis muscle **506.P**, 106*P*, 1998

DE RUYTER VAN STEVENINCK R. R. *see* LAUGHLIN S. B., DE RUYTER VAN STEVENINCK R. R. & ANDERSON J. C. **506.P**, 92*P*, 1998

DESARMÉNIEN M. G. *see* HURBIN A., BOISSIN-AGASSE L., ORCEL H., RABIÉ A., JOUX N., DESARMÉNIEN M. G., RICHARD PH. & MOOS F. C. **509.P**, 87*P*, 1998

DESARNAUD F. *see* SCHUMACHER M., GUENNOUN R., SHAZAND K., DESARNAUD F., KOENIG H. & BAULIEU E. E. **509.P**, 14*S*, 1998

DESCE J.-M. *see* OTANI S., DESCE J.-M., BLOND O. & CRÉPEL F. **507.P**, 26*P*, 1998

DE SOUZA A. I. *see* TERRACCIANO C. M. N., DE SOUZA A. I., PHILIPSON K. D. & MACLEOD K. T. **509.P**, 154*P*, 1998

DEUCHARS J. *see* PATON J. F. R., LI Y.-W., DEUCHARS J. & KASPAROV S. **509.P**, 23*S*, 1998

DEUCHARS J., LI Y.-W., KASPAROV S. & PATON J. F. R. Morphology of neurones in the nucleus tractus solitarii (NTS) in the working heart–brainstem preparation (WHBP) of the rat receiving afferent input from baroreceptors **513.P**, 83*P*, 1998

DEVECI D.

DEVECI D. & EGGINTON S. Use of fluorescent microspheres to determine regional blood flow in small tissue samples **506.P**, 38*P*, 1998

DEVECI D. & EGGINTON S. The effects of prolonged cold exposure on angiogenesis in skeletal and cardiac muscle of hamsters **511.P**, 160*P*, 1998

DEVECI D., BRYAN P., EGGINTON S. & MARSHALL J. M. Chronic hypoxia induces angiogenesis in striated muscle of rat **513.P**, 86*P*, 1998

DEVYNCK M.-A. *see* ZICHA J., LE QUAN SANG K. H., DAVID-DUFILHO M., KUNES J., PERNOLLET M.-G. & DEVYNCK M.-A. **511.P**, 165*P*, 1998

DIALYNAS E. *see* PÉREZ-ROMERO A., DIALYNAS E., BARTKE A., SALAMÉ F., ARIZNAVARRETA C. & TRESGUERRES J. A. F. **509.P**, 94*P*, 1998

DÍAZ E. *see* MENTIS G. Z., DÍAZ E. & NAVARRETE R. **511.P**, 135*P*, 1998

DÍAZ M. E. *see* TRAFFORD A. W., DÍAZ M. E., SIBBRING G. C. & EISNER D. A. **509.P**, 146*P*, 1998

DÍAZ M. E., EISNER D. A. & COKER S. J. Shortening of action potential duration by the antimalarial agent mefloquine in isolated guinea-pig ventricular myocytes **509.P**, 149*P*, 1998

DÍAZ-CABIALE Z. *see* NARVÁEZ J. A., CORDÓN M. P., DÍAZ-CABIALE Z., COVEÑAS R. & GONZÁLEZ-BARÓN S. **509.P**, 132*P*, 1998

DÍAZ-CRUZ A. *see* ALONSO R., HERNÁNDEZ-DÍAZ F., ABREU P., LÓPEZ-COVIELLA I., DÍAZ-CRUZ A., MARTÍNEZ-MORALES J. R., SÁNCHEZ J. J., TABARES L. & SALIDO E. **509.P**, 16*S*, 1998

DICKSON S. L.

DICKSON S. L., MACDONALD L. P. & BAILEY A. R. T. An improved approach for administering the retrograde tracer Fluorogold to discrete CNS nuclei using a microdialysis probe **506.P**, 7*P*, 1998

see BAILEY A. R. T., SMITH L. C., BROWN C. H., SMITH R. G., DICKSON S. L. & LENG G. **506.P**, 142*P*, 1998

see HARTLEY D. E., DICKSON S. L. & FORSLING M. L. **513.P**, 6*P*, 1998

DIEZ-SAMPEDRO A.

DIEZ-SAMPEDRO A., LOSTAO M. P., URDANETA E. & BARBER A. Cytochalasin E effect on digestive-absorptive functions in rat jejunum **509.P**, 25*P*, 1998

DIMALINE R. *see* BATE G. W., VARRO A., DIMALINE R., WANG T. C., KOH T. J. & DOCKRAY G. J. **509.P**, 10*P*, 1998

see WATSON F., DEAVALL D. G., MACRO J. A. & DIMALINE R. **509.P**, 193*P*, 1998

see BLACKMORE C. G., BISHOP L. A., DIMALINE R., GALLACHER D. V., VARRO A. & DOCKRAY G. J. **509.P**, 195*P*, 1998

DITTERT I.

DITTERT I., VLACHOVÁ V., KNOTKOVÁ H., VITÁSKOVÁ Z. & VYKLICKÝ L. A technique for fast control of temperature of solutions applied to cultured neurones **511.P**, 130*P*, 1998

DITTRICH W. *see* STEWART K. A., DITTRICH W., HAWKEN M., HENDERSON L., JACKSON S. & KENNARD C. **509.P**, 177*P*, 1998

DJAMGOZ M. B. A. *see* FRASER S. P., SALVADOR V. & DJAMGOZ M. B. A. **513.P**, 131*P*, 1998

DJAMGOZ M. B. A. Voltage-gated sodium channel activity and metastasis: a novel approach to understanding the pathophysiology of prostate cancer **513.P**, 21*S*, 1998

DOBBIE M. S.

DOBBIE M. S., HURST R. D. & SURTEES R. A. H. Expression of ICAM-1 on endothelial cells in an *in vitro* model of the blood–brain barrier **509.P**, 73*P*, 1998

DOBBINS T.

DOBBINS T. & FALLOWFIELD J. L. The influence of anaerobic capacity on maximum oxygen uptake and power output during ramp tests to exhaustion **506.P**, 100*P*, 1998

DOBRZYNSKI H.

DOBRZYNSKI H., HENDERSON Z., TAKAGISHI Y., ROTHERY S., SEVERS N. J., HONJO H., TAMKUN M. M., KODAMA I. & BOYETT M. R. Expression and localization of the Kv1.5 K^+ channel in the guinea-pig sinoatrial node **506.P**, 54*P*, 1998

DOBRZYNSKI H., MARPLES D., ROTHERY S., TAKAGISHI Y., HONJO H., SEVERS N. J., TAMKUN M. M., KODAMA I., HENDERSON Z. & BOYETT M. R. Distribution of the Kv1.5 K^+ channel in the guinea-pig sinoatrial node: correlation with electrophysiology **511.P**, 148*P*, 1998

DOBŠÁK P.

DOBŠÁK P., COURDEROT-MASUYER C., EICHER J.-C., SIEGELOVÁ J., WOLF J.-E. & ROCHETTE L. Experimental protection of heart grafts by pyruvate **511.P**, 114*P*, 1998

see DUŠEK J., SIEGELOVÁ J., DOBŠÁK P., FIŠER B. & PLACHETA Z. **511.P**, 115*P*, 1998

DOCHERTY J. R. *see* MCDAID J., MCCORMICK P. A. & DOCHERTY J. R. **506.P**, 27*P*, 1998

DOCHERTY K. D. *see* CHAPMAN J. C., MACFARLANE W. N., JAMES R. F. L., LINDLEY K. J., AYNSLEY-GREEN A., DOCHERTY K. D. & DUNNE M. J. **509.P**, 35*P*, 1998

see HASHMI M. N., MACFARLANE W. N., SHEPHERD R. M., JAMES R. F. L., AYNSLEY-GREEN A., DOCHERTY K. D. & DUNNE M. J. **509.P**, 106*P*, 1998

see DUNNE M. J., HASHMI M. N., SHEPHERD R. M., CHAPMAN J. C., COSGROVE K. E., KAMIMURA N., JAMES R. F. L., AYNSLEY-GREEN A., LINDLEY K. J., MACFARLANE W. N., DOCHERTY K. D. & ÄMMÄLÄ C. **509.P**, 11*S*, 1998

DOCKRAY G. J. *see* BATE G. W., VARRO A., DIMALINE R., WANG T. C., KOH T. J. & DOCKRAY G. J. **509.P**, 10*P*, 1998

see NOBLE P.-J. M., MURAI A. & DOCKRAY G. J. **509.P**, 194*P*, 1998

see BLACKMORE C. G., BISHOP L. A., DIMALINE R., GALLACHER D. V., VARRO A. & DOCKRAY G. J. **509.P**, 195*P*, 1998
see LOMAX R. B., MCLAUGHLIN J. T., DOCKRAY G. J., THOMPSON D. G. & WARHURST G. **511.P**, 25*P*, 1998
DOGGRELL S. A. *see* FITCHETT K. H., CONVERY M. K., DOGGRELL S. A. & HANCOX J. C. **513.P**, 163*P*, 1998
DOHENY H. C.
DOHENY H. C. & WHITTINGTON M. A. Synchronous interhippocampal gamma oscillations are disrupted by the hallucinogen mescaline **513.P**, 23*P*, 1998
DOLAN P. *see* BENNIE K. J. & DOLAN P. **511.P**, 160*P*, 1998
DOLEŽAL V. *see* TUČEK S. & DOLEŽAL V. **511 .P** , 28, 1998
DOLLY J. O. *see* BELL N., AKHTAR S., DOLLY J. O. & ROBERTSON B. **509.P**, 199*P*, 1998
DOLPHIN A. C. *see* CANTI C., STEPHENS G. J., PAGE K. M. & DOLPHIN A. C. **509.P**, 38*P*, 1998
see MEIR A. & DOLPHIN A. C. **509.P**, 38*P*, 1998
see BRICE N. L., LI M. & DOLPHIN A. C. **509.P**, 187*P*, 1998
see MEIR A., WYATT C. N., PAGE K. M., BERROW N. S., BRICE N. L. & DOLPHIN A. C. **509.P**, 5*S*, 1998
see AKOPIAN A. N., OKUSE K., SOUSLOVA V., ENGLAND S., SIVILOTTI L., FITZGERALD E., RAVENALL S., DOLPHIN A. C. & WOOD J. N. **513.P**, 20*S*, 1998
DOMINGUEZ M. F. *see* MARIN J. J. G., DOMINGUEZ S. M., MACIAS R. I. R., DOMINGUEZ M. F., SERRANO M. A. & MONTE M. J. **509.P**, 15*P*, 1998
DOMINGUEZ S. M. *see* MARIN J. J. G., DOMINGUEZ S. M., MACIAS R. I. R., DOMINGUEZ M. F., SERRANO M. A. & MONTE M. J. **509.P**, 15*P*, 1998
DOMINICZAK A. F. *see* CARSWELL H. V. O., DOMINICZAK A. F., MCCULLOCH J., ANDERSON N., GRAHAM D., JEFFS B., CLARK J. S. & MACRAE I. M. **509.P**, 97*P*, 1998
DONALDSON F. *see* HOLMES O. & DONALDSON F. **509.P**, 59*P*, 1998
DONG R. *see* DEBNAM E. S., MARKS J., DONG R., SRAI S. K. & UNWIN R. J. **507.P**, 38*P*, 1998
DONNELLY A. E. *see* CHILD R. B., BROWN S. J., DAY S. H. & DONNELLY A. E. **509.P**, 46*P*, 1998
DOOLAN C. M. *see* CONDLIFFE S. B., DOOLAN C. M. & HARVEY B. J. **511.P**, 30*P*, 1998
DOOLAN C. M. & HARVEY B. J. Rapid non-genomic effects of 17β-oestradiol on cAMP-dependent protein kinase activity in rat distal colon **511.P**, 32*P*, 1998
DOORLY D. J. *see* TARNAWSKI M., MCLEAN M., CARO C. G., DOORLY D. J. & DUMOULIN C. L. **506.P**, 16*P*, 1998
see CARO C. G., WATKINS N., DOORLY D. J., SHERWIN S. J. & PEIRÓ J. **513.P**, 2*P*, 1998
DOUBEK P. *see* MAREŠOVÁ D., DOUBEK P., POKORNÝ J., LANGMEIER M., MAREŠ J., HETKA R. & TROJAN S. **511.P**, 131*P*, 1998
DOUGHTY J. M.
DOUGHTY J. M. & LANGTON P. D. Chloride accumulation and the myogenic response in rat cerebral resistance arteries **509.P**, 133*P*, 1998
DOUGLAS I. J. *see* SPEAKE T., DOUGLAS I. J. & BROWN P. D. **511.P**, 22*P*, 1998
DOUGLAS N. J.
DOUGLAS N. J. Upper airway control awake and asleep **513.P**, 5*S*, 1998
DOUST J. H. *see* PASSFIELD L. & DOUST J. H. **506.P**, 100*P*, 1998
DOWD E.
DOWD E., MCQUEEN D. S., CHESSELL I. P. & HUMPHREY P. P. A. Adenosine excites nociceptive afferents of the rat knee joint via adenosine A_1 receptors **509.P**, 162*P*, 1998
DOYLE P. *see* NADERALI E. K., DOYLE P., JACKSON M. J. & WILLIAMS G. **513.P**, 157*P*, 1998
DOYLE V. L. *see* ROSSITER H. B., WARD S. A., DOYLE V. L., HOWE F. A., GRIFFITHS J. R. & WHIPP B. J. **506.P**, 97*P*, 1998
see ROSSITER H. B., WARD S. A., DOYLE V. L., HOWE F. A., GRIFFITHS J. R. & WHIPP B. J. **509.P**, 207*P*, 1998
DRAPER C. E.
DRAPER C. E., SINGH J., PONNERY A. S., MASON N. & ADEGHATE E. A. Effect of age on rat lacrimal and submandibular glands: morphological and physiological studies **511.P**, 22*P*, 1998
DRAPER C. E., SINGH J., LAWRENCE P. A., PALLOT D. J. & ADEGHATE E. A. Evidence to suggest re-differentiation of rat lacrimal gland acini with age **513.P**, 48*P*, 1998
DREW S. *see* LOVICK T. A. & DREW S. **511.P**, 112*P*, 1998
DROOGMANS G. *see* EGGERMONT J., KAMOUCHI M., TROUET D., DROOGMANS G. & NILIUS B. **506.P**, 22*P*, 1998
see VOETS T., BUYSE G., DROOGMANS G., EGGERMONT J. & NILIUS B. **506.P**, 47*P*, 1998
DRUGA R.
DRUGA R. & SYKA J. Decreased NADPH-diaphorase expression in the inferior colliculus following decortication **511.P**, 44*P*, 1998
DRUMMOND R. M. *see* GURNEY A. M., DRUMMOND R. M. & FAY F. S. **509.P**, 29*P*, 1998
D'SOUZA S. *see* AYUK P., GLAZIER J., SIDES K., D'SOUZA S. & SIBLEY C. **509.P**, 78*P*, 1998
DUCHEN M. R. *see* JACOBSON D. & DUCHEN M. R. **506.P**, 75*P*, 1998
see KEELAN J., VERGUN O., KHODOROV B. I. & DUCHEN M. R. **506.P**, 75*P*, 1998
see KEELAN J., HERSSON-RINGSKOG J., SIOFTANOS G., SRITHARAN K., VERGUN O. & DUCHEN M. R. **511.P**, 122*P*, 1998
DUDA K. *see* ZOLADZ J. A., SZKUTNIK Z., MAJERCZAK J. & DUDA K. **506.P**, 99*P*, 1998
see ZOLADZ J., DUDA K. & MAJERCZAK J. **511.P**, 8*P*, 1998
DUKE A. M. *see* DARNLEY G. M., DUKE A. M., STEELE D. S. & MACFARLANE N. G. **506.P**, 58*P*, 1998
see MACFARLANE N. G., DUKE A. M., DARNLEY G. M. & STEELE D. S. **506.P**, 58*P*, 1998
DUKE A. M. & STEELE D. S. Effects of cytosolic adenosine on caffeine-induced Ca^{2+} release from the sarcoplasmic reticulum in saponin skinned skeletal muscle fibres isolated from the frog **506.P**, 78*P*, 1998
DUKE A. M. & STEELE D. S. Effects of inorganic phosphate on Ca^{2+} regulation by the sarcoplasmic reticulum in isolated mechanically skinned rat skeletal muscle fibres **509.P**, 45*P*, 1998
DUKE A. M. & STEELE D. S. Effects of phosphocreatine on Ca^{2+} regulation by the sarcoplasmic reticulum in isolated mechanically skinned rat skeletal muscle fibres **509.P**, 45*P*, 1998
DUMOULIN C. L. *see* TARNAWSKI M., MCLEAN M., CARO C. G., DOORLY D. J. & DUMOULIN C. L. **506.P**, 16*P*, 1998
DUNCAN A. M. *see* SMITH G. L., DUNCAN A. M., BRUCE L. & NEARY P. **509.P**, 145*P*, 1998
DUNNE M. J. *see* CHAPMAN J. C., MACFARLANE W. N., JAMES R. F. L., LINDLEY K. J., AYNSLEY-GREEN A., DOCHERTY K. D. & DUNNE M. J. **509.P**, 35*P*, 1998
see HASHMI M. N., MACFARLANE W. N., SHEPHERD R. M., JAMES R. F. L., AYNSLEY-GREEN A., DOCHERTY K. D. & DUNNE M. J. **509.P**, 106*P*, 1998
see COSGROVE K. E., ÄMMÄLÄ C., JAMES R. F. L. & DUNNE M. J. **509.P**, 189*P*, 1998
DUNNE M. J., HASHMI M. N., SHEPHERD R. M., CHAPMAN J. C., COSGROVE K. E., KAMIMURA N., JAMES R. F. L., AYNSLEY-GREEN A., LINDLEY K. J., MACFARLANE W. N., DOCHERTY K. D. & ÄMMÄLÄ C. The role of cytoplasmic Ca^{2+} signals in β-cell disease **509.P**, 11*S*, 1998
DUNNETT S. *see* MURPHY K. P. S. J., LIONE L. A., CARTER R. J., HUMBY T., MANGIARINI L., MAHAL A., BATES G., DUNNETT S. & MORTON A. J. **513.P**, 12*P*, 1998
DUPERE J. R. B.
DUPERE J. R. B., STARKEY S. J., MARSHALL F. H. & XIE X. M. Selective depression of excitatory synaptic transmission in rat hippocampal slices by nociceptin **513.P**, 30*P*, 1998
DUQUETTE R. A.
DUQUETTE R. A. & WRAY S. An amiloride-insensitive, bicarbonate- and Cl^--independent mechanism of regulation from an acid load in rat gastric smooth muscle **511.P**, 170*P*, 1998
DURÁN J. *see* RODRÍGUEZ A. B., MARCHENA J. M., NOGALES G., DURÁN J. & BARRIGA C. **509.P**, 96*P*, 1998
DURÁN R. *see* ARIAS B., DURÁN R., ARUFE M. & ALFONSO M. **509.P**, 70*P*, 1998
DURANTON C.
DURANTON C., AVELLA M., TAUC M. & POUJEOL P. Characterization of a potassium conductance in the apical membrane of seawater fish gill in primary culture **513.P**, 136*P*, 1998
DURGIN F. H.
DURGIN F. H. & PELAH A. The role of optic flow in visuo-motor calibration during running **506.P**, 111*P*, 1998
DUŠEK J. *see* SIEGELOVÁ J., FIŠER B., DUŠEK J. & PLACHETA Z. **511.P**, 113*P*, 1998
DUŠEK J., SIEGELOVÁ J., DOBŠÁK P., FIŠER B. & PLACHETA Z. Peripheral vascular resistance in patients with essential hypertension treated by verapamil (Ca antagonist) and trandolapril (ACE inhibitor) combined therapy **511.P**, 115*P*, 1998
DUTIA M. B. *see* SHANKS E. A., DUTIA M. B., MCQUEEN J. K., LENG G. & FINK G. **509.P**, 91*P*, 1998

DYBALL R. E. J. *see LOMBARDELLI S., JAYASENA C. & DYBALL R. E. J.* **509.P**, 92*P*, 1998

see LOMBARDELLI S. & DYBALL R. E. J. **511.P**, 48*P*, 1998

EBENEZER I. S. *see PRICE M. E., DACKE C. G. & EBENEZER I. S.* **513.P**, 8*P*, 1998

EBERLE L. *see AMASSIAN V. E., ROTHWELL J. C., CRACCO R. Q., MACCABEE P. J., VERGARA M., HASSAN N. & EBERLE L.* **506.P**, 122*P*, 1998

ECHEVARRÍA E. *see VEGAS L., ECHEVARRÍA E., MUÑOZ C., MUGABURU G. F., SILIÓ M. & CASIS L.* **509.P**, 94*P*, 1998

ECHEVARRÍA M.

ECHEVARRÍA M., RAMÍREZ R., VIZUETE M. L., VENERO J. L., REVUELTA M., CANO J. & ILUNDÁIN A. A. Localization of the mRNAs for several aquaporins along the gastrointestinal tract of rats **509.P**, 13*P*, 1998

ECKERT T. *see SHAH R., HERGET C., HARTLEY D. E., ECKERT T. & FORSLING M. L.* **507.P**, 43*P*, 1998

see HARTLEY D. E., ECKERT T., SHAH R., HERGET C. & FORSLING M. L. **509.P**, 88*P*, 1998

ECONOMIDES A. P. *see TAILOR S., FAGBEMI O. & ECONOMIDES A. P.* **513.P**, 160*P*, 1998

EDGLEY S. A.

EDGLEY S. A. Selection of spinal reflex pathways **509.P**, 28*S*, 1998

EDHEM I. *see CRAGGS M. D., EDHEM I., KNIGHT S. L., MCFARLANE J. P. & SHAH N.* **507.P**, 19*P*, 1998

EDWARDS C. M. B. *see FLETCHER A. J., EDWARDS C. M. B., FORHEAD A. J., FOWDEN A. L. & GIUSSANI D. A.* **507.P**, 50*P*, 1998

EDWARDS D. *see HARRISON C., EDWARDS D., LEACH R. & FORSLING M. L.* **507.P**, 58*P*, 1998

EDWARDS E.

EDWARDS E. & PATON J. F. R. Putative role of 5-HT_4 receptors in modulating the pulmonary chemoreflex (PChR) at the level of the nucleus of the solitary tract (NTS) in anaesthetized rats **509.P**, 125*P*, 1998

EDWARDS E. & PATON J. F. R. Glutamate stimulation in the vicinity of raphe pallidus modulates the cardiopulmonary reflex in anaesthetized rats **513.P**, 79*P*, 1998

EDWARDS M. D. *see LEES G., EDWARDS M. D. & WILLOTT R.* **509.P**, 190*P*, 1998

see LEES G., VERDON B., EDWARDS M. D., ZHENG J. & NICHOLSON R. A. **513.P**, 2*S*, 1998

EDWARDS R. H. T. *see CASTELL L. M., PHOENIX J., EDWARDS R. H. T. & NEWSHOLME E. A.* **509.P**, 206*P*, 1998

EGÉE S.

EGÉE S., CABIOCH S. & THOMAS S. Are ion channels involved in volume regulation in trout red blood cells following osmotic shock? **511.P**, 150*P*, 1998

EGGER V. *see FELDMEYER D. & EGGER V.* **509.P**, 161*P*, 1998

EGGERMONT J.

EGGERMONT J., KAMOUCHI M., TROUET D., DROOGMANS G. & NILIUS B. Intracellular Ca^{2+} measurements in endothelial cells transiently transfected with a bicistronic Green Fluorescent Protein expression vector **506.P**, 22*P*, 1998

see VOETS T., BUYSE G., DROOGMANS G., EGGERMONT J. & NILIUS B. **506.P**, 47*P*, 1998

EGGINTON S. *see DEVECI D. & EGGINTON S.* **506.P**, 38*P*, 1998

see ABBITT K. B., NASH G. B. & EGGINTON S. **506.P**, 39*P*, 1998

see DEVECI D. & EGGINTON S. **511.P**, 160*P*, 1998

see DEVECI D., BRYAN P., EGGINTON S. & MARSHALL J. M. **513.P**, 86*P*, 1998

EICHER J.-C. *see DOBŠÁK P., COURDEROT-MASUYER C., EICHER J.-C., SIEGELOVÁ J., WOLF J.-E. & ROCHETTE L.* **511.P**, 114*P*, 1998

EISNER D. A. *see SHMIGOL A. V., WRAY S. & EISNER D. A.* **509.P**, 30*P*, 1998

see TRAFFORD A. W., DÍAZ M. E., SIBBRING G. C. & EISNER D. A. **509.P**, 146*P*, 1998

see BENNETT D. L., O'NEILL S. C. & EISNER D. A. **509.P**, 147*P*, 1998

see DÍAZ M. E., EISNER D. A. & COKER S. J. **509.P**, 149*P*, 1998

see CHOI H. S. & EISNER D. A. **511.P**, 84*P*, 1998

see OVEREND C. L., ADAMS W., O'NEILL S. C. & EISNER D. A. **511.P**, 85*P*, 1998

ELBERT T. *see LYSÍKOVÁ M., FUKSOVÁ K., ELBERT T., EL-FAKAHANY E. E. & TUČEK S.* **511.P**, 129*P*, 1998

ELDRIDGE P. *see NEWTON S., CAMPBELL J. A., ELDRIDGE P., LEANDRI M. & BYRNE P.* **509.P**, 183*P*, 1998

ELEKES, K. *see VEHOVSKY Á., HIRIPI L., ELEKES K. & ELLIOTT C. J. H.* **513.P**, 107*P*, 1998

EL-FAKAHANY E. E. *see LYSÍKOVÁ M., FUKSOVÁ K., ELBERT T., EL-FAKAHANY E. E. & TUČEK S.* **511.P**, 129*P*, 1998

ELLAWAY P. H. *see DAVEY N. J., SMITH H. C., SAVIC G. & ELLAWAY P. H.* **511.P**, 66*P*, 1998

ELLAWAY P. H., MOOSAVI S. H., CATLEY M., STOKES M. J. & HAQUE N. Variability in the size of compound motor evoked potentials elicited by transcranial magnetic stimulation in severe brain damage **511.P**, 67*P*, 1998

ELLIOTT C. J. H. *see VEHOVSKY Á., HIRIPI L., ELEKES K. & ELLIOTT C. J. H.* **513.P**, 107*P*, 1998

ELLIS A. *see RITZHAUPT A., WOOD I. S., ELLIS A., HOSIE K. B. & SHIRAZI-BEECHEY S. P.* **509.P**, 79*P*, 1998

ELLORY J. C. *see MENDES RIBEIRO A. C., BRUNINI T. M. C., YAQOOB M., ELLORY J. C. & MANN G. E.* **506.P**, 30*P*, 1998

see BRUNINI T. M. C., ROBERTS N., YAQOOB M., ELLORY J. C., MANN G. E. & MENDES RIBEIRO A. C. **506.P**, 33*P*, 1998

see SPEAKE P. F., ELLORY J. C. & GIBSON J. S. **509.P**, 79*P*, 1998

see CAMPBELL E. H., ELLORY J. C. & GIBSON J. S. **509.P**, 80*P*, 1998

ELLRICH J.

ELLRICH J., SCHOMBURG E. D. & STEFFENS H. Do nociceptive reflexes of the foot follow a general flexor reflex or a withdrawal pattern in humans? **509.P**, 172*P*, 1998

EMBER Z.

EMBER Z., YAGO M. D. & SINGH J. Nitrergic nervous control of amylase secretion and calcium mobilization in the isolated rat pancreas **511.P**, 24*P*, 1998

EMERY C. *see KAPPELEROVA O., LAUDE E., EMERY C. & BARER G.* **511.P**, 109*P*, 1998

EMERY C. J. *see LAUDE E. A., EMERY C. J. & BEE D.* **511.P**, 107*P*, 1998

EMERY C. J., PHILLIPS H. M., MARRIOTT H. M., LAUDE E. A. & BEE D. Pulmonary and systemic action of 5-HT in the Fawn Hooded rat: a model of inherited pulmonary and systemic hypertension **511.P**, 108*P*, 1998

ENGLAND S.

ENGLAND S., CHEN C.-C., AKOPIAN A. N. & WOOD J. N. Properties of a rat, sensory neurone-specific, proton-gated ion channel **509.P**, 34*P*, 1998

ENGLAND S., OKUSE K., OGATA N. & WOOD J. N. Heterologous expression of the sensory neurone-specific sodium channel (SNS) α-subunit in rat sympathetic neurones **511.P**, 124*P*, 1998

see AKOPIAN A. N., OKUSE K., SOUSLOVA V., ENGLAND S., SIVILOTTI L., FITZGERALD E., RAVENALL S., DOLPHIN A. C. & WOOD J. N. **513.P**, 20*S*, 1998

ENNION S. *see GEA J., ENNION S., PASTÓ M., GALLEGO P., BARREIRO E., BROQUETAS J. & GOLDSPINK G.* **509.P**, 114*P*, 1998

ERDEMLI G.

ERDEMLI G. & CRUNELLI V. Hypoxia activates I_h in rat thalamocortical neurones *in vitro* **506.P**, 150*P*, 1998

ERDEMLI G. & CRUNELLI V. The response of rat thalamocortical neurones to hypoxia in slices is Ca^{2+} dependent **511.P**, 125*P*, 1998

ERDEMLI G. & CRUNELLI V. Presynaptic mechanisms are responsible for the response of thalamocortical neurones to hypoxia **513.P**, 32*P*, 1998

EREMIN A. V.

EREMIN A. V., ISAEV D. S., PALIGIN O. A., TARASENKO A. N. & KOSTYUK P. G. Difference in expression of low-voltage-operated Ca^{2+} channels in visual and sensorimotor rat cortical neurones during early postnatal development **506.P**, 77*P*, 1998

see ISAEV D. S., EREMIN A. V., PALIGIN O. A., TARASENKO A. N. & KOSTYUK P. G. **506.P**, 77*P*, 1998

ERMOLAYEVA E. *see CAREW M. A., ERMOLAYEVA E., GODDARD C. A. & THORN P.* **507.P**, 3*P*, 1998

ESBJÖRNSSON-LILJEDAHL M. *see NORMAN B., SABINA R. L., ESBJÖRNSSON-LILJEDAHL M. & JANSSON E.* **506.P**, 117*P*, 1998

ESCHENHAGEN T. *see FISCHMEISTER R., VANDECASTEELE G., ABI-GERGES N., VERDE I., ESCHENHAGEN T. & MÉRY P.-F.* **511.P**, 2*S*, 1998

ESCRIBANO B. M. *see MUÑOZ A., CASTEJON F. M., RUBIO M. D., AGÜERA E. I., ESCRIBANO B. M. & SANTISTEBAN R.* **509.P**, 100*P*, 1998

see MUÑOZ A., SANTISTEBAN R., RUBIO M. D., AGÜERA E. I., ESCRIBANO B. M. & CASTEJON F. M. **509.P**, 101*P*, 1998

see FERNÁNDEZ P., CASTEJON F. M., AGÜERA E. I., ESCRIBANO B. M., MUÑOZ A. & RUBIO M. D. **509.P**, 102*P*, 1998

see FERNANDEZ P., CASTEJON F. M., AGÜERA E. I., ESCRIBANO B. M., MUÑOZ A. & RUBIO M. D. **509.P**, 147*P*, 1998

ESCRIG A.

ESCRIG A., GONZALEZ-MORA J. L. & MAS M. Nitric oxide dynamics during penile erection. Effects of androgens **509.P**, 91*P*, 1998

ESTEBAN S.

ESTEBAN S., SASTRE A. & GARCÍA-SEVILLA J. A. *In vivo* effects of imidazoline drugs on monoamine synthesis in rat brain **509.P**, 70*P*, 1998

Eston R. G.
Eston R. G. & Peters D. Effects of cold water immersion on the symptoms of exercise-induced muscle damage **506.P**, 116*P*, 1998

Europe-Finner G. N. *see Chambers P., Neal D. E., Europe-Finner G. N. & Gillespie J. I.* **507.P**, 76*P*, 1998

Evans D.
Evans D., Holden E., Tibbatts C. & Forsling M. L. The effect of melatonin administration on vasopressin release in women **513.P**, 6*P*, 1998

Evans E. F.
Evans E. F. Onset cells in the cochlear nucleus: processing of simple and complex sounds **511.P**, 22*S*, 1998

Evans M. J. *see Riemen C. E., Muimo R., Ratcliff R. A., Colledge W. H., Evans M. J. & Mehta A.* **509.P**, 81*P*, 1998

Ewart H. S.
Ewart H. S., Severson D. & Shimoni Y. K^+ currents in insulin-resistant rat models of diabetes **511.P**, 148*P*, 1998

Exon D. J. *see Vesely M. J. J., Exon D. J., Clark J. E., Green C. J. & Motterlini R.* **506.P**, 16*P*, 1998

Eyre J. A. *see Lim E., Clarke J., Eyre J. A., Kelly S., McClelland V. M., McDonough S., Metcalfe A. V. & Miller S.* **509.P**, 168*P*, 1998
see Taylor J. P., Miller S., Villagra F. & Eyre J. A. **509.P**, 169*P*, 1998

Fagbemi O. *see Tailor S., Fagbemi O. & Economides A. P.* **513.P**, 160*P*, 1998

Fain G. L. *see Matthews H. R., Sampath A. P., Reisert J., Cornwall M. C. & Fain G. L.* **506.P**, 3*P*, 1998
see Sampath A. P., Matthews H. R., Cornwall M. C., Bandarchi J. & Fain G. L. **506.P**, 89*P*, 1998

Fairweather I. *see Graham M., McGeown G. & Fairweather I.* **513.P**, 94*P*, 1998

Faldon M. *see Cauquil A. S., Faldon M., Popov K., Bronstein A. & Day B. L.* **506.P**, 110*P*, 1998

Falk C. X. *see Lam Y. W., Cohen L. B. & Falk C. X.* **506.P**, 83*P*, 1998

Falk G. *see Shiells R. A. & Falk G.* **509.P**, 54*P*, 1998

Fallowfield J. L. *see Dobbins T. & Fallowfield J. L.* **506.P**, 100*P*, 1998

Fareed J. *see Stevens R. J. G., Lintott P., Hafez H., Hoppenteadt D. A., Fareed J., Mansfield A. O., Nicolaides A. N. & Stansby G.* **506.P**, 108*P*, 1998

Farmer H.
Farmer H., Rösen R., Klaus W. & Born G. V. R. Dihydropyridines reduce the efflux of LDL from the vasculature of the mouse mesentery through nitric oxide effects **506.P**, 27*P*, 1998
see Cardona-Sanclemente L. E., Harbrecht U., Medina R., Farmer H. & Born G. V. R. **511.P**, 114*P*, 1998

Farmer M. R.
Farmer M. R., Vaile J. C., Townend J. N. & Coote J. H. The effects of intravenous midazolam on cardiac vagal tone in man **506.P**, 109*P*, 1998
Farmer M. R., Vaile J. C., Osman F., Townend J. N. & Coote J. H. Further evidence for a GABAergic influence on cardiac vagal tone in man **513.P**, 82*P*, 1998

Farmer S. F. *see Halliday D. M., Conway B. A., Farmer S. F., Rosenberg J. R., McLelland D. & Vourekas G.* **506.P**, 82*P*, 1998
see Conway B. A., Halliday D. M., Bray K., Cameron M., McLelland D., Mulcahy E., Farmer S. F. & Rosenberg J. R. **509.P**, 175*P*, 1998
see Brown P., Farmer S. F., Halliday D. M. & Rosenberg J. R. **509.P**, 176*P*, 1998
see Conway B. A., Farmer S. F., Halliday D. M. & Rosenberg J. R. **509.P**, 31*S*, 1998

Farndale R. W. *see Jenner S., Farndale R. W., Norman J. C. & Sage S. O.* **511.P**, 37*P*, 1998

Farrant M. *see Misra C., Brickley S., Farrant M. & Cull-Candy S.* **507.P**, 27*P*, 1998
see Cull-Candy S., Misra C., Brickley S. & Farrant M. **511.P**, 17*S*, 1998

Faulkner H. J.
Faulkner H. J., Traub R. D. & Whittington M. A. Potentiation of recurrent excitatory postsynaptic potentials is positively correlated with a gamma/beta frequency shift during hippocampal fast oscillations **513.P**, 12*P*, 1998

Fawcett J. M.
Fawcett J. M., Harrison S. M., Walker J. H. & Orchard C. H. Role of Ca^{2+}-binding domains in the distribution of FITC-labelled annexins V, VI and mutant recombinant annexin V in living isolated rat ventricular myocytes **509.P**, 153*P*, 1998
Fawcett J. M., Harrison S. M., Walker J. H. & Orchard C. H. The effect of anti-annexin V and VI antibodies and anti-ryanodine receptor antibodies on $[Ca^{2+}]_i$ transients in isolated rat ventricular myocytes **511.P**, 83*P*, 1998

Fay F. S. *see Gurney A. M., Drummond R. M. & Fay F. S.* **509.P**, 29*P*, 1998

Fearon I. M.
Fearon I. M., Palmer A. C. V., Balmforth A. J., Ball S. G., Schwartz A. & Peers C. Effects of sulphydryl modulating agents on recombinant human cardiac L-type Ca^{2+} channel α_{1C} subunits stably expressed in HEK 293 cells **506.P**, 48*P*, 1998
Fearon I. M., Palmer A. C. V., Balmforth A. J., Ball S. G., Varadi G. & Peers C. Effects of β_{2a} subunit co-expression on hypoxic inhibition of recombinant human cardiac L-type calcium channel α_{1C} subunits stably expressed in HEK 293 cells **513.P**, 126*P*, 1998

Feige B. *see Stančák A. Jr, Kristeva-Feige R., Lücking C. H. & Feige B.* **511.P**, 68*P*, 1998

Feldmeyer D.
Feldmeyer D. & Egger V. Intracortical synaptic connections in the 'barrel field' of rat somatosensory cortex **509.P**, 161*P*, 1998

Felisberti F. *see Derrington A. & Felisberti F.* **506.P**, 92*P*, 1998

Fellows E. A. *see Christie G. R., Walker D., Fellows E. A. & Hirst B. H.* **509.P**, 13*P*, 1998

Ferenczi M. A. *see He Z.-H., Ferenczi M. A., Lou F., Curtin N. A. & Woledge R. C.* **509.P**, 42*P*, 1998

Ferguson C. *see Bruce J. I. E., Ferguson C. & Riccardi D.* **513.P**, 50*P*, 1998

Ferguson R. A.
Ferguson R. A., Ball D. & Sargeant A. J. Effect of muscle temperature on oxygen cost of exercise at different movement frequencies **511.P**, 8*P*, 1998
see Karatzaferi C., de Haan A., Offringa C., Ferguson R. A. & Sargeant A. J. **511.P**, 10*P*, 1998

Fern R.
Fern R. Routes of Ca^{2+} influx during ischaemia in rat neonatal white matter astrocytes *in situ* **511.P**, 14*P*, 1998

Fernández P.
Fernández P., Castejon F. M., Agüera E. I., Escribano B. M., Muñoz A. & Rubio M. D. Comparative study of sodium, chloride and calcium plasma concentrations in Iberian and Duroc pigs **509.P**, 102*P*, 1998
Fernandez P., Castejon F. M., Agüera E. I., Escribano B. M., Muñoz A. & Rubio M. D. Morphology of electrocardiographic waves in Iberian pigs **509.P**, 147*P*, 1998

Ferrari-Bardile A. *see Narici M. V., Capodaglio P., Minetti A. E., Ferrari-Bardile A., Maini M. & Cerretelli P.* **506.P**, 59*P*, 1998

Ferrer R. *see Mitjans M. & Ferrer R.* **509.P**, 24*P*, 1998

Ferris H. A. *see Tapia J. A., Ferris H. A., Jensen R. T. & García L. J.* **509.P**, 11*P*, 1998

Ferro A. *see Xu B., Queen L. R. & Ferro A.* **506.P**, 30*P*, 1998
see Queen L. R., Priest R. M., Ward J. P. T. & Ferro A. **506.P**, 31*P*, 1998
Ferro A. & Xu B. Advanced glycation end products impair endothelium-mediated vasorelaxation in rabbit aortae **511.P**, 167*P*, 1998

Filippov A. K.
Filippov A. K., Webb T. E., Barnard E. A. & Brown D. A. $P2Y_2$ nucleotide receptors heterologously expressed in rat sympathetic neurones inhibit both Ca^{2+} and K^+ currents via different G proteins **509.P**, 64*P*, 1998

Filippov V. M.
Filippov V. M. & Krishtal O. A. Slow membrane responses to extracellular potassium in isolated hippocampal neurones **513.P**, 132*P*, 1998

Findlay A. L. R.
Findlay A. L. R. A simple physical model to illustrate Guyton's venous return curves **506.P**, 7*P*, 1998

Fink G. *see Shanks E. A., Dutia M. B., McQueen J. K., Leng G. & Fink G.* **509.P**, 91*P*, 1998
Fink G., Sumner B. E. H., McQueen J. K., Wilson H. & Rosie R. Central serotonin mechanisms affected by sex steroids; relevance for mood, mental state and memory **509.P**, 17*S*, 1998

Fischmeister R. *see Vandecasteele G., Verde I. & Fischmeister R.* **511.P**, 80*P*, 1998
Fischmeister R., Vandecasteele G., Abi-Gerges N., Verde I., Eschenhagen T. & Méry P.-F. Muscarinic regulation of the heart: NO news is bad news **511.P**, 2*S*, 1998

FIŠER B.

FIŠER B., HONZÍKOVÁ N., NOVÁKOVÁ Z. & HRSTKOVÁ H. Baroreflex sensitivity in children and young adults **511.P**, 113*P*, 1998

see SIEGELOVÁ J., FIŠER B., DUŠEK J. & PLACHETA Z. **511.P**, 113*P*, 1998

see DUŠEK J., SIEGELOVÁ J., DOBŠÁK P., FIŠER B. & PLACHETA Z. **511.P**, 115*P*, 1998

FISHER M. J. *see CONANT A. R., FISHER M. J., MCLENNAN A. G. & SIMPSON A. W. M.* **506.P**, 33*P*, 1998

FISHER W. J.

FISHER W. J., ROSBERGEN M. J. & WHITE M. J. An evaluation of electrically evoked maximal and submaximal fatigue tests in the human triceps surae **506.P**, 116*P*, 1998

FITCHETT K. H.

FITCHETT K. H., CONVERY M. K., DOGGRELL S. A. & HANCOX J. C. BDF-9198, a putative novel inotrope, prolongs the action potential in guinea-pig isolated ventricular myocytes **513.P**, 163*P*, 1998

FITZGERALD E. *see AKOPIAN A. N., OKUSE K., SOUSLOVA V., ENGLAND S., SIVILOTTI L., FITZGERALD E., RAVENALL S., DOLPHIN A. C. & WOOD J. N.* **513.P**, 20*S*, 1998

FITZGERALD M. X. *see THIN A., KELLY G., DALY L., FITZGERALD M. X. & MCLOUGHLIN P.* **513.P**, 75*P*, 1998

FITZGERALD W. J. *see BAKER S. N., KILNER J. M., AHMED A., FITZGERALD W. J., MAYSTON M. J. & LEMON R. N.* **509.P**, 168*P*, 1998

FITZPATRICK J. M. *see HEGARTY N., YOUNG L. & FITZPATRICK J. M.* **507.P**, 41*P*, 1998

see YOUNG L., HEGARTY N. & FITZPATRICK J. M. **507.P**, 41*P*, 1998

FITZSIMONS J. T. *see BAMBER C., SHEERIN F., TYSOME J. & FITZSIMONS J. T.* **506.P**, 143*P*, 1998

FLATMAN J. A.

FLATMAN J. A. & HARRISON A. P. M-wave properties associated with twitch and tetanic contraction in isolated rat soleus muscle **506.P**, 156*P*, 1998

FLATMAN R.

FLATMAN R., DEDES M., WILLIAMS M. & SHARP P. Iron uptake by Caco-2 cells is dependent on extracellular pH and intracellular iron concentration **511.P**, 26*P*, 1998

FLEMING T. P. *see SHETH B., HAY M., ANDERSON J. M. & FLEMING T. P.* **513.P**, 65*P*, 1998

see NOWAK R. L., GORRY P., SHETH B. & FLEMING T. P. **513.P**, 66*P*, 1998

see KWONG W. Y., ROBERTS P., WILD A. E., LANGLEY-EVANS S. C. & FLEMING T. P. **513.P**, 88*P*, 1998

FLETCHER A. J.

FLETCHER A. J., GOODFELLOW M. A., FORHEAD A. J., FOWDEN A. L. & GIUSSANI D. A. Dexamethasone attenuates the ACTH and cortisol responses to acute hypoxaemia in fetal sheep during late gestation **506.P**, 138*P*, 1998

FLETCHER A. J., EDWARDS C. M. B., FORHEAD A. J., FOWDEN A. L. & GIUSSANI D. A. Maternal and fetal plasma concentrations of neuropeptide Y in sheep: effects of acute hypoxaemia **507.P**, 50*P*, 1998

FLETCHER E. J. *see LUMMIS S. C. R., FLETCHER E. J. & GREEN T.* **506.P**, 76*P*, 1998

FLORES N. A. *see STAVROU B. M., SHERIDAN D. J. & FLORES N. A.* **509.P**, 150*P*, 1998

FOLKERD E. J. *see SHIRLEY D. G., WALTER S. J., FOLKERD E. J. & UNWIN R. J.* **507.P**, 40*P*, 1998

FOLLAND J. P.

FOLLAND J. P., IRISH C. S., ROBERTS J. C., TARR J. E. & JONES D. A. Muscle fatigue is not essential in strength training **506.P**, 102*P*, 1998

FORD T. W. *see SAYWELL S. A., FORD T. W. & KIRKWOOD P. A.* **509.P**, 170*P*, 1998

see SAYWELL S. A., FORD T. W. & KIRKWOOD P. A. **511.P**, 61*P*, 1998

see BROPHY S., FORD T. W., CAREY M. & JONES J. F. X. **513.P**, 85*P*, 1998

FORESTI R.

FORESTI R., GREEN C. J., CLARK J. E. & MOTTERLINI R. Peroxynitrite induces heme oxygenase-1 in vascular endothelial cells **506.P**, 36*P*, 1998

see MOTTERLINI R., GONZALES A., FORESTI R., CLARK J. E., GREEN C. J. & WINSLOW R. M. **506.P**, 37*P*, 1998

FORHEAD A. J. *see FLETCHER A. J., GOODFELLOW M. A., FORHEAD A. J., FOWDEN A. L. & GIUSSANI D. A.* **506.P**, 138*P*, 1998

FORHEAD A. J. & FOWDEN A. L. Developmental changes in the hypotensive response to angiotensin II type 1 receptor antagonism in fetal sheep near term **506.P**, 138*P*, 1998

see FOWDEN A. L., FORHEAD A. J., BLOOMFIELD M., TAYLOR P. M. & SILVER M. **507.P**, 49*P*, 1998

see FLETCHER A. J., EDWARDS C. M. B., FORHEAD A. J., FOWDEN A. L. & GIUSSANI D. A. **507.P**, 50*P*, 1998

FORHEAD A. J., BROUGHTON PIPKIN F. & FOWDEN A. L. The effect of cortisol on the renin-angiotensin system in fetal sheep during late gestation **507.P**, 51*P*, 1998

see LI J., FORHEAD A. J., FOWDEN A. L. & DAUNCEY M. J. **507.P**, 53*P*, 1998

FORREST D. *see PFAFF D. W., DELLOVADE T., CHAN J., ZHU Y., KIA K., VENNSTROM B. & FORREST D.* **509.P**, 14*S*, 1998

FORRESTER J. V. *see ZHAO M., FORRESTER J. V. & MCCAIG C. D.* **511.P**, 39*P*, 1998

FORSLING M. L. *see KOSTOGLOU-ATHANASSIOU I., ATHANASSIOU P., TREACHER D. F., WHEELER M. J. & FORSLING M. L.* **506.P**, 142*P*, 1998

see HARTLEY D. E., HERGET C., SHAH R. & FORSLING M. L. **506.P**, 143*P*, 1998

see SHAH R., HERGET C., HARTLEY D. E., ECKERT T. & FORSLING M. L. **507.P**, 43*P*, 1998

see HARRISON C., EDWARDS D., LEACH R. & FORSLING M. L. **507.P**, 58*P*, 1998

see HARTLEY D. E., ECKERT T., SHAH R., HERGET C. & FORSLING M. L. **509.P**, 88*P*, 1998

see EVANS D., HOLDEN E., TIBBATTS C. & FORSLING M. L. **513.P**, 6*P*, 1998

see HARTLEY D. E., DICKSON S. L. & FORSLING M. L. **513.P**, 6*P*, 1998

FÖRSTERMANN U. *see CLOSS E. I., SCHELD J.-S., SHARAFI M. & FÖRSTERMANN U.* **506.P**, 29*P*, 1998

FORSYTHE I. D. *see RUSZNÁK Z., HARASZTOSI CS., FORSYTHE I. D., STANFIELD P. R. & SZŰCS G.* **509.P**, 61*P*, 1998

FOWDEN A. L. *see FLETCHER A. J., GOODFELLOW M. A., FORHEAD A. J., FOWDEN A. L. & GIUSSANI D. A.* **506.P**, 138*P*, 1998

see FORHEAD A. J. & FOWDEN A. L. **506.P**, 138*P*, 1998

FOWDEN A. L., FORHEAD A. J., BLOOMFIELD M., TAYLOR P. M. & SILVER M. Pancreatic α-cell function in the fetal foal during late gestation **507.P**, 49*P*, 1998

see FLETCHER A. J., EDWARDS C. M. B., FORHEAD A. J., FOWDEN A. L. & GIUSSANI D. A. **507.P**, 50*P*, 1998

see FORHEAD A. J., BROUGHTON PIPKIN F. & FOWDEN A. L. **507.P**, 51*P*, 1998

see LI J., FORHEAD A. J., FOWDEN A. L. & DAUNCEY M. J. **507.P**, 53*P*, 1998

FOX J. E.

FOX J. E. & JEFFERYS J. G. R. The effect of diazepam on tetanically induced gamma oscillations in the rat hippocampal slice **509.P**, 67*P*, 1998

FRACKOWIAK R. S. J. *see GRIFFITHS T. D., REES G., REES A., GREEN G. G. R., WITTON C., ROWE D., BUECHEL C., TURNER R. & FRACKOWIAK R. S. J.* **506.P**, 85*P*, 1998

FRANCO D. *see HABETS P. E. M. H., FRANCO D., SARGEANT A. J., SANT'ANA PEREIRA J. A. A. & MOORMAN A. F. M.* **509.P**, 44*P*, 1998

FRANKS C.

FRANKS C., CHAD J. E., WALKER R. J. & HOLDEN-DYE L. The role of $G\alpha_o$ in the effects of 5-hydroxytryptamine and octopamine on pharyngeal action potentials of the nematode, *Caenorhabditis elegans* **513.P**, 106*P*, 1998

FRASER P. A. *see KERSLAKE-HANDS S. H. & FRASER P. A.* **506.P**, 21*P*, 1998

see SARKER M. H. & FRASER P. A. **506.P**, 22*P*, 1998

see GAUDEN V. & FRASER P. A. **513.P**, 148*P*, 1998

FRASER S. P.

FRASER S. P., SALVADOR V. & DJAMGOZ M. B. A. Voltage-gated Na^+ channel activity contributes to rodent prostate cancer cell migration *in vitro* **513.P**, 131*P*, 1998

FREESTONE N. *see APTEL H. & FREESTONE N.* **509.P**, 155*P*, 1998

FRENCH A. S. *see AMAT C., LAPIED B., FRENCH A. S. & HUE B.* **513.P**, 103*P*, 1998

FRY C. H. *see SUI G., WU C. & FRY C. H.* **507.P**, 22*P*, 1998

see WU C., SUI G. & FRY C. H. **507.P**, 22*P*, 1998

see BAYLISS M., NEWGREEN D. & FRY C. H. **507.P**, 73*P*, 1998

see APPLETON N. M. & FRY C. H. **507.P**, 73*P*, 1998

see WAGG A. S., MALONE-LEE J. G. & FRY C. H. **507.P**, 77*P*, 1998

FRY C. H. & WU C. The cellular physiology of detrusor instability **507.P**, 5*S*, 1998

see SUI G., WU C. & FRY C. H. **513.P**, 96*P*, 1998

see PROCTOR A. V. & FRY C. H. **513.P**, 97*P*, 1998

FUENTES E. *see NADAL A., FUENTES E., SUL J.-Y., PASTOR J., VALDEOLMILLOS M. & MCNAUGHTON P. A.* **513.P**, 11*S*, 1998

FUENTES M. L. M.

FUENTES M. L. M., ARTILLO R., CARRERAS O. & MURILLO M. L. Effect of chronic ethanol ingestion on zinc duodenal absorption and zinc serum levels during pregnancy or lactation in rats **509.P**, 22*P*, 1998

FUKSOVÁ K. *see LYSÍKOVÁ M., FUKSOVÁ K., ELBERT T., EL-FAKAHANY E. E. & TUČEK S.* **511.P**, 129*P*, 1998

FUKUBA Y.

FUKUBA Y., HAYASHI N., SATO H. & YOSHIDA T. Effect of exercise-induced metabolic acidaemia on pulmonary V_{O_2} kinetics during heavy exercise **507.P**, 64*P*, 1998

FULTON B. P. *see POTTER K. N. & FULTON B. P.* **507.P**, 30*P*, 1998

GADHVI V. M.

GADHVI V. M. & MILLAR J. The effect of bicuculline on the frequency response of neurones in the rat dorsal horn **506.P**, 153*P*, 1998

GAGG J.

GAGG J., SMITH L., BROWN H., PERRY V. H. & KOZLOWSKI R. Volume-activated Cl^- channels do not play a role in activation of phagocytosis in the macrophage cell line, RAW264 **506.P**, 46*P*, 1998

GAHR M.

GAHR M. Steroid-dependent differentiation of the vocal control system of songbirds **509.P**, 16*S*, 1998

GALIONE A. *see CUI Y., GALIONE A. & TERRAR D. A.* **511.P**, 94*P*, 1998

GALLACHER D. V. *see BLACKMORE C. G., BISHOP L. A., DIMALINE R., GALLACHER D. V., VARRO A. & DOCKRAY G. J.* **509.P**, 195*P*, 1998

GALLAGHER P. J. *see HILLMAN N. J., NOBLE A. R. & GALLAGHER P. J.* **513.P**, 45*P*, 1998

GALLEGO M. *see CASIS O., IRIARTE M. M., GALLEGO M. & SÁNCHEZ-CHAPULA J. A.* **509.P**, 153*P*, 1998

GALLEGO P. *see GEA J., ENNION S., PASTÓ M., GALLEGO P., BARREIRO E., BROQUETAS J. & GOLDSPINK G.* **509.P**, 114*P*, 1998

GAMALEY I. A. *see KLYUBIN I. V., KIRPICHNIKOVA K. M. & GAMALEY I. A.* **506.P**, 77*P*, 1998

GAMBLE J. *see JEAL S., BROWN M. D., BRYANT J. & GAMBLE J.* **506.P**, 23*P*, 1998

GAMUNDÍ A.

GAMUNDÍ A., ROCA C., BERNÁCER R., NICOLAU M. C. & RIAL R. V. Behavioural sleep and environmental factors in reptiles (*Gallotia galloti*) **509.P**, 89*P*, 1998

GANDEVIA S. C. *see PETERSEN N., TAYLOR J. L., BUTLER J. E. & GANDEVIA S. C.* **511.P**, 65*P*, 1998

GAO B.

GAO B., CASH D., ABRAHAM D., BLACK C., BRUCKDORFER K. R. & JACOBS M. Sera from patients with primary Raynaud's disease and limited scleroderma alter vascular responsiveness in rabbit aorta **513.P**, 153*P*, 1998

GARAY R. P. *see GIMÉNEZ I., MARTÍNEZ R. M., LOU J. M., MAYORAL J. A., ALDA J. O. & GARAY R. P.* **509.P**, 23*P*, 1998

GARCÍA A. *see ALONSO M. T., BARRERO M. J., CARNICERO E., MONTERO M., MICHELENA P., GARCÍA A., GARCÍA-SANCHO J. & ALVAREZ J.* **509.P**, 10*S*, 1998

GARCÍA J. J. *see ORTEGA E., GARCÍA J. J., SÁEZ M. C. & DE LA FUENTE M.* **509.P**, 24*P*, 1998

GARCÍA J. J., REITER R. J., ACUÑA-CASTROVIEJO D., PIÉ J., BALLARÍN E. M. & YU B. P. Melatonin enhances tamoxifen ability to prevent decreases in microsomal membrane fluidity modulated by lipid peroxidation **509.P**, 95*P*, 1998

GARCÍA L. J. *see ROSADO J. A., GARCIA L. J., SINGH J. & SALIDO G. M.* **506.P**, 127*P*, 1998

see TAPIA J. A., FERRIS H. A., JENSEN R. T. & GARCÍA L. J. **509.P**, 11*P*, 1998

GARCÍA-SANCHO J. *see ALONSO M. T., BARRERO M. J., CARNICERO E., MONTERO M., MICHELENA P., GARCÍA A., GARCÍA-SANCHO J. & ALVAREZ J.* **509.P**, 10*S*, 1998

GARCÍA-SEGURA L. M. *see CHOWEN J. A., ARGENTE J., CARDONA-GOMEZ G. P., AZCOITIA I. & GARCÍA-SEGURA L. M.* **509.P**, 15*S*, 1998

GARCÍA-SEVILLA J. A. *see ESTEBAN S., SASTRE A. & GARCÍA-SEVILLA J. A.* **509.P**, 70*P*, 1998

GARDINER H. M.

GARDINER H. M., KOPECKÁ J. & MARSÁL K. Right and left ventricles show essential physiological differences during normal human fetal development **507.P**, 53*P*, 1998

GARRETT J. R. *see CARPENTER G. H., PROCTOR G. B. & GARRETT J. R.* **509.P**, 8*P*, 1998

GARRETT M. *see KERR T., GARRETT M. & CAULFIELD B.* **509.P**, 173*P*, 1998

GARRIGA C. *see MORETÓ M., GARRIGA C. & PLANAS J. M.* **507.P**, 7*P*, 1998

GARTHWAITE J. *see IRVING A. J., BOULTON C. L., GARTHWAITE J. & COLLINGRIDGE G. L.* **506.P**, 149*P*, 1998

GATTULLO D. *see PAGLIARO P., LINDEN R. J., LOSANO G., MERLETTI A. & GATTULLO D.* **507.P**, 56*P*, 1998

GAUDEN V.

GAUDEN V. & FRASER P. A. Horseradish peroxidase leakage quantified following experimental cerebral ischaemia in anaesthetized rats **513.P**, 148*P*, 1998

GAUTIER H.

GAUTIER H. Interactions between hypoxia and changes in metabolic rate on the control of breathing **511.P**, 43*S*, 1998

GEA J.

GEA J., ENNION S., PASTÓ M., GALLEGO P., BARREIRO E., BROQUETAS J. & GOLDSPINK G. Diaphragmatic loading and expression of genes corresponding to different isoforms of myosin in humans with airway obstruction **509.P**, 114*P*, 1998

GEBRUERS E. M. *see HANNA-MITCHELL A. T. & GEBRUERS E. M.* **511.P**, 35*P*, 1998

GEIGER J. R. P. *see JONAS P., HAVERKAMPF K., KRAUSHAAR U. & GEIGER J. R. P.* **511.P**, 19*S*, 1998

GELBAND C. H. *see MASON H. S., GELBAND C. H., SUMNERS C., HOROWITZ B. & KENYON J. L.* **509.P**, 63*P*, 1998

GÉLÉOC G. S. G.

GÉLÉOC G. S. G. & ASHMORE J. F. Sugar transport in isolated outer hair cells of the guinea-pig cochlea **506.P**, 131*P*, 1998

GÉLÉOC G. S. G. & ASHMORE J. F. Interaction between sugar transport and the mechanism of fast motility in guinea-pig outer hair cells **511.P**, 120*P*, 1998

GERASIMENKO J. V. *see GERASIMENKO O. V., GERASIMENKO J. V., TEPIKIN A. V. & PETERSEN O. H.* **509.P**, 105*P*, 1998

see GERASIMENKO O. V., GERASIMENKO J. V. & PETERSEN O. H. **511.P**, 32*P*, 1998

GERASIMENKO O. *see TEPIKIN A., BELAN P., GERASIMENKO O., CRASKE M., TAKEO T., TÖRÖK K. & PETERSEN O. H.* **509.P**, 8*S*, 1998

GERASIMENKO O. V.

GERASIMENKO O. V., GERASIMENKO J. V., TEPIKIN A. V. & PETERSEN O. H. Inter-relation between acidification and calcium transport in endosomes of Swiss 3T3 fibroblasts **509.P**, 105*P*, 1998

GERASIMENKO O. V., GERASIMENKO J. V. & PETERSEN O. H. Spatial distribution of calcium concentration changes in the calcium stores of mechanically permeabilized pancreatic acinar cells **511.P**, 32*P*, 1998

GERRITS H. L.

GERRITS H. L., DE HAAN A., HOPMAN M. T. E., VAN DER WOUDE L. & SARGEANT A. J. The influence of muscle temperature on contractile properties of the quadriceps in humans with a spinal cord injury **509.P**, 43*P*, 1998

GIANNIKOPOULOS D. V. *see ZHENG F., GOLLEDGE H. D. R., GIANNIKOPOULOS D. V., MASON R. J., SCANNELL J. W., TOVEE M. J. & YOUNG M. P.* **509.P**, 58*P*, 1998

GIBB A. J. *see WONG A., BURNSTOCK G. & GIBB A. J.* **511.P**, 17*P*, 1998

see ANDOLINA I., HALLIDAY F. C. & GIBB A. J. **511.P**, 18*P*, 1998

see RYCROFT B., SIMCOX R. & GIBB A. J. **511.P**, 128*P*, 1998

GIBLIN J.

GIBLIN J., LEANEY J. & AND TINKER A. An approach to examining the interaction between the sulphonylurea receptor (SUR1) and Kir 6.2 **513.P**, 137*P*, 1998

GIBSON J. *see LAU D. H. P., CASTRO-ALAMANCOS M., CHOW A., OZAITA A., VEGA-SAENZ DE MIERA E., MATHEW S., GIBSON J., CONNORS B. & RUDY B.* **511.P**, 147*P*, 1998

GIBSON J. S. *see SPEAKE P. F., ELLORY J. C. & GIBSON J. S.* **509.P**, 79*P*, 1998

see CAMPBELL E. H., ELLORY J. C. & GIBSON J. S. **509.P**, 80*P*, 1998

see MUZYAMBA M. C., COSSINS A. R. & GIBSON J. S. **513.P**, 56*P*, 1998

see KIESSLING K., WEAVER Y. R., GIBSON J. S. & COSSINS A. R. **513.P**, 57*P*, 1998

see CAMPBELL E. H. & GIBSON J. S. **513.P**, 58*P*, 1998

GIESBERTS A. N. *see QURESHI I. Z., GIESBERTS A. N. & WHITE S. J.* **509.P**, 203*P*, 1998

GIL A. *see MAÑAS M., MARTÍNEZ M. A., YAGO M. D., RAMÍREZ M. C., GIL A., MARTÍNEZ-VICTORIA E. & SINGH J.* **509.P**, 14*P*, 1998

GILBEY M. P. *see CHANG H.-S. & GILBEY M. P.* **506.P**, 134*P*, 1998

see CHANG H.-S., SMITH J. E., STARAS K. & GILBEY M. P. **509.P**, 123*P*, 1998

see SMITH J. E. & GILBEY M. P. **513.P**, 81*P*, 1998

GILES J. D. *see SCHNUPP J. W. H., GILES J. D., BADDELEY R. J. & KING A. J.* **506.P**, 90*P*, 1998

Giles M. E. *see* Bailey A. R. T., Giles M. E., Opstad K., Smith R. G. & Leng G. **511.P**, 49*P*, 1998

Giles S. *see* Hopkins N., Cadogan E., Giles S., Bannigan J. & McLoughlin P. **511.P**, 110*P*, 1998

Gilio F. *see* Modugno N., Priori A., Gilio F., Lorenzano C. & Berardelli A. **513.P**, 34*P*, 1998

Gillard D. *see* Prochazka A., Gillard D. & Cameron T. **511.P**, 28*S*, 1998

Gillespie J. I. *see* Tarasenko A. N. & Gillespie J. I. **506.P**, 35*P*, 1998

see Moon A., Neal D. E. & Gillespie J. I. **507.P**, 74*P*, 1998

see Charlton R. G., Morley A. R., Neal D. E. & Gillespie J. I. **507.P**, 75*P*, 1998

see Chambers P., Neal D. E., Europe-Finner G. N. & Gillespie J. I. **507.P**, 76*P*, 1998

see Masters J. G., Neal D. E. & Gillespie J. I. **507.P**, 76*P*, 1998

Gillooly D. J. *see* Boyle D., Gillooly D. J. & Allen J. M. **509.P**, 198*P*, 1998

see Melendez A. J., Gillooly D. J., Harnett M. M. & Allen J. M. **509.P**, 198*P*, 1998

Giménez I.

Giménez I., Martínez R. M., Lou J. M., Mayoral J. A., Alda J. O. & Garay R. P. Renal actions of genistein in the rat **509.P**, 23*P*, 1998

Gingrich M. B.

Gingrich M. B., Rouse S. T., Marino M. J., Conn P. J. & Traynelis S. F. Potentiation of neuronal and recombinant NMDA receptors by activation of the thrombin receptor (PAR1) in *Xenopus* oocytes and rat hippocampal slices **507.P**, 26*P*, 1998

Giniatullin R. *see* Vyskočil F., Bukharaeva E., Giniatullin R. & Nikolsky E. E. **511.P**, 36*S*, 1998

Giniatullin R. A. *see* Kovyazina I., Nikolsky E. E., Giniatullin R. A. & Vyskočil F. **511.P**, 143*P*, 1998

Giovannelli M. *see* Priori A., Pedace F., Giovannelli M., Inghilleri M. & Berardelli A. **507.P**, 34*P*, 1998

Giussani D. A. *see* Fletcher A. J., Goodfellow M. A., Forhead A. J., Fowden A. L. & Giussani D. A. **506.P**, 138*P*, 1998

see Fletcher A. J., Edwards C. M. B., Forhead A. J., Fowden A. L. & Giussani D. A. **507.P**, 50*P*, 1998

Giussani D. A., Riquelme R. A., McGarrigle H. H., Sanhueza E. M., Hanson M. A. & Llanos A. J. Carotid sinus nerve section prevents the increase in plasma cortisol, but does not affect the increase in plasma ACTH or in adrenal blood flow, during acute hypoxaemia in the llama fetus **507.P**, 52*P*, 1998

Gladden M. H. *see* Sahal A., Maxwell D. J., Jankowska E. & Gladden M. H. **509.P**, 172*P*, 1998

Gladden M. H., Barghi E. & Lawson C. Background and reflex activity of γ-motoneurones supplying caudal muscles in anaesthetized rats **511.P**, 64*P*, 1998

Gladwell S. J.

Gladwell S. J., Pyner S., Barnes N. M. & Coote J. H. Dopamine receptor subtype on rat target specified sympathetic preganglionic neurones: a histoautoradiographic study **506.P**, 135*P*, 1998

Gladwell Z. M.

Gladwell Z. M., Trezise D. J., Plumpton C., Xie X. M. & Tate S. Expression and functional analysis of recombinant rat sensory neuron-specific Na^+ channels in a mammalian cell line **513.P**, 141*P*, 1998

Glazier J. *see* Ayuk P., Glazier J., Sides K., D'Souza S. & Sibley C. **509.P**, 78*P*, 1998

Gleeson M. *see* Robson P. J., Blannin A. K., Walsh N. P., Cook L. & Gleeson M. **506.P**, 118*P*, 1998

see Blannin A. K., Walsh N. P., Clark A. M. & Gleeson M. **506.P**, 121*P*, 1998

Glennon J. C.

Glennon J. C., O'Connor J. J. & O'Connor W. T. Medial prefrontal cortex GABA regulates local and striatal dopamine and GABA release, as studied by dual probe microdialysis in the conscious rat **511.P**, 69*P*, 1998

Goddard C. A. *see* Carew M. A., Ermolayeva E., Goddard C. A. & Thorn P. **507.P**, 3*P*, 1998

Goddard D. R.

Goddard D. R., Berry M. & Butt A. M. Differential effects of high and low doses of fibroblast growth factor-2 (FGF-2) on oligodendrocytes in the rat **513.P**, 69*P*, 1998

Goldspink D. F. *see* Tait C. J., Hudson L. J., Cox V. M. & Goldspink D. F. **506.P**, 61*P*, 1998

see Hudson L. J., Lopez-Oliva E. M., Cox V. M. & Goldspink D. F. **511.P**, 154*P*, 1998

see Ng Y., Colyer J., Tan L. B., Clark W. A. & Goldspink D. F. **511.P**, 157*P*, 1998

Goldspink G. *see* Gea J., Ennion S., Pastó M., Gallego P., Barreiro E., Broquetas J. & Goldspink G. **509.P**, 114*P*, 1998

see Skarli M., Yang S. Y., Bouloux P., Yellon D. M. & Goldspink G. **509.P**, 192*P*, 1998

Golledge H. D. R. *see* Zheng F., Golledge H. D. R., Giannikopoulos D. V., Mason R. J., Scannell J. W., Tovee M. J. & Young M. P. **509.P**, 58*P*, 1998

Gomez-Tubio A. *see* Cano M. J., Gomez-Tubio A., Murillo M. L. & Carreras O. **509.P**, 22*P*, 1998

Gomis A.

Gomis A. & Lagnado L. Refilling of the rapidly releasable pool of vesicles in retinal bipolar cells **506.P**, 93*P*, 1998

Gonzales A. *see* Motterlini R., Gonzales A., Foresti R., Clark J. E., Green C. J. & Winslow R. M. **506.P**, 37*P*, 1998

González A.

González A., Pfeiffer F., Schmid A. & Schulz I. Influence of cytosolic pH on Ca^{2+} wave propagation in isolated mouse pancreatic acinar cells **506.P**, 126*P*, 1998

see Pfeiffer F., González A., Schmid A., Sternfeld L. & Schulz I. **509.P**, 9*S*, 1998

González C. *see* Pérez-García M. T., López-López J. R. & González C. **509.P**, 36*P*, 1998

Gonzalez J. S. *see* Grovum W. L. & Gonzalez J. S. **511.P**, 54*P*, 1998

González M. *see* Reyes R., González M., Negrín I., Alonso R. & Bello A. R. **509.P**, 93*P*, 1998

González T. *see* Trujillo E., Alvarez de la Rosa D., Mobasheri A., Avila J., González T. & Martín-Vasallo P. **511.P**, 40*P*, 1998

González-Barón S. *see* Dawid-Milner M. S., López de Miguel P., Lara J. P., Marcos P., Aguirre J. A. & González-Barón S. **509.P**, 126*P*, 1998

see Narváez J. A., Cordón M. P., Díaz-Cabiale Z., Coveñas R. & González-Barón S. **509.P**, 132*P*, 1998

Gonzalez-Gallego J. *see* Bayón J. E., Pascolo L., Serrano M. A., Cupelli F., Tiribelli C., Gonzalez-Gallego J. & Marin J. G. **509.P**, 26*P*, 1998

Gonzalez-Mora J. L. *see* Escrig A., Gonzalez-Mora J. L. & Mas M. **509.P**, 91*P*, 1998

Gonzalez-Serratos H.

Gonzalez-Serratos H., Ortega A., Valle-Aguilera R. & Chang R. Effect of the organic Ca^{2+} channel blocker diltiazem on excitation–contraction coupling in frog isolated skeletal muscle fibres and in rabbit isolated sarcoplasmic reticulum **506.P**, 59*P*, 1998

Goodfellow M. A. *see* Fletcher A. J., Goodfellow M. A., Forhead A. J., Fowden A. L. & Giussani D. A. **506.P**, 138*P*, 1998

Goodwin F.

Goodwin F., Brownlee D. J. A., Alston R., Bagust J. & Walker R. J. Effects and co-localization of 5-HT and the tetrapeptide FMRFamide upon the contractile properties of the pharyngeal retractor muscle and the heart of the gastropod *Helix aspersa* **513.P**, 112*P*, 1998

Gorry P. *see* Nowak R. L., Gorry P., Sheth B. & Fleming T. P. **513.P**, 66*P*, 1998

Gouzènes L.

Gouzènes L., Sabatier N., Richard Ph., Moos F. & Dayanithi G. V_{1a}- and V_2-vasopressin receptor agonist-induced $[Ca^{2+}]_i$ responses in vasopressin-sensitive neurones of the rat supraoptic nucleus **509.P**, 86*P*, 1998

Gradwell D. *see* Collier D., Collier C., Gradwell D. & Rosenberg M. **506.P**, 84*P*, 1998

Graham C.

Graham C., Lodge J. P. A. & Potts D. J. Basolateral membrane potential (V_{bl}) and partial conductance for potassium (t_K) in flush preserved rabbit kidney proximal tubules **511.P**, 34*P*, 1998

Graham C., Marples D. D. R., Hunter M., Lodge J. P. A. & Potts D. J. A digital method to measure cell volume in isolated, perfused rabbit renal proximal tubules **513.P**, 3*P*, 1998

Graham D. *see* Carswell H. V. O., Dominiczak A. F., McCulloch J., Anderson N., Graham D., Jeffs B., Clark J. S. & Macrae I. M. **509.P**, 97*P*, 1998

Graham D., Wood G. & Winlow W. Ethanol raises intracellular calcium concentration in cultured molluscan neurones **513.P**, 110*P*, 1998

Graham M.

Graham M., McGeown G. & Fairweather I. Mechanisms responsible for spontaneous and caffeine-induced activity in isolated muscle strips from the liver fluke, *Fasciola hepatica* **513.P**, 94*P*, 1998

GRANT J.

GRANT J., MORT D. J. & ATTWELL D. Potentiation of glutamate uptake by ammonia in isolated salamander retinal glial cells **513.P**, 16*P*, 1998

GRAVES J. E.

GRAVES J. E., GREENWOOD I. A. & LARGE W. A. Effects of chloride current inhibitors on vascular tone in rat isolated small coronary arteries **511.P**, 170*P*, 1998

GRAY A. C. *see DARNLEY G. M., GRAY A. C., MCCLURE S. J., NEARY P., PETRIE M. C., MCMURRAY J. J. V. & MACFARLANE N. G.* **509.P**, 119*P*, 1998

GRAY P. A.

GRAY P. A., WALKER D. & HIRST B. H. Regulation of the amino acid transport system $hATB^0$ by L-alanine and L-leucine in human intestinal Caco-2 cells **513.P**, 62*P*, 1998

GRAY R. *see RIGAS A., ROSENBERG J. R., HALLIDAY D. M., GRAY R. & CONWAY B. A.* **509.P**, 6*P*, 1998

GREEN C. J. *see VESELY M. J. J., EXON D. J., CLARK J. E., GREEN C. J. & MOTTERLINI R.* **506.P**, 16*P*, 1998

see FORESTI R., GREEN C. J., CLARK J. E. & MOTTERLINI R. **506.P**, 36*P*, 1998

see MOTTERLINI R., GONZALES A., FORESTI R., CLARK J. E., GREEN C. J. & WINSLOW R. M. **506.P**, 37*P*, 1998

GREEN G. G. R. *see GRIFFITHS T. D., REES G., REES A., GREEN G. G. R., WITTON C., ROWE D., BUECHEL C., TURNER R. & FRACKOWIAK R. S. J.* **506.P**, 85*P*, 1998

see WITTON C., REES A., LAVIS R., GRIFFITHS T. D. & GREEN G. G. R. **506.P**, 85*P*, 1998

GREEN K. A. *see COTTRELL G. A. & GREEN K. A.* **513.P**, 16*S*, 1998

GREEN T. *see LUMMIS S. C. R., FLETCHER E. J. & GREEN T.* **506.P**, 76*P*, 1998

GREENHAFF P. *see TSINTZAS K., WILLIAMS C., CONSTANTIN-TEODOSIU D., HULTMAN E., BOOBIS L. & GREENHAFF P.* **506.P**, 101*P*, 1998

GREENHAFF P. L. *see TIMMONS J. A., POUCHER S. M. & GREENHAFF P. L.* **506.P**, 40*P*, 1998

see TIMMONS J. A., GREENHAFF P. L. & POUCHER S. M. **506.P**, 41*P*, 1998

see CONSTANTIN-TEODOSIU D., SIMPSON E. J. & GREENHAFF P. L. **506.P**, 102*P*, 1998

see STEENGE G. R., LAMBOURNE J., CASEY A., MACDONALD I. A. & GREENHAFF P. L. **506.P**, 103*P*, 1998

see WELLER A. S., NEVOLA V. R., HARRISON M. H., GREENHAFF P. L. & MACDONALD I. A. **506.P**, 104*P*, 1998

GREENHAFF P. L. Regulation of energy metabolism in working muscle fibres **506.P**, 38*S*, 1998

GREENSMITH L. *see HARDING D. I., GREENSMITH L., ANDERSON P. N. & VRBOVÁ G.* **511.P**, 143*P*, 1998

GREENSMITH L., HARDING D. I., MEYER M. P. & VRBOVÁ G. Mechanical activity is necessary for the normal development of rat soleus muscle **511.P**, 37*S*, 1998

GREENWOOD I. A. *see GRAVES J. E., GREENWOOD I. A. & LARGE W. A.* **511.P**, 170*P*, 1998

GREENWOOD I. A. & LARGE W. A. Activation of a chloride current by hypotonic swelling of rabbit vascular myocytes **511.P**, 171*P*, 1998

GREENWOOD J. P.

GREENWOOD J. P., STOKER J. B. & MARY D. A. S. G. The effect of human pregnancy on peripheral sympathetic discharge **511.P**, 11*P*, 1998

GREENWOOD R. J. *see BATEMAN A., GREENWOOD R. J. & SCOTT O. M.* **509.P**, 44*P*, 1998

GREENWOOD S. L. *see REMSBURY A. L., MYLONA P., SIBLEY C. P., SHENNAN D. B. & GREENWOOD S. L.* **509.P**, 78*P*, 1998

GREGOR M.

GREGOR M., MEJSNAR J. & JANOVSKÁ A. Creatine kinase activity detection in myofibrils from rat psoas muscle **511.P**, 154*P*, 1998

GREGORY J. E. *see PROSKE U., GREGORY J. E., WHITEHEAD N. P. & MORGAN D. L.* **511.P**, 30*S*, 1998

GRIFFITHS E. J. *see WILLIAMS H., MOFFAT A., GRIFFITHS E. J. & SULEIMAN M.-S.* **511.P**, 89*P*, 1998

GRIFFITHS E. J. Mitochondrial calcium during the contractile cycle of isolated rat and guinea-pig cardiomyocytes **513.P**, 161*P*, 1998

GRIFFITHS J. R. *see ROSSITER H. B., WARD S. A., DOYLE V. L., HOWE F. A., GRIFFITHS J. R. & WHIPP B. J.* **506.P**, 97*P*, 1998

see ROSSITER H. B., WARD S. A., DOYLE V. L., HOWE F. A., GRIFFITHS J. R. & WHIPP B. J. **509.P**, 207*P*, 1998

GRIFFITHS P. J.

GRIFFITHS P. J., ASHLEY C. C., BAGNI M. A., CECCHI G. & RAPP G. Meridional X-ray diffraction by intact fibre bundles from tibialis anterior muscle of *Rana temporaria* **506.P**, 62*P*, 1998

see HOSKINS B. K., GRIFFITHS P. J., ASHLEY C. C. & RAPP G. **506.P**, 62*P*, 1998

see HOSKINS B. K., GRIFFITHS P. J., ASHLEY C. C. & RAPP G. **511.P**, 156*P*, 1998

see RAPP G., ASHLEY C. C., CECCHI G., GRIFFITHS P. J. & BAGNI M. A. **511.P**, 157*P*, 1998

GRIFFITHS T. *see CLOUGH G., JEFFERY S., GRIFFITHS T. & CHURCH M. K.* **513.P**, 148*P*, 1998

GRIFFITHS T. D.

GRIFFITHS T. D., REES G., REES A., GREEN G. G. R., WITTON C., ROWE D., BUECHEL C., TURNER R. & FRACKOWIAK R. S. J. Functional imaging of human sound-movement perception in response to interaural phase and amplitude cues **506.P**, 85*P*, 1998

see WITTON C., REES A., LAVIS R., GRIFFITHS T. D. & GREEN G. G. R. **506.P**, 85*P*, 1998

GRIGORTSEVICH N. Y. *see STOROZHEVYKH T. P., GRIGORTSEVICH N. Y., VERGUN O. V., VINSKAYA N. P., PINELIS V. G. & KHODOROV B. I.* **509.P**, 56*P*, 1998

GRIM M.

GRIM M., ZELENÁ J., HALATA Z., VALÁŠEK P., SZEDER V. & JEŘÁBKOVÁ G. Regulation of mechanoreceptor numbers in embryonic chick–quail chimeras **511.P**, 140*P*, 1998

GROLLEAU F.

GROLLEAU F. & SATTELLE D. B. BIDN and fipronil affect single-channel properties of a *Drosophila* GABA receptor (RDL) stably expressed in a *Drosophila* cell line **513.P**, 134*P*, 1998

GROSS G. W. *see MASON R., SOKAL D. M., PARKER T. L., PARKER K. G., GROSS G. W. & WIGGINS H.* **506.P**, 9*P*, 1998

GROVUM W. L.

GROVUM W. L. A putative osmoreceptive site in the forebrain inhibiting parotid secretion in sheep **509.P**, 8*P*, 1998

GROVUM W. L. & GONZALEZ J. S. The reticulum and the rumen contracted separately to brainstem stimulation in sheep **511.P**, 54*P*, 1998

GRUART A. *see TRIGO J. A., GRUART A. & DELGADO-GARCÍA J. M.* **509.P**, 28*S*, 1998

GUAYERBAS N. *see DE LA FUENTE M., GUAYERBAS N., CATALÁN M. P., VÍCTOR V. M., DEL RÍO M. & MIQUEL J.* **509.P**, 72*P*, 1998

see VICTOR V. M., GUAYERBAS N., DEL RIO M. & DE LA FUENTE M. **509.P**, 203*P*, 1998

GUENNOUN R. *see SCHUMACHER M., GUENNOUN R., SHAZAND K., DESARNAUD F., KOENIG H. & BAULIEU E. E.* **509.P**, 14*S*, 1998

GUIBERT C.

GUIBERT C. & BEECH D. J. Digital imaging of the Ca^{2+} response to endothelin-1 in arterioles from rabbit cerebral cortex **509.P**, 31*P*, 1998

GUIBERT C., QUINN K. & BEECH D. J. Vasomotion and intracellular calcium oscillations in precapillary arterioles from rabbit cerebral cortex **513.P**, 123*P*, 1998

GUPTA R.

GUPTA R., PATEL K., JACKSON A., JOHNSON C. D. & PRIMROSE J. N. Changes in physiological function, body composition and psychology following operations for pancreatic or hepatic diseases **509.P**, 17*P*, 1998

GUPTA R., PATEL K., JACKSON A., PRIMROSE J. N. & JOHNSON C. D. Changes in physiological function, body composition, and psychological state in patients with predicted severe acute pancreatitis **509.P**, 18*P*, 1998

GURNEY A. M.

GURNEY A. M., DRUMMOND R. M. & FAY F. S. Mitochondria contribute to Ca^{2+} removal in rabbit aorta smooth muscle cells **509.P**, 29*P*, 1998

see OSIPENKO O. N., BARRIE A. P., ALLEN J. M. & GURNEY A. M. **509.P**, 187*P*, 1998

GUSTAFSSON T.

GUSTAFSSON T., PUNTSCHART A., SUNDBERG C. J. & JANSSON E. Dynamic muscle exercise increases gene expression of vascular endothelial growth factor (VEGF) in healthy males **506.P**, 25*P*, 1998

GUYOT A. *see BRUNOLD C., GUYOT A., ROUGIER O., BILBAUT A. & OJEDA C.* **513.P**, 53*P*, 1998

HABETS P. E. M. H.

HABETS P. E. M. H., FRANCO D., SARGEANT A. J., SANT'ANA PEREIRA J. A. A. & MOORMAN A. F. M. Slow *versus* fast muscle fibres differ in total RNA content: a study in single fibres **509.P**, 44*P*, 1998

HADDAD E.-B.

HADDAD E.-B. Muscarinic receptor control of airway function **511.P**, 4*S*, 1998

HADLEY J. K.

HADLEY J. K., SELYANKO A. A. & BROWN D. A. Activation profile and modulation of rodent Kv1.2 channels expressed in mammalian cell lines **509.P**, 71*P*, 1998

HAFEZ H. *see STEVENS R. J. G., LINTOTT P., HAFEZ H., HOPPENTEADT D. A., FAREED J., MANSFIELD A. O., NICOLAIDES A. N. & STANSBY G.* **506.P**, 108*P*, 1998

HAGA T. *see SHUI Z., KHAN I. A., TSUGA H., HAGA T. & BOYETT M. R.* **511.P**, 78*P*, 1998

HAGGARTY P.

HAGGARTY P., ASHTON J., JOYNSON M., ABRAMOVICH D. R. & PAGE K. The effect of fatty acid composition on polyunsaturated fatty acid transport across the perfused human placenta **507.P**, 48*P*, 1998

HAGUE D. E.

HAGUE D. E., AARONSON P. I. & WARD J. P. T. The effect of the tyrosine kinase inhibitor, tyrphostin-23, on acute hypoxic vasoconstriction in isolated small pulmonary arteries of the rat **511.P**, 172*P*, 1998

HAINSWORTH A. H.

HAINSWORTH A. H., SPADONI F., CALABRESI P., LEACH M. J., BERNARDI G. & STEFANI A. The neuroprotective agent 619C89 inhibits voltage-operated calcium channels in rat cortical neurones **511.P**, 124*P*, 1998

HAINSWORTH R. *see WRIGHT D. J., RILEY R., STOKER J. B., MACKINTOSH A., TAN L. B. & HAINSWORTH R.* **507.P**, 57*P*, 1998

HALATA Z. *see GRIM M., ZELENÁ J., HALATA Z., VALÁŠEK P., SZEDER V. & JEŘÁBKOVÁ G.* **511.P**, 140*P*, 1998

HALEY J. E. *see BROWN D. A., ABOGADIE F., ALLEN T. G. J., BUCKLEY N. J., DELMAS P., DAYRELL M. & HALEY J. E.* **511.P**, 5*S*, 1998

HALL A. C. *see MASON H. S., WRIGHT M. O., HALL A. C. & MACDONALD A. G.* **507.P**, 12*P*, 1998

HALLER M. *see RICHTER D. W., HALLER M. & MIRONOV S.* **509.P**, 22*S*, 1998

HALLIDAY D. M.

HALLIDAY D. M., CONWAY B. A., FARMER S. F., ROSENBERG J. R., MCLELLAND D. & VOUREKAS G. Correlation between EEG and motor output during voluntary contractions in man **506.P**, 82*P*, 1998

see RIGAS A., ROSENBERG J. R., HALLIDAY D. M., GRAY R. & CONWAY B. A. **509.P**, 6*P*, 1998

see CONWAY B. A., HALLIDAY D. M., BRAY K., CAMERON M., MCLELLAND D., MULCAHY E., FARMER S. F. & ROSENBERG J. R. **509.P**, 175*P*, 1998

see BROWN P., FARMER S. F., HALLIDAY D. M. & ROSENBERG J. R. **509.P**, 176*P*, 1998

see CONWAY B. A., FARMER S. F., HALLIDAY D. M. & ROSENBERG J. R. **509.P**, 31*S*, 1998

HALLIDAY F. C. *see ANDOLINA I., HALLIDAY F. C. & GIBB A. J.* **511.P**, 18*P*, 1998

HALLIGAN C. P.

HALLIGAN C. P. & HARVEY B. J. A cross-talk role for intracellular calcium between angiotensin II and dopamine receptor activation in primary culture of human proximal tubule cells **511.P**, 35*P*, 1998

see NOLAN M. M., HALLIGAN C. P. & HARVEY B. J. **511.P**, 38*P*, 1998

HALLIWELL M. *see PARKER D. R., HASLAM N., BARGIOTA A., HALLIWELL M. & CORRALL R. J. M.* **513.P**, 119*P*, 1998

HALUZÍK M. *see NEDVÍDKOVÁ J., HALUZÍK M., PACÁK K., NEDVÍDEK J. & SCHREIBER V.* **511.P**, 50*P*, 1998

HAMAKAWA T.

HAMAKAWA T., SYED N. I. & WINLOW W. The excitatory and inhibitory components of a biphasic PSP exhibit differential sensitivity to low concentrations of volatile anaesthetics **513.P**, 100*P*, 1998

HAMMOND J. *see VAILE J. C., HAMMOND J., LITTLER W. A., COOTE J. H. & TOWNEND J. N.* **506.P**, 110*P*, 1998

HAMPL V. *see KUČERA T., LAUDE E. & HAMPL V.* **511.P**, 116*P*, 1998

see HERGET J., NOVOTNÁ J., HAMPL V. & BÍBOVÁ J. **511.P**, 117*P*, 1998

HAN C. *see TAVI P., HAN C., VOUTILAINEN S. & WECKSTRÖM M.* **511.P**, 90*P*, 1998

see WECKSTRÖM M., TAVI P. & HAN C. **511.P**, 91*P*, 1998

HANCOX J. C. *see MITCHESON J. S. & HANCOX J. C.* **509.P**, 136*P*, 1998

HANCOX J. C. & WITCHEL H. J. Action potential clamp of CHO cells expressing HERG reveals the time course of rapid I_K during the ventricular action potential **509.P**, 137*P*, 1998

see PERCHENET L., HINDE A. K. B., PATEL K. C. R., PABBATHI V. K., HANCOX J. C. & LEVI A. J. **509.P**, 140*P*, 1998

see CONVERY M. K. & HANCOX J. C. **509.P**, 155*P*, 1998

see MITCHESON J. S. & HANCOX J. C. **511.P**, 79*P*, 1998

see HOBAI I. A., HANCOX J. C. & LEVI A. J. **511.P**, 80*P*, 1998

see HINDE A. K. B., PERCHENET L., HOBAI I. A., HANCOX J. C. & LEVI A. J. **511.P**, 81*P*, 1998

see PABBATHI V. K., HINDE A. K. B., PERCHENET L., HANCOX J. C., LEVI A. J. & MITCHESON J. S. **511.P**, 92*P*, 1998

see CONVERY M. K. & HANCOX J. C. **511.P**, 93*P*, 1998

see CONLEY E. C., O'BEIRNE H. A., OWEN J. M., HOPKINS P. M., BOYETT M. R. & HANCOX J. C. **511.P**, 149*P*, 1998

HANCOX J. C. & WITCHEL H. J. Propafenone inhibits HERG-encoded K^+ channels transiently expressed in CHO cells **511.P**, 151*P*, 1998

see FITCHETT K. H., CONVERY M. K., DOGGRELL S. A. & HANCOX J. C. **513.P**, 163*P*, 1998

HANDS L. *see KARDOS A., TAYLOR D. J., THOMPSON C. H., HANDS L., COLLIN J. & CASADEI B.* **506.P**, 98*P*, 1998

HANDY R. D. *see ÖDBLOM M. P. & HANDY R. D.* **513.P**, 163*P*, 1998

HANISCH U.-K.

HANISCH U.-K. Intracellular signalling events involved in the activation of microglia by bacterial cell wall components **511.P**, 14*P*, 1998

HANNA-MITCHELL A. T.

HANNA-MITCHELL A. T. & GEBRUERS E. M. Effect of serosal hypertonicity on water flux across *Rana temporaria* urinary bladder **511.P**, 35*P*, 1998

HANSEN M. B. *see UNMACK M. A., RANGACHARI P. K., HANSEN M. B. & SKADHAUGE E.* **507.P**, 9*P*, 1998

HANSON M. A. *see HAWKINS P., CROWE C., MCGARRIGLE H. H. G., SAITO T., OZAKI T., STRATFORD L. L., NOAKES D. E. & HANSON M. A.* **507.P**, 50*P*, 1998

see GIUSSANI D. A., RIQUELME R. A., MCGARRIGLE H. H., SANHUEZA E. M., HANSON M. A. & LLANOS A. J. **507.P**, 52*P*, 1998

see NEWMAN J. P., PEEBLES D., HARDING S., SPRINGETT R. & HANSON M. A. **507.P**, 52*P*, 1998

see HAWKINS P., HANSON M. A., NOAKES D. E. & MATTHEWS S. G. **513.P**, 7*P*, 1998

see OZAKI T., NISHINA H., HAWKINS P., CROWE C., POSTON L. & HANSON M. A. **513.P**, 118*P*, 1998

see OZAKI T., NISHINA H., POSTON L. & HANSON M. A. **513.P**, 157*P*, 1998

HANSON P. *see ANNETTS C., HANSON P. & TERRAR D. A.* **513.P**, 2*P*, 1998

HAOUZI P.

HAOUZI P., HILL J. H., LEWIS B. K. & KAUFMAN M. Skeletal muscles are equipped to sense vascular distension through group III and IV afferent fibres in cat **507.P**, 64*P*, 1998

HAPGOOD K. J.

HAPGOOD K. J., SNETKOV V. A. & WARD J. P. T. Contractile response to leukotriene D_4 in human small isolated bronchioles **513.P**, 90*P*, 1998

HAQUE N. *see ELLAWAY P. H., MOOSAVI S. H., CATLEY M., STOKES M. J. & HAQUE N.* **511.P**, 67*P*, 1998

HARASZTOSI CS. *see RUSZNÁK Z., HARASZTOSI CS., FORSYTHE I. D., STANFIELD P. R. & SZŰCS G.* **509.P**, 61*P*, 1998

HARBRECHT U. *see CARDONA-SANCLEMENTE L. E., HARBRECHT U., MEDINA R., FARMER H. & BORN G. V. R.* **511.P**, 114*P*, 1998

HARDING D. I.

HARDING D. I., GREENSMITH L., ANDERSON P. N. & VRBOVÁ G. Adult motoneurones in transgenic mice that overexpress GAP-43 are susceptible to nerve-injury-induced cell death **511.P**, 143*P*, 1998

see GREENSMITH L., HARDING D. I., MEYER M. P. & VRBOVÁ G. **511.P**, 37*S*, 1998

HARDING S. *see NEWMAN J. P., PEEBLES D., HARDING S., SPRINGETT R. & HANSON M. A.* **507.P**, 52*P*, 1998

HARDINGHAM N. R. *see MAHAUT-SMITH M. P., HARDINGHAM N. R., HUSSAIN J. F. & MASON M. J.* **506.P**, 69*P*, 1998

HARGREAVES A. C.

HARGREAVES A. C. & POLLARD C. E. Characterization of $P2X_7$ receptors in human cultured dendritic cells **513.P**, 131*P*, 1998

HARI R. *see BROWN P., SALENIUS S., ROTHWELL J. C. & HARI R.* **507.P**, 34*P*, 1998

see KILNER J. M., BAKER S. N., SALENIUS S., HARI R. & LEMON R. N. **509.P**, 175*P*, 1998

HARNETT M. M. *see MELENDEZ A. J., GILLOOLY D. J., HARNETT M. M. & ALLEN J. M.* **509.P**, 198*P*, 1998

HARPER A. A. *see YAO P. C., HARPER A. A., BRANT A. M., RENNIE M. J. & AHMED A.* **507.P**, 5*P*, 1998

Harper A. A., Hogg R. C. & Adams D. J. Properties of the hyperpolarization-activated cation current, I_h, in neonatal and adult rat intracardiac neurones *in vitro* **509.P**, 65*P*, 1998
see Hogg R. C., Harper A. A. & Adams D. J. **513.P**, 22*P*, 1998

Harridge S. D. R.
Harridge S. D. R., Andersen J. L., Kjær M., Hartkopp A., Biering-Sørensen F. & Zhou S. The effects of low-frequency electrical stimulation on myosin heavy chain isoform expression and contractile characteristics of the tibialis anterior in spinal cord injured males **506.P**, 108*P*, 1998
Harridge S. D. R., Kryger A. & Stensgaard A. The effects of strength training on muscle size and force production in elderly people aged 85–97 years **509.P**, 42*P*, 1998

Harris A. *see Bertog M., Smith D. J., Harris A. & Korbmacher C.* **513.P**, 60*P*, 1998

Harris N. C.
Harris N. C. Neuronal heterogeneity in the guinea-pig red nucleus *in vitro* **513.P**, 24*P*, 1998

Harris P. J. *see Wu X., Harris P. J. & Johns E. J.* **513.P**, 39*P*, 1998

Harris R. A.
Harris R. A., O'Carroll D. C. & Laughlin S. B. Two components of motion adaptation in the fly **513.P**, 105*P*, 1998

Harris S. J. *see Morris N. P., Harris S. J. & Henderson Z.* **511.P**, 120*P*, 1998

Harrison A. P. *see Flatman J. A. & Harrison A. P.* **506.P**, 156*P*, 1998

Harrison C.
Harrison C., Edwards D., Leach R. & Forsling M. L. Neurohypophysial function following cardiothoracic surgery in man **507.P**, 58*P*, 1998

Harrison L. M. *see Nadler M. A., Harrison L. M., Moore M., Townend E. & Stephens J. A.* **511.P**, 135*P*, 1998
see Mayston M. J., Harrison L. M., Datta S. & Stephens J. A. **511.P**, 136*P*, 1998

Harrison M. H. *see Weller A. S., Nevola V. R., Harrison M. H., Greenhaff P. L. & Macdonald I. A.* **506.P**, 104*P*, 1998

Harrison N. *see Larcombe-McDouall J., Buttell N., Harrison N. & Wray S.* **509.P**, 29*P*, 1998

Harrison P. S.
Harrison P. S. & Henderson Z. Immunocytochemical changes to galanin and calretinin following unilateral entorhinal cortex lesion in the adult rat **511.P**, 137*P*, 1998

Harrison P. T. *see Campbell I., Harrison P. T. & Allen J. M.* **509.P**, 199*P*, 1998

Harrison S. M. *see Natali A. J., White E., Harrison S. M. & Turner D. L.* **509.P**, 151*P*, 1998
see Fawcett J. M., Harrison S. M., Walker J. H. & Orchard C. H. **509.P**, 153*P*, 1998
see Davies L. A., Harrison S. M., Boyett M. R. & Hopkins P. M. **509.P**, 156*P*, 1998
see Fawcett J. M., Harrison S. M., Walker J. H. & Orchard C. H. **511.P**, 83*P*, 1998
see Davies L. A., Boyett M. R., Harrison S. M. & Hopkins P. M. **511.P**, 85*P*, 1998
see Natali A. J., White E., Harrison S. M. & Turner D. L. **511.P**, 88*P*, 1998

Hart G. *see Mészáros J. & Hart G.* **509.P**, 136*P*, 1998

Hartell N. A. *see Reynolds T. & Hartell N. A.* **509.P**, 57*P*, 1998
see Sutton J. K. & Hartell N. A. **509.P**, 57*P*, 1998
Hartell N. A. & Okada D. Imaging cGMP in cerebellar Purkinje cells **509.P**, 60*P*, 1998

Hartkopp A. *see Harridge S. D. R., Andersen J. L., Kjær M., Hartkopp A., Biering-Sørensen F. & Zhou S.* **506.P**, 108*P*, 1998

Hartley D. E.
Hartley D. E., Herget C., Shah R. & Forsling M. L. Does the effect of oxytocin on glomerular filtration rate in the conscious rat change during pregnancy and lactation? **506.P**, 143*P*, 1998
see Shah R., Herget C., Hartley D. E., Eckert T. & Forsling M. L. **507.P**, 43*P*, 1998
Hartley D. E., Eckert T., Shah R., Herget C. & Forsling M. L. Changes in glomerular filtration rate produced by vasopressin infusion during pregnancy and lactation in the conscious rat **509.P**, 88*P*, 1998
Hartley D. E., Dickson S. L. & Forsling M. L. Plasma vasopressin concentrations and Fos protein production in the supraoptic nucleus during haemorrhage in the pinealectomized rat **513.P**, 6*P*, 1998

Hartmann J.
Hartmann J., Scepek S. & Lindau M. Differential regulation of exocytotic fusion and granule–granule fusion in eosinophils **506.P**, 72*P*, 1998
Hartmann J., Labrakakis C., Verkhratsky A., Patt S. & Kettenmann H. Membrane physiology of human gliomas **513.P**, 14*S*, 1998

Harvey B. *see Hegarty J. & Harvey B.* **511.P**, 36*P*, 1998

Harvey B. J. *see Condliffe S. B., Doolan C. M. & Harvey B. J.* **511.P**, 30*P*, 1998
see Browne G. P., Walsh D. E., Van Berkel A., Harvey B. J. & Urbach V. **511.P**, 32*P*, 1998
see Doolan C. M. & Harvey B. J. **511.P**, 32*P*, 1998
see Halligan C. P. & Harvey B. J. **511.P**, 35*P*, 1998
see Walsh D. E., Harvey B. J. & Urbach V. **511.P**, 37*P*, 1998
see Nolan M. M., Halligan C. P. & Harvey B. J. **511.P**, 38*P*, 1998

Harwood C. L.
Harwood C. L., Altringham J. D. & White E. The effect of stimulation frequency on cell shortening and Ca^{2+} transients in isolated single rainbow trout ventricular myocytes **511.P**, 87*P*, 1998

Hashmi M. N.
Hashmi M. N., Macfarlane W. N., Shepherd R. M., James R. F. L., Aynsley-Green A., Docherty K. D. & Dunne M. J. Insulin secretion and calcium signalling in a novel human insulin-secreting cell line, NISK 9 **509.P**, 106*P*, 1998
see Dunne M. J., Hashmi M. N., Shepherd R. M., Chapman J. C., Cosgrove K. E., Kamimura N., James R. F. L., Aynsley-Green A., Lindley K. J., Macfarlane W. N., Docherty K. D. & Ämmälä C. **509.P**, 11*S*, 1998

Haslam N. *see Parker D. R., Haslam N., Bargiota A., Halliwell M. & Corrall R. J. M.* **513.P**, 119*P*, 1998

Hassan N. *see Amassian V. E., Rothwell J. C., Cracco R. Q., Maccabee P. J., Vergara M., Hassan N. & Eberle L.* **506.P**, 122*P*, 1998

Haverkampf K. *see Jonas P., Haverkampf K., Kraushaar U. & Geiger J. R. P.* **511.P**, 19*S*, 1998

Hawken M. *see Stewart K. A., Dittrich W., Hawken M., Henderson L., Jackson S. & Kennard C.* **509.P**, 177*P*, 1998

Hawkins P.
Hawkins P., Crowe C., McGarrigle H. H. G., Saito T., Ozaki T., Stratford L. L., Noakes D. E. & Hanson M. A. Effect of maternal nutrient restriction in early gestation on hypothalamic pituitary adrenal axis responses during acute hypoxaemia in late gestation fetal sheep **507.P**, 50*P*, 1998
Hawkins P., Hanson M. A., Noakes D. E. & Matthews S. G. Fetal sheep hypothalamic pituitary adrenal axis control mechanisms following modest maternal nutrient restriction in early gestation **513.P**, 7*P*, 1998
see Ozaki T., Nishina H., Hawkins P., Crowe C., Poston L. & Hanson M. A. **513.P**, 118*P*, 1998

Hay M. *see Sheth B., Hay M., Anderson J. M. & Fleming T. P.* **513.P**, 65*P*, 1998

Hayashi N. *see Fukuba Y., Hayashi N., Sato H. & Yoshida T.* **507.P**, 64*P*, 1998

Haydon P. G. *see Araque A., Parpura V., Sanzgiri R. & Haydon P. G.* **513.P**, 13*S*, 1998

He Z.-H.
He Z.-H., Ferenczi M. A., Lou F., Curtin N. A. & Woledge R. C. A comparison of the energy turnover detected by heat production and by P_i assay in dogfish isolated muscle fibres **509.P**, 42*P*, 1998

Heasman L.
Heasman L., Clarke L. & Symonds M. E. Umbilical vein injection of thryotrophin-releasing hormone (TRH) promotes thyroid status and brown adipose tissue function in near-term Caesarean section-delivered lambs **507.P**, 48*P*, 1998
see Bispham J., Heasman L., Ingelton P., Stephenson T. & Symonds M. E. **511.P**, 96*P*, 1998
Heasman L., Stephenson T. & Symonds M. E. Influence of maternal nutrition in early to mid-pregnancy on lung development and insulin-like growth factor-I (IGF-I) in lambs delivered close to term by Caesarean section **511.P**, 96*P*, 1998
see Dandrea J., Heasman L., Stephenson T. & Symonds M. E. **511.P**, 97*P*, 1998

Heblich F.
Heblich F., Barsby R. W. J. & McFadzean I. Cinnamoyl-dihydroxynardol (CDN) interacts with various states of the channels underlying the voltage-dependent K^+ current of the NG108-15 cell line **507.P**, 15*P*, 1998

HEEMSKERK J. W. M.

HEEMSKERK J. W. M. & SAGE S. O. ADP-evoked Ca^{2+} signalling in single human platelets in plasma and in whole blood under flow conditions **506.P**, 67*P*, 1998

HEGARTY J.

HEGARTY J. & HARVEY B. Aldosterone increases intracellular calcium in cultured human sweat gland epithelial cells by a non-genomic mechanism of action **511.P**, 36*P*, 1998

HEGARTY N.

HEGARTY N., YOUNG L. & FITZPATRICK J. M. Nitric oxide in the vascular response to prolonged ureteric obstruction in the rat **507.P**, 41*P*, 1998

see YOUNG L., HEGARTY N. & FITZPATRICK J. M. **507.P**, 41*P*, 1998

HEINERT G.

HEINERT G., CASADEI B. & PATERSON D. J. Effect of hypercapnia on cerebral blood flow in the anaesthetized spontaneously hypertensive rat **511.P**, 110*P*, 1998

HEISTRACHER P. *see RAJAMANI S., LEMMENS-GRUBER R., STUDENIK C. & HEISTRACHER P.* **513.P**, 162*P*, 1998

HEITZ M. J. *see SMITH C. P., HEITZ M. J., WOOD C. M. & WALSH P. J.* **511.P**, 33*P*, 1998

HEJNÁ J. *see ŠTICH V., VYBÍRAL S., KVÍTEK J., HEJNÁ J. & JANSKÝ L.* **511.P**, 3*P*, 1998

HELLIWELL R. M.

HELLIWELL R. M. & LARGE W. A. The effect of $[Ca^{2+}]_o$ on the properties of the noradrenaline-activated non-selective cation current (I_{cat}) in rabbit portal vein smooth muscle cells **506.P**, 45*P*, 1998

HENDERSON L. *see STEWART K. A., DITTRICH W., HAWKEN M., HENDERSON L., JACKSON S. & KENNARD C.* **509.P**, 177*P*, 1998

HENDERSON R. A. *see VIST G. E., HENDERSON R. A. & RUMSEY R. D. E.* **506.P**, 130*P*, 1998

HENDERSON Z. *see DOBRZYNSKI H., HENDERSON Z., TAKAGISHI Y., ROTHERY S., SEVERS N. J., HONJO H., TAMKUN M. M., KODAMA I. & BOYETT M. R.* **506.P**, 54*P*, 1998

see MORRIS N. P., HARRIS S. J. & HENDERSON Z. **511.P**, 120*P*, 1998

see HARRISON P. S. & HENDERSON Z. **511.P**, 137*P*, 1998

see DOBRZYNSKI H., MARPLES D., ROTHERY S., TAKAGISHI Y., HONJO H., SEVERS N. J., TAMKUN M. M., KODAMA I., HENDERSON Z. & BOYETT M. R. **511.P**, 148*P*, 1998

see RAMSDEN M., HENDERSON Z. & PEARSON H. A. **513.P**, 128*P*, 1998

HENNEY A. M.

HENNEY A. M. Candidate genes involved in vascular matrix remodelling in atherogenesis **506.P**, 18*S*, 1998

HEPWORTH M. B.

HEPWORTH M. B. & PINNOCK R. D. Vanilloid receptor antagonists do not block heat responses of rat primary dorsal root ganglion neurones in culture **513.P**, 133*P*, 1998

HEPWORTH T. J.

HEPWORTH T. J. & SIMPSON A. W. M. Activation of adenylate cyclase and PKA can mediate Ca^{2+} release in cultured ECV304 endothelial cells derived from the human umbilical vein **506.P**, 19*P*, 1998

HEREDIA M. *see YAJEYA J., BAJO V. M., DE LA FUENTE A., CRIADO J. M., RIOLOBOS A. S. & HEREDIA M.* **509.P**, 69*P*, 1998

HERGET C. *see HARTLEY D. E., HERGET C., SHAH R. & FORSLING M. L.* **506.P**, 143*P*, 1998

see SHAH R., HERGET C., HARTLEY D. E., ECKERT T. & FORSLING M. L. **507.P**, 43*P*, 1998

see HARTLEY D. E., ECKERT T., SHAH R., HERGET C. & FORSLING M. L. **509.P**, 88*P*, 1998

HERGET J.

HERGET J., NOVOTNÁ J., HAMPL V. & BÍBOVÁ J. Chronic moderate hyperoxia does not result in pulmonary hypertension in rats **511.P**, 117*P*, 1998

HERNÁNDEZ G.

HERNÁNDEZ G., HERNÁNDEZ-JIMÉNEZ J. G., SÁNCHEZ-CRIADO J. E., MORA O. A. & ALONSO R. Effects of the anti-oestrogen LY117018-HCl on the female rat reproductive system. A tool to investigate oestrogen-dependent phenomena in the whole animal **509.P**, 92*P*, 1998

HERNÁNDEZ-DÍAZ F. *see ALONSO R., HERNÁNDEZ-DÍAZ F., ABREU P., LÓPEZ-COVIELLA I., DÍAZ-CRUZ A., MARTÍNEZ-MORALES J. R., SÁNCHEZ J. J., TABARES L. & SALIDO E.* **509.P**, 16*S*, 1998

HERNÁNDEZ-JIMÉNEZ J. G. *see HERNÁNDEZ G., HERNÁNDEZ-JIMÉNEZ J. G., SÁNCHEZ-CRIADO J. E., MORA O. A. & ALONSO R.* **509.P**, 92*P*, 1998

see LÓPEZ-COVIELLA I., HERNÁNDEZ-JIMÉNEZ J. G., BLUSZTAJN J. K., MARTÍNEZ-MORALES J. R. & ALONSO R. **509.P**, 98*P*, 1998

HERNANZ A. *see DEL RIO M., MEDINA S., CORREA R., HERNANZ A. & DE LA FUENTE M.* **509.P**, 73*P*, 1998

HERRERAS O. *see LERMA J., RODRÍGUEZ-MORENO A., PATERNAIN A. V. & HERRERAS O.* **509.P**, 2*S*, 1998

HERSON P. S.

HERSON P. S., LEE K., ASHFORD M. L. J. & PINNOCK R. D. Hydrogen peroxide causes a biphasic increase in intracellular calcium in an insulinoma cell line, CRI-G1 **507.P**, 15*P*, 1998

HERSSON-RINGSKOG J. *see KEELAN J., HERSSON-RINGSKOG J., SIOFTANOS G., SRITHARAN K., VERGUN O. & DUCHEN M. R.* **511.P**, 122*P*, 1998

HETKA R. *see MAREŠOVÁ D., DOUBEK P., POKORNÝ J., LANGMEIER M., MAREŠ J., HETKA R. & TROJAN S.* **511.P**, 131*P*, 1998

HEYMANN J.-P. *see BRUNS R., LISS B., HEYMANN J.-P. & ROEPER J.* **507.P**, 28*P*, 1998

HEYWOOD H.

HEYWOOD H. & CARPENTER R. H. S. Blood glucose and saccadic latency **506.P**, 122*P*, 1998

HILL A. C.

HILL A. C., DAVEY N. J. & KENNARD C. Spatial inaccuracy of memory guided saccades induced by transcranial magnetic stimulation of the prefrontal cortex in man: the effect of induced current direction **509.P**, 178*P*, 1998

HILL H. S.

HILL H. S., LEACH R. M. & WARD J. P. T. The effect of glucose, glucose analogues, and pyruvate on hypoxic pulmonary vasoconstriction **511.P**, 172*P*, 1998

HILL I. D.

HILL I. D., ROBINSON J., BAXTER G. D. & ALLEN J. M. Pain and tenderness in delayed onset muscle soreness in humans: relevance of intensity of eccentric exercise **506.P**, 115*P*, 1998

HILL J. H. *see HAOUZI P., HILL J. H., LEWIS B. K. & KAUFMAN M.* **507.P**, 64*P*, 1998

HILLIER C. *see COATS P. & HILLIER C.* **513.P**, 122*P*, 1998

HILLIER C., MCGEE A. & MCGRATH J. C. Bradykinin-induced vasorelaxation of human subcutaneous resistance arteries does not involve prostacyclin **513.P**, 122*P*, 1998

HILLMAN N. J.

HILLMAN N. J., NOBLE A. R. & GALLAGHER P. J. Impaired vascular response to nitric oxide in rats with genetically determined diabetes mellitus **513.P**, 45*P*, 1998

HILLMAN N. J., TAS M., MURRAY R. C., WILLIAMS B. & BATES D. O. Endothelial monocyte activating polypeptide-2 (EMAP-2) increases hydraulic conductivity of isolated perfused frog mesenteric microvessels after perfusion with whole blood **513.P**, 154*P*, 1998

HINDE A.

HINDE A. & AHMED A. Identification and kinetic characterization of L-histidine transport in pig heart **507.P**, 6*P*, 1998

HINDE A. K. B. *see PERCHENET L., HINDE A. K. B., PATEL K. C. R., PABBATHI V. K., HANCOX J. C. & LEVI A. J.* **509.P**, 140*P*, 1998

HINDE A. K. B., PERCHENET L. & LEVI A. J. Ca^{2+} release from the sarcoplasmic reticulum elicited by membrane depolarization, with Ca^{2+} entry pathways inhibited, in the absence of external Na^+ and with subsarcolemmal Na^+ levels depleted, in guinea-pig ventricular myocytes at 37 °C **509.P**, 157*P*, 1998

HINDE A. K. B., PERCHENET L., HOBAI I. A., HANCOX J. C. & LEVI A. J. Inhibition of Na^+–Ca^{2+} exchange by external nickel ions in guinea-pig ventricular myocytes at 37 °C, dialysed internally with cAMP-free and cAMP-containing solutions **511.P**, 81*P*, 1998

see PABBATHI V. K., HINDE A. K. B., PERCHENET L., HANCOX J. C., LEVI A. J. & MITCHESON J. S. **511.P**, 92*P*, 1998

HIRASAWA H. *see YAMADA M., SASA T., HIRASAWA H. & SHIELLS R. A.* **509.P**, 66*P*, 1998

HIRIPI L. *see VEHOVSKY Á., HIRIPI L., ELEKES K. & ELLIOTT C. J. H.* **513.P**, 107*P*, 1998

HIRST B. H. *see LOGAN K. A. & HIRST B. H.* **507.P**, 8*P*, 1998

see CHRISTIE G. R., WALKER D., FELLOWS E. A. & HIRST B. H. **509.P**, 13*P*, 1998

see ANDERSON K. G., TAYLOR I. H., DENNIFF P. & HIRST B. H. **509.P**, 26*P*, 1998

see CHRISTIE G. R., WALKER D. & HIRST B. H. **513.P**, 51*P*, 1998
see GRAY P. A., WALKER D. & HIRST B. H. **513.P**, 62*P*, 1998
HIRST S. J. *see* MOIR L. M., WARD J. P. T. & HIRST S. J. **513.P**, 90*P*, 1998
HISDAL J. *see* BERGERSEN T. K., HISDAL J. & WALLØE L. **509.P**, 118*P*, 1998
HNÍK P.
HNÍK P. Myogenic and neurogenic muscle tone **511.P**, 28*S*, 1998
HOBAI I. A. *see* LEVI A. J., HOBAI I. A. & PATEL K. C. R. **509.P**, 142*P*, 1998
HOBAI I. A., PATEL K. C. R., PERCHENET L. & LEVI A. J. Availability of 'voltage-activated Ca^{2+} release' depends on pre-pulse membrane potential in guinea-pig ventricular myocytes at 37 °C **509.P**, 144*P*, 1998
HOBAI I. A., HANCOX J. C. & LEVI A. J. Inhibition of the L-type Ca^{2+} channel by external nickel in guinea-pig ventricular myocytes dialysed with cAMP-free and cAMP-containing solutions **511.P**, 80*P*, 1998
see HINDE A. K. B., PERCHENET L., HOBAI I. A., HANCOX J. C. & LEVI A. J. **511.P**, 81*P*, 1998
HOGG D.
HOGG D., WILSON C. & KOZLOWSKI R. K^+ currents in rat pulmonary arteries and analysis of their mRNA expression **509.P**, 152*P*, 1998
HOGG R. C. *see* HARPER A. A., HOGG R. C. & ADAMS D. J. **509.P**, 65*P*, 1998
HOGG R. C., HARPER A. A. & ADAMS D. J. Inwardly rectifying K^+ current $I_{K(IR)}$ is present in juvenile but not in neonatal rat intracardiac ganglia neurones *in vitro* **513.P**, 22*P*, 1998
HOLDEN A. V. *see* ZHANG H., BOYETT M. R., HOLDEN A. V., HONJO H. & KODAMA I. **506.P**, 54*P*, 1998
see BIKTASHEV V. N. & HOLDEN A. V. **509.P**, 139*P*, 1998
see BIKTASHEV V. N., HOLDEN A. V., MIRONOV S. F., PERTSOV A. M. & ZAITSEV A. V. **509.P**, 139*P*, 1998
see KNUDSEN Z. & HOLDEN A. V. **511.P**, 75*P*, 1998
see ZHANG H., BOYETT M. R., HOLDEN A. V., HONJO H. & KODAMA I. **511.P**, 76*P*, 1998
see BOYETT M. R., KODAMA I., NIKMARAM M. R., YAMAMOTO M., HONJO H., NIWA R., ZHANG H. & HOLDEN A. V. **511.P**, 79*P*, 1998
HOLDEN E. *see* EVANS D., HOLDEN E., TIBBATTS C. & FORSLING M. L. **513.P**, 6*P*, 1998
HOLDEN-DYE L. *see* FRANKS C., CHAD J. E., WALKER R. J. & HOLDEN-DYE L. **513.P**, 106*P*, 1998
see BROWNLEE D. J., HOLDEN-DYE L. & WALKER R. J. **513.P**, 109*P*, 1998
see TRIM N., HOLDEN-DYE L. & WALKER R. J. **513.P**, 109*P*, 1998
HOLDEN-DYE L. M. *see* BUSH E. R., HOLDEN-DYE L. M. & WALKER R. J. **513.P**, 108*P*, 1998
HOLDER R. L. *see* NEVILL A. M., HOLDER R. L. & MCCONNELL A. K. **506.P**, 115*P*, 1998
HOLLANDS M. A. *see* MARPLE-HORVAT D. E., HOLLANDS M. A., CROWDY K. A., CRIADO J. M. & ARMSTRONG D. M. **509.P**, 29*S*, 1998
HOLLEY M. C. *see* JAGGER D. J., RIVOLTA M. N., HOLLEY M. C. & ASHMORE J. F. **509.P**, 189*P*, 1998
HOLLYWOOD M. A.
HOLLYWOOD M. A., COTTON K. D., THORNBURY K. D. & MCHALE N. G. Contribution of a penitrem A-sensitive current to the action potential in smooth muscle cells isolated from the sheep urethra **509.P**, 28*P*, 1998
see COTTON K. D., TOLAND H. M., HOLLYWOOD M. A., THORNBURY K. D. & MCHALE N. G. **513.P**, 95*P*, 1998
see SERGEANT G. P., HOLLYWOOD M. A., COTTON K. D., MCHALE N. G. & THORNBURY K. D. **513.P**, 95*P*, 1998
HOLMAN M. E. *see* PARKINGTON H. C., TONTA M. A., BRENNECKE S. P., HOLMAN M. E. & COLEMAN H. A. **507.P**, 68*P*, 1998
HOLMES D. *see* BLACKSHAW S. E., ARKISON S., DAVIES J. A. & HOLMES D. **509.P**, 191*P*, 1998
HOLMES M. V. *see* HOLMES O. & HOLMES M. V. **509.P**, 2*P*, 1998
HOLMES O.
HOLMES O. & HOLMES M. V. The laminar distribution of c-fos expression in the *cortex cerebri* of the anaesthetized rat in focal cortical epileptogenesis **509.P**, 2*P*, 1998
HOLMES O. & DONALDSON F. Focal cortical epileptogenesis and c-fos expression in the *cortex cerebri* of the anaesthetized rat **509.P**, 59*P*, 1998
HONG G. *see* BROWN J., HONG G. & MAHALEKAM M. **507.P**, 8*S*, 1998
see BROWN J., HONG G. & MAHALEKAM M. **507.P**, 8*S*, 1998
HONJO H. *see* DOBRZYNSKI H., HENDERSON Z., TAKAGISHI Y., ROTHERY S., SEVERS N. J., HONJO H., TAMKUN M. M., KODAMA I. & BOYETT M. R. **506.P**, 54*P*, 1998
see ZHANG H., BOYETT M. R., HOLDEN A. V., HONJO H. & KODAMA I. **506.P**, 54*P*, 1998
see ZHANG H., BOYETT M. R., HOLDEN A. V., HONJO H. & KODAMA I. **511.P**, 76*P*, 1998
see DOBRZYNSKI H., MARPLES D., ROTHERY S., TAKAGISHI Y., HONJO H., SEVERS N. J., TAMKUN M. M., KODAMA I., HENDERSON Z. & BOYETT M. R. **511.P**, 148*P*, 1998
HONZÍKOVÁ N. *see* FIŠER B., HONZÍKOVÁ N., NOVÁKOVÁ Z. & HRSTKOVÁ H. **511.P**, 113*P*, 1998
HOOVER F. *see* LEVY L. M., ATTWELL D., HOOVER F., ASH J. F., BJØRÅS M. & DANBOLT N. C. **506.P**, 148*P*, 1998
HOPKINS N.
HOPKINS N., CADOGAN E., GILES S., BANNIGAN J. & MCLOUGHLIN P. Immunolocalization of inducible nitric oxide synthase (iNOS) and its effects on pulmonary vasoreactivity following chronic *Pseudomonas aeruginosa* infection in the rat **511.P**, 110*P*, 1998
HOPKINS P. M. *see* DAVIES L. A., HARRISON S. M., BOYETT M. R. & HOPKINS P. M. **509.P**, 156*P*, 1998
see DAVIES L. A., BOYETT M. R., HARRISON S. M. & HOPKINS P. M. **511.P**, 85*P*, 1998
see CONLEY E. C., O'BEIRNE H. A., OWEN J. M., HOPKINS P. M., BOYETT M. R. & HANCOX J. C. **511.P**, 149*P*, 1998
HOPMAN M. T. E. *see* GERRITS H. L., DE HAAN A., HOPMAN M. T. E., VAN DER WOUDE L. & SARGEANT A. J. **509.P**, 43*P*, 1998
HOPPENTEADT D. A. *see* STEVENS R. J. G., LINTOTT P., HAFEZ H., HOPPENTEADT D. A., FAREED J., MANSFIELD A. O., NICOLAIDES A. N. & STANSBY G. **506.P**, 108*P*, 1998
HORACKOVA M. *see* SLAVÍKOVÁ J. & HORACKOVA M. **511.P**, 116*P*, 1998
HORAN P. *see* OHNISHI N., LIU S.-P., HORAN P. & LEVIN R. M. **507.P**, 78*P*, 1998
HORN N. M. *see* OAKLEY F., HORN N. M., HUBBARD A. & THOMAS A. L. **511.P**, 38*P*, 1998
HORN N. M., OAKLEY F. & THOMAS A. L. Histidine stimulated metal uptake into human erythrocytes **513.P**, 50*P*, 1998
HORNBY D. *see* BEESLEY A. H., HORNBY D. & WHITE S. J. **511.P**, 29*P*, 1998
HORNICKOVA Z. *see* MUIMO R., HORNICKOVA Z. & MEHTA A. **509.P**, 82*P*, 1998
HOROWITZ B. *see* MASON H. S., GELBAND C. H., SUMNERS C., HOROWITZ B. & KENYON J. L. **509.P**, 63*P*, 1998
HOROWSKI R. *see* KRANDA K., HOROWSKI R., SCHUBERT F. & SEIFERT F. **511.P**, 68*P*, 1998
HOSIE K. B. *see* RITZHAUPT A., WOOD I. S., ELLIS A., HOSIE K. B. & SHIRAZI-BEECHEY S. P. **509.P**, 79*P*, 1998
HOSKINS B. K.
HOSKINS B. K., GRIFFITHS P. J., ASHLEY C. C. & RAPP G. Changes in the equatorial X-ray diffraction pattern from skinned sartorius muscle fibres of *Rana temporaria* upon photolytic release of calcium from the chelator *o*-nitrophenyl EGTA (NP-EGTA) **506.P**, 62*P*, 1998
HOSKINS B. K., GRIFFITHS P. J., ASHLEY C. C. & RAPP G. Lattice spacing changes in response to rapid stretch in skinned sartorius muscle fibres of *Rana temporaria* **511.P**, 156*P*, 1998
HOUGH E.
HOUGH E., XU S. Z., BEECH D. J. & SIVAPRASADARAO A. Co-expression of the sulphonylurea receptor is required for surface expression of Kir 6.2 in *Xenopus* oocytes **513.P**, 137*P*, 1998
HOULISTON R. A. *see* WYATT A. W., SOBREVIA L., WHEELER-JONES C. P. D., HOULISTON R. A. & MANN G. E. **506.P**, 32*P*, 1998
HOWARTH F. C.
HOWARTH F. C., BOYETT M. R. & WHITE E. The microtubule polymerizing agent Taxol reduces Ca^{2+} transients in isolated single rat ventricular myocytes **511.P**, 84*P*, 1998
HOWD A. G. *see* BUTT A. M. & HOWD A. G. **513.P**, 10*S*, 1998
HOWE F. A. *see* ROSSITER H. B., WARD S. A., DOYLE V. L., HOWE F. A., GRIFFITHS J. R. & WHIPP B. J. **506.P**, 97*P*, 1998
see ROSSITER H. B., WARD S. A., DOYLE V. L., HOWE F. A., GRIFFITHS J. R. & WHIPP B. J. **509.P**, 207*P*, 1998
HRSTKOVÁ H. *see* FIŠER B., HONZÍKOVÁ N., NOVÁKOVÁ Z. & HRSTKOVÁ H. **511.P**, 113*P*, 1998
HUANG C.
HUANG C. & JOHNS E. J. Evidence for brain angiotensin II in mediating reflex renal nerve-dependent antinatriuresis in the anaesthetized rat **513.P**, 42*P*, 1998
HUANG S.J.
HUANG S.J. & STEWART D. E. Blood lactate as an outcome indicator for deep-water running in the male elderly **509.P**, 119*P*, 1998

HUANG Y. *see CHAN N. W. K. & HUANG Y.* **506.P**, 26*P*, 1998

HUBBARD A. *see OAKLEY F., HORN N. M., HUBBARD A. & THOMAS A. L.* **511.P**, 38*P*, 1998

HUCHET-CADIOU C. *see TALON S., HUCHET-CADIOU C. & LÉOTY C.* **509.P**, 47*P*, 1998

HUCKS D. *see PRIEST R. M., HUCKS D., POSTON L. & WARD J. P. T.* **509.P**, 31*P*, 1998

HUCKS D., PRIEST R. M. & WARD J. P. T. Dependence of β-adrenoceptor-mediated vasorelaxation on exogenous L-arginine in isolated pulmonary arteries of the rat **513.P**, 91*P*, 1998

HUDLICKÁ O.

HUDLICKÁ O., BROWN M. D. & DAWSON J. M. Growth and regression of capillaries in rabbit and rat skeletal muscles **511.P**, 158*P*, 1998

HUDSON L. J. *see TAIT C. J., HUDSON L. J., COX V. M. & GOLDSPINK D. F.* **506.P**, 61*P*, 1998

HUDSON L. J., LOPEZ-OLIVA E. M., COX V. M. & GOLDSPINK D. F. Passive stretch-induced expression of proto-oncogenes in the rabbit latissimus dorsi muscle **511.P**, 154*P*, 1998

HUE B. *see AMAT C., LAPIED B., FRENCH A. S. & HUE B.* **513.P**, 103*P*, 1998

HUGHES D. I.

HUGHES D. I., BANNISTER A. P., ILIA M., WEST D. C. & THOMSON A. M. Physiological, immunocytochemical and morphological classification of identified hippocampal and cortical neurones: a dual immunofluorescence and immunoperoxidase approach **513.P**, 3*P*, 1998

HUGHES E.

HUGHES E., MOORE W. C., BLEECKER E. & WARNER J. A. Protein oxidation in asthma **513.P**, 74*P*, 1998

HUGHES G. A. *see STEPHEN L. E. & HUGHES G. A.* **509.P**, 21*P*, 1998

HUGHES S. W.

HUGHES S. W., COPE D. W., TÓTH T. I., WILLIAMS S. R. & CRUNELLI V. A dynamic clamp study of signal amplification and bistability in rat and cat thalamic neurones *in vitro* **506.P**, 151*P*, 1998

HUGHES V. L.

HUGHES V. L., WOOD H. E. & TURNER D. L. Long-term modulation of P_{a,CO_2} regulation during exercise following associative conditioning with inspiratory resistive loading in humans **506.P**, 96*P*, 1998

see WOOD H. E., HUGHES V. L. & TURNER D. L. **506.P**, 96*P*, 1998

HULTMAN E. *see TSINTZAS K., WILLIAMS C., CONSTANTIN-TEODOSIU D., HULTMAN E., BOOBIS L. & GREENHAFF P.* **506.P**, 101*P*, 1998

HUMBY T. *see MURPHY K. P. S. J., LIONE L. A., CARTER R. J., HUMBY T., MANGIARINI L., MAHAL A., BATES G., DUNNETT S. & MORTON A. J.* **513.P**, 12*P*, 1998

HUMPHREY P. P. A. *see DOWD E., MCQUEEN D. S., CHESSELL I. P. & HUMPHREY P. P. A.* **509.P**, 162*P*, 1998

HUNDAL H. S. *see STEWART A., RITCHIE J. W. A., LOW S. Y., HUNDAL H. S. & TAYLOR P. M.* **513.P**, 51*P*, 1998

HUNTER M. *see GRAHAM C., MARPLES D. D. R., HUNTER M., LODGE J. P. A. & POTTS D. J.* **513.P**, 3*P*, 1998

HURBIN A.

HURBIN A., BOISSIN-AGASSE L., ORCEL H., RABIÉ A., JOUX N., DESARMÉNIEN M. G., RICHARD PH. & MOOS F. C. The magnocellular vasopressin neurones of the rat hypothalamus express V_{1a} and V_{1b} but not V_2 vasopressin receptor mRNAs **509.P**, 87*P*, 1998

HURST R. D. *see DOBBIE M. S., HURST R. D. & SURTEES R. A. H.* **509.P**, 73*P*, 1998

HURST R. D. & CLARK J. B. Reduction in endothelial cell energy resources and monolayer integrity by nitric oxide in an *in vitro* model blood–brain barrier **509.P**, 74*P*, 1998

HUŠEK P. *see BENEŠOVÁ O., TEJKALOVÁ H., KRIŠTOFIKOVÁ Z., NEDVÍDKOVÁ J. & HUŠEK P.* **511.P**, 50*P*, 1998

HUSSAIN J. F. *see MAHAUT-SMITH M. P., HARDINGHAM N. R., HUSSAIN J. F. & MASON M. J.* **506.P**, 69*P*, 1998

HUSSAIN J. F., SAGE S. O. & MAHAUT-SMITH M. P. Reversible and irreversible Ca_i^{2+} spiking in single human platelets **506.P**, 71*P*, 1998

HUSSEY D. A.

HUSSEY D. A., WILLIAMSON R. & JONES M. B. Mapping of evoked field potentials from a brain slice preparation of the octopus optic lobe **513.P**, 101*P*, 1998

HUTTON P. *see BARTLETT I., HUTTON P. & MARSHALL J. M.* **509.P**, 131*P*, 1998

ILES J. F.

ILES J. F. Reciprocal inhibition between ankle muscles in man: how many processes are there? **509.P**, 173*P*, 1998

ILIA M. *see HUGHES D. I., BANNISTER A. P., ILIA M., WEST D. C. & THOMSON A. M.* **513.P**, 3*P*, 1998

ILUNDÁIN A. A. *see ECHEVARRÍA M., RAMÍREZ R., VIZUETE M. L., VENERO J. L., REVUELTA M., CANO J. & ILUNDÁIN A. A.* **509.P**, 13*P*, 1998

IMBERT-TEBOUL M. *see BAILEY M. A., IMBERT-TEBOUL M., BURNSTOCK G. & UNWIN R. J.* **513.P**, 39*P*, 1998

INGELTON P. *see BISPHAM J., HEASMAN L., INGELTON P., STEPHENSON T. & SYMONDS M. E.* **511.P**, 96*P*, 1998

INGHAM N. J. *see BADIE-MAHDAVI H., WITHINGTON D. J., INGHAM N. J. & KING A. E.* **511.P**, 44*P*, 1998

INGHILLERI M. *see PRIORI A., PEDACE F., GIOVANNELLI M., INGHILLERI M. & BERARDELLI A.* **507.P**, 34*P*, 1998

IOST N.

IOST N., VIRÁG L., OPINCARIU M., SZÉCSI J., VARRÓÓ A. & PAPP J. G. Delayed rectifier potassium current in undiseased human ventricular myocytes **506.P**, 55*P*, 1998

IRIARTE M. M. *see CASIS O., IRIARTE M. M., GALLEGO M. & SÁNCHEZ-CHAPULA J. A.* **509.P**, 153*P*, 1998

IRISH C. S. *see FOLLAND J. P., IRISH C. S., ROBERTS J. C., TARR J. E. & JONES D. A.* **506.P**, 102*P*, 1998

IRVINE R. F. *see SMITH P. M. & IRVINE R. F.* **509.P**, 9*P*, 1998

IRVING A. J.

IRVING A. J., BOULTON C. L., GARTHWAITE J. & COLLINGRIDGE G. L. Effects of 8-bromo-cGMP on Ca^{2+} signalling in cultured rat hippocampal neurons **506.P**, 149*P*, 1998

ISAEV D. S. *see EREMIN A. V., ISAEV D. S., PALIGIN O. A., TARASENKO A. N. & KOSTYUK P. G.* **506.P**, 77*P*, 1998

ISAEV D. S., EREMIN A. V., PALIGIN O. A., TARASENKO A. N. & KOSTYUK P. G. Pharmacological and kinetic properties of low-voltage-activated Ca^{2+} channels in rat sensorimotor cortex **506.P**, 77*P*, 1998

ISENBERG G. *see BORSCHKE J.-U. & ISENBERG G.* **509.P**, 152*P*, 1998

ISENBERG G. & SCHIEFER A. 4-Dimensional imaging of the caffeine effect on mitochondrial calcium concentration and membrane potential (isolated guinea-pig ventricular myocytes) **509.P**, 154*P*, 1998

ISHIGURO H.

ISHIGURO H., NARUSE S., CASE R. M. & STEWARD M. C. Effects of extracellular ATP on HCO_3^- secretion in interlobular ducts isolated from guinea-pig pancreas **513.P**, 54*P*, 1998

IWABUCHI S. *see SMANI T., IWABUCHI S., LÓPEZ-BARNEO J. & UREÑA J.* **509.P**, 115*P*, 1998

JACK C. I. A. *see JONES S. A., MCARDLE F., JACK C. I. A. & JACKSON M. J.* **509.P**, 201*P*, 1998

JACKSON A. *see GUPTA R., PATEL K., JACKSON A., JOHNSON C. D. & PRIMROSE J. N.* **509.P**, 17*P*, 1998

see GUPTA R., PATEL K., JACKSON A., PRIMROSE J. N. & JOHNSON C. D. **509.P**, 18*P*, 1998

JACKSON M. J. *see MAGLARA A., MCARDLE A. & JACKSON M. J.* **509.P**, 192*P*, 1998

see JONES S. A., MCARDLE F., JACK C. I. A. & JACKSON M. J. **509.P**, 201*P*, 1998

see NADERALI E. K., DOYLE P., JACKSON M. J. & WILLIAMS G. **513.P**, 157*P*, 1998

JACKSON S. *see STEWART K. A., DITTRICH W., HAWKEN M., HENDERSON L., JACKSON S. & KENNARD C.* **509.P**, 177*P*, 1998

JACOB R. *see MORGAN A. J. & JACOB R.* **513.P**, 144*P*, 1998

see STEINERT J. R., JACOB R., POSTON L. & MANN G. E. **513.P**, 150*P*, 1998

JACOBS M. *see GAO B., CASH D., ABRAHAM D., BLACK C., BRUCKDORFER K. R. & JACOBS M.* **513.P**, 153*P*, 1998

JACOBSON D.

JACOBSON D. & DUCHEN M. R. Fluorescence imaging of the mitochondrial permeability transition in rat cortical astrocytes in culture **506.P**, 75*P*, 1998

JACOBSON S. G. *see LAMB T. D., CIDECIYAN A. V., JACOBSON S. G. & PUGH E. N. JR* **506.P**, 88*P*, 1998

JAGGAR S. I.

JAGGAR S. I. & RICE A. S. C. A CB2 cannabinoid receptor agonist attenuates the viscero-visceral hyper-reflexia associated with a rat model of persistent visceral pain **507.P**, 18*P*, 1998

see SCOTT H. C. F., JAGGAR S. I. & RICE A. S. C. **507.P**, 18*P*, 1998

JAGGER D. J.

JAGGER D. J., RIVOLTA M. N., HOLLEY M. C. & ASHMORE J. F. Cholinergic and voltage-activated currents expressed in a cochlear cell line derived from the Immortomouse™ **509.P**, 189*P*, 1998

James G. A.

James G. A., Kundaiker S. & Butt A. M. ATP modulates intracellular Ca^{2+} in isolated optic nerves of developing rats **513.P**, 68*P*, 1998

James R. F. L. *see Chapman J. C., Macfarlane W. N., James R. F. L., Lindley K. J., Aynsley-Green A., Docherty K. D. & Dunne M. J.* **509.P**, 35*P*, 1998

see Hashmi M. N., Macfarlane W. N., Shepherd R. M., James R. F. L., Aynsley-Green A., Docherty K. D. & Dunne M. J. **509.P**, 106*P*, 1998

see Cosgrove K. E., Ämmälä C., James R. F. L. & Dunne M. J. **509.P**, 189*P*, 1998

see Dunne M. J., Hashmi M. N., Shepherd R. M., Chapman J. C., Cosgrove K. E., Kamimura N., James R. F. L., Aynsley-Green A., Lindley K. J., Macfarlane W. N., Docherty K. D. & Ämmälä C. **509.P**, 11*S*, 1998

Janáková H. *see Janský L., Vybíral S., Janáková H., Lesná I., Šimečková M., Šrámek P. & Zeman V.* **511.P**, 2*P*, 1998

Jankowska E. *see Sahal A., Maxwell D. J., Jankowska E. & Gladden M. H.* **509.P**, 172*P*, 1998

Janovská A. *see Gregor M., Mejsnar J. & Janovská A.* **511.P**, 154*P*, 1998

see Štefl B., Mejsnar J. & Janovská A. **511.P**, 158*P*, 1998

Janský L.

Janský L., Vybíral S., Janáková H., Lesná I., Šimečková M., Šrámek P. & Zeman V. Human adaptability to cold **511.P**, 2*P*, 1998

see Štich V., Vybíral S., Kvítek J., Hejná J. & Janský L. **511.P**, 3*P*, 1998

see Lesná I., Vybíral S., Janský L. & Zeman V. **511.P**, 3*P*, 1998

see Šimečková M., Lesná I., Vybíral S., Janský L. & Šrámek P. **511.P**, 4*P*, 1998

Jansson E. *see Gustafsson T., Puntschart A., Sundberg C. J. & Jansson E.* **506.P**, 25*P*, 1998

see Norman B., Sabina R. L., Esbjörnsson-Liljedahl M. & Jansson E. **506.P**, 117*P*, 1998

Jarvis J. C. *see Salmons A., Tang A. T. M., Sutherland H. & Jarvis J. C.* **506.P**, 7*S*, 1998

Jarvis S. M. *see Maddock H. L., Pearson J. D. & Jarvis S. M.* **513.P**, 152*P*, 1998

Jayasena C. *see Lombardelli S., Jayasena C. & Dyball R. E. J.* **509.P**, 92*P*, 1998

Jeal S.

Jeal S., Brown M. D., Bryant J. & Gamble J. Differences in microvascular parameters in the limbs of endurance-trained, strength-trained and sedentary humans **506.P**, 23*P*, 1998

Jeffery S. *see Clough G., Jeffery S., Griffiths T. & Church M. K.* **513.P**, 148*P*, 1998

Jefferys J. G. R. *see Fox J. E. & Jefferys J. G. R.* **509.P**, 67*P*, 1998

Jeffs B. *see Carswell H. V. O., Dominiczak A. F., McCulloch J., Anderson N., Graham D., Jeffs B., Clark J. S. & Macrae I. M.* **509.P**, 97*P*, 1998

Jenner S.

Jenner S., Farndale R. W., Norman J. C. & Sage S. O. Changes in plasma membrane proteins upon store depletion in dimethyl-BAPTA-loaded human platelets **511.P**, 37*P*, 1998

Jennings S. *see Ng L. L., Jennings S. & Quinn P. A.* **511.P**, 167*P*, 1998

Jensen R. T. *see Tapia J. A., Ferris H. A., Jensen R. T. & García L. J.* **509.P**, 11*P*, 1998

Jeřábková G. *see Grim M., Zelená J., Halata Z., Valášek P., Szeder V. & Jeřábková G.* **511.P**, 140*P*, 1998

Jeremy J. Y. *see Lin H., Jeremy J. Y. & Suleiman M.-S.* **511.P**, 89*P*, 1998

Jeziorski M. C. *see Zhainazarov A., Jeziorski M. C., Anderson P. A. V., Ache B. & Cottrell G. A.* **506.P**, 47*P*, 1998

Jiang D. *see Palmer A. R., McAlpine D., Jiang D. & Shackleton T. M.* **511.P**, 24*S*, 1998

Jiang W. *see Morrison J. F. B., Kibble A. & Jiang W.* **507.P**, 2*S*, 1998

Jirmanová I. *see Soukup T., Jirmanová I., Zachařová G., Rauchová H. & Pavelka S.* **511.P**, 137*P*, 1998

John V. H.

John V. H., Trezise D. J. & Xie X. M. Electrophysiological characterization of voltage-gated Na^+ channels in the dorsal root ganglion cell line ND7-23 **513.P**, 140*P*, 1998

Johns E. J. *see Moosavi S. M. S. & Johns E. J.* **507.P**, 38*P*, 1998

Johns E. J. & Moosavi S. M. S. Renal perfusion pressure (RPP), renin release and renal renin and angiotensinogen (Ang) gene expression **507.P**, 39*P*, 1998

see Wong P. S. K. & Johns E. J. **507.P**, 42*P*, 1998

see Moosavi S. M. S. & Johns E. J. **509.P**, 123*P*, 1998

see Wu X., Harris P. J. & Johns E. J. **513.P**, 39*P*, 1998

see Moosavi S. M. S. & Johns E. J. **513.P**, 40*P*, 1998

see Wong P. S. K., Rana S. & Johns E. J. **513.P**, 41*P*, 1998

see Huang C. & Johns E. J. **513.P**, 42*P*, 1998

Johnson C. D. *see Brennan H. J., Pearce N. W. & Johnson C. D.* **509.P**, 16*P*, 1998

see Brennan H. J., Pearce N. W., Cleverly J. & Johnson C. D. **509.P**, 17*P*, 1998

see Gupta R., Patel K., Jackson A., Johnson C. D. & Primrose J. N. **509.P**, 17*P*, 1998

see Gupta R., Patel K., Jackson A., Primrose J. N. & Johnson C. D. **509.P**, 18*P*, 1998

Johnson C. D., Archer J. & Marshall J. The role of sympathetic nerve activity in responses evoked in the rat tail artery by systemic hypoxia: simultaneous recordings of neuronal activity and blood flow **513.P**, 82*P*, 1998

see Brennan H. J., Pearce N. W. & Johnson C. D. **513.P**, 94*P*, 1998

Johnson I. T. *see Lindqvist S. M., Sharp P. A., Johnson I. T. & Williams M. R.* **511.P**, 28*P*, 1998

Jonas P.

Jonas P., Haverkampf K., Kraushaar U. & Geiger J. R. P. Glutamate- and GABA-mediated synaptic transmission in the principal neuron–interneuron network of the dentate gyrus **511.P**, 19*S*, 1998

Jones A. M.

Jones A. M., Barstow T. J., Nguyen P. H. & Casaburi R. Effect of muscle fibre type and cardiorespiratory fitness on the oxygen uptake/work rate slope during incremental exercise in humans **511.P**, 9*P*, 1998

Jones C. *see Kalia N., Jones C., Bardhan K. D., Reed M. W. R., Atherton J. C. & Brown N. J.* **513.P**, 151*P*, 1998

Jones D. A. *see Folland J. P., Irish C. S., Roberts J. C., Tarr J. E. & Jones D. A.* **506.P**, 102*P*, 1998

see De Ruiter C. J., De Haan A., Jones D. A. & Sargeant A. J. **506.P**, 106*P*, 1998

Jones D. A. Fatigue and metabolism in human muscle **506.P**, 2*S*, 1998

Jones J. F. X. *see Brophy S., Ford T. W., Carey M. & Jones J. F. X.* **513.P**, 85*P*, 1998

Jones J. V. *see Patel K. C. R., Jones J. V. & Levi A. J.* **511.P**, 91*P*, 1998

Jones M. B. *see Hussey D. A., Williamson R. & Jones M. B.* **513.P**, 101*P*, 1998

Jones R. S. G. *see Cunningham M. O. & Jones R. S. G.* **511.P**, 126*P*, 1998

see Bailey C. P. & Jones R. S. G. **513.P**, 17*P*, 1998

Jones S. A.

Jones S. A., McArdle F., Jack C. I. A. & Jackson M. J. Effect of antioxidant supplements on damage to human skin fibroblasts induced by ultraviolet light **509.P**, 201*P*, 1998

Jonsdottir I. H. *see Schjerling P., Jonsdottir I. H., Ostrowski K., Asp S. & Pedersen B. K.* **509.P**, 47*P*, 1998

Jordan D. *see Wang Y. & Jordan D.* **511.P**, 112*P*, 1998

see Wang Y., Sévoz-Couche C., Jordan D. & Ramage A. G. **513.P**, 78*P*, 1998

see Carey P. A. & Jordan D. **513.P**, 79*P*, 1998

see Skinner M. R., Ramage A. G. & Jordan D. **513.P**, 85*P*, 1998

Josephs O. *see Corfield D. R., Murphy K., Josephs O., Adams L. & Turner R.* **513.P**, 87*P*, 1998

Joux N. *see Hurbin A., Boissin-Agasse L., Orcel H., Rabié A., Joux N., Desarménien M. G., Richard Ph. & Moos F. C.* **509.P**, 87*P*, 1998

Joynson M. *see Haggarty P., Ashton J., Joynson M., Abramovich D. R. & Page K.* **507.P**, 48*P*, 1998

Judge S. J.

Judge S. J. & Leitch B. Modulation of transmitter release from a locust (*Locusta migratoria*) sensory afferent by muscarinic and GABA receptors **513.P**, 101*P*, 1998

Jurčovičová J. *see Rokyta R., Jurčovičová J., Krsová D., Rovenský M., Šťastná H., Švík K. & Yamamoto A.* **511.P**, 54*P*, 1998

Jürimäe J.

Jürimäe J. & Abernethy P. J. Time course of changes in the myosin heavy chain isoform content of the triceps brachii muscle during resistance training **506.P**, 120*P*, 1998

Kabát M. *see Vyklický L., Vlachová V., Vitásková Z. & Kabát M.* **511.P**, 125*P*, 1998

Káboá R.

Káboá R., Velíšková J., Velíšek L. & Moshé S. L. Effects of prenatal administration of methotrexate in young rats **511.P**, 70*P*, 1998

KACZOROWSKI G. J. *see* CLARK S. A., KACZOROWSKI G. J. & WAFFORD K. A. **513.P**, 140*P*, 1998

KAILA K.

KAILA K. GABA: an exciting inhibitory transmitter **506.P**, 14*S*, 1998

KAJIMURA M.

KAJIMURA M. & MICHEL C. C. The intracellular cAMP level may modulate the flow dependence of potassium permeability in single perfused mesenteric microvessels of pithed frogs **506.P**, 25*P*, 1998

KAJITA H.

KAJITA H. & BROWN P. D. Protein kinase C inhibits anion channels in epithelial cells of the choroid plexus isolated from rat **507.P**, 2*P*, 1998

KALIA N.

KALIA N., JONES C., BARDHAN K. D., REED M. W. R., ATHERTON J. C. & BROWN N. J. Effects of genotypically different strains of *Helicobacter pylori* on microvascular endothelial cell viability *in vitro* **513.P**, 151*P*, 1998

KAMIMURA N. *see* DUNNE M. J., HASHMI M. N., SHEPHERD R. M., CHAPMAN J. C., COSGROVE K. E., KAMIMURA N., JAMES R. F. L., AYNSLEY-GREEN A., LINDLEY K. J., MACFARLANE W. N., DOCHERTY K. D. & ÄMMÄLÄ C. **509.P**, 11*S*, 1998

KAMOUCHI M. *see* EGGERMONT J., KAMOUCHI M., TROUET D., DROOGMANS G. & NILIUS B. **506.P**, 22*P*, 1998

KANE K. A. *see* WORKMAN A. J., KANE K. A. & RANKIN A. C. **509.P**, 149*P*, 1998

KAPPELEROVA O.

KAPPELEROVA O., LAUDE E., EMERY C. & BARER G. Dilator control of the pulmonary circulation in isolated perfused lungs of normal and chronically hypoxic Wistar and Fawn Hooded rats **511.P**, 109*P*, 1998

KARAKOYUN B. *see* YEGEN B. C., BOZKURT A., COSKUN T., KARAKOYUN B., KURTEL H. & ALICAN İ. **509.P**, 9*P*, 1998

KARATZAFERI C.

KARATZAFERI C., DE HAAN A., OFFRINGA C., FERGUSON R. A. & SARGEANT A. J. Post-exercise recovery of phosphocreatine in relation to myosin heavy chain isoform expression in human muscle type II fibres **511.P**, 10*P*, 1998

KARDOS A.

KARDOS A., TAYLOR D. J., THOMPSON C. H., HANDS L., COLLIN J. & CASADEI B. Sympathetic modulation of blood flow affects exercise performance and muscle bioenergetics in humans **506.P**, 98*P*, 1998

KASPAROV S. *see* TESCHEMACHER A., KASPAROV S., KRAVITZ E. A. & RAHAMIMOFF R. **506.P**, 148*P*, 1998

see BUTCHER J. W., KASPAROV S. & PATON J. F. R. **509.P**, 128*P*, 1998

KASPAROV S. & PATON J. F. R. Effects of angiotensin II on neurones in nucleus of the solitary tract (NTS) of the developing rat *in vitro* **509.P**, 128*P*, 1998

see PATON J. F. R., LI Y.-W., DEUCHARS J. & KASPAROV S. **509.P**, 23*S*, 1998

KASPAROV S. & PATON J. F. R. GABA receptors in the nucleus of solitary tract of the developing rat are insensitive to the benzodiazepines midazolam and chlordiazepoxide **513.P**, 19*P*, 1998

see PATON J. F. R., LI Y.-W., SCHWABER J. S. & KASPAROV S. **513.P**, 78*P*, 1998

see DEUCHARS J., LI Y.-W., KASPAROV S. & PATON J. F. R. **513.P**, 83*P*, 1998

KASS D. A. *see* PAGLIARO P., SENZAKI H. & KASS D. A. **507.P**, 56*P*, 1998

KATNIK C.

KATNIK C. & ADAMS D. J. Neuronal modulation of intracellular Ca^{2+} concentration in rabbit cardiac valve endothelial cells **513.P**, 156*P*, 1998

KATO K.

KATO K. & KOZLOWSKI R. Z. ET-1-induced constriction is largely independent of Ca^{2+} influx through the L-type Ca^{2+} channel in rat small pulmonary arteries **509.P**, 107*P*, 1998

KAUFMAN M. *see* HAOUZI P., HILL J. H., LEWIS B. K. & KAUFMAN M. **507.P**, 64*P*, 1998

KEARNS I. R.

KEARNS I. R., MORTON R. A. & DAVIES C. H. Presynaptic adenosine modulation of muscarinic acetylcholine receptor-mediated synaptic responses in the rat hippocampus **511.P**, 129*P*, 1998

KEEGAN M. A. *see* CAMPBELL I. T., PERERA D. M., BANNON J. W., KEEGAN M. A. & WILLATT D. J. **506.P**, 98*P*, 1998

KEELAN J.

KEELAN J., VERGUN O., KHODOROV B. I. & DUCHEN M. R. Calcium-dependent mitochondrial depolarization specific to toxic glutamate stimulation in cultured rat hippocampal neurones **506.P**, 75*P*, 1998

KEELAN J., HERSSON-RINGSKOG J., SIOFTANOS G., SRITHARAN K., VERGUN O. & DUCHEN M. R. Nitric oxide contributes to glutamate-induced mitochondrial dysfunction in rat hippocampal neurons in culture **511.P**, 122*P*, 1998

KELLY G. *see* THIN A., KELLY G., DALY L., FITZGERALD M. X. & MCLOUGHLIN P. **513.P**, 75*P*, 1998

KELLY S. *see* LIM E., CLARKE J., EYRE J. A., KELLY S., MCCLELLAND V. M., MCDONOUGH S., METCALFE A. V. & MILLER S. **509.P**, 168*P*, 1998

KEMP P. J. *see* MONAGHAN A. S., KEMP P. J. & OLVER R. E. **507.P**, 6*P*, 1998

see O'KELLY I., PEERS C. & KEMP P. J. **509.P**, 115*P*, 1998

see O'KELLY I., PEERS C. & KEMP P. J. **511.P**, 146*P*, 1998

KEMP P. J., BOROK Z., DANTO S. I., KIM K.-J., LUBMAN R. & CRANDALL E. D. Re-evaluation of the Na^+ conductance of adult rat alveolar epithelial cells: inhibition by Zn^{2+} **513.P**, 59*P*, 1998

see O'KELLY I., STEPHENS R. H., PEERS C. & KEMP P. J. **513.P**, 128*P*, 1998

KENNARD C. *see* STEWART K. A., DITTRICH W., HAWKEN M., HENDERSON L., JACKSON S. & KENNARD C. **509.P**, 177*P*, 1998

see HILL A. C., DAVEY N. J. & KENNARD C. **509.P**, 178*P*, 1998

KENTISH J. C. *see* LAYLAND J., PALMER S. & KENTISH J. C. **509.P**, 158*P*, 1998

KENYON J. L. *see* MASON H. S., GELBAND C. H., SUMNERS C., HOROWITZ B. & KENYON J. L. **509.P**, 63*P*, 1998

KERR R. *see* WELTON J., STEWART W., KERR R. & MAXWELL D. J. **509.P**, 179*P*, 1998

KERR T.

KERR T., GARRETT M. & CAULFIELD B. Absence of change in the H-reflex is not due to variations in knee angular velocity during walking **509.P**, 173*P*, 1998

KERR-MUIR M. G. *see* PRYDAL J. I., KERR-MUIR M. G. & MARSHALL J. **506.P**, 90*P*, 1998

KERSLAKE-HANDS S. H.

KERSLAKE-HANDS S. H. & FRASER P. A. Endothelial calcium changes in response to activated leucocytes and bradykinin in cultures of rat brain endothelial cells **506.P**, 21*P*, 1998

KETTENMANN H. *see* HARTMANN J., LABRAKAKIS C., VERKHRATSKY A., PATT S. & KETTENMANN H. **513.P**, 14*S*, 1998

KEY B. J. *see* BROWN L. A., LOVICK T. A., KEY B. J., THOMSON A. M., ALI A. B. & PAWELZIK H. **511.P**, 115*P*, 1998

KEYNES R. D.

KEYNES R. D. The voltage-gated sodium channel **506.P**, 22*S*, 1998

KHAN I. A. *see* SHUI Z., KHAN I. A., TSUGA H., HAGA T. & BOYETT M. R. **511.P**, 78*P*, 1998

KHASABOV S. G.

KHASABOV S. G., WOTHERSPOON G., PRIESTLEY J. V. & KING A. E. The role of 5-HT_3 receptors in the modulation of somatosensory processes in the rat spinal cord dorsal horn *in vitro* **509.P**, 164*P*, 1998

KHASABOV S. G. & KING A. E. The role of 5-HT_3 receptors in the generation of dorsal root potentials in the rat spinal cord *in vitro* **511.P**, 131*P*, 1998

KHODOROV B. I. *see* KEELAN J., VERGUN O., KHODOROV B. I. & DUCHEN M. R. **506.P**, 75*P*, 1998

see STOROZHEVYKH T. P., GRIGORTSEVICH N. Y., VERGUN O. V., VINSKAYA N. P., PINELIS V. G. & KHODOROV B. I. **509.P**, 56*P*, 1998

KHOGALI S. E. O.

KHOGALI S. E. O., LYALL J. A. & RENNIE M. J. Glutamine provides cardioprotection during reperfusion (but not during cardioplegia) after prolonged cardioplegic arrest with St Thomas's Solution in the isolated working rat heart **511.P**, 74*P*, 1998

KHOGALI S. E. O., WERYK B., LYALL J. A. & RENNIE M. J. Post-ischaemic reperfusion with glutamine, but not glutamate or aspartate, enhances glutathione reduction state in the isolated working rat heart **513.P**, 160*P*, 1998

KIA K. *see* PFAFF D. W., DELLOVADE T., CHAN J., ZHU Y., KIA K., VENNSTROM B. & FORREST D. **509.P**, 14*S*, 1998

KIBBLE A. *see* MORRISON J. F. B., KIBBLE A. & JIANG W. **507.P**, 2*S*, 1998

KIBBLE J. D. *see* BALLOCH K. J. D., KIBBLE J. D. & ROBSON L. **513.P**, 61*P*, 1998

KIBBLE J. D. & BROWN P. D. Effect of protein kinase A (PKA) and phorbol 12-myristate, 13-acetate (PMA) on delayed rectifier K^+ currents in epithelial cells of rat choroid plexus **513.P**, 63*P*, 1998

KIDD C. *see* CONLON K., KIDD C. & COLLINS T. **509.P**, 122*P*, 1998

see CONLON K. & KIDD C. **513.P**, 80*P*, 1998

KIDD J. F.

KIDD J. F. & THORN P. Evidence that the local $InsP_3$-induced Ca^{2+} spikes in mouse pancreatic acinar cells are due to small 'hot spots' of calcium release co-ordinated by cytosolic calcium **509.P**, 108*P*, 1998

KIESSLING K.

KIESSLING K., WEAVER Y. R., GIBSON J. S. & COSSINS A. R. Reciprocal co-ordination of opposing volume regulatory effectors in flounder red cells **513.P**, 57*P*, 1998

KILNER J. M. *see BAKER S. N., KILNER J. M., AHMED A., FITZGERALD W. J., MAYSTON M. J. & LEMON R. N.* **509.P**, 168*P*, 1998

KILNER J. M., BAKER S. N., SALENIUS S., HARI R. & LEMON R. N. 15–30 Hz coherence between rectified EMGs from human hand muscles has task-dependent modulation **509.P**, 175*P*, 1998

KIM K. *see NELSON L. S., ROSOFF M., KIM K., MEMMOTT J. E. & LI C.* **513.P**, 17*S*, 1998

KIM K.-J. *see KEMP P. J., BOROK Z., DANTO S. I., KIM K.-J., LUBMAN R. & CRANDALL E. D.* **513.P**, 59*P*, 1998

KIM K. W. *see AHN S. C., KIM S. J. & KIM K. W.* **507.P**, 78*P*, 1998

KIM S. J. *see AHN S. C., KIM S. J. & KIM K. W.* **507.P**, 78*P*, 1998

KING A. E. *see KHASABOV S. G., WOTHERSPOON G., PRIESTLEY J. V. & KING A. E.* **509.P**, 164*P*, 1998

see BADIE-MAHDAVI H., WITHINGTON D. J., INGHAM N. J. & KING A. E. **511.P**, 44*P*, 1998

see ASGHAR A. U. R. & KING A. E. **511.P**, 56*P*, 1998

see KHASABOV S. G. & KING A. E. **511.P**, 131*P*, 1998

see BIRD G. C., ASGHAR A. U. R. & KING A. E. **513.P**, 26*P*, 1998

KING A. J. *see SCHNUPP J. W. H., GILES J. D., BADDELEY R. J. & KING A. J.* **506.P**, 90*P*, 1998

KIRCHENGAST M. *see DASHWOOD M. R., MÜNTER K. & KIRCHENGAST M.* **507.P**, 72*P*, 1998

KIRKMAN E. *see OHNISHI M., KIRKMAN E., COOPER G. J. & WATKINS P.* **511.P**, 111*P*, 1998

KIRKWOOD P. A. *see SAYWELL S. A., FORD T. W. & KIRKWOOD P. A.* **509.P**, 170*P*, 1998

see SAYWELL S. A., FORD T. W. & KIRKWOOD P. A. **511.P**, 61*P*, 1998

KIRPICHNIKOVA K. M. *see KLYUBIN I. V., KIRPICHNIKOVA K. M. & GAMALEY I. A.* **506.P**, 77*P*, 1998

KIRVELL S. *see REDDINGTON F., BERRY M., RATTRAY M., KIRVELL S. & BUTT A. M.* **513.P**, 68*P*, 1998

KIS A.

KIS A., VEGH A., PAPP J. G. & PARRATT J. R. Repeated cardiac pacing prolongs protection against ischaemia-induced ventricular arrhythmias in anaesthetized dogs **506.P**, 56*P*, 1998

KITTNAR O. *see SLAVÍČEK J., KŘ ˇUŠEK J., KITTNAR O., VYSKOČIL F. & TROJAN S.* **511.P**, 86*P*, 1998

see TREFNÝ Z., SVAČINKA J., TROJAN S., SLAVÍČEK J., KITTNAR O. & TREFNÝ M. **511.P**, 159*P*, 1998

KJÆR M. *see HARRIDGE S. D. R., ANDERSEN J. L., KJÆR M., HARTKOPP A., BIERING-SØRENSEN F. & ZHOU S.* **506.P**, 108*P*, 1998

KLAENTSCHI K.

KLAENTSCHI K., SHORE A. C. & TOOKE J. E. The combined effect of pressure and high glucose on the growth of cultured human microvascular endothelial cells **506.P**, 35*P*, 1998

KLAUS W. *see FARMER H., RÖSEN R., KLAUS W. & BORN G. V. R.* **506.P**, 27*P*, 1998

KLENEROVÁ V. *see MAREŠ J., POKORNÝ J., ŠÍDA P. & KLENEROVÁ V.* **511.P**, 127*P*, 1998

KLISHIN A. *see SEDOVA M., KLISHIN A. & BLATTER L. A.* **506.P**, 20*P*, 1998

KLYUBIN I. V.

KLYUBIN I. V., KIRPICHNIKOVA K. M. & GAMALEY I. A. Contribution of superoxide to agonist-induced membrane hyperpolarization in macrophages: evidence for involvement of Ca^{2+}-dependent K^+ channels **506.P**, 77*P*, 1998

KNAPP P. A. *see RODIC B., SCHURCH B., SCHLÄPFER A., CURT A. & KNAPP P. A.* **507.P**, 20*P*, 1998

KNIGHT B. *see ZEDKA M., KNIGHT B. & PROCHAZKA A.* **511.P**, 60*P*, 1998

KNIGHT S. L. *see CRAGGS M. D., EDHEM I., KNIGHT S. L., MCFARLANE J. P. & SHAH N.* **507.P**, 19*P*, 1998

see OJO-AROMOKUDU O., PITT J., BOULOS P. B., KNIGHT S. L. & CRAGGS M. D. **507.P**, 19*P*, 1998

KNOCK G.

KNOCK G., SAWDY R., SMIRNOV S., POSTON L., BENNETT P. & AARONSON P. Inhibition by nimesulide of spontaneous contractions and the voltage-gated Ca^{2+} current in human myometrium **507.P**, 69*P*, 1998

KNOCK G. A. *see SMIRNOV S. V., KNOCK G. A. & AARONSON P. I.* **507.P**, 72*P*, 1998

KNOTKOVÁ H. *see DITTERT I., VLACHOVÁ V., KNOTKOVÁ H., VITÁSKOVÁ Z. & VYKLICKÝ L.* **511.P**, 130*P*, 1998

KNUDSEN Z.

KNUDSEN Z. & HOLDEN A. V. Computational investigation of the effect of mechano-electrical feedback on the vulnerability to re-entrant excitation in cardiac tissue **511.P**, 75*P*, 1998

KO W. H.

KO W. H., LAW V. W. Y. & WILSON S. M. Simultaneous measurement of short-circuit current (I_{sc}) and $[Ca^{2+}]_i$ in equine cultured epithelia **506.P**, 126*P*, 1998

KODAMA I. *see DOBRZYNSKI H., HENDERSON Z., TAKAGISHI Y., ROTHERY S., SEVERS N. J., HONJO H., TAMKUN M. M., KODAMA I. & BOYETT M. R.* **506.P**, 54*P*, 1998

see ZHANG H., BOYETT M. R., HOLDEN A. V., HONJO H. & KODAMA I. **506.P**, 54*P*, 1998

see ZHANG H., BOYETT M. R., HOLDEN A. V., HONJO H. & KODAMA I. **511.P**, 76*P*, 1998

see BOYETT M. R., KODAMA I., NIKMARAM M. R., YAMAMOTO M., HONJO H., NIWA R., ZHANG H. & HOLDEN A. V. **511.P**, 79*P*, 1998

see DOBRZYNSKI H., MARPLES D., ROTHERY S., TAKAGISHI Y., HONJO H., SEVERS N. J., TAMKUN M. M., KODAMA I., HENDERSON Z. & BOYETT M. R. **511.P**, 148*P*, 1998

KOENIG H. *see SCHUMACHER M., GUENNOUN R., SHAZAND K., DESARNAUD F., KOENIG H. & BAULIEU E. E.* **509.P**, 14*S*, 1998

KOH T. J. *see BATE G. W., VARRO A., DIMALINE R., WANG T. C., KOH T. J. & DOCKRAY G. J.* **509.P**, 10*P*, 1998

KOHL P. *see LEI M., KOHL P., RIGG L. & TERRAR D.* **506.P**, 39*P*, 1998

KOLÁR F. *see MEJSNAR J. A., MARŠIK F. & KOLÁR F.* **511.P**, 155*P*, 1998

KOOB S.

KOOB S., STRICKLAND C. & ABBOTT N. J. Dilution potentials in the frog nerve sheath: evidence for ionic selectivity of the perineurial blood–nerve barrier **509.P**, 75*P*, 1998

see MISTRY H., KOOB S., STRICKLAND C. & ABBOTT N. J. **509.P**, 75*P*, 1998

KOPECKÁ J. *see GARDINER H. M., KOPECKÁ J. & MARSÁL K.* **507.P**, 53*P*, 1998

KORBMACHER C. *see MARPLES D. & KORBMACHER C.* **511.P**, 34*P*, 1998

see BERTOG M., SMITH D. J., HARRIS A. & KORBMACHER C. **513.P**, 60*P*, 1998

KÖSTER H. J.

KÖSTER H. J. & SAKMANN B. Ca^{2+} transients in dendritic spines of layer 5 neocortical pyramidal neurons evoked by APs and EPSPs **509.P**, 55*P*, 1998

KOSTER J. C.

KOSTER J. C., SHA Q., SHYNG S.-L. & NICHOLS C. G. The N-terminus of Kir6.2 functionally couples to SUR1 in the K_{ATP} channel **509.P**, 36*P*, 1998

KOSTERIN S. A.

KOSTERIN S. A., BURDYGA T. V., BABICH L. G. & SHLYKOV S. G. Mg^{2+},ATP-dependent Ca^{2+} transport in endoplasmic reticulum of myometrial cells **506.P**, 68*P*, 1998

KOSTOGLOU-ATHANASSIOU I.

KOSTOGLOU-ATHANASSIOU I., ATHANASSIOU P., TREACHER D. F., WHEELER M. J. & FORSLING M. L. Pituitary hormone secretion over the natural and suppressed menstrual cycle in premenopausal women **506.P**, 142*P*, 1998

KOSTYUK E.

KOSTYUK E., SVICHAR N. & SHISHKIN V. Calcium signalling in sensory neurones of diabetic mice **509.P**, 66*P*, 1998

KOSTYUK P.

KOSTYUK P. & SOLOVYOVA N. Nitric oxide inhibits predominantly low-voltage-activated calcium currents in mouse primary sensory neurones **509.P**, 62*P*, 1998

KOSTYUK P. G. *see EREMIN A. V., ISAEV D. S., PALIGIN O. A., TARASENKO A. N. & KOSTYUK P. G.* **506.P**, 77*P*, 1998

see ISAEV D. S., EREMIN A. V., PALIGIN O. A., TARASENKO A. N. & KOSTYUK P. G. **506.P**, 77*P*, 1998

KOVYAZINA I.

KOVYAZINA I., NIKOLSKY E. E., GINIATULLIN R. A. & VYSKOČIL F. Dependence of the time course of miniature endplate currents on kinetic constants k_{-1} and α **511.P**, 143*P*, 1998

KOWALCHUK J. M. *see BELL C., PATERSON D. H., PALINKAS V., KOWALCHUK J. M. & CUNNINGHAM D. A.* **509.P**, 118*P*, 1998

KOZLOWSKI R. *see GAGG J., SMITH L., BROWN H., PERRY V. H. & KOZLOWSKI R.* **506.P**, 46*P*, 1998

see HOGG D., WILSON C. & KOZLOWSKI R. **509.P**, 152*P*, 1998

KOZLOWSKI R. Z. *see KATO K. & KOZLOWSKI R. Z.* **509.P**, 107*P*, 1998

see BETTS L. C., SALTER K. J. & KOZLOWSKI R. Z. **513.P**, 118*P*, 1998

KRANDA K.

KRANDA K., HOROWSKI R., SCHUBERT F. & SEIFERT F. Transient aphasia induced by the onset of multiple sclerosis **511.P**, 68*P*, 1998

KRAUSHAAR U. *see JONAS P., HAVERKAMPF K., KRAUSHAAR U. & GEIGER J. R. P.* **511.P**, 198*S*, 1998

KRAVITZ E. A. *see TESCHEMACHER A., KASPAROV S., KRAVITZ E. A. & RAHAMIMOFF R.* **506.P**, 148*P*, 1998

KRISHTAL O. A. *see FILIPPOV V. M. & KRISHTAL O. A.* **513.P**, 132*P*, 1998

KRISTEVA-FEIGE R. *see STANČÁK A. JR, KRISTEVA-FEIGE R., LÜCKING C. H. & FEIGE B.* **511.P**, 68*P*, 1998

KRIŠTOFIKOVÁ Z. *see BENEŠOVÁ O., TEJKALOVÁ H., KRIŠTOFIKOVÁ Z., NEDVÍDKOVÁ J. & HUŠEK P.* **511.P**, 50*P*, 1998

KŘÍŽ N.

KŘÍŽ N., YAMAMOTO A., TOBIÁŠ J. & ROKYTA R. Extracellular potassium resting level in thalamic nuclei and tail-flick latency after deafferentation in rats **511.P**, 57*P*, 1998

KRNJEVIĆ K.

KRNJEVIĆ K. & ZHAO Y.-T. 2-Deoxyglucose-induced LTP of monosynaptic inhibitory transmission in hippocampal slices from rats **511.P**, 134*P*, 1998

KRSOVÁ D. *see ROKYTA R., JURČOVIČOVÁ J., KRSOVÁ D., ROVENSKÝ M., ŠT'ASTNÁ H., ŠVÍK K. & YAMAMOTO A.* **511.P**, 54*P*, 1998

KRŮŠEK J. *see SLAVÍČEK J., KRŮŠEK J., KITTNAR O., VYSKOČIL F. & TROJAN S.* **511.P**, 86*P*, 1998

KRYGER A. *see HARRIDGE S. D. R., KRYGER A. & STENSGAARD A.* **509.P**, 42*P*, 1998

KUČERA T.

KUČERA T., LAUDE E. & HAMPL V. The appetite suppressant, fenfluramine, causes contraction of precontracted, small pulmonary arteries of the rat *in vitro* **511.P**, 116*P*, 1998

KULLMANN D. M.

KULLMANN D. M., MIN M.-Y. & RUSAKOV D. A. The fate of glutamate molecules escaping from the synaptic cleft in the hippocampus: evidence for non-local activation of NMDA receptors **511.P**, 12*S*, 1998

KUMAR P. *see CONWAY A. F. & KUMAR P.* **509.P**, 114*P*, 1998

see CONWAY A. F. & KUMAR P. **511.P**, 100*P*, 1998

see VANDIER C., CONWAY A. F. & KUMAR P. **511.P**, 101*P*, 1998

see CONWAY A. F. & KUMAR P. **513.P**, 73*P*, 1998

see VANDIER C., CONWAY A. F. & KUMAR P. **513.P**, 73*P*, 1998

KUME-KICK J. *see NICHOLSON C., TAO L. & KUME-KICK J.* **511.P**, 8*S*, 1998

KUNDAIKER S. *see JAMES G. A., KUNDAIKER S. & BUTT A. M.* **513.P**, 68*P*, 1998

KUNES J. *see ZICHA J., LE QUAN SANG K. H., DAVID-DUFILHO M., KUNES J., PERNOLLET M.-G. & DEVYNCK M.-A.* **511.P**, 165*P*, 1998

KURTEL H. *see YEGEN B. C., BOZKURT A., COSKUN T., KARAKOYUN B., KURTEL H. & ALICAN İ.* **509.P**, 9*P*, 1998

KVAŠŇÁK E. *see SYKA J., POPELÁŘ J., KVAŠŇÁK E. & ŠUTA D.* **511.P**, 25*S*, 1998

KVÍTEK J. *see ŠTICH V., VYBÍRAL S., KVÍTEK J., HEJNÁ J. & JANSKÝ L.* **511.P**, 3*P*, 1998

KWONG W. Y.

KWONG W. Y., ROBERTS P., WILD A. E., LANGLEY-EVANS S. C. & FLEMING T. P. Effect of maternal diet on embryonic development and fetal programming **513.P**, 88*P*, 1998

LA C.

LA C., PELZER S. & PELZER D. J. Effects of cytosolic free Mg^{2+} on Ca^{2+} current density in guinea-pig heart muscle cells **509.P**, 141*P*, 1998

LABRAKAKIS C. *see HARTMANN J., LABRAKAKIS C., VERKHRATSKY A., PATT S. & KETTENMANN H.* **513.P**, 14*S*, 1998

LAGNADO L. *see GOMIS A. & LAGNADO L.* **506.P**, 93*P*, 1998

see BURRONE J. & LAGNADO L. **513.P**, 31*P*, 1998

LAI C. H. *see CHAN Y. S. & LAI C. H.* **509.P**, 169*P*, 1998

LAI F. A. *see SESAY A. K., MAGNUS C. J., OGDEN D., LAI F. A. & CAPIOD T.* **509.P**, 186*P*, 1998

LAJAS A. I.

LAJAS A. I., POZO M. J., SALIDO G. M., SINGH J. & PARIENTE J. A. Interaction between bFGF and CCK-8 on amylase release and calcium mobilization in rat pancreatic acinar cells **506.P**, 127*P*, 1998

LAJAS A. I., POZO M. J., CAMELLO P. J., SALIDO G. M. & PARIENTE J. A. Vanadate increases cytosolic calcium from thapsigargin-sensitive intracellular stores in rat pancreatic acinar cells **509.P**, 19*P*, 1998

see PARIENTE J. A., LAJAS A. I., POZO M. J., CAMELLO P. J. & SALIDO G. M. **509.P**, 20*P*, 1998

LAKIE M.

LAKIE M. Muscle tone, tension and thixotropy **511.P**, 31*S*, 1998

LAM Y. W.

LAM Y. W., COHEN L. B. & FALK C. X. Voltage-sensitive dye recording of odour elicited oscillations in the turtle olfactory bulb **506.P**, 83*P*, 1998

LAMB T. D.

LAMB T. D. & THOMAS M. M. Responses of human rod and cone photoreceptors measured from the *a*-wave of the electroretinogram **506.P**, 2*P*, 1998

see LEIBROCK C. S. & LAMB T. D. **506.P**, 87*P*, 1998

see THOMAS M. M. & LAMB T. D. **506.P**, 87*P*, 1998

LAMB T. D., CIDECIYAN A. V., JACOBSON S. G. & PUGH E. N. JR Towards a molecular description of human dark adaptation **506.P**, 88*P*, 1998

see WHITLOCK G. G. & LAMB T. D. **506.P**, 89*P*, 1998

LAMBOURNE J. *see STEENGE G. R., LAMBOURNE J., CASEY A., MACDONALD I. A. & GREENHAFF P. L.* **506.P**, 103*P*, 1998

LANCASTER M. K.

LANCASTER M. K., BENNETT D. L., COOK S. J. & O'NEILL S. C. Expression of Na^+,K^+-ATPase in rabbit left ventricle **509.P**, 138*P*, 1998

LANG D.

LANG D., SHAKESBY A., MOSFAR S. & LEWIS M. J. Angiotensin II exposure up-regulates NADH/NADPH oxidase-mediated superoxide anion production by guinea-pig coronary microvascular endothelial cells in culture **506.P**, 18*P*, 1998

LANG T. F. *see STEWARD M. C., LANG T. F., SAN ROMÁN J. I. & CASE R. M.* **509.P**, 3*P*, 1998

see STEWARD M. C., LANG T. F., YANG X.-S., SAN ROMÁN J. I., VARGA G. & CASE R. M. **511.P**, 23*P*, 1998

LANGDON M. G. *see NOLAN P., LANGDON M. G. & O'REGAN R. G.* **511.P**, 106*P*, 1998

LANGLEY-EVANS S. C. *see KWONG W. Y., ROBERTS P., WILD A. E., LANGLEY-EVANS S. C. & FLEMING T. P.* **513.P**, 88*P*, 1998

LANGMEIER M. *see MAREŠOVÁ D., DOUBEK P., POKORNÝ J., LANGMEIER M., MAREŠ J., HETKA R. & TROJAN S.* **511.P**, 131*P*, 1998

LANGTON P. D.

LANGTON P. D. & SMITH P. J. S. Extracellular calcium concentration gradients measured *in vitro* by the self-referencing, ion-selective vibrating probe from pressurized posterior cerebral arteries of the rat: the effects of transmural pressure and K^+-induced depolarization **509.P**, 108*P*, 1998

see DOUGHTY J. M. & LANGTON P. D. **509.P**, 133*P*, 1998

LANKSCH W. R. *see DEISZ R. A., LEHMANN T.-N., LANKSCH W. R., MEENCKE H. J. & NITSCH R.* **513.P**, 35*P*, 1998

LAPIED B. *see AMAT C., LAPIED B., FRENCH A. S. & HUE B.* **513.P**, 103*P*, 1998

see RAYMOND V. & LAPIED B. **513.P**, 103*P*, 1998

LARA J. P. *see DAWID-MILNER M. S., LÓPEZ DE MIGUEL P., LARA J. P., MARCOS P., AGUIRRE J. A. & GONZÁLEZ-BARÓN S.* **509.P**, 126*P*, 1998

LARCOMBE-MCDOUALL J.

LARCOMBE-MCDOUALL J., BUTTELL N., HARRISON N. & WRAY S. In vivo metabolite and pH changes during the contraction cycle in uterine smooth muscle **509.P**, 29*P*, 1998

LARENA M. *see MACIAS R. I. R., SERRANO M. A., BRIZ O., BRAVO P., LARENA M., PASCUAL M. J. & MARIN J. J. G.* **509.P**, 15*P*, 1998

LARGE W. A. *see HELLIWELL R. M. & LARGE W. A.* **506.P**, 45*P*, 1998

see GRAVES J. E., GREENWOOD I. A. & LARGE W. A. **511.P**, 170*P*, 1998

see GREENWOOD I. A. & LARGE W. A. **511.P**, 171*P*, 1998

LARIBI O. *see NADAL A., ROVIRA J. M., LARIBI O., LEON-QUINTO T., ANDREU E., RIPOLL C. & SORIA B.* **509.P**, 90*P*, 1998

LARSEN E. H. *see SØRENSEN J. B. & LARSEN E. H.* **507.P**, 2*P*, 1998

LAU D. H. P.

LAU D. H. P., CASTRO-ALAMANCOS M., CHOW A., OZAITA A., VEGA-SAENZ DE MIERA E., MATHEW S., GIBSON J., CONNORS B. & RUDY B. Targeted disruption in mouse of a voltage-gated potassium channel gene that is expressed predominantly in the thalamocortical system **511.P**, 147*P*, 1998

LAUDE E. *see KAPPELEROVA O., LAUDE E., EMERY C. & BARER G.* **511.P**, 109*P*, 1998

see KUČERA T., LAUDE E. & HAMPL V. **511.P**, 116*P*, 1998

LAUDE E. A. *see BEE D. & LAUDE E. A.* **511.P**, 107*P*, 1998

LAUDE E. A., EMERY C. J. & BEE D. Effect of perfusate media on the pulmonary pressor response to serotonin of the Fawn Hooded rat **511.P**, 107*P*, 1998

see EMERY C. J., PHILLIPS H. M., MARRIOTT H. M., LAUDE E. A. & BEE D. **511.P**, 108*P*, 1998

LAUFFART B. *see BLEASBY K., WALKER D., WANG L., LAUFFART B. & BROWN C. D. A.* **513.P**, 52*P*, 1998

Laughlin S. B.
Laughlin S. B., de Ruyter van Steveninck R. R. & Anderson J. C. A fundamental measure of the metabolic cost of neural information in the retina of the blowfly, *Calliphora vicina* **506.P**, 92*P*, 1998
see Harris R. A., O'Carroll D. C. & Laughlin S. B. **513.P**, 105*P*, 1998
Lavis R. *see Witton C., Rees A., Lavis R., Griffiths T. D. & Green G. G. R.* **506.P**, 85*P*, 1998
Law V. W. Y. *see Ko W. H., Law V. W. Y. & Wilson S. M.* **506.P**, 126*P*, 1998
Lawrence P. A. *see Draper C. E., Singh J., Lawrence P. A., Pallot D. J. & Adeghate E. A.* **513.P**, 48*P*, 1998
Lawrie A. M. *see Zolle O. C., Lawrie A. M. & Simpson A. W. M.* **506.P**, 20*P*, 1998
Lawson C. *see Gladden M. H., Barghi E. & Lawson C.* **511.P**, 64*P*, 1998
Lawson S. J. *see Lowrie M. B., Lawson S. J. & Parry R. J.* **511.P**, 35*S*, 1998
Layland J.
Layland J., Palmer S. & Kentish J. C. The effects of α_1-adrenoceptor stimulation on myofilament Ca^{2+} sensitivity in intact, isolated rat cardiac muscles **509.P**, 158*P*, 1998
Lea R. W. *see Woodcock C. P., Belle M. D. C. & Lea R. W.* **513.P**, 7*P*, 1998
see Clark J. A. & Lea R. W. **513.P**, 8*P*, 1998
Leach M. J. *see Hainsworth A. H., Spadoni F., Calabresi P., Leach M. J., Bernardi G. & Stefani A.* **511.P**, 124*P*, 1998
Leach R. *see Harrison C., Edwards D., Leach R. & Forsling M. L.* **507.P**, 58*P*, 1998
Leach R. M. *see Hill H. S., Leach R. M. & Ward J. P. T.* **511.P**, 172*P*, 1998
Leake D. S. *see Siow R. C. M., Leake D. S. & Mann G. E.* **513.P**, 149*P*, 1998
Leandri M. *see Newton S., Campbell J. A., Eldridge P., Leandri M. & Byrne P.* **509.P**, 183*P*, 1998
Leaney J. *see Giblin J., Leaney J. & and Tinker A.* **513.P**, 137*P*, 1998
LeBeau F. E. N. *see Rees A., LeBeau F. E. N. & Malmierca M. S.* **511.P**, 23*S*, 1998
Le Bhouris X. F. *see Ouadid-Ahidouch H., Le Bhouris X. F., Toillon R. A. & Prevarskaya N.* **513.P**, 136*P*, 1998
Lee J. T. C. *see Párraga C. A., Tolhurst D. J. & Lee J. T. C.* **506.P**, 86*P*, 1998
Lee K. *see Bell M. I. & Lee K.* **507.P**, 14*P*, 1998
see Herson P. S., Lee K., Ashford M. L. J. & Pinnock R. D. **507.P**, 15*P*, 1998
see Preston Z., Lee K., Richardson P. J. & Pinnock R. D. **513.P**, 24*P*, 1998
see Stevens E. B., Shah B. S., Lee K. & Pinnock R. D. **513.P**, 138*P*, 1998
Lees G.
Lees G., Edwards M. D. & Willott R. Effects of isoflurane and *cis*-9,10-octadecenoamide (cOA) on the ρ_1 GABA receptor **509.P**, 190*P*, 1998
see Verdon B. & Lees G. **513.P**, 134*P*, 1998
Lees G., Verdon B., Edwards M. D., Zheng J. & Nicholson R. A. Oleamide, an endogenous sleep modulator: cellular actions and molecular specificity *in vitro* **513.P**, 2*S*, 1998
Le Guennec J.-Y. *see Cazorla O., Le Guennec J.-Y. & White E.* **509.P**, 138*P*, 1998
Lehmann T.-N. *see Deisz R. A., Lehmann T.-N., Lanksch W. R., Meencke H. J. & Nitsch R.* **513.P**, 35*P*, 1998
Lei M.
Lei M., Kohl P., Rigg L. & Terrar D. Immunohistochemical staining of minK in rabbit sino-atrial node cells **506.P**, 39*P*, 1998
Lei M. & Boyett M. R. Inhibition of transient outward current, i_{to}, by flecainide and quinidine in rabbit isolated sino-atrial node cells **511.P**, 78*P*, 1998
Leibrock C. S.
Leibrock C. S. & Lamb T. D. The effect of hydroxylamine on recovery of flash sensitivity and kinetics following small bleaches, in rod photoreceptors isolated from the toad, *Bufo marinus* **506.P**, 87*P*, 1998
Leitch B. *see Judge S. J. & Leitch B.* **513.P**, 101*P*, 1998
Lemmens-Gruber R. *see Rajamani S., Lemmens-Gruber R., Studenik C. & Heistracher P.* **513.P**, 162*P*, 1998
Lemon R. N. *see Baker S. N., Kilner J. M., Ahmed A., Fitzgerald W. J., Mayston M. J. & Lemon R. N.* **509.P**, 168*P*, 1998
see Kilner J. M., Baker S. N., Salenius S., Hari R. & Lemon R. N. **509.P**, 175*P*, 1998
see Baker S. N., Curio G. & Lemon R. N. **511.P**, 56*P*, 1998
Lemos J. R. *see Troadec J. D., Thirion S., Nicaise G., Lemos J. R. & Dayanithi G.* **506.P**, 66*P*, 1998
Leng G. *see Bailey A. R. T., Smith L. C., Brown C. H., Smith R. G., Dickson S. L. & Leng G.* **506.P**, 142*P*, 1998
see Shanks E. A., Dutia M. B., McQueen J. K., Leng G. & Fink G. **509.P**, 91*P*, 1998
see Bailey A. R. T., Giles M. E., Opstad K., Smith R. G. & Leng G. **511.P**, 49*P*, 1998
Leonard J. P.
Leonard J. P., Wagner D. A., Liao G.-Y. & Logan S. M. Modulation by protein kinases and phosphatases of currents from cloned mouse and rat NMDA receptors expressed in *Xenopus* oocytes **509.P**, 190*P*, 1998
Leon-Quinto T.
Leon-Quinto T., Nadal A., Portha B. & Soria B. Control of insulin secretion by noradrenaline and acetylcholine in islets from malnourished rats **509.P**, 72*P*, 1998
see Nadal A., Rovira J. M., Laribi O., Leon-Quinto T., Andreu E., Ripoll C. & Soria B. **509.P**, 90*P*, 1998
Léoty C. *see Talon S., Huchet-Cadiou C. & Léoty C.* **509.P**, 47*P*, 1998
Le Quan Sang K. H. *see Zicha J., Le Quan Sang K. H., David-Dufilho M., Kunes J., Pernollet M.-G. & Devynck M.-A.* **511.P**, 165*P*, 1998
Lerma J.
Lerma J., Rodríguez-Moreno A., Paternain A. V. & Herreras O. Functional implications of kainate receptors in the hippocampus **509.P**, 2*S*, 1998
Leslie J.
Leslie J., Nolan M. F., Logan S. D. & Spanswick D. Actions of carbenoxolone on rat sympathetic preganglionic neurones *in vitro* **506.P**, 146*P*, 1998
Lesná I. *see Janský L., Vybíral S., Janáková H., Lesná I., Šimečková M., Šrámek P. & Zeman V.* **511.P**, 2*P*, 1998
Lesná I., Vybíral S., Janský L. & Zeman V. Human adrenergic thermogenesis **511.P**, 3*P*, 1998
see Šimečková M., Lesná I., Vybíral S., Janský L. & Šrámek P. **511.P**, 4*P*, 1998
Levi A. J. *see Perchenet L., Hinde A. K. B., Patel K. C. R., Pabbathi V. K., Hancox J. C. & Levi A. J.* **509.P**, 140*P*, 1998
Levi A. J., Hobai I. A. & Patel K. C. R. Diffusion of nickel, cadmium and calcium ions into the transverse (T) tubules of guinea-pig cardiac myocytes at 37 °C **509.P**, 142*P*, 1998
see Hobai I. A., Patel K. C. R., Perchenet L. & Levi A. J. **509.P**, 144*P*, 1998
see Hinde A. K. B., Perchenet L. & Levi A. J. **509.P**, 157*P*, 1998
see Hobai I. A., Hancox J. C. & Levi A. J. **511.P**, 80*P*, 1998
see Hinde A. K. B., Perchenet L., Hobai I. A., Hancox J. C. & Levi A. J. **511.P**, 81*P*, 1998
Levi A. J. & Patel K. C. R. Might membrane repolarization turn off Ca^{2+} release from the sarcoplasmic reticulum, in guinea-pig cardiac cells at 37 °C dialysed with 100 μM cAMP? **511.P**, 82*P*, 1998
see Patel K. C. R., Jones J. V. & Levi A. J. **511.P**, 91*P*, 1998
see Pabbathi V. K., Hinde A. K. B., Perchenet L., Hancox J. C., Levi A. J. & Mitcheson J. S. **511.P**, 92*P*, 1998
Levin R. M. *see Ohnishi N., Liu S.-P., Horan P. & Levin R. M.* **507.P**, 78*P*, 1998
Levin R. M. Metabolic factors influencing bladder function **507.P**, 5*S*, 1998
Levy L. M.
Levy L. M., Attwell D., Hoover F., Ash J. F., Bjørås M. & Danbolt N. C. Properties of the GLT-1 glutamate transporter expressed under control of the *Tet-On* system in a Chinese hamster ovary (CHO) cell line selected for low endogenous glutamate uptake **506.P**, 148*P*, 1998
see Warr O., Levy L. M., Billups B., Danbolt N. C. & Attwell D. **511.P**, 10*S*, 1998
Lewis B. K. *see Haouzi P., Hill J. H., Lewis B. K. & Kaufman M.* **507.P**, 64*P*, 1998
Lewis D. I. *see Cluderay J. & Lewis D. I.* **513.P**, 84*P*, 1998
Lewis G. H.
Lewis G. H., Robertson I., Watson P. & Datta A. K. Circadian rhythm of sleepiness and vigilance studied in man **506.P**, 114*P*, 1998
Lewis M. J. *see Lang D., Shakesby A., Mosfar S. & Lewis M. J.* **506.P**, 18*P*, 1998
Li C. *see Nelson L. S., Rosoff M., Kim K., Memmott J. E. & Li C.* **513.P**, 17*S*, 1998

Li J.

Li J., Forhead A. J., Fowden A. L. & Dauncey M. J. Regulation of glucose transporter (GLUT) 4 gene expression in ovine skeletal muscle during fetal development **507.P**, 53*P*, 1998

Li M. *see Brice N. L., Li M. & Dolphin A. C.* **509.P**, 187*P*, 1998

Li Y.-W. *see Paton J. F. R., Li Y.-W., Deuchars J. & Kasparov S.* **509.P**, 23*S*, 1998

see Paton J. F. R., Li Y.-W., Schwaber J. S. & Kasparov S. **513.P**, 78*P*, 1998

see Deuchars J., Li Y.-W., Kasparov S. & Paton J. F. R. **513.P**, 83*P*, 1998

Liao G.-y. *see Leonard J. P., Wagner D. A., Liao G.-y. & Logan S. M.* **509.P**, 190*P*, 1998

Lim E.

Lim E., Clarke J., Eyre J. A., Kelly S., McClelland V. M., McDonough S., Metcalfe A. V. & Miller S. Cross-correlation method for studying spinal reflexes to upper limb muscles in human babies, children and adults **509.P**, 168*P*, 1998

Lima P. A.

Lima P. A., Messenger J. B. & Brown E. R. 5-HT suppresses Ca^{2+} release from ryanodine-sensitive stores in squid chromatophore muscle **513.P**, 127*P*, 1998

Limousin P.

Limousin P., Brown P., Marsden J., Defebvre L. & Rothwell J. Evoked potentials from subthalamic nucleus, internal pallidum and thalamic stimulation in parkinsonian and postural tremor patients **509.P**, 176*P*, 1998

Lin H.

Lin H., Jeremy J. Y. & Suleiman M.-S. Effect of copper on Langendorff perfused guinea-pig heart during ischaemia and reperfusion **511.P**, 89*P*, 1998

Lindau M. *see Hartmann J., Scepek S. & Lindau M.* **506.P**, 72*P*, 1998

see Poyato J. M., Tabares L., Alés E., Lindau M. & Alvarez de Toledo G. **509.P**, 60*P*, 1998

see Alés E., Tabares L., Poyato J. M., Lindau M. & Alvarez de Toledo G. **509.P**, 71*P*, 1998

Linden R. J. *see Pagliaro P., Linden R. J., Losano G., Merletti A. & Gattullo D.* **507.P**, 56*P*, 1998

Lindley K. J. *see Chapman J. C., Macfarlane W. N., James R. F. L., Lindley K. J., Aynsley-Green A., Docherty K. D. & Dunne M. J.* **509.P**, 35*P*, 1998

see Dunne M. J., Hashmi M. N., Shepherd R. M., Chapman J. C., Cosgrove K. E., Kamimura N., James R. F. L., Aynsley-Green A., Lindley K. J., Macfarlane W. N., Docherty K. D. & Ämmälä C. **509.P**, 11*S*, 1998

Lindqvist S. M.

Lindqvist S. M., Sharp P. A., Johnson I. T. & Williams M. R. Acetylcholine mobilizes intracellular calcium and inhibits proliferation in human adenocarcinoma HT29 cells **511.P**, 28*P*, 1998

Linnarsson D. *see Demetriades A. K., Ostlund A., Sundblad P. & Linnarsson D.* **511.P**, 117*P*, 1998

Linton E. A. *see Rodríguez-Liñares B., Phaneuf S., López Bernal A. & Linton E. A.* **507.P**, 70*P*, 1998

Lintott P. *see Stevens R. J. G., Lintott P., Hafez H., Hoppenteadt D. A., Fareed J., Mansfield A. O., Nicolaides A. N. & Stansby G.* **506.P**, 108*P*, 1998

Lione L. A. *see Murphy K. P. S. J., Lione L. A., Carter R. J., Humby T., Mangiarini L., Mahal A., Bates G., Dunnett S. & Morton A. J.* **513.P**, 12*P*, 1998

Lipp P. *see Thomas D., Lipp P., Berridge M. J. & Bootman M. D.* **509.P**, 186*P*, 1998

see Tovey S. C., Thomas D., Lipp P., Berridge M. J. & Bootman M. D. **509.P**, 200*P*, 1998

Lischetzki G. *see Schmelz M., Lischetzki G. & Rukweid R.* **513.P**, 24*S*, 1998

Liss B. *see Bruns R., Liss B., Heymann J.-P. & Roeper J.* **507.P**, 28*P*, 1998

Little H. J. *see Cho K., Little H. J., Shin J.-H. & Suh C.-K.* **511.P**, 48*P*, 1998

Littler W. A. *see Vaile J. C., Hammond J., Littler W. A., Coote J. H. & Townend J. N.* **506.P**, 110*P*, 1998

Littlewood J. J. *see Bassey E. J., Rothwell M. C., Littlewood J. J. & Pye D. W.* **506.P**, 119*P*, 1998

Liu S.-P. *see Ohnishi N., Liu S.-P., Horan P. & Levin R. M.* **507.P**, 78*P*, 1998

Llanos A. J. *see Giussani D. A., Riquelme R. A., McGarrigle H. H., Sanhueza E. M., Hanson M. A. & Llanos A. J.* **507.P**, 52*P*, 1998

Lockwood A. J. *see Rolf M. G., Lockwood A. J., Mahaut-Smith M. P. & Sage S. O.* **506.P**, 68*P*, 1998

Lodge J. P. A. *see Graham C., Lodge J. P. A. & Potts D. J.* **511.P**, 34*P*, 1998

see Graham C., Marples D. D. R., Hunter M., Lodge J. P. A. & Potts D. J. **513.P**, 3*P*, 1998

Logan K. A.

Logan K. A. & Hirst B. H. IGF-1 and paracellular permeability in endometrial epithelial cells **507.P**, 8*P*, 1998

Logan S. D. *see Leslie J., Nolan M. F., Logan S. D. & Spanswick D.* **506.P**, 146*P*, 1998

see Spanswick D., Nolan M. F. & Logan S. D. **506.P**, 146*P*, 1998

see Nolan M. F., Logan S. D., Ashford M. L. J. & Spanswick D. **506.P**, 155*P*, 1998

see Nolan M. F., Logan S. D. & Spanswick D. **513.P**, 36*P*, 1998

Logan S. M. *see Leonard J. P., Wagner D. A., Liao G.-y. & Logan S. M.* **509.P**, 190*P*, 1998

Lohr C. *see Deitmer J. W., Nett W. & Lohr C.* **506.P**, 15*S*, 1998

see Deitmer J. W., Lohr C. & Schmidt J. **513.P**, 12*S*, 1998

Lomax R. B.

Lomax R. B., McLaughlin J. T., Dockray G. J., Thompson D. G. & Warhurst G. Fatty acids stimulate cholecystokinin secretion from STC-1 enteroendocrine cells by Ca^{2+} influx through L-type Ca^{2+} channels **511.P**, 25*P*, 1998

Lombardelli S.

Lombardelli S., Jayasena C. & Dyball R. E. J. Rapid non-genomic effects of oestrogen on hypothalamic neurosecretory cells **509.P**, 92*P*, 1998

Lombardelli S. & Dyball R. E. J. Pinealectomy affects the day/night variation in the firing of vasopressin and oxytocin cells in the rat **511.P**, 48*P*, 1998

Longoni B.

Longoni B. & Marchiafava P. L. Endogenous *N*-acetyl-serotonin protects retinal rod receptor cells against light-induced oxidative stress **509.P**, 54*P*, 1998

Lopatin A. N.

Lopatin A. N. & Nichols C. G. Voltage-dependent gating of cloned K_{ATP} channels **511.P**, 150*P*, 1998

López-Barneo J. *see Smani T., Iwabuchi S., López-Barneo J. & Ureña J.* **509.P**, 115*P*, 1998

see Monje F., Chiara M. D., Castellano A. & López-Barneo J. **509.P**, 6*S*, 1998

López-Barneo J. Mechanisms of peripheral chemoreception **509.P**, 20*S*, 1998

López Bernal A. *see Phaneuf S., Rodríguez-Liñares B. & López Bernal A.* **507.P**, 70*P*, 1998

see Rodríguez-Liñares B., Phaneuf S., López Bernal A. & Linton E. A. **507.P**, 70*P*, 1998

López-Calderón A. *see Soto L., Martín A. I. & López-Calderón A.* **509.P**, 97*P*, 1998

López-Coviella I.

López-Coviella I., Hernández-Jiménez J. G., Blusztajn J. K., Martínez-Morales J. R. & Alonso R. GnRH content in an immortalized cell line derived from the mouse septal region **509.P**, 98*P*, 1998

see Alonso R., Hernández-Díaz F., Abreu P., López-Coviella I., Díaz-Cruz A., Martínez-Morales J. R., Sánchez J. J., Tabares L. & Salido E. **509.P**, 16*S*, 1998

López de Miguel P. *see Dawid-Milner M. S., López de Miguel P., Lara J. P., Marcos P., Aguirre J. A. & González-Barón S.* **509.P**, 126*P*, 1998

López-López J. R. *see Pérez-García M. T., López-López J. R. & González C.* **509.P**, 36*P*, 1998

Lopez-Oliva E. M. *see Hudson L. J., Lopez-Oliva E. M., Cox V. M. & Goldspink D. F.* **511.P**, 154*P*, 1998

Lopez-Oliva M. E.

Lopez-Oliva M. E., Agis-Torres A., Unzaga M. T. & Muñoz-Martinez E. Effect of the interaction of recombinant human growth hormone administration and age on gastrocnemius muscle growth in weaning BALB/c mice fed a medium protein diet **509.P**, 100*P*, 1998

Lorenzano C. *see Modugno N., Priori A., Gilio F., Lorenzano C. & Berardelli A.* **513.P**, 34*P*, 1998

Losano G. *see Pagliaro P., Linden R. J., Losano G., Merletti A. & Gattullo D.* **507.P**, 56*P*, 1998

Lostao M. P. *see Diez-Sampedro A., Lostao M. P., Urdaneta E. & Barber A.* **509.P**, 25*P*, 1998

see Urdaneta E., Barber A. & Lostao M. P. **509.P**, 202*P*, 1998

Lou F. *see He Z.-H., Ferenczi M. A., Lou F., Curtin N. A. & Woledge R. C.* **509.P**, 42*P*, 1998

Lou J. M. *see Giménez I., Martínez R. M., Lou J. M., Mayoral J. A., Alda J. O. & Garay R. P.* **509.P**, 23*P*, 1998

Loussouarn G.

Loussouarn G., Makhina E. N. & Nichols C. G. A cysteine residue (C166) in Kir6.2 is responsible for Cd^{2+} inhibition of cloned K_{ATP} channels **509.P**, 37*P*, 1998

see Makhina E. N., Loussouarn G. & Nichols C. G. **509.P**, 37*P*, 1998

Lovick T. A. *see Stezhka V. V. & Lovick T. A.* **509.P**, 160*P*, 1998

Lovick T. A. & Drew S. Stimulation of nucleus raphe magnus is cardioprotective against ischaemic changes evoked by stimulation of the periaqueductal grey matter in anaesthetized rats **511.P**, 112*P*, 1998

see Brown L. A., Lovick T. A., Key B. J., Thomson A. M., Ali A. B. & Pawelzik H. **511.P**, 115*P*, 1998

Low S. Y.

Low S. Y. & Taylor P. M. The integrin-binding peptide GRGDTP prevents osmotically induced modulation of glutamine uptake in rat skeletal muscle **509.P**, 195*P*, 1998

see Stewart A., Ritchie J. W. A., Low S. Y., Hundal H. S. & Taylor P. M. **513.P**, 51*P*, 1998

see Birrell J., Ritchie J. W. A., Low S. Y. & Taylor P. M. **513.P**, 62*P*, 1998

Lowrie M. B.

Lowrie M. B., Lawson S. J. & Parry R. J. Mechanisms of motoneurone death after target deprivation **511.P**, 35*S*, 1998

Lubman R. *see Kemp P. J., Borok Z., Danto S. I., Kim K.-J., Lubman R. & Crandall E. D.* **513.P**, 59*P*, 1998

Lücking C. H. *see Stančák A. Jr, Kristeva-Feige R., Lücking C. H. & Feige B.* **511.P**, 68*P*, 1998

Luheshi G. N. *see Culhane A. C., Molina-Holgado F., Luheshi G. N. & Rothwell N. J.* **513.P**, 15*P*, 1998

see Moore J. D., Molina-Holgado F., Rothwell N. J. & Luheshi G. N. **513.P**, 21*P*, 1998

see Parker L. C., Balderson D. J., Rothwell N. J. & Luheshi G. N. **513.P**, 21*P*, 1998

see Cartmell T., Miller A. J., Mistry Y., Rothwell N. J. & Luheshi G. N. **513.P**, 146*P*, 1998

Lukyanetz E. A.

Lukyanetz E. A. & Neher E. The role of different types of calcium channels in secretion from bovine chromaffin cells **509.P**, 106*P*, 1998

Lummis S. C. R.

Lummis S. C. R., Fletcher E. J. & Green T. NMDA receptor NR2 subunits contain amino acids involved in glutamate binding **506.P**, 76*P*, 1998

Lutchman M. *see Woodward R., Lutchman M., Chishti A. H. & Murrell-Lagnado R. D.* **506.P**, 49*P*, 1998

Luton H. *see Monhemius R., Luton H. & Roberts M. H. T.* **511.P**, 55*P*, 1998

Lyall J. A. *see Khogali S. E. O., Lyall J. A. & Rennie M. J.* **511.P**, 74*P*, 1998

see Khogali S. E. O., Weryk B., Lyall J. A. & Rennie M. J. **513.P**, 160*P*, 1998

Lynch M. A. *see Campbell V. A. & Lynch M. A.* **509.P**, 55*P*, 1998

Lynn B.

Lynn B. & Walsh D. A. Cutaneous vasodilatation and macrophage infiltration during prolonged electrical stimulation of the the saphenous nerve **509.P**, 163*P*, 1998

Lysíková M.

Lysíková M., Fuksová K., Elbert T., El-Fakahany E. E. & Tuček S. Subtype-selective action of truxillic acid esters on muscarinic receptors in genetically modified CHO cells **511.P**, 129*P*, 1998

Maccabee P. J. *see Amassian V. E., Rothwell J. C., Cracco R. Q., Maccabee P. J., Vergara M., Hassan N. & Eberle L.* **506.P**, 122*P*, 1998

see Amassian V. E., Cracco R. Q., Maccabee P. J., Vergara M., Capaday C. & Rothwell J. C. **509.P**, 162*P*, 1998

McAlpine D. *see Palmer A. R., McAlpine D., Jiang D. & Shackleton T. M.* **511.P**, 24*S*, 1998

McArdle A. *see Maglara A., McArdle A. & Jackson M. J.* **509.P**, 192*P*, 1998

McArdle F. *see Jones S. A., McArdle F., Jack C. I. A. & Jackson M. J.* **509.P**, 201*P*, 1998

McCaig C. D. *see Zhao M., Forrester J. V. & McCaig C. D.* **511.P**, 39*P*, 1998

McCarron J. G.

McCarron J. G. & Muir T. C. Mitochondrial regulation of the cytosolic calcium concentration in guinea-pig colonic smooth muscle **509.P**, 28*P*, 1998

McCarron J. G. & Muir T. C. Persistent Ca^{2+}-dependent inhibition of IP_3-evoked Ca^{2+} release in guinea-pig isolated colonic myocytes **509.P**, 109*P*, 1998

McCarron J. G. & Muir T. C. Role of Na^+–Ca^{2+} exchange in the regulation of the cytosolic Ca^{2+} concentration ($[Ca^{2+}]_i$) in guinea-pig colonic myocytes **509.P**, 110*P*, 1998

see Routledge H. S., Muir T. C., Brain N. J. R., Smith G. L. & McCarron J. G. **509.P**, 111*P*, 1998

McCarty R. *see Steers W. D., McCarty R. & Tuttle J. B.* **507.P**, 2*S*, 1998

McClelland V. M. *see Lim E., Clarke J., Eyre J. A., Kelly S., McClelland V. M., McDonough S., Metcalfe A. V. & Miller S.* **509.P**, 168*P*, 1998

McClure S. J. *see Darnley G. M., Gray A. C., McClure S. J., Neary P., Petrie M. C., McMurray J. J. V. & MacFarlane N. G.* **509.P**, 119*P*, 1998

McConnell A. K. *see Nevill A. M., Holder R. L. & McConnell A. K.* **506.P**, 115*P*, 1998

McCormick P. A. *see McDaid J., McCormick P. A. & Docherty J. R.* **506.P**, 27*P*, 1998

McCready J. W.

McCready J. W., Snetkov V. A. & Ward J. P. T. Ca^{2+}-dependent ion currents induced by caffeine and bradykinin in fresh and cultured human bronchial smooth muscle cells **513.P**, 91*P*, 1998

McCrohan C. R. *see Woodall A. J. & McCrohan C. R.* **509.P**, 161*P*, 1998

McCulloch J. *see Carswell H. V. O., Dominiczak A. F., McCulloch J., Anderson N., Graham D., Jeffs B., Clark J. S. & Macrae I. M.* **509.P**, 97*P*, 1998

McDaid J.

McDaid J., McCormick P. A. & Docherty J. R. Cardiovascular actions of nitric oxide synthase inhibition in the portal hypertensive rat **506.P**, 27*P*, 1998

MacDermott M. *see McGuire M. & MacDermott M.* **511.P**, 161*P*, 1998

McDonagh M. J. N.

McDonagh M. J. N. & Cook C. S. The interaction and importance of contractile and elastic elements in human muscles **506.P**, 7*S*, 1998

Macdonald A. G. *see Mason H. S., Wright M. O., Hall A. C. & Macdonald A. G.* **507.P**, 12*P*, 1998

see Syme C. A., Mason H. S., Macdonald A. G. & Wahle K. W. **507.P**, 12*P*, 1998

McDonald B. J. *see Amato A., McDonald B. J., Moss S. J. & Smart T. G.* **506.P**, 44*P*, 1998

Macdonald I. A. *see Steenge G. R., Lambourne J., Casey A., Macdonald I. A. & Greenhaff P. L.* **506.P**, 103*P*, 1998

see Weller A. S., Nevola V. R., Harrison M. H., Greenhaff P. L. & Macdonald I. A. **506.P**, 104*P*, 1998

Macdonald L. P. *see Dickson S. L., Macdonald L. P. & Bailey A. R. T.* **506.P**, 7*P*, 1998

Macdonald S.

Macdonald S., Smith M. E. & Bailey C. J. Expression of β-endorphin and its receptor in spinal cord in non-insulin-dependent diabetes mellitus in the mouse **506.P**, 93*P*, 1998

McDonough A. A. *see Magyar C. E., Zhang Y. B. & McDonough A. A.* **513.P**, 43*P*, 1998

McDonough S. *see Lim E., Clarke J., Eyre J. A., Kelly S., McClelland V. M., McDonough S., Metcalfe A. V. & Miller S.* **509.P**, 168*P*, 1998

McFadzean I. *see Heblich F., Barsby R. W. J. & McFadzean I.* **507.P**, 15*P*, 1998

McFarlane J. P. *see Craggs M. D., Edhem I., Knight S. L., McFarlane J. P. & Shah N.* **507.P**, 19*P*, 1998

MacFarlane N. G.

MacFarlane N. G., Duke A. M., Darnley G. M. & Steele D. S. Superoxide reduces sarcoplasmic reticulum Ca^{2+} release in saponin permeabilized rabbit diaphragm fibres **506.P**, 58*P*, 1998

see Darnley G. M., Duke A. M., Steele D. S. & MacFarlane N. G. **506.P**, 58*P*, 1998

MacFarlane N. G. & Smith G. L. Perfused and nerve-stimulated rabbit diaphragm – a novel preparation for studying respiratory muscle fatigue *in vitro* **506.P**, 120*P*, 1998

see Darnley G. M., Gray A. C., McClure S. J., Neary P., Petrie M. C., McMurray J. J. V. & MacFarlane N. G. **509.P**, 119*P*, 1998

see Darnley G. M., Smith G. L. & MacFarlane N. G. **509.P**, 132*P*, 1998

Macfarlane W. N. *see Chapman J. C., Macfarlane W. N., James R. F. L., Lindley K. J., Aynsley-Green A., Docherty K. D. & Dunne M. J.* **509.P**, 35*P*, 1998

see HASHMI M. N., MACFARLANE W. N., SHEPHERD R. M., JAMES R. F. L., AYNSLEY-GREEN A., DOCHERTY K. D. & DUNNE M. J. **509.P**, 106*P*, 1998
see DUNNE M. J., HASHMI M. N., SHEPHERD R. M., CHAPMAN J. C., COSGROVE K. E., KAMIMURA N., JAMES R. F. L., AYNSLEY-GREEN A., LINDLEY K. J., MACFARLANE W. N., DOCHERTY K. D. & ÄMMÄLÄ C. **509.P**, 11*S*, 1998

McGARRIGLE H. H. *see* GIUSSANI D. A., RIQUELME R. A., McGARRIGLE H. H., SANHUEZA E. M., HANSON M. A. & LLANOS A. J. **507.P**, 52*P*, 1998

McGARRIGLE H. H. G. *see* HAWKINS P., CROWE C., McGARRIGLE H. H. G., SAITO T., OZAKI T., STRATFORD L. L., NOAKES D. E. & HANSON M. A. **507.P**, 50*P*, 1998

McGEE A. *see* HILLIER C., McGEE A. & McGRATH J. C. **513.P**, 122*P*, 1998

McGEOWN G. *see* GRAHAM M., McGEOWN G. & FAIRWEATHER I. **513.P**, 94*P*, 1998

McGEOWN J. G. *see* WHITE C. & McGEOWN J. G. **511.P**, 164*P*, 1998
see WHITE C. & McGEOWN J. G. **511.P**, 164*P*, 1998

McGRATH J. C. *see* HILLIER C., McGEE A. & McGRATH J. C. **513.P**, 122*P*, 1998

McGUIRE M.
McGUIRE M. & MACDERMOTT M. The influence of caffeine on the fatigue of isolated diaphragm muscle from control and streptozotocin-diabetic rats **511.P**, 161*P*, 1998

McHALE N. G. *see* HOLLYWOOD M. A., COTTON K. D., THORNBURY K. D. & McHALE N. G. **509.P**, 28*P*, 1998
see COTTON K. D., TOLAND H. M., HOLLYWOOD M. A., THORNBURY K. D. & McHALE N. G. **513.P**, 95*P*, 1998
see SERGEANT G. P., HOLLYWOOD M. A., COTTON K. D., McHALE N. G. & THORNBURY K. D. **513.P**, 95*P*, 1998

MACIAS R. I. R.
MACIAS R. I. R., SERRANO M. A., BRIZ O., BRAVO P., LARENA M., PASCUAL M. J. & MARIN J. J. G. Impairment of biliary-like role of the placenta in cholestasis of pregnancy **509.P**, 15*P*, 1998
see MARIN J. J. G., DOMINGUEZ S. M., MACIAS R. I. R., DOMINGUEZ M. F., SERRANO M. A. & MONTE M. J. **509.P**, 15*P*, 1998

McINTOSH P.
McINTOSH P., MORENO H., ROBERTSON B. & RUDY B. Isoform-specific modulation of rat Kv3 potassium channel splice variants **511.P**, 147*P*, 1998

McKENNA F.
McKENNA F., ASHFORD M. L. J. & PEERS C. Hypoxia reversibly inhibits the activity of cloned human brain BK_{Ca} channels stably expressed in HEK 293 cells **509.P**, 188*P*, 1998

MacKENZIE A. B.
MacKENZIE A. B., VIRGINIO C., NORTH R. A. & SURPRENANT A. The rat $P2X_7$ receptor: characterization of pore formation **506.P**, 45*P*, 1998

McKILLEN H.-C. *see* THORNTON S., McKILLEN H.-C. & TAYLOR C. W. **506.P**, 144*P*, 1998

MacKINNON C. D.
MacKINNON C. D. & ROTHWELL J. C. Time-varying changes in corticospinal excitability accompanying the triphasic EMG pattern **506.P**, 114*P*, 1998

MACKINTOSH A. *see* WRIGHT D. J., RILEY R., STOKER J. B., MACKINTOSH A., TAN L. B. & HAINSWORTH R. **507.P**, 57*P*, 1998

McLATCHIE L. M.
McLATCHIE L. M. & BEVAN S. pH affects the affinity and apparent co-operativity of the interaction between capsaicin and the vanilloid receptor in adult rat isolated DRG neurons **513.P**, 129*P*, 1998

McLAUGHLIN J. T. *see* LOMAX R. B., McLAUGHLIN J. T., DOCKRAY G. J., THOMPSON D. G. & WARHURST G. **511.P**, 25*P*, 1998

McLEAN M. *see* TARNAWSKI M., McLEAN M., CARO C. G., DOORLY D. J. & DUMOULIN C. L. **506.P**, 16*P*, 1998

McLELLAND D. *see* HALLIDAY D. M., CONWAY B. A., FARMER S. F., ROSENBERG J. R., McLELLAND D. & VOUREKAS G. **506.P**, 82*P*, 1998
see CONWAY B. A., HALLIDAY D. M., BRAY K., CAMERON M., McLELLAND D., MULCAHY E., FARMER S. F. & ROSENBERG J. R. **509.P**, 175*P*, 1998

McLENNAN A. G. *see* CONANT A. R., FISHER M. J., McLENNAN A. G. & SIMPSON A. W. M. **506.P**, 33*P*, 1998

MacLEOD K. T. *see* TERRACCIANO C. M. N., DE SOUZA A. I., PHILIPSON K. D. & MacLEOD K. T. **509.P**, 154*P*, 1998

McLOUGHLIN P. *see* OOI H., CADOGAN E., O'REGAN R. & McLOUGHLIN P. **511.P**, 109*P*, 1998
see HOPKINS N., CADOGAN E., GILES S., BANNIGAN J. & McLOUGHLIN P. **511.P**, 110*P*, 1998
see SWEENEY M., O'REGAN R. G. & McLOUGHLIN P. **511.P**, 174*P*, 1998
McLOUGHLIN P. Potassium and pH during exercise: interactions at the carotid chemoreceptor **511.P**, 44*S*, 1998
see THIN A., KELLY G., DALY L., FITZGERALD M. X. & McLOUGHLIN P. **513.P**, 75*P*, 1998

McMULLAN S. S. *see* BURNS P. A., McMULLAN S. S., RICHARDSON H. C., RYAN W. G., SEDDON S., WHITMORE J. & WILSON C. L. **511.P**, 61*P*, 1998

McMURRAY G. *see* RIVERA L., McMURRAY G. & BRADING A. F. **507.P**, 21*P*, 1998

McMURRAY J. J. V. *see* DARNLEY G. M., GRAY A. C., McCLURE S. J., NEARY P., PETRIE M. C., McMURRAY J. J. V. & MacFARLANE N. G. **509.P**, 119*P*, 1998

McNAUGHTON P. A. *see* SUL J.-Y. & McNAUGHTON P. A. **513.P**, 14*P*, 1998
see VELLANI V., REYNOLDS A. M. & McNAUGHTON P. A. **513.P**, 126*P*, 1998
see NADAL A., FUENTES E., SUL J.-Y., PASTOR J., VALDEOLMILLOS M. & McNAUGHTON P. A. **513.P**, 11*S*, 1998

McQUEEN D. S. *see* DOWD E., McQUEEN D. S., CHESSELL I. P. & HUMPHREY P. P. A. **509.P**, 162*P*, 1998

McQUEEN J. K. *see* SHANKS E. A., DUTIA M. B., McQUEEN J. K., LENG G. & FINK G. **509.P**, 91*P*, 1998
see FINK G., SUMNER B. E. H., McQUEEN J. K., WILSON H. & ROSIE R. **509.P**, 17*S*, 1998

MACRAE I. M. *see* CARSWELL H. V. O., DOMINICZAK A. F., McCULLOCH J., ANDERSON N., GRAHAM D., JEFFS B., CLARK J. S. & MACRAE I. M. **509.P**, 97*P*, 1998

MACRO J. A. *see* WATSON F., DEAVALL D. G., MACRO J. A. & DIMALINE R. **509.P**, 193*P*, 1998

MADDOCK H. L.
MADDOCK H. L., PEARSON J. D. & JARVIS S. M. Characterization of hypoxanthine transporters in human umbilical vein endothelial cells **513.P**, 152*P*, 1998

MAGANARIS C. N.
MAGANARIS C. N. & BALTZOPOULOS V. *In vivo* Achilles tendon moment arm measurements during static maximum ankle plantarflexion in man **506.P**, 113*P*, 1998
MAGANARIS C. N., BALTZOPOULOS V. & SARGEANT A. J. Changes in human tibialis anterior moment arm from rest to maximum isometric dorsiflexion **513.P**, 34*P*, 1998

MAGLARA A.
MAGLARA A., McARDLE A. & JACKSON M. J. A model of experimental damage to mouse skeletal muscle myotubes in culture **509.P**, 192*P*, 1998

MAGNUS C. J. *see* SESAY A. K., MAGNUS C. J., OGDEN D., LAI F. A. & CAPIOD T. **509.P**, 186*P*, 1998

MAGYAR C. E.
MAGYAR C. E., ZHANG Y. B. & McDONOUGH A. A. Renal Na^+ transporter distribution and activity in young spontaneously hypertensive rats **513.P**, 43*P*, 1998

MAHAL A. *see* MURPHY K. P. S. J., LIONE L. A., CARTER R. J., HUMBY T., MANGIARINI L., MAHAL A., BATES G., DUNNETT S. & MORTON A. J. **513.P**, 12*P*, 1998

MAHALEKAM M. *see* BROWN J., HONG G. & MAHALEKAM M. **507.P**, 8*S*, 1998
see BROWN J., HONG G. & MAHALEKAM M. **507.P**, 8*S*, 1998

MAHAUT-SMITH M. P. *see* ROLF M. G., LOCKWOOD A. J., MAHAUT-SMITH M. P. & SAGE S. O. **506.P**, 68*P*, 1998
MAHAUT-SMITH M. P., HARDINGHAM N. R., HUSSAIN J. F. & MASON M. J. Voltage-dependent $[Ca^{2+}]_i$ changes during purinoceptor activation in the rat megakaryocyte **506.P**, 69*P*, 1998
see HUSSAIN J. F., SAGE S. O. & MAHAUT-SMITH M. P. **506.P**, 71*P*, 1998

MAIN M. J. *see* BANNISTER J. P. A., YOUNG B. A., MAIN M. J., SIVAPRASADARAO A. & WRAY D. **513.P**, 139*P*, 1998
see POWELL A. J., MAIN M. J., DALE T. J., NASSAU P. M., PLUMPTON C., XIE X. M., CLARE J. J. & PEAKMAN T. C. **513.P**, 141*P*, 1998

MAINI M. *see* NARICI M. V., CAPODAGLIO P., MINETTI A. E., FERRARI-BARDILE A., MAINI M. & CERRETELLI P. **506.P**, 59*P*, 1998

MAJERCZAK J. *see* ZOLADZ J. A., SZKUTNIK Z., MAJERCZAK J. & DUDA K. **506.P**, 99*P*, 1998
see ZOLADZ J., DUDA K. & MAJERCZAK J. **511.P**, 8*P*, 1998

MAKHINA E. N. *see* LOUSSOUARN G., MAKHINA E. N. & NICHOLS C. G. **509.P**, 37*P*, 1998
MAKHINA E. N., LOUSSOUARN G. & NICHOLS C. G. The M2 transmembrane domain of Kir6.2 controls ATP sensitivity of cloned K_{ATP} channels **509.P**, 37*P*, 1998

MALMIERCA M. S. *see* REES A., LEBEAU F. E. N. & MALMIERCA M. S. **511.P**, 23*S*, 1998

MALONE-LEE J. G.

MALONE-LEE J. G. & SZONYI G. The validity of efficacy measures of interventions for detrusor instability **507.P**, 21*P*, 1998

see WAGG A. S., MALONE-LEE J. G. & FRY C. H. **507.P**, 77*P*, 1998

MAMAS M. A.

MAMAS M. A. & TERRAR D. A. Contribution of SR Ca^{2+} store loading to differences in the amplitude of contractions accompanying action potentials or voltage-clamp depolarizations from −40 to 0 mV in guinea-pig ventricular myocytes **511.P**, 93*P*, 1998

MAÑAS M. *see MARTINEZ-VICTORIA E., YAGO M. D., MAÑAS M. & SINGH J.* **506.P**, 128*P*, 1998

MAÑAS M., MARTÍNEZ M. A., YAGO M. D., RAMÍREZ M. C., GIL A., MARTÍNEZ-VICTORIA E. & SINGH J. Pancreatic enzyme content in hypercholesterolaemic rabbits: the influence of recovery diets that differ in the type of dietary fat **509.P**, 14*P*, 1998

MANGIARINI L. *see MURPHY K. P. S. J., LIONE L. A., CARTER R. J., HUMBY T., MANGIARINI L., MAHAL A., BATES G., DUNNETT S. & MORTON A. J.* **513.P**, 12*P*, 1998

MANKOURI H. W.

MANKOURI H. W., BURDYGA T., TAGGART M. J. & WRAY S. Simultaneous measurements of electrical activity, intracellular $[Ca^{2+}]$ and contraction in smooth muscle **509.P**, 2*P*, 1998

MANN G. E. *see MENDES RIBEIRO A. C., BRUNINI T. M. C., YAQOOB M., ELLORY J. C. & MANN G. E.* **506.P**, 30*P*, 1998

see WYATT A. W., SOBREVIA L., WHEELER-JONES C. P. D., HOULISTON R. A. & MANN G. E. **506.P**, 32*P*, 1998

see BRUNINI T. M. C., ROBERTS N., YAQOOB M., ELLORY J. C., MANN G. E. & MENDES RIBEIRO A. C. **506.P**, 33*P*, 1998

see PARRA M., YUDILEVICH D. L., MANN G. E., PEDLEY K., NICOLAIDES K., PEARSON J. D. & SOBREVIA L. **506.P**, 34*P*, 1998

see SIOW R. C. M. & MANN G. E. **506.P**, 37*P*, 1998

see SIOW R. C. M., LEAKE D. S. & MANN G. E. **513.P**, 149*P*, 1998

see STEINERT J. R., JACOB R., POSTON L. & MANN G. E. **513.P**, 150*P*, 1998

see MONTECINOS V. P., MANN G. E. & SOBREVIA L. **513.P**, 152*P*, 1998

MANSFIELD A. O. *see STEVENS R. J. G., LINTOTT P., HAFEZ H., HOPPENTEADT D. A., FAREED J., MANSFIELD A. O., NICOLAIDES A. N. & STANSBY G.* **506.P**, 108*P*, 1998

MARCAGGI P.

MARCAGGI P. & COLES J. A. The major routes of entry of NH_4^+ and K^+ into bee retinal glial cells are independent **513.P**, 15*P*, 1998

MARCHANT J. S.

MARCHANT J. S., CALLAMARAS N., SUN X.-P. & PARKER I. A continuum of subcellular Ca^{2+} signals in the *Xenopus laevis* oocyte **506.P**, 70*P*, 1998

MARCHENA J. M. *see BARRIGA C., NOGALES G., MARCHENA J. M., ORTEGA E. & RODRÍGUEZ A. B.* **509.P**, 95*P*, 1998

see RODRÍGUEZ A. B., MARCHENA J. M., NOGALES G., DURÁN J. & BARRIGA C. **509.P**, 96*P*, 1998

MARCHENKO S. M.

MARCHENKO S. M. & SAGE S. O. Effects of shear stress and changes in osmolarity on endothelium of rat aorta **506.P**, 17*P*, 1998

MARCHIAFAVA P. L. *see LONGONI B. & MARCHIAFAVA P. L.* **509.P**, 54*P*, 1998

MARCOS P. *see DAWID-MILNER M. S., LÓPEZ DE MIGUEL P., LARA J. P., MARCOS P., AGUIRRE J. A. & GONZÁLEZ-BARÓN S.* **509.P**, 126*P*, 1998

MAREŠ J.

MAREŠ J., POKORNÝ J., ŠÍDA P. & KLENEROVÁ V. Changes in the density of NADPH-d containing neurones in the hippocampus of cocaine-kindled rats **511.P**, 127*P*, 1998

see MAREŠOVÁ D., DOUBEK P., POKORNÝ J., LANGMEIER M., MAREŠ J., HETKA R. & TROJAN S. **511.P**, 131*P*, 1998

MAREŠ P. *see BERNÁŠKOVÁ K. & MAREŠ P.* **511.P**, 71*P*, 1998

MAREŠOVÁ D.

MAREŠOVÁ D., DOUBEK P., POKORNÝ J., LANGMEIER M., MAREŠ J., HETKA R. & TROJAN S. Hypobaric hypoxia and the brain during development **511.P**, 131*P*, 1998

MARIN J. G. *see BAYÓN J. E., PASCOLO L., SERRANO M. A., CUPELLI F., TIRIBELLI C., GONZALEZ-GALLEGO J. & MARIN J. G.* **509.P**, 26*P*, 1998

MARIN J. J. G. *see MACIAS R. I. R., SERRANO M. A., BRIZ O., BRAVO P., LARENA M., PASCUAL M. J. & MARIN J. J. G.* **509.P**, 15*P*, 1998

MARIN J. J. G., DOMINGUEZ S. M., MACIAS R. I. R., DOMINGUEZ M. F., SERRANO M. A. & MONTE M. J. Uptake of cytostatic bile acid derivatives by liver tumour cells **509.P**, 15*P*, 1998

MARIÑO J.

MARIÑO J. & CANEDO A. Intracellular evidence of cortico-cuneate synchronization during evoked spike-and-wave cortical seizure activity **509.P**, 180*P*, 1998

see CANEDO A. & MARIÑO J. **509.P**, 31*S*, 1998

MARINO M. J. *see GINGRICH M. B., ROUSE S. T., MARINO M. J., CONN P. J. & TRAYNELIS S. F.* **507.P**, 26*P*, 1998

MARKS J. *see DEBNAM E. S., MARKS J., DONG R., SRAI S. K. & UNWIN R. J.* **507.P**, 38*P*, 1998

MARKS J., DEBNAM E. S. & UNWIN R. J. Rapid stimulation by pancreatic glucagon of facilitated glucose transport across luminal membrane prepared from isolated rat renal cortex **513.P**, 45*P*, 1998

MARLIN D. J. *see SCHROTER R. C., MARLIN D. J. & DENNY E.* **507.P**, 65*P*, 1998

MARPLE-HORVAT D. E.

MARPLE-HORVAT D. E., HOLLANDS M. A., CROWDY K. A., CRIADO J. M. & ARMSTRONG D. M. Role of the cerebellum in visually guided stepping **509.P**, 29*S*, 1998

MARPLES D.

MARPLES D. & KORBMACHER C. M-1 mouse cortical collecting duct cells express aquaporin water channels **511.P**, 34*P*, 1998

see DOBRZYNSKI H., MARPLES D., ROTHERY S., TAKAGISHI Y., HONJO H., SEVERS N. J., TAMKUN M. M., KODAMA I., HENDERSON Z. & BOYETT M. R. **511.P**, 148*P*, 1998

MARPLES D. D. R. *see GRAHAM C., MARPLES D. D. R., HUNTER M., LODGE J. P. A. & POTTS D. J.* **513.P**, 3*P*, 1998

MARRIOTT H. M. *see EMERY C. J., PHILLIPS H. M., MARRIOTT H. M., LAUDE E. A. & BEE D.* **511.P**, 108*P*, 1998

MARSÁL K. *see GARDINER H. M., KOPECKÁ J. & MARSÁL K.* **507.P**, 53*P*, 1998

MARSDEN D. P.

MARSDEN D. P., CHAD J. E. & WHEAL H. V. The involvement of voltage-dependent Ca^{2+} channels in long-term depression in the adult rat hippocampal slice **513.P**, 22*P*, 1998

MARSDEN J. *see LIMOUSIN P., BROWN P., MARSDEN J., DEFEBVRE L. & ROTHWELL J.* **509.P**, 176*P*, 1998

MARSDEN J. F.

MARSDEN J. F., BARNES G. R. & BROWN P. Anticipatory hand and smooth eye movements during oculo-manual tracking in humans **506.P**, 112*P*, 1998

MARSH S. J. *see SELYANKO A. A., MENENDEZ DE LA PRIDA L., MARSH S. J. & BROWN D. A.* **509.P**, 64*P*, 1998

MARSHALL F. H. *see DUPERE J. R. B., STARKEY S. J., MARSHALL F. H. & XIE X. M.* **513.P**, 30*P*, 1998

MARSHALL J. *see PRYDAL J. I., KERR-MUIR M. G. & MARSHALL J.* **506.P**, 90*P*, 1998

see JOHNSON C. D., ARCHER J. & MARSHALL J. **513.P**, 82*P*, 1998

MARSHALL J. M. *see BRYAN P. T. & MARSHALL J. M.* **509.P**, 120*P*, 1998

see BARTLETT I., HUTTON P. & MARSHALL J. M. **509.P**, 131*P*, 1998

see DEVECI D., BRYAN P., EGGINTON S. & MARSHALL J. M. **513.P**, 86*P*, 1998

MARSHALL L. J.

MARSHALL L. J., MUIMO R. & MEHTA A. Na^+ and K^+ differentially regulate nucleoside diphosphate kinase in human respiratory epithelium *in vitro* **507.P**, 3*P*, 1998

MARSHALL L. J., MUIMO R. & MEHTA A. $[Na^+]$ regulates nucleoside diphosphate kinase in human respiratory epithelium *in vitro* when ATP (but not GTP) is the kinase substrate **509.P**, 81*P*, 1998

MARSHALL R. *see MING C., MARSHALL R., WITHINGTON D. J. & TURNER D. L.* **511.P**, 101*P*, 1998

MARSHALL R., MING C., WITHINGTON D. J. & TURNER D. L. Visual cues initiate different latency reaction times in finger and respiratory-related motor responses in humans **511.P**, 102*P*, 1998

MARŠIK F. *see MEJSNAR J. A., MARŠIK F. & KOLÁR F.* **511.P**, 155*P*, 1998

MARTÍN A. I. *see SOTO L., MARTÍN A. I. & LÓPEZ-CALDERÓN A.* **509.P**, 97*P*, 1998

MARTÍN F. *see QUESADA I., MARTÍN F. & SORIA B.* **509.P**, 105*P*, 1998

MARTÍN F., PINTOR J., ROVIRA J. M., RIPOLL C., MIRAS-PORTUGAL M. T. & SORIA B. Nutrient-induced increase of intracellular diadenosine polyphosphates and its role in the stimulus–secretion coupling **509.P**, 196*P*, 1998

see PERTUSA J. A. G., SORIA B. & MARTÍN F. **509.P**, 202*P*, 1998

MARTIN R. L. *see DE PLATER G. M., MARTIN R. L. & MILBURN P. J.* **506.P**, 154*P*, 1998

MARTÍNEZ M. A. *see MAÑAS M., MARTÍNEZ M. A., YAGO M. D., RAMÍREZ M. C., GIL A., MARTÍNEZ-VICTORIA E. & SINGH J.* **509.P**, 14*P*, 1998

Martínez R. M. *see Giménez I., Martínez R. M., Lou J. M., Mayoral J. A., Alda J. O. & Garay R. P.* **509.P**, 23*P*, 1998

Martínez-Morales J. R. *see López-Coviella I., Hernández-Jiménez J. G., Blusztajn J. K., Martínez-Morales J. R. & Alonso R.* **509.P**, 98*P*, 1998

see Alonso R., Hernández-Díaz F., Abreu P., López-Coviella I., Díaz-Cruz A., Martínez-Morales J. R., Sánchez J. J., Tabares L. & Salido E. **509.P**, 168*S*, 1998

Martínez-Victoria E.

Martinez-Victoria E., Yago M. D., Mañas M. & Singh J. Pancreatic polypeptide and peptide YY responses to liquid formulas containing dietary fats of different degrees of unsaturation (olive and sunflower oil) in humans **506.P**, 128*P*, 1998

see Mañas M., Martínez M. A., Yago M. D., Ramírez M. C., Gil A., Martínez-Victoria E. & Singh J. **509.P**, 14*P*, 1998

Martín-Vasallo P. *see Trujillo E., Alvarez de la Rosa D., Mobasheri A., Avila J., González T. & Martín-Vasallo P.* **511.P**, 40*P*, 1998

Mary D. A. S. G. *see Greenwood J. P., Stoker J. B. & Mary D. A. S. G.* **511.P**, 11*P*, 1998

Mas M. *see Escrig A., Gonzalez-Mora J. L. & Mas M.* **509.P**, 91*P*, 1998

Mason H. S.

Mason H. S., Wright M. O., Hall A. C. & Macdonald A. G. The effect of hypotonically induced stretch on the ion channel activity of cultured human articular chondrocytes **507.P**, 12*P*, 1998

see Syme C. A., Mason H. S., Macdonald A. G. & Wahle K. W. **507.P**, 12*P*, 1998

Mason H. S., Gelband C. H., Sumners C., Horowitz B. & Kenyon J. L. Inhibition of Kv2.2 expressed in *Xenopus laevis* oocytes by angiotensin II and PKC **509.P**, 63*P*, 1998

Mason M. J. *see Mahaut-Smith M. P., Hardingham N. R., Hussain J. F. & Mason M. J.* **506.P**, 69*P*, 1998

Mason N. *see Draper C. E., Singh J., Ponnery A. S., Mason N. & Adeghate E. A.* **511.P**, 22*P*, 1998

Mason R.

Mason R., Sokal D. M., Parker T. L., Parker K. G., Gross G. W. & Wiggins H. A system for simultaneous multi-channel extracellular electrophysiological recordings from central neurones *in vivo*, dissociated cell culture or brain slice preparations **506.P**, 9*P*, 1998

Mason R. J. *see Zheng F., Golledge H. D. R., Giannikopoulos D. V., Mason R. J., Scannell J. W., Tovee M. J. & Young M. P.* **509.P**, 58*P*, 1998

Masters J. G.

Masters J. G., Neal D. E. & Gillespie J. I. The importance of agonist concentration in determining the mechanism of excitation–contraction coupling in human detrusor smooth muscle **507.P**, 76*P*, 1998

Mate A. *see Vázquez C. M., de la Hermosa M. A., Mate A., Sánchez-Aguayo I. & Planas J. M.* **509.P**, 25*P*, 1998

Matějovská I.

Matějovská I., Velíšková J. & Velíšek L. Bicuculline-induced rhythmic EEG episodes in adult male rats: effects of adolescent bicuculline priming **511.P**, 70*P*, 1998

Mateos J. C. *see Valero V., Ramírez-Ponce P., Mateos J. C., Alvarez de Toledo A. & Bellido J.* **509.P**, 106*P*, 1998

Mathew S. *see Lau D. H. P., Castro-Alamancos M., Chow A., Ozaita A., Vega-Saenz de Miera E., Mathew S., Gibson J., Connors B. & Rudy B.* **511.P**, 147*P*, 1998

Mathie A. *see Prothero L. S., Wood J., Onambélé G. N., Mathie A. & Richards C. D.* **506.P**, 147*P*, 1998

see Richards C. D., Prothero L. S. & Mathie A. **506.P**, 12*S*, 1998

Matthews H. R.

Matthews H. R., Sampath A. P., Reisert J., Cornwall M. C. & Fain G. L. A laser spot confocal technique for the measurement of bleach-induced changes in Ca_i^{2+} from rod and cone photoreceptors isolated from the tiger salamander **506.P**, 3*P*, 1998

see Reisert J. & Matthews H. R. **506.P**, 4*P*, 1998

see Reisert J. & Matthews H. R. **506.P**, 83*P*, 1998

see Sampath A. P., Matthews H. R., Cornwall M. C., Bandarchi J. & Fain G. L. **506.P**, 89*P*, 1998

Matthews S. G. *see Hawkins P., Hanson M. A., Noakes D. E. & Matthews S. G.* **513.P**, 7*P*, 1998

Mattison R. J. *see Ribchester R. R., Costanzo E. M., Parson S. H., Mattison R. J. & Barry J. A.* **511.P**, 37*S*, 1998

Maxwell D. J. *see Bannatyne B. A., Riddell J. S., Maxwell D. J. & Scott D. T.* **509.P**, 171*P*, 1998

Maxwell D. J. & Riddell J. S. Axo-axonic synaptic arrangements on terminals of identified group II muscle afferents in the cat spinal cord **509.P**, 171*P*, 1998

see Sahal A., Maxwell D. J., Jankowska E. & Gladden M. H. **509.P**, 172*P*, 1998

see Welton J., Stewart W., Kerr R. & Maxwell D. J. **509.P**, 179*P*, 1998

Mayer M. L.

Mayer M. L., Bähring R. & Bowie D. Glutamate receptor channel block by polyamines **511.P**, 16*S*, 1998

Mayoral J. A. *see Giménez I., Martínez R. M., Lou J. M., Mayoral J. A., Alda J. O. & Garay R. P.* **509.P**, 23*P*, 1998

Mayston M. J. *see Baker S. N., Kilner J. M., Ahmed A., Fitzgerald W. J., Mayston M. J. & Lemon R. N.* **509.P**, 168*P*, 1998

Mayston M. J., Harrison L. M., Datta S. & Stephens J. A. Co-contraction of antagonistic muscles of the upper limb during development and in children with cerebral palsy **511.P**, 136*P*, 1998

Mazel T.

Mazel T., Šimonová Z. & Syková E. Anisotropic diffusion in the rat hippocampus **511.P**, 19*P*, 1998

Meadows H. J. *see Clarke C. E., Meadows H. J., Tomlinson W. J., Carpenter D., Sanger G. J. & Benham C. D.* **506.P**, 44*P*, 1998

Meddis R. *see O'Mard L. P., Meddis R. & Patterson R. D.* **506.P**, 8*P*, 1998

Medina R.

Medina R., Cardona-Sanclemente L. E. & Born G. V. R. Influence of nitric oxide on the uptake of low-density lipoprotein into human endothelial cells *in vitro* **506.P**, 28*P*, 1998

see Cardona-Sanclemente L. E., Harbrecht U., Medina R., Farmer H. & Born G. V. R. **511.P**, 114*P*, 1998

Medina S. *see Del Rio M., Medina S., Correa R., Hernanz A. & De la Fuente M.* **509.P**, 73*P*, 1998

Meencke H. J. *see Deisz R. A., Lehmann T.-N., Lanksch W. R., Meencke H. J. & Nitsch R.* **513.P**, 35*P*, 1998

Mehta A. *see Marshall L. J., Muimo R. & Mehta A.* **507.P**, 3*P*, 1998

see Marshall L. J., Muimo R. & Mehta A. **509.P**, 81*P*, 1998

see Riemen C. E., Muimo R., Ratcliff R. A., Colledge W. H., Evans M. J. & Mehta A. **509.P**, 81*P*, 1998

see Muimo R., Hornickova Z. & Mehta A. **509.P**, 82*P*, 1998

Meir A.

Meir A. & Dolphin A. C. Single channel properties and influence of auxiliary subunits on calcium channel α1 subunits expressed in COS7 cells **509.P**, 38*P*, 1998

Meir A., Wyatt C. N., Page K. M., Berrow N. S., Brice N. L. & Dolphin A. C. Molecular studies on T-type voltage-dependent calcium channels **509.P**, 5*S*, 1998

Meissl H. *see Aggelopoulos N. C. & Meissl H.* **509.P**, 88*P*, 1998

Meister M.

Meister M., Crevier D. W. & Robinson H. P. C. A digital signal processing system for recording multineuronal spike trains **506.P**, 2*P*, 1998

Mejsnar J. *see Gregor M., Mejsnar J. & Janovská A.* **511.P**, 154*P*, 1998

see Štefl B., Mejsnar J. & Janovská A. **511.P**, 158*P*, 1998

Mejsnar J. A.

Mejsnar J. A., Maršik F. & Kolár F. Power of a muscle isometric contraction **511.P**, 155*P*, 1998

Melendez A. J.

Melendez A. J., Gillooly D. J., Harnett M. M. & Allen J. M. The human high-affinity receptor for immunoglobulin G is functionally coupled to activation of phosphoinositide 3-kinase **509.P**, 198*P*, 1998

Memmott J. E. *see Nelson L. S., Rosoff M., Kim K., Memmott J. E. & Li C.* **513.P**, 17*S*, 1998

Mendes Ribeiro A. C.

Mendes Ribeiro A. C., Brunini T. M. C., Yaqoob M., Ellory J. C. & Mann G. E. Peripheral mononuclear cells from uraemic patients exhibit an increased transport of L-arginine via system y^+ (CAT-1): implications for nitric oxide synthesis **506.P**, 30*P*, 1998

see Brunini T. M. C., Roberts N., Yaqoob M., Ellory J. C., Mann G. E. & Mendes Ribeiro A. C. **506.P**, 33*P*, 1998

Menendez de la Prida L. *see Selyanko A. A., Menendez de la Prida L., Marsh S. J. & Brown D. A.* **509.P**, 64*P*, 1998

Menendez de la Prida L. & Sanchez-Andres J. V. Local mechanisms underlying synchronized activity in developing hippocampus **509.P**, 68*P*, 1998

Menendez de la Prida L. & Sanchez-Andres J. V. Mechanisms of synchronization in the developing hippocampus **509.P**, 30*S*, 1998

MENTIS G. Z.

MENTIS G. Z., DÍAZ E. & NAVARRETE R. Blockade of NMDA receptors during early postnatal development increases the incidence of electrotonic and dye coupling in rat motoneurones of the isolated spinal cord **511.P**, 135*P*, 1998

MEREDITH D.

MEREDITH D., TEMPLE C. S. & BOYD C. A. R. Kinetic evidence that neutral and anionic peptides bind to different conformations of the recombinant epithelial peptide transporter PepT1 **506.P**, 131*P*, 1998

MEREDITH D. & BOYD C. A. R. Functional evidence that rabbit PepT1 may act as a multimer when expressed in *Xenopus laevis* oocytes **511.P**, 39*P*, 1998

MERLETTI A. *see PAGLIARO P., LINDEN R. J., LOSANO G., MERLETTI A. & GATTULLO D.* **507.P**, 56*P*, 1998

MÉRY P.-F. *see FISCHMEISTER R., VANDECASTEELE G., ABI-GERGES N., VERDE I., ESCHENHAGEN T. & MÉRY P.-F.* **511.P**, 28*S*, 1998

MESEGUER I. *see ALBEROLA A., MESEGUER I., TORREBLANCA M., MOYA A., SANCHO S., POLO B., SORIA B. & SUCH L.* **509.P**, 148*P*, 1998

see SUCH L., CHORRO F. J., COLOM F., ALBA I., SECADURAS A., SUCH L. M., MESEGUER I., SORIA B. & ALBEROLA A. **509.P**, 148*P*, 1998

MESSENGER J. B. *see LIMA P. A., MESSENGER J. B. & BROWN E. R.* **513.P**, 127*P*, 1998

MÉSZÁROS J.

MÉSZÁROS J. & HART G. Single-channel analysis of ionic current changes in isolated left ventricular myocytes of the rat during the transition from cardiac hypertrophy to heart failure **509.P**, 136*P*, 1998

METCALFE A. V. *see LIM E., CLARKE J., EYRE J. A., KELLY S., MCCLELLAND V. M., MCDONOUGH S., METCALFE A. V. & MILLER S.* **509.P**, 168*P*, 1998

MEYER M. P. *see GREENSMITH L., HARDING D. I., MEYER M. P. & VRBOVÁ G.* **511.P**, 37*S*, 1998

MICHAEL A. E. *see THOMPSON A., BAILEY M. A., MICHAEL A. E. & UNWIN R. J.* **513.P**, 38*P*, 1998

MICHEL C. C. *see NEAL C. R. & MICHEL C. C.* **506.P**, 24*P*, 1998

see KAJIMURA M. & MICHEL C. C. **506.P**, 25*P*, 1998

see AHMAD Z. & MICHEL C. C. **506.P**, 26*P*, 1998

see NEAL C. R. & MICHEL C. C. **513.P**, 149*P*, 1998

MICHELENA P. *see ALONSO M. T., BARRERO M. J., CARNICERO E., MONTERO M., MICHELENA P., GARCÍA A., GARCÍA-SANCHO J. & ALVAREZ J.* **509.P**, 10*S*, 1998

MIELKE M.

MIELKE M., PATERSON D. J., RADDA G. K. & CLARKE K. The positive inotropic effect of angiotensin II is associated with, but not dependent on, cytosolic alkalinization in the isolated perfused rabbit heart **507.P**, 60*P*, 1998

MIFFLIN S.

MIFFLIN S. The plasticity of afferent integration within the nucleus of the solitary tract **509.P**, 21*S*, 1998

MIFFLIN S. W. *see RAMAGE A. G. & MIFFLIN S. W.* **509.P**, 129*P*, 1998

MIKHAILIDIS D. P. *see MUMTAZ F. H., NASEEM K. M., THOMPSON C. S., SULLIVAN M. E., MIKHAILIDIS D. P., MORGAN R. J. & BRUCKDORFER K. R.* **507.P**, 23*P*, 1998

MIKŠÍK I. *see VYLITOVÁ M., MIKŠÍK I. & PÁCHA J.* **511.P**, 51*P*, 1998

MILBURN P. J. *see DE PLATER G. M., MARTIN R. L. & MILBURN P. J.* **506.P**, 154*P*, 1998

MILEY H. E. *see BEST L., MILEY H. E. & BROWN P. D.* **509.P**, 34*P*, 1998

MILEY H. E., BROWN P. D. & BEST L. ATP dependence of the volume-sensitive anion channel in rat pancreatic β-cells **511.P**, 22*P*, 1998

MILLAR I. D.

MILLAR I. D. & ROBSON L. L-Alanine activates an outwardly rectifying DIDS-sensitive conductance in single proximal tubule cells isolated from frog kidney **513.P**, 56*P*, 1998

MILLAR J. *see GADHVI V. M. & MILLAR J.* **506.P**, 153*P*, 1998

MILLER A. J. *see CARTMELL T., MILLER A. J., MISTRY Y., ROTHWELL N. J. & LUHESHI G. N.* **513.P**, 146*P*, 1998

MILLER D. J. *see O'DOWD A., MORRIS B. J. & MILLER D. J.* **513.P**, 116*P*, 1998

see O'DOWD A. & MILLER D. J. **513.P**, 117*P*, 1998

MILLER S. *see LIM E., CLARKE J., EYRE J. A., KELLY S., MCCLELLAND V. M., MCDONOUGH S., METCALFE A. V. & MILLER S.* **509.P**, 168*P*, 1998

see TAYLOR J. P., MILLER S., VILLAGRA F. & EYRE J. A. **509.P**, 169*P*, 1998

MILLIGAN C. J.

MILLIGAN C. J. & WRAY D. Lack of detected movement of the S2 region of the voltage-sensitive slow human potassium channel (DHK1) using cysteine mutants **506.P**, 49*P*, 1998

MILLIGAN C. J. & WRAY D. Movement of the S2 region of the voltage-sensitive human potassium channel (DHK1) studied using cysteine mutagenesis **513.P**, 139*P*, 1998

MILTON A. S. *see CALLINGHAM B. A., CARR G. & MILTON A. S.* **511.P**, 2*P*, 1998

MIN M.-Y. *see KULLMANN D. M., MIN M.-Y. & RUSAKOV D. A.* **511.P**, 12*S*, 1998

MINAMIKAWA T. *see BOWSER D. N., MINAMIKAWA T. & WILLIAMS D. A.* **506.P**, 74*P*, 1998

MINETTI A. E. *see NARICI M. V., CAPODAGLIO P., MINETTI A. E., FERRARI-BARDILE A., MAINI M. & CERRETELLI P.* **506.P**, 59*P*, 1998

MING C.

MING C., MARSHALL R., WITHINGTON D. J. & TURNER D. L. Visually cued motor tasks modulate respiratory control on a breath-by-breath basis in humans **511.P**, 101*P*, 1998

see MARSHALL R., MING C., WITHINGTON D. J. & TURNER D. L. **511.P**, 102*P*, 1998

MIQUEL J. *see DE LA FUENTE M., GUAYERBAS N., CATALÁN M. P., VÍCTOR V. M., DEL RÍO M. & MIQUEL J.* **509.P**, 72*P*, 1998

MIRAS-PORTUGAL M. T. *see MARTÍN F., PINTOR J., ROVIRA J. M., RIPOLL C., MIRAS-PORTUGAL M. T. & SORIA B.* **509.P**, 196*P*, 1998

MIRONOV S. *see RICHTER D. W., HALLER M. & MIRONOV S.* **509.P**, 22*S*, 1998

MIRONOV S. F. *see BIKTASHEV V. N., HOLDEN A. V., MIRONOV S. F., PERTSOV A. M. & ZAITSEV A. V.* **509.P**, 139*P*, 1998

MIRONOV S.L.

MIRONOV S. L. & RICHTER D. W. L-type Ca^{2+} channels in inspiratory neurones of neonatal mice *in vitro* and their modulation by hypoxia **509.P**, 125*P*, 1998

MISRA C.

MISRA C., BRICKLEY S., FARRANT M. & CULL-CANDY S. Identification of NMDA channel subtypes in cerebellar Golgi cells of the rat **507.P**, 27*P*, 1998

see CULL-CANDY S., MISRA C., BRICKLEY S. & FARRANT M. **511.P**, 17*S*, 1998

MISTRY H.

MISTRY H., KOOB S., STRICKLAND C. & ABBOTT N. J. Bi-ionic diffusion potentials in the frog nerve sheath: ionic selectivity of the perineurium **509.P**, 75*P*, 1998

MISTRY Y. *see CARTMELL T., MILLER A. J., MISTRY Y., ROTHWELL N. J. & LUHESHI G. N.* **513.P**, 146*P*, 1998

MITCHESON J. S.

MITCHESON J. S. & HANCOX J. C. L-type calcium and rapid delayed rectifier potassium currents in isolated atrioventricular rabbit myocytes, recorded using the action potential clamp technique **509.P**, 136*P*, 1998

MITCHESON J. S. & HANCOX J. C. A comparison of the rapid delayed rectifier potassium current during action potentials in isolated rabbit atrioventricular and ventricular myocytes **511.P**, 79*P*, 1998

see PABBATHI V. K., HINDE A. K. B., PERCHENET L., HANCOX J. C., LEVI A. J. & MITCHESON J. S. **511.P**, 92*P*, 1998

MITJANS M.

MITJANS M. & FERRER R. Mucosal surface area in the guinea-pig small intestine during development **509.P**, 24*P*, 1998

MOBASHERI A. *see TRUJILLO E., ALVAREZ DE LA ROSA D., MOBASHERI A., AVILA J., GONZÁLEZ T. & MARTÍN-VASALLO P.* **511.P**, 40*P*, 1998

MOBBS P. *see CATSICAS M. & MOBBS P.* **513.P**, 19*P*, 1998

MODUGNO N.

MODUGNO N., PRIORI A., GILIO F., LORENZANO C. & BERARDELLI A. Repetitive transcranial magnetic stimulation (rTMS) of the motor cortex elicits opposite excitability changes at cortical and subcortical level in man **513.P**, 34*P*, 1998

MOFFAT A. *see WILLIAMS H., MOFFAT A., GRIFFITHS E. J. & SULEIMAN M.-S.* **511.P**, 89*P*, 1998

MOGAMI H. *see CANCELA J. M., MOGAMI H., TEPIKIN A. V. & PETERSEN O. H.* **506.P**, 72*P*, 1998

MOGAMI H., TEPIKIN A. V. & PETERSEN O. H. Simultaneous measurements of the Ca^{2+} concentrations in the lumen of the endoplasmic reticulum and the cytosol in single mouse pancreatic acinar cells **509.P**, 3*P*, 1998

see TINEL H., MOGAMI H., CANCELA J. M., TEPIKIN A. & PETERSEN O. H. **509.P**, 104*P*, 1998

MOGHADAM H. F.

MOGHADAM H. F. & WINLOW W. Pharmacological dissection of K^+ currents in cultured neurones of *Lymnaea stagnalis* (L.) **507.P**, 13*P*, 1998

MOIR L. M.

MOIR L. M., WARD J. P. T. & HIRST S. J. Compliance and contractility of human small bronchioles in response to prolonged culture **513.P**, 90*P*, 1998

Molina-Holgado F. *see Culhane A. C., Molina-Holgado F., Luheshi G. N. & Rothwell N. J.* **513.P**, 15*P*, 1998

see Moore J. D., Molina-Holgado F., Rothwell N. J. & Luheshi G. N. **513.P**, 21*P*, 1998

Mollon J. D. *see Norrish M. I. K. & Mollon J. D.* **507.P**, 35*P*, 1998

Molnár Z. *see Petheö G. L., Molnár Z. & Spät A.* **513.P**, 132*P*, 1998

Monaghan A. S.

Monaghan A. S., Kemp P. J. & Olver R. E. Inwardly rectifying K^+ currents of freshly isolated fetal guinea-pig alveolar type II pneumocytes are regulated by phosphorylation **507.P**, 6*P*, 1998

Monhemius R.

Monhemius R. & Roberts M. H. T. The activation of descending inhibition of multireceptive dorsal horn cells in the rat **509.P**, 164*P*, 1998

Monhemius R., Luton H. & Roberts M. H. T. Nucleus reticularis gigantocellularis pars alpha-mediated descending inhibition of multireceptive dorsal horn cells: pre- or postsynaptic in the rat? **511.P**, 55*P*, 1998

Monje F.

Monje F., Chiara M. D., Castellano A. & López-Barneo J. Diversification of potassium channel function by regulatory α subunits **509.P**, 6*S*, 1998

Monte M. J. *see Marin J. J. G., Dominguez S. M., Macias R. I. R., Dominguez M. F., Serrano M. A. & Monte M. J.* **509.P**, 15*P*, 1998

Montecinos V. P.

Montecinos V. P., Mann G. E. & Sobrevia L. Adenosine transport is reduced by elevated D-glucose and ATP in human umbilical vein endothelial cells **513.P**, 152*P*, 1998

Montero M. *see Alonso M. T., Barrero M. J., Carnicero E., Montero M., Michelena P., García A., García-Sancho J. & Alvarez J.* **509.P**, 10*S*, 1998

Monyer H.

Monyer H. Molecular and functional characterization of glutamate receptors in identified neurones **511.P**, 16*S*, 1998

Moon A.

Moon A., Neal D. E. & Gillespie J. I. Responses to nitric oxide and cyclic nucleotides in isolated human detrusor smooth muscle **507.P**, 74*P*, 1998

Moore D. R.

Moore D. R., Mossop J. E. & Stuermer I. W. Hearing loss and inhibition in the auditory system **511.P**, 22*S*, 1998

Moore J. D.

Moore J. D., Molina-Holgado F., Rothwell N. J. & Luheshi G. N. Leptin induces nitric oxide production from rat astrocyte primary cultures **513.P**, 21*P*, 1998

Moore L. E. *see Prime L., Pichon Y. & Moore L. E.* **513.P**, 100*P*, 1998

Moore M. *see Nadler M. A., Harrison L. M., Moore M., Townend E. & Stephens J. A.* **511.P**, 135*P*, 1998

Moore W. C. *see Hughes E., Moore W. C., Bleecker E. & Warner J. A.* **513.P**, 74*P*, 1998

Moorman A. F. M. *see Habets P. E. M. H., Franco D., Sargeant A. J., Sant'Ana Pereira J. A. A. & Moorman A. F. M.* **509.P**, 44*P*, 1998

Moos F. *see Gouzènes L., Sabatier N., Richard Ph., Moos F. & Dayanithi G.* **509.P**, 86*P*, 1998

Moos F. C. *see Hurbin A., Boissin-Agasse L., Orcel H., Rabié A., Joux N., Desarménien M. G., Richard Ph. & Moos F. C.* **509.P**, 87*P*, 1998

Moosavi S. H. *see Ellaway P. H., Moosavi S. H., Catley M., Stokes M. J. & Haque N.* **511.P**, 67*P*, 1998

Moosavi S. M. S.

Moosavi S. M. S. & Johns E. J. Comparison of renal perfusion pressure (RPP) reduction to 30 and 60 mmHg on plasma renin activity (PRA) and renal renin mRNA in the anaesthetized rat **507.P**, 38*P*, 1998

see Johns E. J. & Moosavi S. M. S. **507.P**, 39*P*, 1998

Moosavi S. M. S. & Johns E. J. Effect of renal perfusion pressure (RPP) reduction and anaesthetics on renal function and the renin-angiotensin system in rats **509.P**, 123*P*, 1998

Moosavi S. M. S. & Johns E. J. Effect of renal perfusion pressure reduction and losartan on renal function and the renin–angiotensin system in rats **513.P**, 40*P*, 1998

Mora O. A. *see Hernández G., Hernández-Jiménez J. G., Sánchez-Criado J. E., Mora O. A. & Alonso R.* **509.P**, 92*P*, 1998

Mora O. A., Alonso R. & Sanchez-Criado J. E. RU486 does not prevent the surge of LH and FSH induced by male urinary pheromones in ageing persistent oestrus female rats **509.P**, 93*P*, 1998

Moravec J. *see Bukcharaeva E. A., Nikolsky E. E., Moravec J. & Vyskočil F.* **511.P**, 142*P*, 1998

Moreno H. *see McIntosh P., Moreno H., Robertson B. & Rudy B.* **511.P**, 147*P*, 1998

Moretó M.

Moretó M., Garriga C. & Planas J. M. Apical and basolateral hexose transport in the intestine of chickens adapted to low NaCl intake **507.P**, 7*P*, 1998

Morgan A. J.

Morgan A. J. & Jacob R. A possible role for mitochondria in facilitating $[Ca^{2+}]_i$ oscillations and waves in human umbilical vein endothelial cells **513.P**, 144*P*, 1998

Morgan D. L. *see Proske U., Gregory J. E., Whitehead N. P. & Morgan D. L.* **511.P**, 30*S*, 1998

Morgan E.

Morgan E., Zhang L. & Bagust J. The contribution of glutamate receptor activation to spinal c-*fos* expression in an isolated preparation of rat spinal cord **513.P**, 25*P*, 1998

Morgan G. *see Wooding F. B. P. & Morgan G.* **507.P**, 47*P*, 1998

Morgan R. J. *see Mumtaz F. H., Naseem K. M., Thompson C. S., Sullivan M. E., Mikhailidis D. P., Morgan R. J. & Bruckdorfer K. R.* **507.P**, 23*P*, 1998

Morgan S. R.

Morgan S. R., Boot-Handford R. P. & Sandle G. I. Protein kinase C regulates human renal sodium channels expressed in *Xenopus* oocytes **513.P**, 59*P*, 1998

Morita H.

Morita H., Baumgarten J., Christensen L. O. D. & Nielsen J. Recruitment of extensor carpi radialis motor units by corticospinal and Ia afferent input in human subjects **509.P**, 174*P*, 1998

Morley A. R. *see Charlton R. G., Morley A. R., Neal D. E. & Gillespie J. I.* **507.P**, 75*P*, 1998

Morrell M. J.

Morrell M. J., Rowley J. A. & Badr S. M. The effects of sleep on pharyngeal patency in humans **513.P**, 5*S*, 1998

Morris B. J. *see O'Dowd A., Morris B. J. & Miller D. J.* **513.P**, 116*P*, 1998

Morris J. G.

Morris J. G., Nevill M. E., Riddell C. & Williams C. Effects of water or no water on performance and physiological responses to prolonged, intermittent, high-intensity running in ~30 and ~15 °C **506.P**, 104*P*, 1998

Morris N. P.

Morris N. P., Harris S. J. & Henderson Z. Firing properties of parvalbumin-immunoreactive neurons in the rat medial septum–diagonal band complex *in vitro* **511.P**, 120*P*, 1998

Morris R. *see Thippeswamy T. & Morris R.* **509.P**, 182*P*, 1998

Morris S. A. *see Correa V., Morris S. A., O'Beirne G. & Taylor C. W.* **506.P**, 78*P*, 1998

Morrison J. F. B.

Morrison J. F. B., Kibble A. & Jiang W. Sensory mechanisms in the urinary tract **507.P**, 2*S*, 1998

Mort D. J. *see Grant J., Mort D. J. & Attwell D.* **513.P**, 16*P*, 1998

Morton A. J. *see Murphy K. P. S. J., Lione L. A., Carter R. J., Humby T., Mangiarini L., Mahal A., Bates G., Dunnett S. & Morton A. J.* **513.P**, 12*P*, 1998

Morton R. A. *see Kearns I. R., Morton R. A. & Davies C. H.* **511.P**, 129*P*, 1998

Mosfar S. *see Lang D., Shakesby A., Mosfar S. & Lewis M. J.* **506.P**, 18*P*, 1998

Moshé S. L. *see Káková R., Velíšková J., Velíšek L. & Moshé S. L.* **511.P**, 70*P*, 1998

Moss S. J. *see Amato A., McDonald B. J., Moss S. J. & Smart T. G.* **506.P**, 44*P*, 1998

Mossop J. E. *see Moore D. R., Mossop J. E. & Stuermer I. W.* **511.P**, 22*S*, 1998

Motterlini R. *see Vesely M. J. J., Exon D. J., Clark J. E., Green C. J. & Motterlini R.* **506.P**, 16*P*, 1998

see Foresti R., Green C. J., Clark J. E. & Motterlini R. **506.P**, 36*P*, 1998

Motterlini R., Gonzales A., Foresti R., Clark J. E., Green C. J. & Winslow R. M. Up-regulation of heme oxygenase-1 by surgical stress in vascular and organ tissues is associated with the suppression of hypertensive responses *in vivo* **506.P**, 37*P*, 1998

Motáňová A. *see Vožeh F., Caddy K. W. T., Mysliveček J. & Motáňová A.* **511.P**, 72*P*, 1998

Moya A. *see Alberola A., Meseguer I., Torreblanca M., Moya A., Sancho S., Polo B., Soria B. & Such L.* **509.P**, 148*P*, 1998

Moynihan J. B.

Moynihan J. B. Inhibition of renal membrane-anchored carbonic anhydrase activity by chloride ions **513.P**, 44*P*, 1998

Mugaburu G. F. *see Vegas L., Echevarría E., Muñoz C., Mugaburu G. F., Silió M. & Casis L.* **509.P**, 94*P*, 1998

Muimo R. *see Marshall L. J., Muimo R. & Mehta A.* **507.P**, 3*P*, 1998

see Marshall L. J., Muimo R. & Mehta A. **509.P**, 81*P*, 1998

see Riemen C. E., Muimo R., Ratcliff R. A., Colledge W. H., Evans M. J. & Mehta A. **509.P**, 81*P*, 1998

Muimo R., Hornickova Z. & Mehta A. The chloride-dependent phosphorylated protein in apical membranes from ovine airway is annexin I **509.P**, 82*P*, 1998

Muir T. C. *see McCarron J. G. & Muir T. C.* **509.P**, 28*P*, 1998

see McCarron J. G. & Muir T. C. **509.P**, 109*P*, 1998

see McCarron J. G. & Muir T. C. **509.P**, 110*P*, 1998

see Routledge H. S., Muir T. C., Brain N. J. R., Smith G. L. & McCarron J. G. **509.P**, 111*P*, 1998

Mulcahy E. *see Conway B. A., Halliday D. M., Bray K., Cameron M., McLelland D., Mulcahy E., Farmer S. F. & Rosenberg J. R.* **509.P**, 175*P*, 1998

Mullier O.

Mullier O., Viltart O., Poulain P., Tramu G. & Sequeira H. Induction of Fos protein in bulbar neurones is probably connected to sympathetic preganglionic neurones following electrical stimulation of motor cortex **513.P**, 84*P*, 1998

Mumtaz F. H.

Mumtaz F. H., Naseem K. M., Thompson C. S., Sullivan M. E., Mikhailidis D. P., Morgan R. J. & Bruckdorfer K. R. Nitric oxide and carbon monoxide-induced smooth muscle relaxation is enhanced by hydrogen peroxide in the rabbit lower urinary tract **507.P**, 23*P*, 1998

Muñoz A.

Muñoz A., Castejon F. M., Rubio M. D., Agüera E. I., Escribano B. M. & Santisteban R. Locomotion characteristics in Andalusian and Anglo-Arabian horses at gallop: a comparative approach **509.P**, 100*P*, 1998

Muñoz A., Santisteban R., Rubio M. D., Agüera E. I., Escribano B. M. & Castejon F. M. Vertical component of the stride in Andalusian and Anglo-Arabian horses at trot: its influence on the locomotor pattern **509.P**, 101*P*, 1998

see Fernández P., Castejon F. M., Agüera E. I., Escribano B. M., Muñoz A. & Rubio M. D. **509.P**, 102*P*, 1998

see Fernandez P., Castejon F. M., Agüera E. I., Escribano B. M., Muñoz A. & Rubio M. D. **509.P**, 147*P*, 1998

Muñoz C. *see Vegas L., Echevarría E., Muñoz C., Mugaburu G. F., Silió M. & Casis L.* **509.P**, 94*P*, 1998

Muñoz-Martinez E. *see Lopez-Oliva M. E., Agis-Torres A., Unzaga M. T. & Muñoz-Martinez E.* **509.P**, 100*P*, 1998

Münter K. *see Dashwood M. R., Münter K. & Kirchengast M.* **507.P**, 72*P*, 1998

Murai A. *see Noble P.-J. M., Murai A. & Dockray G. J.* **509.P**, 194*P*, 1998

Murillo M. L. *see Artillo R., Murillo M. L., Tavares E. & Carreras O.* **509.P**, 21*P*, 1998

see Cano M. J., Gomez-Tubio A., Murillo M. L. & Carreras O. **509.P**, 22*P*, 1998

see Fuentes M. L. M., Artillo R., Carreras O. & Murillo M. L. **509.P**, 22*P*, 1998

Murphy K. *see Corfield D. R., Murphy K., Josephs O., Adams L. & Turner R.* **513.P**, 87*P*, 1998

Murphy K. P. S. J.

Murphy K. P. S. J., Lione L. A., Carter R. J., Humby T., Mangiarini L., Mahal A., Bates G., Dunnett S. & Morton A. J. Altered hippocampal synaptic plasticity at CA1 synapses *in vitro* and impaired spatial learning in a transgenic mouse model of Huntington's disease **513.P**, 12*P*, 1998

Murphy P. R.

Murphy P. R. Short latency reflex inhibition of γ-motoneurones during locomotion in the decerebrate cat **511.P**, 64*P*, 1998

Murray R. C. *see Hillman N. J., Tas M., Murray R. C., Williams B. & Bates D. O.* **513.P**, 154*P*, 1998

Murrell-Lagnado R. D. *see Woodward R., Lutchman M., Chishti A. H. & Murrell-Lagnado R. D.* **506.P**, 49*P*, 1998

Mutungi G.

Mutungi G. & Ranatunga K. W. Effect of reducing sarcomere shortening on twitch contraction characteristics in mammalian (rat) fast and slow muscle fibres **511.P**, 155*P*, 1998

Muzyamba M. C.

Muzyamba M. C., Cossins A. R. & Gibson J. S. Response of Na^+–K^+–$2Cl^-$ cotransporter in turkey red cells to physiological stimuli: effect of 'phosphorylation clamping' **513.P**, 56*P*, 1998

Mylona P. *see Remsbury A. L., Mylona P., Sibley C. P., Shennan D. B. & Greenwood S. L.* **509.P**, 78*P*, 1998

Mysliveček J. *see Vožeh F., Caddy K. W. T., Mysliveček J. & Motáňová A.* **511.P**, 72*P*, 1998

Nadal A. *see Leon-Quinto T., Nadal A., Portha B. & Soria B.* **509.P**, 72*P*, 1998

see Rovira J. M., Nadal A., Soria B. & Ripoll C. **509.P**, 89*P*, 1998

Nadal A., Rovira J. M., Laribi O., Leon-Quinto T., Andreu E., Ripoll C. & Soria B. Regulation of isolated pancreatic β-cell signalling system by 17β-oestradiol **509.P**, 90*P*, 1998

Nadal A., Fuentes E., Sul J.-Y., Pastor J., Valdeolmillos M. & McNaughton P. A. Calcium signals in astrocytes **513.P**, 11*S*, 1998

Naderali E. K.

Naderali E. K., Doyle P., Jackson M. J. & Williams G. The proinsulin-derived C-peptide does not produce vasorelaxation in rat or guinea-pig mesenteric arteries **513.P**, 157*P*, 1998

Nadler M. A.

Nadler M. A., Harrison L. M., Moore M., Townend E. & Stephens J. A. Acquisition of a new motor skill is accompanied by changes in cutaneomuscular reflexes recorded from finger muscles in man **511.P**, 135*P*, 1998

Naftalin R. J. *see Arain M. & Naftalin R. J.* **507.P**, 4*P*, 1998

Nagayama T. *see Aonuma H., Nagayama T. & Newland P. L.* **513.P**, 104*P*, 1998

Nagel H. *see Schomburg E. D., Steffens H. & Nagel H.* **511.P**, 65*P*, 1998

Nagy I.

Nagy I. & Rang H. P. Noxious heat-activated currents in rat dorsal root ganglion neurons **506.P**, 153*P*, 1998

Nagy I. & Rang H. P. Noxious heat-activated microscopic currents in rat dorsal root ganglion neurones **507.P**, 29*P*, 1998

Narici M. V.

Narici M. V., Capodaglio P., Minetti A. E., Ferrari-Bardile A., Maini M. & Cerretelli P. Changes in human skeletal muscle architecture induced by disuse-atrophy **506.P**, 59*P*, 1998

Naruse S. *see Ishiguro H., Naruse S., Case R. M. & Steward M. C.* **513.P**, 54*P*, 1998

Narváez J. A.

Narváez J. A., Cordón M. P., Díaz-Cabiale Z., Coveñas R. & González-Barón S. Involvement of the autonomic nervous system on the cardiovascular effects of galanin peptides **509.P**, 132*P*, 1998

Naseem K. M. *see Mumtaz F. H., Naseem K. M., Thompson C. S., Sullivan M. E., Mikhailidis D. P., Morgan R. J. & Bruckdorfer K. R.* **507.P**, 23*P*, 1998

see Tullett J. M., Naseem K. M. & Bruckdorfer K. R. **513.P**, 155*P*, 1998

Nash G. B. *see Abbitt K. B., Nash G. B. & Egginton S.* **506.P**, 39*P*, 1998

Nash M. P.

Nash M. P., Thornton J. M. & Paterson D. J. Characterization of the epicardial electrical activation sequence during a ventricular arrhythmia in the anaesthetized pig **507.P**, 60*P*, 1998

Nash M. P., Thornton J. M., Banning A. P. & Paterson D. J. 3D epicardial activation sequence during a ventricular arrhythmia in the anaesthetized pig **513.P**, 162*P*, 1998

Nassau P. M. *see Powell A. J., Main M. J., Dale T. J., Nassau P. M., Plumpton C., Xie X. M., Clare J. J. & Peakman T. C.* **513.P**, 141*P*, 1998

Natali A. J.

Natali A. J., White E., Harrison S. M. & Turner D. L. Regional hypertrophy of left ventricular myocytes induced by voluntary exercise in female rats **509.P**, 151*P*, 1998

Natali A. J., White E., Harrison S. M. & Turner D. L. Negative and positive contraction–frequency relationships at low and high stimulation rates in rat left ventricular myocytes isolated from the subendocardium and subepicardium **511.P**, 88*P*, 1998

NAVARATNAM N. *see* SCOTT J., NAVARATNAM N. & SHOULDERS C. **506.P**, 18*S*, 1998

NAVARRETE R. *see* MENTIS G. Z., DÍAZ E. & NAVARRETE R. **511.P**, 135*P*, 1998

NAVARRETE R. The role of nerve–muscle interactions in motoneurone functional development **511.P**, 36*S*, 1998

NAYLOR C. H. *see* SKELTON D. A., PHILLIPS S. K., BRUCE S. A., NAYLOR C. H. & WOLEDGE R. C. **506.P** , 105*P*, 1998

NEAL C. R.

NEAL C. R. & MICHEL C. C. Differing effects of vascular endothelial growth factor (VEGF) on the ultrastructure of microvascular endothelium of mesenteric microvessels of frog and rat **506.P**, 24*P*, 1998

NEAL C. R. A method for changing the contents of a micropipette *in situ* **513.P**, 4*P*, 1998

NEAL C. R. & MICHEL C. C. Gadolinium raises the pressure required to induce openings in the endothelium of single frog microvessels **513.P**, 149*P*, 1998

NEAL D. E. *see* MOON A., NEAL D. E. & GILLESPIE J. I. **507.P**, 74*P*, 1998

see CHARLTON R. G., MORLEY A. R., NEAL D. E. & GILLESPIE J. I. **507.P**, 75*P*, 1998

see CHAMBERS P., NEAL D. E., EUROPE-FINNER G. N. & GILLESPIE J. I. **507.P**, 76*P*, 1998

see MASTERS J. G., NEAL D. E. & GILLESPIE J. I. **507.P**, 76*P*, 1998

NEARY P. *see* DARNLEY G. M., GRAY A. C., MCCLURE S. J., NEARY P., PETRIE M. C., MCMURRAY J. J. V. & MACFARLANE N. G. **509.P**, 119*P*, 1998

NEARY P., COBBE S. M. & SMITH G. L. Effect of tetracaine on sarcoplasmic reticulum Ca^{2+} handling in permeabilized cardiomyocytes **509.P**, 145*P*, 1998

see SMITH G. L., DUNCAN A. M., BRUCE L. & NEARY P. **509.P**, 145*P*, 1998

NEDVÍDEK J. *see* NEDVÍDKOVÁ J., HALUZÍK M., PACÁK K., NEDVÍDEK J. & SCHREIBER V. **511.P**, 50*P*, 1998

NEDVÍDKOVÁ J. *see* BENEŠOVÁ O., TEJKALOVÁ H., KRIŠTOFIKOVÁ Z., NEDVÍDKOVÁ J. & HUŠEK P. **511.P**, 50*P*, 1998

NEDVÍDKOVÁ J., HALUZÍK M., PACÁK K., NEDVÍDEK J. & SCHREIBER V. Methylene Blue inhibits oestrogen-induced anterior pituitary growth: role of NO synthase and the dopaminergic systems **511.P**, 50*P*, 1998

NEGRÍN I. *see* REYES R., GONZÁLEZ M., NEGRÍN I., ALONSO R. & BELLO A. R. **509.P**, 93*P*, 1998

NEHER E. *see* LUKYANETZ E. A. & NEHER E. **509.P**, 106*P*, 1998

NELSON L. S.

NELSON L. S., ROSOFF M., KIM K., MEMMOTT J. E. & LI C. FMRFamide-related neuropeptides in the nematode *Caenorhabditis elegans* **513.P**, 17*S*, 1998

NETT W. *see* DEITMER J. W., NETT W. & LOHR C. **506.P**, 15*S*, 1998

NEVILL A. M.

NEVILL A. M., HOLDER R. L. & MCCONNELL A. K. Lung function in human beings: its relationship to maximal oxygen uptake and lifestyle **506.P**, 115*P*, 1998

NEVILL M. E. *see* MORRIS J. G., NEVILL M. E., RIDDELL C. & WILLIAMS C. **506.P**, 104*P*, 1998

NEVOLA V. R. *see* WELLER A. S., NEVOLA V. R., HARRISON M. H., GREENHAFF P. L. & MACDONALD I. A. **506.P**, 104*P*, 1998

NEWGREEN D. *see* BAYLISS M., NEWGREEN D. & FRY C. H. **507.P**, 73*P*, 1998

NEWHAM D. J.

NEWHAM D. J., PURCELL C. & RUTHERFORD O. M. Agonist and antagonist activity during isokinetic contractions of the human quadriceps **506.P**, 106*P*, 1998

NEWLAND P. L. *see* AONUMA H., NAGAYAMA T. & NEWLAND P. L. **513.P**, 104*P*, 1998

NEWLAND P. L. Spiking local interneurones process gustatory signals from chemoreceptors on the legs of the locust **513.P**, 104*P*, 1998

see ROGERS S. M. & NEWLAND P. L. **513.P**, 105*P*, 1998

NEWMAN J. P.

NEWMAN J. P., PEEBLES D., HARDING S., SPRINGETT R. & HANSON M. A. Cardiovascular redistribution and tissue oxygenation measured by near-infrared (NIR) spectroscopy in unanaesthetized fetal sheep **507.P**, 52*P*, 1998

NEWSHOLME E. A. *see* CASTELL L. M., PHOENIX J., EDWARDS R. H. T. & NEWSHOLME E. A. **509.P**, 206*P*, 1998

NEWTON S.

NEWTON S., CAMPBELL J. A., ELDRIDGE P., LEANDRI M. & BYRNE P. Compound action potentials recorded from the trigeminal root in the horse: preliminary results **509.P**, 183*P*, 1998

NG L. L.

NG L. L., JENNINGS S. & QUINN P. A. Na^+–H^+ exchanger phenotypes in proximal tubule cell lines from hypertensive and normotensive rats **511.P**, 167*P*, 1998

NG Y.

NG Y., COLYER J., TAN L. B., CLARK W. A. & GOLDSPINK D. F. Rat striated muscles damaged by isoprenaline **511.P**, 157*P*, 1998

NGUYEN P. H. *see* JONES A. M., BARSTOW T. J., NGUYEN P. H. & CASABURI R. **511.P**, 9*P*, 1998

NICAISE G. *see* TROADEC J. D., THIRION S., NICAISE G., LEMOS J. R. & DAYANITHI G. **506.P**, 66*P*, 1998

NICHOLLS D. G.

NICHOLLS D. G. & BUDD S. L. Mitochondria, calcium homeostasis and excitotoxicity **506.P**, 11*S*, 1998

NICHOLS C. G. *see* KOSTER J. C., SHA Q., SHYNG S.-L. & NICHOLS C. G. **509.P**, 36*P*, 1998

see LOUSSOUARN G., MAKHINA E. N. & NICHOLS C. G. **509.P**, 37*P*, 1998

see MAKHINA E. N., LOUSSOUARN G. & NICHOLS C. G. **509.P**, 37*P*, 1998

see LOPATIN A. N. & NICHOLS C. G. **511.P**, 150*P*, 1998

NICHOLSON C. *see* VARGOVÁ L., TAO L., SYKOVÁ E., ULBRICH K., ŠUBR V. & NICHOLSON C. **511.P**, 16*P*, 1998

NICHOLSON C., TAO L. & KUME-KICK J. Constraints on the extracellular diffusion of molecules **511.P**, 8*S*, 1998

NICHOLSON R. A. *see* LEES G., VERDON B., EDWARDS M. D., ZHENG J. & NICHOLSON R. A. **513.P**, 2*S*, 1998

NICOL L. *see* SWEENEY T., NICOL L. & BROOKS A. N. **509.P**, 90*P*, 1998

NICOLAIDES A. N. *see* STEVENS R. J. G., LINTOTT P., HAFEZ H., HOPPENTEADT D. A., FAREED J., MANSFIELD A. O., NICOLAIDES A. N. & STANSBY G. **506.P**, 108*P*, 1998

NICOLAIDES K. *see* PARRA M., YUDILEVICH D. L., MANN G. E., PEDLEY K., NICOLAIDES K., PEARSON J. D. & SOBREVIA L. **506.P**, 34*P*, 1998

NICOLAU M. C. *see* GAMUNDÍ A., ROCA C., BERNÁCER R., NICOLAU M. C. & RIAL R. V. **509.P**, 89*P*, 1998

NICOLSON T.

NICOLSON T., BEVAN S. & RICHARDS C. D. The sensitivity of rat cultured dorsal root ganglion neurones to histamine is augmented by prostaglandin E_2 **511.P**, 122*P*, 1998

NIELSEN J. *see* MORITA H., BAUMGARTEN J., CHRISTENSEN L. O. D. & NIELSEN J. **509.P**, 174*P*, 1998

NIKMARAM M. R. *see* BOYETT M. R., KODAMA I., NIKMARAM M. R., YAMAMOTO M., HONJO H., NIWA R., ZHANG H. & HOLDEN A. V. **511.P**, 79*P*, 1998

NIKOLSKY E. E. *see* BUKCHARAEVA E. A., NIKOLSKY E. E., MORAVEC J. & VYSKOČIL F. **511.P**, 142*P*, 1998

see KOVYAZINA I., NIKOLSKY E. E., GINIATULLIN R. A. & VYSKOČIL F. **511.P**, 143*P*, 1998

see VYSKOČIL F., BUKHARAEVA E., GINIATULLIN R. & NIKOLSKY E. E. **511.P**, 36*S*, 1998

NILIUS B. *see* EGGERMONT J., KAMOUCHI M., TROUET D., DROOGMANS G. & NILIUS B. **506.P**, 22*P*, 1998

see VOETS T., BUYSE G., DROOGMANS G., EGGERMONT J. & NILIUS B. **506.P**, 47*P*, 1998

NISHINA H. *see* OZAKI T., NISHINA H., HAWKINS P., CROWE C., POSTON L. & HANSON M. A. **513.P**, 118*P*, 1998

see OZAKI T., NISHINA H., POSTON L. & HANSON M. A. **513.P**, 157*P*, 1998

NITSCH R. *see* DEISZ R. A., LEHMANN T.-N., LANKSCH W. R., MEENCKE H. J. & NITSCH R. **513.P**, 35*P*, 1998

NIWA R. *see* BOYETT M. R., KODAMA I., NIKMARAM M. R., YAMAMOTO M., HONJO H., NIWA R., ZHANG H. & HOLDEN A. V. **511.P**, 79*P*, 1998

NOAKES D. E. *see* HAWKINS P., CROWE C., MCGARRIGLE H. H. G., SAITO T., OZAKI T., STRATFORD L. L., NOAKES D. E. & HANSON M. A. **507.P**, 50*P*, 1998

see HAWKINS P., HANSON M. A., NOAKES D. E. & MATTHEWS S. G. **513.P**, 7*P*, 1998

NOBLE A. R.

NOBLE A. R. & D'ALOIA M. A. Sensitivity to isoprenaline and diltiazem of renin release from rat kidney cells in three models of diabetes mellitus **513.P**, 42*P*, 1998

see HILLMAN N. J., NOBLE A. R. & GALLAGHER P. J. **513.P**, 45*P*, 1998

NOBLE P.-J. M.

NOBLE P.-J. M., MURAI A. & DOCKRAY G. J. Modulation of *c-fos* messenger RNA abundance by hypotonic media and a peptidomimetic antibiotic in STC-1 cells **509.P**, 194*P*, 1998

NOGALES G. *see* BARRIGA C., NOGALES G., MARCHENA J. M., ORTEGA E. & RODRÍGUEZ A. B. **509.P**, 95*P*, 1998

see RODRÍGUEZ A. B., MARCHENA J. M., NOGALES G., DURÁN J. & BARRIGA C. **509.P**, 96*P*, 1998

Nolan M. F. *see* Leslie J., Nolan M. F., Logan S. D. & Spanswick D. **506.P**, 146*P*, 1998

see Spanswick D., Nolan M. F. & Logan S. D. **506.P**, 146*P*, 1998

Nolan M. F., Logan S. D., Ashford M. L. J. & Spanswick D. Synaptic inputs from the paraventricular and arcuate nuclei to the ventromedial nucleus of the rat hypothalamus *in vitro* **506.P**, 155*P*, 1998

Nolan M. F., Logan S. D. & Spanswick D. Electrical synapses between rat sympathetic preganglionic neurones *in vitro* **513.P**, 36*P*, 1998

Nolan M. M.

Nolan M. M., Halligan C. P. & Harvey B. J. The effects of granulocyte macrophage colony stimulating factor (GM-CSF) and interleukin-10 (IL-10) on TF1 cells and Ba8.1c1 cells, respectively **511.P**, 38*P*, 1998

Nolan P.

Nolan P., Langdon M. G. & O'Regan R. G. Bradycardic responses to upper airway negative pressure during hypocapnic apnoea in the decerebrate paralysed rabbit **511.P**, 106*P*, 1998

Nolan P. Reflex responses to upper airway negative pressure and their role in obstructive apnoea **513.P**, 6*S*, 1998

Norman B.

Norman B., Sabina R. L., Esbjörnsson-Liljedahl M. & Jansson E. ATP metabolism during sprint exercise in subjects with different genotype for AMP deaminase in skeletal muscle **506.P**, 117*P*, 1998

Norman J. C. *see* Jenner S., Farndale R. W., Norman J. C. & Sage S. O. **511.P**, 37*P*, 1998

Norrish M. I. K.

Norrish M. I. K. & Mollon J. D. A signal cancellation technique for the study of the transient pupillary light reflex **507.P**, 35*P*, 1998

North R. A. *see* MacKenzie A. B., Virginio C., North R. A. & Surprenant A. **506.P**, 45*P*, 1998

Nováková O. *see* Ostadal B., Pucelík P., Bass A. & Nováková O. **511.P**, 76*P*, 1998

Nováková Z. *see* Fišer B., Honzíková N., Nováková Z. & Hrstková H. **511.P**, 113*P*, 1998

Novotná J. *see* Herget J., Novotná J., Hampl V. & Bíbová J. **511.P**, 117*P*, 1998

Nowak R. L.

Nowak R. L., Gorry P., Sheth B. & Fleming T. P. Expression of tight junction protein ZO-2 in mouse preimplantation embryos **513.P**, 66*P*, 1998

Oakley F.

Oakley F., Horn N. M., Hubbard A. & Thomas A. L. The effects of heavy metals on histidine-stimulated ^{65}Zn uptake in human erythrocytes **511.P**, 38*P*, 1998

see Horn N. M., Oakley F. & Thomas A. L. **513.P**, 50*P*, 1998

O'Beirne G. *see* Correa V., Morris S. A., O'Beirne G. & Taylor C. W. **506.P**, 78*P*, 1998

O'Beirne H. A. *see* Conley E. C., O'Beirne H. A., Owen J. M., Hopkins P. M., Boyett M. R. & Hancox J. C. **511.P**, 149*P*, 1998

O'Boyle D. J. *see* Zia S., Cody F. W. J. & O'Boyle D. J. **509.P**, 180*P*, 1998

see Al-Attar Z., O'Boyle D. J. & Cody F. W. J. **509.P**, 181*P*, 1998

O'Carroll D. C. *see* Harris R. A., O'Carroll D. C. & Laughlin S. B. **513.P**, 105*P*, 1998

O'Connor J. J. *see* Glennon J. C., O'Connor J. J. & O'Connor W. T. **511.P**, 69*P*, 1998

O'Connor W. T. *see* Glennon J. C., O'Connor J. J. & O'Connor W. T. **511.P**, 69*P*, 1998

Ödblom M. P.

Ödblom M. P. & Handy R. D. The effect of external magnesium on intracellular free sodium and a DIDS-sensitive Mg^{2+} efflux pathway in isolated rat ventricular myocytes **513.P**, 163*P*, 1998

O'Dowd A.

O'Dowd A., Morris B. J. & Miller D. J. Zinc–carnosine affinity for the H_1-receptor in guinea-pig cerebellum revealed by inhibition of tritiated mepyramine binding **513.P**, 116*P*, 1998

O'Dowd A. & Miller D. J. Zinc potentiates H_1-receptor-mediated contractile effect of histamine in rabbit saphenous vein **513.P**, 117*P*, 1998

Offringa C. *see* Karatzaferi C., de Haan A., Offringa C., Ferguson R. A. & Sargeant A. J. **511.P**, 10*P*, 1998

Ogata N. *see* England S., Okuse K., Ogata N. & Wood J. N. **511.P**, 124*P*, 1998

Ogden D. *see* Sesay A. K., Magnus C. J., Ogden D., Lai F. A. & Capiod T. **509.P**, 186*P*, 1998

Ohnishi M.

Ohnishi M., Kirkman E., Cooper G. J. & Watkins P. Ondansetron does not modify the cardiorespiratory response to primary thoracic injury in the anaesthetized rat **511.P**, 111*P*, 1998

Ohnishi N.

Ohnishi N., Liu S.-P., Horan P. & Levin R. M. Effect of repetitive stimulation on the contractile response of the rabbit urinary bladder under anoxic and ischaemic conditions **507.P**, 78*P*, 1998

Ojeda C. *see* Brunold C., Guyot A., Rougier O., Bilbaut A. & Ojeda C. **513.P**, 53*P*, 1998

Ojo-Aromokudu O.

Ojo-Aromokudu O., Pitt J., Boulos P. B., Knight S. L. & Craggs M. D. A comparison of α- and β-adrenoceptor function of the internal anal sphincter in people with and without chronic anal fissures **507.P**, 19*P*, 1998

Okada D. *see* Hartell N. A. & Okada D. **509.P**, 60*P*, 1998

O'Kelly I.

O'Kelly I., Peers C. & Kemp P. J. Oxygen-sensitive K^+ channels in a cell line derived from the neuro-epithelial body of adult human lung **509.P**, 115*P*, 1998

O'Kelly I., Peers C. & Kemp P. J. Inhibition by hypoxia of oxygen-sensitive K^+ channels in a neuroepithelial body-derived cell line causes depolarization **511.P**, 146*P*, 1998

O'Kelly I., Stephens R. H., Peers C. & Kemp P. J. Pharmacological and potential molecular identification of an O_2-sensitive K^+ channel in the human neuroepithelial body-derived cell line H146 **513.P**, 128*P*, 1998

Okuse K. *see* England S., Okuse K., Ogata N. & Wood J. N. **511.P**, 124*P*, 1998

see Akopian A. N., Okuse K., Souslova V., England S., Sivilotti L., Fitzgerald E., Ravenall S., Dolphin A. C. & Wood J. N. **513.P**, 20*S*, 1998

Olver R. E. *see* Monaghan A. S., Kemp P. J. & Olver R. E. **507.P**, 6*P*, 1998

O'Mard L. P.

O'Mard L. P., Meddis R. & Patterson R. D. Physiologically based computer modelling of the auditory system **506.P**, 8*P*, 1998

Onambélé G. N. *see* Prothero L. S., Wood J., Onambélé G. N., Mathie A. & Richards C. D. **506.P**, 147*P*, 1998

O'Neill S. C. *see* Lancaster M. K., Bennett D. L., Cook S. J. & O'Neill S. C. **509.P**, 138*P*, 1998

see Bennett D. L., O'Neill S. C. & Eisner D. A. **509.P**, 147*P*, 1998

see Overend C. L., Adams W., O'Neill S. C. & Eisner D. A. **511.P**, 85*P*, 1998

Ooi H.

Ooi H., Cadogan E., O'Regan R. & McLoughlin P. Chronic hypercapnia inhibits hypoxic pulmonary vasoconstriction by a NO-independent mechanism in chronically hypoxic rats **511.P**, 109*P*, 1998

Opincariu M. *see* Iost N., Virág L., Opincariu M., Szécsi J., Varroó A. & Papp J. G. **506.P**, 55*P*, 1998

Opstad K. *see* Bailey A. R. T., Giles M. E., Opstad K., Smith R. G. & Leng G. **511.P**, 49*P*, 1998

Orcel H. *see* Hurbin A., Boissin-Agasse L., Orcel H., Rabié A., Joux N., Desarménien M. G., Richard Ph. & Moos F. C. **509.P**, 87*P*, 1998

Orchard C. H. *see* Fawcett J. M., Harrison S. M., Walker J. H. & Orchard C. H. **509.P**, 153*P*, 1998

see Fawcett J. M., Harrison S. M., Walker J. H. & Orchard C. H. **511.P**, 83*P*, 1998

O'Regan R. *see* Ooi H., Cadogan E., O'Regan R. & McLoughlin P. **511.P**, 109*P*, 1998

O'Regan R. G. *see* Nolan P., Langdon M. G. & O'Regan R. G. **511.P**, 106*P*, 1998

see Sweeney M., O'Regan R. G. & McLoughlin P. **511.P**, 174*P*, 1998

Orem J. M.

Orem J. M. Excitatory drive to the respiratory system in REM sleep **513.P**, 3*S*, 1998

Orie N. N.

Orie N. N., Tepel M. & Zidek W. Increased generation of reactive oxygen species in non-insulin-dependent diabetes mellitus **509.P**, 196*P*, 1998

Orkand R. K. *see* Rojas L. & Orkand R. K. **511.P**, 15*P*, 1998

Ortega A. *see* Gonzalez-Serratos H., Ortega A., Valle-Aguilera R. & Chang R. **506.P**, 59*P*, 1998

Ortega E.

Ortega E., García J. J., Sáez M. C. & De la Fuente M. The noradrenaline metabolite, 4-hydroxy-3-methoxyphenyl-glycol modulates the phagocytic process of macrophages. Changes with ageing **509.P**, 24*P*, 1998

see BARRIGA C., NOGALES G., MARCHENA J. M., ORTEGA E. & RODRÍGUEZ A. B. **509.P**, 95*P*, 1998

OSHIMA T. *see* ROSSI D., OSHIMA T. & ATTWELL D. **511.P**, 19*S*, 1998

OSIPENKO O. N.

OSIPENKO O. N., BARRIE A. P., ALLEN J. M. & GURNEY A. M. Pituitary adenylyl cyclase activating peptide (PACAP) activates multiple intracellular signalling pathways to regulate cation channels in PC12 cells **509.P**, 187*P*, 1998

OSMAN F. *see* FARMER M. R., VAILE J. C., OSMAN F., TOWNEND J. N. & COOTE J. H. **513.P**, 82*P*, 1998

OSTADAL B.

OSTADAL B., PUCELÍK P., BASS A. & NOVÁKOVÁ O. Comparison of basic metabolic and electrophysiological parameters in the compact and spongious layer of the carp ventricular myocardium **511.P**, 76*P*, 1998

OSTLUND A. *see* DEMETRIADES A. K., OSTLUND A., SUNDBLAD P. & LINNARSSON D. **511.P**, 117*P*, 1998

OSTROWSKI K. *see* SCHJERLING P., JONSDOTTIR I. H., OSTROWSKI K., ASP S. & PEDERSEN B. K. **509.P**, 47*P*, 1998

OTANI S.

OTANI S., DESCE J.-M., BLOND O. & CRÉPEL F. Interaction between dopamine receptors and group II mGluRs for LTD induction in rat prefrontal cortex **507.P**, 26*P*, 1998

OTTER D.

OTTER D. & AUSTIN C. Investigation of possible mechanisms underlying the relaxation of isolated rat mesenteric arteries to hypoxia **509.P**, 129*P*, 1998

OTTER D. & AUSTIN C. Does intracellular acidification account for hypoxic relaxation in isolated rat mesenteric arteries? **511.P**, 166*P*, 1998

OUADID-AHIDOUCH H.

OUADID-AHIDOUCH H., LE BHOURIS X. F., TOILLON R. A. & PREVARSKAYA N. Membrane potential and K^+ currents in mammary cancer cells **513.P**, 136*P*, 1998

OVEREND C. L.

OVEREND C. L., ADAMS W., O'NEILL S. C. & EISNER D. A. The Ca^{2+} content of sarcoplasmic reticulum is limited by leak, not uptake, in rat cardiac isolated myocytes **511.P**, 85*P*, 1998

OWEN F. *see* BALDERSON D. J., CHAHAL H., OWEN F. & SLATER P. **513.P**, 18*P*, 1998

OWEN J. M. *see* CONLEY E. C., O'BEIRNE H. A., OWEN J. M., HOPKINS P. M., BOYETT M. R. & HANCOX J. C. **511.P**, 149*P*, 1998

OZAITA A. *see* LAU D. H. P., CASTRO-ALAMANCOS M., CHOW A., OZAITA A., VEGA-SAENZ DE MIERA E., MATHEW S., GIBSON J., CONNORS B. & RUDY B. **511.P**, 147*P*, 1998

OZAKI T. *see* HAWKINS P., CROWE C., MCGARRIGLE H. H. G., SAITO T., OZAKI T., STRATFORD L. L., NOAKES D. E. & HANSON M. A. **507.P**, 50*P*, 1998

OZAKI T., NISHINA H., HAWKINS P., CROWE C., POSTON L. & HANSON M. A. Isolated systemic resistance vessel function in hypertensive male rat offspring of mildly nutritionally restricted dams **513.P**, 118*P*, 1998

OZAKI T., NISHINA H., POSTON L. & HANSON M. A. Vasorelaxation response to noradrenaline in isolated femoral arteries of rat pups **513.P**, 157*P*, 1998

ÖZYENER F.

ÖZYENER F., WARD S. A. & WHIPP B. J. Effects of exercise intensity on the parameters of $\dot{V}_{O_2}$ kinetics in humans **511.P**, 12*P*, 1998

PABBATHI V. K. *see* PERCHENET L., HINDE A. K. B., PATEL K. C. R., PABBATHI V. K., HANCOX J. C. & LEVI A. J. **509.P**, 140*P*, 1998

PABBATHI V. K., HINDE A. K. B., PERCHENET L., HANCOX J. C., LEVI A. J. & MITCHESON J. S. Changes of Na^+–Ca^{2+} exchange current during 4 days of culture, and sensitivity to intracellular 8-Br cAMP in adult guinea-pig ventricular myocytes **511.P**, 92*P*, 1998

PACÁK K. *see* NEDVÍDKOVÁ J., HALUZÍK M., PACÁK K., NEDVÍDEK J. & SCHREIBER V. **511.P**, 50*P*, 1998

PÁCHA J. *see* VYLITOVÁ M., MIKŠÍK I. & PÁCHA J. **511.P**, 51*P*, 1998

PACK A. I.

PACK A. I. Neural mechanisms of apnoea **513.P**, 2*S*, 1998

PAGE K. *see* HAGGARTY P., ASHTON J., JOYNSON M., ABRAMOVICH D. R. & PAGE K. **507.P**, 48*P*, 1998

PAGE K. M. *see* CANTI C., STEPHENS G. J., PAGE K. M. & DOLPHIN A. C. **509.P**, 38*P*, 1998

see MEIR A., WYATT C. N., PAGE K. M., BERROW N. S., BRICE N. L. & DOLPHIN A. C. **509.P**, 5*S*, 1998

PAGLIARO P.

PAGLIARO P., LINDEN R. J., LOSANO G., MERLETTI A. & GATTULLO D. Coronary reactive hyperaemia after ischaemic preconditioning in the anaesthetized goat: no role of adenosine A_1 receptors **507.P**, 56*P*, 1998

PAGLIARO P., SENZAKI H. & KASS D. A. Pulse pressure-enhanced coronary flow in dogs: does it alter energetics or flow distribution, and is it modulated by contractility? **507.P**, 56*P*, 1998

PALEČEK J. *see* ABDRACHMANOVA G., VLACHOVÁ V., PALEČEK J. & VYKLICKÝ L. JR **511.P**, 18*S*, 1998

PALEČEK J., ABDRACHMANOVA G. & VYKLICKÝ L. JR Glutamate receptor development and single-channel properties in rat spinal cord motoneurones **511.P**, 35*S*, 1998

PALIGIN O. A. *see* EREMIN A. V., ISAEV D. S., PALIGIN O. A., TARASENKO A. N. & KOSTYUK P. G. **506.P**, 77*P*, 1998

see ISAEV D. S., EREMIN A. V., PALIGIN O. A., TARASENKO A. N. & KOSTYUK P. G. **506.P**, 77*P*, 1998

PALINKAS V. *see* BELL C., PATERSON D. H., PALINKAS V., KOWALCHUK J. M. & CUNNINGHAM D. A. **509.P**, 118*P*, 1998

PALLOT D. J. *see* DRAPER C. E., SINGH J., LAWRENCE P. A., PALLOT D. J. & ADEGHATE E. A. **513.P**, 48*P*, 1998

PALMER A. C. V. *see* FEARON I. M., PALMER A. C. V., BALMFORTH A. J., BALL S. G., SCHWARTZ A. & PEERS C. **506.P**, 48*P*, 1998

see FEARON I. M., PALMER A. C. V., BALMFORTH A. J., BALL S. G., VARADI G. & PEERS C. **513.P**, 126*P*, 1998

PALMER A. R.

PALMER A. R., MCALPINE D., JIANG D. & SHACKLETON T. M. Mechanisms of sound motion processing in the inferior colliculus **511.P**, 24*S*, 1998

PALMER S. *see* LAYLAND J., PALMER S. & KENTISH J. C. **509.P**, 158*P*, 1998

PAPP J. G. *see* IOST N., VIRÁG L., OPINCARIU M., SZÉCSI J., VARRÓ A. & PAPP J. G. **506.P**, 55*P*, 1998

see KIS A., VEGH A., PAPP J. G. & PARRATT J. R. **506.P**, 56*P*, 1998

PARDO L. A.

PARDO L. A., DEL CAMINO D., BRÜGGERMANN A., BECKH S., SÁNCHEZ A. & STÜHMER W. Cell cycle modulation of rat *eag* potassium channels **509.P**, 4*S*, 1998

PARIENTE J. A. *see* LAJAS A. I., POZO M. J., SALIDO G. M., SINGH J. & PARIENTE J. A. **506.P**, 127*P*, 1998

see LAJAS A. I., POZO M. J., CAMELLO P. J., SALIDO G. M. & PARIENTE J. A. **509.P**, 19*P*, 1998

PARIENTE J. A., LAJAS A. I., POZO M. J., CAMELLO P. J. & SALIDO G. M. The thiol reagent phenylarsine oxide (PAO) evokes intracellular Ca^{2+} increases in rat pancreatic acinar cells **509.P**, 20*P*, 1998

PARKER D. R.

PARKER D. R., HASLAM N., BARGIOTA A., HALLIWELL M. & CORRALL R. J. M. Post-prandial mesenteric hyperaemia in man: the effect of β-adrenoceptor blockade **513.P**, 119*P*, 1998

PARKER I. *see* MARCHANT J. S., CALLAMARAS N., SUN X.-P. & PARKER I. **506.P**, 70*P*, 1998

PARKER K. G. *see* MASON R., SOKAL D. M., PARKER T. L., PARKER K. G., GROSS G. W. & WIGGINS H. **506.P**, 9*P*, 1998

PARKER L. C.

PARKER L. C., BALDERSON D. J., ROTHWELL N. J. & LUHESHI G. N. Effects of interleukin-1β on IL-1RI mRNA expression in the rat hypothalamus **513.P**, 21*P*, 1998

PARKER T. L. *see* MASON R., SOKAL D. M., PARKER T. L., PARKER K. G., GROSS G. W. & WIGGINS H. **506.P**, 9*P*, 1998

PARKINGTON H. C.

PARKINGTON H. C., TONTA M. A., BRENNECKE S. P., HOLMAN M. E. & COLEMAN H. A. Prostaglandins hyperpolarize and suppress spontaneous contractions in human uterine smooth muscle **507.P**, 68*P*, 1998

PARPURA V. *see* ARAQUE A., PARPURA V., SANZGIRI R. & HAYDON P. G. **513.P**, 13*S*, 1998

PARRA M.

PARRA M., YUDILEVICH D. L., MANN G. E., PEDLEY K., NICOLAIDES K., PEARSON J. D. & SOBREVIA L. Modulation of glucose transport in human fetal vein endothelial cells **506.P**, 34*P*, 1998

PÁRRAGA C. A. *see* TOLHURST D. J., TROSCIANKO T., BENSON P. J. & PARRAGA C. A. **506.P**, 11*P*, 1998

PÁRRAGA C. A., TOLHURST D. J. & LEE J. T. C. Discrimination of changes in the slope of the amplitude spectra of complex visual images by human observers may require comparison of contrast between different spatial-frequency bands **506.P**, 86*P*, 1998

PARRATT J. R. *see* KIS A., VEGH A., PAPP J. G. & PARRATT J. R. **506.P**, 56*P*, 1998

PARRI H. R.
PARRI H. R. & CRUNELLI V. Transient and persistent sodium currents in rat thalamocortical neurones *in vitro* **506.P**, 150*P*, 1998

PARRY R. J. *see* LOWRIE M. B., LAWSON S. J. & PARRY R. J. **511.P**, 35*S*, 1998

PARSON S. H.
PARSON S. H., DAVIE N. & RIBCHESTER R. R. Synapse elimination in organ cultures of Wld^s mouse skeletal muscle **507.P**, 30*P*, 1998
see RIBCHESTER R. R., COSTANZO E. M., PARSON S. H., MATTISON R. J. & BARRY J. A. **511.P**, 37*S*, 1998

PASCOLO L. *see* BAYÓN J. E., PASCOLO L., SERRANO M. A., CUPELLI F., TIRIBELLI C., GONZALEZ-GALLEGO J. & MARIN J. G. **509.P**, 26*P*, 1998

PASCUAL M. J. *see* MACIAS R. I. R., SERRANO M. A., BRIZ O., BRAVO P., LARENA M., PASCUAL M. J. & MARIN J. J. G. **509.P**, 15*P*, 1998

PASSFIELD L.
PASSFIELD L. & DOUST J. H. Effect of endurance exercise on 30 s Wingate sprint in cyclists **506.P**, 100*P*, 1998

PASSMORE G. M. *see* THOMPSON G. A., PASSMORE G. M., SPENCER P. J., DAVIES N. W. & STANFIELD P. R. **511.P**, 146*P*, 1998

PASTÓ M. *see* GEA J., ENNION S., PASTÓ M., GALLEGO P., BARREIRO E., BROQUETAS J. & GOLDSPINK G. **509.P**, 114*P*, 1998

PASTOR J. *see* NADAL A., FUENTES E., SUL J.-Y., PASTOR J., VALDEOLMILLOS M. & MCNAUGHTON P. A. **513.P**, 11*S*, 1998

PATEL K. *see* GUPTA R., PATEL K., JACKSON A., JOHNSON C. D. & PRIMROSE J. N. **509.P**, 17*P*, 1998
see GUPTA R., PATEL K., JACKSON A., PRIMROSE J. N. & JOHNSON C. D. **509.P**, 18*P*, 1998

PATEL K. C. R. *see* PERCHENET L., HINDE A. K. B., PATEL K. C. R., PABBATHI V. K., HANCOX J. C. & LEVI A. J. **509.P**, 140*P*, 1998
see LEVI A. J., HOBAI I. A. & PATEL K. C. R. **509.P**, 142*P*, 1998
see HOBAI I. A., PATEL K. C. R., PERCHENET L. & LEVI A. J. **509.P**, 144*P*, 1998
see LEVI A. J. & PATEL K. C. R. **511.P**, 82*P*, 1998
PATEL K. C. R., JONES J. V. & LEVI A. J. Ca_i^{2+} extrusion via Na^+–Ca^{2+} exchange is accelerated by internal dialysis with cAMP, in guinea-pig cardiac myocytes at 37 °C **511.P**, 91*P*, 1998

PATERNAIN A. V. *see* LERMA J., RODRÍGUEZ-MORENO A., PATERNAIN A. V. & HERRERAS O. **509.P**, 2*S*, 1998

PATERSON D. H. *see* BELL C., PATERSON D. H., PALINKAS V., KOWALCHUK J. M. & CUNNINGHAM D. A. **509.P**, 118*P*, 1998

PATERSON D. J. *see* CHOATE J. K. & PATERSON D. J. **506.P**, 134*P*, 1998
see SEARS C. E., CHOATE J. K. & PATERSON D. J. **507.P**, 57*P*, 1998
see MIELKE M., PATERSON D. J., RADDA G. K. & CLARKE K. **507.P**, 60*P*, 1998
see NASH M. P., THORNTON J. M. & PATERSON D. J. **507.P**, 60*P*, 1998
see CHOATE J. K. & PATERSON D. J. **509.P**, 120*P*, 1998
see SEARS C. E., CHOATE J. K. & PATERSON D. J. **509.P**, 121*P*, 1998
see HEINERT G., CASADEI B. & PATERSON D. J. **511.P**, 110*P*, 1998
see NASH M. P., THORNTON J. M., BANNING A. P. & PATERSON D. J. **513.P**, 162*P*, 1998

PATON J. F. R. *see* BÜSSELBERG D., SCHWARZACHER S. W., BISCHOFF A. M., PATON J. F. R. & RICHTER D. W. **509.P**, 124*P*, 1998
see EDWARDS E. & PATON J. F. R. **509.P**, 125*P*, 1998
see BUTCHER J. W., KASPAROV S. & PATON J. F. R. **509.P**, 128*P*, 1998
see KASPAROV S. & PATON J. F. R. **509.P**, 128*P*, 1998
PATON J. F. R., LI Y.-W., DEUCHARS J. & KASPAROV S. Similarities between peripheral chemoreceptor and pharyngoesophageal receptor reflex responses and their afferent convergence in the nucleus of the solitary tract (NTS) **509.P**, 23*S*, 1998
see KASPAROV S. & PATON J. F. R. **513.P**, 19*P*, 1998
PATON J. F. R., LI Y.-W., SCHWABER J. S. & KASPAROV S. Whole-cell recordings and response properties of baroreceptive neurones located in the solitary tract nucleus of a working heart–brainstem preparation of mature rat **513.P**, 78*P*, 1998
see EDWARDS E. & PATON J. F. R. **513.P**, 79*P*, 1998
see DEUCHARS J., LI Y.-W., KASPAROV S. & PATON J. F. R. **513.P**, 83*P*, 1998

PATT S. *see* HARTMANN J., LABRAKAKIS C., VERKHRATSKY A., PATT S. & KETTENMANN H. **513.P**, 14*S*, 1998

PATTERSON R. D. *see* O'MARD L. P., MEDDIS R. & PATTERSON R. D. **506.P**, 8*P*, 1998

PAVELKA S. *see* SOUKUP T., JIRMANOVÁ I., ZACHAŘOVÁ G., RAUCHOVÁ H. & PAVELKA S. **511.P**, 137*P*, 1998

PAWELZIK H. *see* BROWN L. A., LOVICK T. A., KEY B. J., THOMSON A. M., ALI A. B. & PAWELZIK H. **511.P**, 115*P*, 1998
PAWELZIK H. & THOMSON A. M. Fast IPSPs generated by horizontal oriens–alveus interneurones in the distal dendrites of simultaneously recorded CA1 pyramidal cells in hippocampal slices **513.P**, 14*P*, 1998

PEAKMAN T. C. *see* POWELL A. J., MAIN M. J., DALE T. J., NASSAU P. M., PLUMPTON C., XIE X. M., CLARE J. J. & PEAKMAN T. C. **513.P**, 141*P*, 1998

PEARCE N. W. *see* BRENNAN H. J., PEARCE N. W. & JOHNSON C. D. **509.P**, 16*P*, 1998
see BRENNAN H. J., PEARCE N. W., CLEVERLY J. & JOHNSON C. D. **509.P**, 17*P*, 1998
see BRENNAN H. J., PEARCE N. W. & JOHNSON C. D. **513.P**, 94*P*, 1998

PEARSON H. A. *see* RAMSDEN M., HENDERSON Z. & PEARSON H. A. **513.P**, 128*P*, 1998

PEARSON J. D. *see* BAYDOUN A. R., WHEELER-JONES C. P. D., PEARSON J. D. & CLOSS E. I. **506.P**, 29*P*, 1998
see PARRA M., YUDILEVICH D. L., MANN G. E., PEDLEY K., NICOLAIDES K., PEARSON J. D. & SOBREVIA L. **506.P**, 34*P*, 1998
see MADDOCK H. L., PEARSON J. D. & JARVIS S. M. **513.P**, 152*P*, 1998

PEDACE F. *see* PRIORI A., PEDACE F., GIOVANNELLI M., INGHILLERI M. & BERARDELLI A. **507.P**, 34*P*, 1998

PEDERSEN B. K. *see* SCHJERLING P., JONSDOTTIR I. H., OSTROWSKI K., ASP S. & PEDERSEN B. K. **509.P**, 47*P*, 1998

PEDLEY K. *see* PARRA M., YUDILEVICH D. L., MANN G. E., PEDLEY K., NICOLAIDES K., PEARSON J. D. & SOBREVIA L. **506.P**, 34*P*, 1998

PEEBLES D. *see* NEWMAN J. P., PEEBLES D., HARDING S., SPRINGETT R. & HANSON M. A. **507.P**, 52*P*, 1998

PEERS C. *see* FEARON I. M., PALMER A. C. V., BALMFORTH A. J., BALL S. G., SCHWARTZ A. & PEERS C. **506.P**, 48*P*, 1998
PEERS C. & CARPENTER E. Protein kinase C activation causes inhibition of maxi-K channels in isolated rat carotid body type I cells **506.P**, 50*P*, 1998
see CARPENTER E., BEE D. & PEERS C. **506.P**, 51*P*, 1998
see O'KELLY I., PEERS C. & KEMP P. J. **509.P**, 115*P*, 1998
see MCKENNA F., ASHFORD M. L. J. & PEERS C. **509.P**, 188*P*, 1998
PEERS C. Regulation of ion channels by O_2 tension **509.P**, 3*S*, 1998
see O'KELLY I., PEERS C. & KEMP P. J. **511.P**, 146*P*, 1998
see TAYLOR S. C. & PEERS C. **513.P**, 74*P*, 1998
see FEARON I. M., PALMER A. C. V., BALMFORTH A. J., BALL S. G., VARADI G. & PEERS C. **513.P**, 126*P*, 1998
see O'KELLY I., STEPHENS R. H., PEERS C. & KEMP P. J. **513.P**, 128*P*, 1998

PEIRÓ J. *see* CARO C. G., WATKINS N., DOORLY D. J., SHERWIN S. J. & PEIRÓ J. **513.P**, 2*P*, 1998

PELAH A.
PELAH A., SECKER B., BISHOP A. & ASKHAM C. A wide-field simulator for studying visuo-motor interactions in locomotion **506.P**, 12*P*, 1998
see DURGIN F. H. & PELAH A. **506.P**, 111*P*, 1998
PELAH A. & BODDY A. Adaptive modulation of the motion after-effect by walking **506.P**, 111*P*, 1998

PELLEGRINO M. A. *see* BOTTINELLI R., PELLEGRINO M. A., CANEPARI M., STIENEN G. J. M. & REGGIANI C. **506.P**, 4*S*, 1998

PELZER D. J. *see* YOU Y., PELZER D. J. & PELZER S. **509.P**, 140*P*, 1998
see LA C., PELZER S. & PELZER D. J. **509.P**, 141*P*, 1998

PELZER S. *see* YOU Y., PELZER D. J. & PELZER S. **509.P**, 140*P*, 1998
see LA C., PELZER S. & PELZER D. J. **509.P**, 141*P*, 1998

PERCHENET L.
PERCHENET L., HINDE A. K. B., PATEL K. C. R., PABBATHI V. K., HANCOX J. C. & LEVI A. J. β-Adrenergic stimulation of the Na^+–Ca^{2+} exchange in isolated guinea-pig ventricular myocytes at 37 °C **509.P**, 140*P*, 1998
see HOBAI I. A., PATEL K. C. R., PERCHENET L. & LEVI A. J. **509.P**, 144*P*, 1998
see HINDE A. K. B., PERCHENET L. & LEVI A. J. **509.P**, 157*P*, 1998
see HINDE A. K. B., PERCHENET L., HOBAI I. A., HANCOX J. C. & LEVI A. J. **511.P**, 81*P*, 1998
see PABBATHI V. K., HINDE A. K. B., PERCHENET L., HANCOX J. C., LEVI A. J. & MITCHESON J. S. **511.P**, 92*P*, 1998

PERERA D. M. *see* CAMPBELL I. T., PERERA D. M., BANNON J. W., KEEGAN M. A. & WILLATT D. J. **506.P**, 98*P*, 1998

PÉREZ C.
PÉREZ C., CANAL J. R., ROMERO A. & TORRES M. D. Ficus carica fractions improve fatty acid metabolism **509.P**, 23*P*, 1998

PÉREZ-GARCÍA M. T.

PÉREZ-GARCÍA M. T., LÓPEZ-LÓPEZ J. R. & GONZÁLEZ C. Kvβ1 subunits can modulate the sensitivity to hypoxia of heterologously expressed voltage-gated K^+ channels in a subfamily-specific manner **509.P**, 36*P*, 1998

PÉREZ-ROMERO A.

PÉREZ-ROMERO A., DIALYNAS E., BARTKE A., SALAMÉ F., ARIZNAVARRETA C. & TRESGUERRES J. A. F. GH production in submaxillary gland after GHRH stimulation **509.P**, 94*P*, 1998

PERNOLLET M.-G. *see ZICHA J., LE QUAN SANG K. H., DAVID-DUFILHO M., KUNES J., PERNOLLET M.-G. & DEVYNCK M.-A.* **511.P**, 165*P*, 1998

PERRET C. *see DAGHER G., SAMAIN E., BOUILLIER H., PERRET C. & SAFAR M.* **506.P**, 18*P*, 1998

see SAMAIN E., BOUILLIER H., PERRET C., SAFAR M. & DAGHER G. **506.P**, 19*P*, 1998

see BOUILLIER H., SAMAIN E., PERRET C., SAFAR M. & DAGHER G. **511.P**, 168*P*, 1998

see BOUILLIER H., SAMAIN E., PERRET C., SAFAR M. & DAGHER G. **511.P**, 168*P*, 1998

see BOUILLIER H., SAMAIN E., PERRET C., SAFAR M. & DAGHER G. **511.P**, 173*P*, 1998

PERRY S. *see BURKE J. F., COX K. J. A., PERRY S., TENSEN C. P. & VAN HEERIKHUIZEN H.* **513.P**, 16*S*, 1998

PERRY V. H. *see GAGG J., SMITH L., BROWN H., PERRY V. H. & KOZLOWSKI R.* **506.P**, 46*P*, 1998

PERTSOV A. M. *see BIKTASHEV V. N., HOLDEN A. V., MIRONOV S. F., PERTSOV A. M. & ZAITSEV A. V.* **509.P**, 139*P*, 1998

PERTUSA J. A. G.

PERTUSA J. A. G., SORIA B. & MARTÍN F. Competitive effects of alien intracellular calcium chelators with the receptor molecule that triggers insulin release **509.P**, 202*P*, 1998

PETER G. J.

PETER G. J., WADE E. A. & TAYLOR P. M. Functional properties of C-terminal deletion mutants of NBAT assessed using *c-myc* tagged proteins expressed in *Xenopus laevis* oocytes **509.P**, 193*P*, 1998

PETERS D. *see ESTON R. G. & PETERS D.* **506.P**, 116*P*, 1998

PETERSEN N.

PETERSEN N., TAYLOR J. L., BUTLER J. E. & GANDEVIA S. C. Depression of responses to transmastoid stimulation in human elbow flexor muscles after fatiguing voluntary contractions **511.P**, 65*P*, 1998

PETERSEN O. H. *see CANCELA J. M., MOGAMI H., TEPIKIN A. V. & PETERSEN O. H.* **506.P**, 72*P*, 1998

see TAKEO T., CRASKE M., TÖRÖK K., PETERSEN O. H. & TEPIKIN A. **506.P**, 74*P*, 1998

see CRASKE M., TAKEO T., TÖRÖK K., PETERSEN O. H. & TEPIKIN A. V. **509.P**, 3*P*, 1998

see MOGAMI H., TEPIKIN A. V. & PETERSEN O. H. **509.P**, 3*P*, 1998

see CANCELA J. M. & PETERSEN O. H. **509.P**, 104*P*, 1998

see TINEL H., MOGAMI H., CANCELA J. M., TEPIKIN A. & PETERSEN O. H. **509.P**, 104*P*, 1998

see GERASIMENKO O. V., GERASIMENKO J. V., TEPIKIN A. V. & PETERSEN O. H. **509.P**, 105*P*, 1998

see TEPIKIN A., BELAN P., GERASIMENKO O., CRASKE M., TAKEO T., TÖRÖK K. & PETERSEN O. H. **509.P**, 8*S*, 1998

see GERASIMENKO O. V., GERASIMENKO J. V. & PETERSEN O. H. **511.P**, 32*P*, 1998

PETHEÖ G. L.

PETHEÖ G. L., MOLNÁR Z. & SPÄT A. A novel inward rectifying proton channel in the chemoreceptor cell of the rat carotid body **513.P**, 132*P*, 1998

PETRIE M. C. *see DARNLEY G. M., GRAY A. C., MCCLURE S. J., NEARY P., PETRIE M. C., MCMURRAY J. J. V. & MACFARLANE N. G.* **509.P**, 119*P*, 1998

PETRU M. *see SHERLOCK J., CIRIGLIANO V., PETRU M. & ADINOLFI M.* **507.P**, 46*P*, 1998

PFAFF D. W.

PFAFF D. W., DELLOVADE T., CHAN J., ZHU Y., KIA K., VENNSTROM B. & FORREST D. Interactions between oestrogen receptors and thyroid hormone receptors as nuclear proteins in hypothalamic neurons **509.P**, 14*S*, 1998

PFEIFFER F. *see GONZÁLEZ A., PFEIFFER F., SCHMID A. & SCHULZ I.* **506.P**, 126*P*, 1998

PFEIFFER F., GONZÁLEZ A., SCHMID A., STERNFELD L. & SCHULZ I. Control of Ca^{2+} wave propagation in mouse pancreatic acinar cells **509.P**, 9*S*, 1998

PHANEUF S.

PHANEUF S., RODRÍGUEZ-LIÑARES B. & LÓPEZ BERNAL A. The human myometrial oxytocin receptor is down-regulated during labour **507.P**, 70*P*, 1998

see RODRÍGUEZ-LIÑARES B., PHANEUF S., LÓPEZ BERNAL A. & LINTON E. A. **507.P**, 70*P*, 1998

PHILIPSON K. D. *see TERRACCIANO C. M. N., DE SOUZA A. I., PHILIPSON K. D. & MACLEOD K. T.* **509.P**, 154*P*, 1998

PHILLIPS H. M. *see EMERY C. J., PHILLIPS H. M., MARRIOTT H. M., LAUDE E. A. & BEE D.* **511.P**, 108*P*, 1998

PHILLIPS S. K. *see SKELTON D. A., PHILLIPS S. K., BRUCE S. A., NAYLOR C. H. & WOLEDGE R. C.* **506.P** , 105*P*, 1998

PHOENIX J. *see CASTELL L. M., PHOENIX J., EDWARDS R. H. T. & NEWSHOLME E. A.* **509.P**, 206*P*, 1998

PICHON Y. *see PRIME L., PICHON Y. & MOORE L. E.* **513.P**, 100*P*, 1998

PIÉ J. *see GARCÍA J. J., REITER R. J., ACUÑA-CASTROVIEJO D., PIÉ J., BALLARÍN E. M. & YU B. P.* **509.P**, 95*P*, 1998

PINELIS V. G. *see STOROZHEVYKH T. P., GRIGORTSEVICH N. Y., VERGUN O. V., VINSKAYA N. P., PINELIS V. G. & KHODOROV B. I.* **509.P**, 56*P*, 1998

PINNOCK R. D. *see HERSON P. S., LEE K., ASHFORD M. L. J. & PINNOCK R. D.* **507.P**, 15*P*, 1998

see PRESTON Z., LEE K., RICHARDSON P. J. & PINNOCK R. D. **513.P**, 24*P*, 1998

see HEPWORTH M. B. & PINNOCK R. D. **513.P**, 133*P*, 1998

see STEVENS E. B., SHAH B. S., LEE K. & PINNOCK R. D. **513.P**, 138*P*, 1998

PINTOR J. *see MARTÍN F., PINTOR J., ROVIRA J. M., RIPOLL C., MIRAS-PORTUGAL M. T. & SORIA B.* **509.P**, 196*P*, 1998

PITMAN R. M. *see BUTT S. J. B. & PITMAN R. M.* **513.P**, 102*P*, 1998

PITT J. *see OJO-AROMOKUDU O., PITT J., BOULOS P. B., KNIGHT S. L. & CRAGGS M. D.* **507.P**, 19*P*, 1998

PIVOVAROV A. S.

PIVOVAROV A. S. & WALKER R. J. Structure–activity relationships of the *Helix* neuropeptide, SEPYLRFamide, and its four N-terminally modified analogues on identified *Helix lucorum* neurones **513.P**, 112*P*, 1998

PLACHETA Z. *see SIEGELOVÁ J., FIŠER B., DUŠEK J. & PLACHETA Z.* **511.P**, 113*P*, 1998

see DUŠEK J., SIEGELOVÁ J., DOBŠÁK P., FIŠER B. & PLACHETA Z. **511.P**, 115*P*, 1998

PLANAS J. M. *see MORETÓ M., GARRIGA C. & PLANAS J. M.* **507.P**, 7*P*, 1998

see VÁZQUEZ C. M., DE LA HERMOSA M. A., MATE A., SÁNCHEZ-AGUAYO I. & PLANAS J. M. **509.P**, 25*P*, 1998

PLUMPTON C. *see GLADWELL Z. M., TREZISE D. J., PLUMPTON C., XIE X. M. & TATE S.* **513.P**, 141*P*, 1998

see POWELL A. J., MAIN M. J., DALE T. J., NASSAU P. M., PLUMPTON C., XIE X. M., CLARE J. J. & PEAKMAN T. C. **513.P**, 141*P*, 1998

POKORNÝ J. *see MAREŠ J., POKORNÝ J., ŠÍDA P. & KLENEROVÁ V.* **511.P**, 127*P*, 1998

see MAREŠOVÁ D., DOUBEK P., POKORNÝ J., LANGMEIER M., MAREŠ J., HETKA R. & TROJAN S. **511.P**, 131*P*, 1998

POKORNÝ J. & TROJAN S. Postnatal factors related to final development of neuronal circuits **511.P**, 138*P*, 1998

POLLARD C. E. *see HARGREAVES A. C. & POLLARD C. E.* **513.P**, 131*P*, 1998

POLO B. *see ALBEROLA A., MENEGUER I., TORREBLANCA M., MOYA A., SANCHO S., POLO B., SORIA B. & SUCH L.* **509.P**, 148*P*, 1998

PONNERY A. S. *see DRAPER C. E., SINGH J., PONNERY A. S., MASON N. & ADEGHATE E. A.* **511.P**, 22*P*, 1998

POPELÁŘ J.

POPELÁŘ J., VALVODA J. & SYKA J. Suppression of transient-evoked otoacoustic emissions by acoustical and electrical stimulation of the contralateral ear in guinea-pigs **511.P**, 45*P*, 1998

see SYKA J., POPELÁŘ J., KVAŠŇÁK E. & ŠUTA D. **511.P**, 25*S*, 1998

POPOV K. *see CAUQUIL A. S., FALDON M., POPOV K., BRONSTEIN A. & DAY B. L.* **506.P**, 110*P*, 1998

PORTHA B. *see LEON-QUINTO T., NADAL A., PORTHA B. & SORIA B.* **509.P**, 72*P*, 1998

POSTON L. *see CAMPA J. S., POSTON R. & POSTON L.* **507.P**, 69*P*, 1998

see KNOCK G., SAWDY R., SMIRNOV S., POSTON L., BENNETT P. & AARONSON P. **507.P**, 69*P*, 1998

see PRIEST R. M., HUCKS D., POSTON L. & WARD J. P. T. **509.P**, 31*P*, 1998

see OZAKI T., NISHINA H., HAWKINS P., CROWE C., POSTON L. & HANSON M. A. **513.P**, 118*P*, 1998

see STEINERT J. R., JACOB R., POSTON L. & MANN G. E. **513.P**, 150*P*, 1998

see OZAKI T., NISHINA H., POSTON L. & HANSON M. A. **513.P**, 157*P*, 1998

Poston R. *see Campa J. S., Poston R. & Poston L.* **507.P**, 69*P*, 1998

Pott L. *see Brandts B., Brandts A., Bender K., Wellner-Kienitz M.-C. & Pott L.* **511.P**, 77*P*, 1998

Potter K. N.

Potter K. N. & Fulton B. P. Effect of nerve growth factor on gap junctional communication between embryonic rat dorsal root ganglion neurones **507.P**, 30*P*, 1998

Potts D. J. *see Graham C., Lodge J. P. A. & Potts D. J.* **511.P**, 34*P*, 1998

see Graham C., Marples D. D. R., Hunter M., Lodge J. P. A. & Potts D. J. **513.P**, 3*P*, 1998

Poucher S. M. *see Timmons J. A., Poucher S. M. & Greenhaff P. L.* **506.P**, 40*P*, 1998

see Timmons J. A., Greenhaff P. L. & Poucher S. M. **506.P**, 41*P*, 1998

Poujeol P. *see Duranton C., Avella M., Tauc M. & Poujeol P.* **513.P**, 136*P*, 1998

Poulain P. *see Mullier O., Viltart O., Poulain P., Tramu G. & Sequeira H.* **513.P**, 84*P*, 1998

Pow D. V. *see Batten T. F. C., Pow D. V. & Zafra F.* **509.P**, 126*P*, 1998

Powell A. J. *see Burbidge S. A., Powell A. J., Dale T. J., Xie X. M. & Clare J. J.* **513.P**, 130*P*, 1998

Powell A. J., Main M. J., Dale T. J., Nassau P. M., Plumpton C., Xie X. M., Clare J. J. & Peakman T. C. Electrophysiological analysis of the human brain type I voltage-gated Na^+ channel in *Xenopus* oocytes and mammalian cells **513.P**, 141*P*, 1998

Poyato J. M.

Poyato J. M., Tabares L., Alés E., Lindau M. & Alvarez de Toledo G. Properties of amperometric spikes studied by patch amperometry Monte Carlo simulation in rat chromaffin cells **509.P**, 60*P*, 1998

see Alés E., Tabares L., Poyato J. M., Lindau M. & Alvarez de Toledo G. **509.P**, 71*P*, 1998

Pozo M. J. *see Lajas A. I., Pozo M. J., Salido G. M., Singh J. & Pariente J. A.* **506.P**, 127*P*, 1998

Pozo M. J., Alcón S., Camello P., Salido G. M. & Scarpignato C. Characterization of vanadate-induced contraction in guinea-pig gallbladder **509.P**, 16*P*, 1998

see Lajas A. I., Pozo M. J., Camello P. J., Salido G. M. & Pariente J. A. **509.P**, 19*P*, 1998

see Pariente J. A., Lajas A. I., Pozo M. J., Camello P. J. & Salido G. M. **509.P**, 20*P*, 1998

see Alcón S., Camello P. J., Salido G. M., Scarpignato C. & Pozo M. J. **509.P**, 20*P*, 1998

Prentki M. *see Roche E., Buteau J., Aniento I., Soria B. & Prentki M.* **509.P**, 197*P*, 1998

Preston Z.

Preston Z., Lee K., Richardson P. J. & Pinnock R. D. Tachykinins increase [^{3}H]acetylcholine release in mouse striatum through multiple receptor subtypes **513.P**, 24*P*, 1998

Prevarskaya N. *see Ouadid-Ahidouch H., Le Bhouris X. F., Toillon R. A. & Prevarskaya N.* **513.P**, 136*P*, 1998

Price M. E.

Price M. E., Dacke C. G. & Ebenezer I. S. Effects of intraperitoneal administration of calcitonin gene-related peptide (CGRP) on food and water intake in female rats **513.P**, 8*P*, 1998

Priest R. M. *see Queen L. R., Priest R. M., Ward J. P. T. & Ferro A.* **506.P**, 31*P*, 1998

Priest R. M., Hucks D., Poston L. & Ward J. P. T. Synergistic relationship between α- and β-adrenoceptor-mediated pathways in isolated pulmonary artery of the rat **509.P**, 31*P*, 1998

see Hucks D., Priest R. M. & Ward J. P. T. **513.P**, 91*P*, 1998

Priest R. M., Snetkov V. A. & Ward J. P. T. Estimation of NO production in endothelial cells using a real-time fluorometric technique **513.P**, 155*P*, 1998

Priestley J. V. *see Khasabov S. G., Wotherspoon G., Priestley J. V. & King A. E.* **509.P**, 164*P*, 1998

Prime L.

Prime L., Pichon Y. & Moore L. E. Membrane potential oscillations in semi-isolated spinal neurones of *Xenopus* embryos **513.P**, 100*P*, 1998

Primrose J. N. *see Gupta R., Patel K., Jackson A., Johnson C. D. & Primrose J. N.* **509.P**, 17*P*, 1998

see Gupta R., Patel K., Jackson A., Primrose J. N. & Johnson C. D. **509.P**, 18*P*, 1998

Priori A.

Priori A., Pedace F., Giovannelli M., Inghilleri M. & Berardelli A. Reciprocal inhibition in co-contracting forearm muscles during suppression of motor cortical output: evidence suggesting that the central command for decreased reciprocal inhibition is uncoupled from motor cortical activity **507.P**, 34*P*, 1998

Priori A., Truini A. & Cruccu G. The excitability of the heteronimous trigeminal Ia-motoneurone connection: an indirect estimate of the after-hyperpolarization **513.P**, 33*P*, 1998

see Modugno N., Priori A., Gilio F., Lorenzano C. & Berardelli A. **513.P**, 34*P*, 1998

Prochazka A. *see Zedka M., Knight B. & Prochazka A.* **511.P**, 60*P*, 1998

Prochazka A., Gillard D. & Cameron T. Positive force feedback and other unorthodox CNS motor control strategies **511.P**, 28*S*, 1998

Proctor A. V.

Proctor A. V. & Fry C. H. The action of hyposmolar solutions on intracellular [Ca^{2+}] in guinea-pig detrusor smooth muscle myocytes **513.P**, 97*P*, 1998

Proctor G. B. *see Carpenter G. H., Proctor G. B. & Garrett J. R.* **509.P**, 8*P*, 1998

Prokopová Š.

Prokopová Š., Šimonová Z. & Syková E. Extracellular space diffusion parameters in the frog spinal cord and filium terminale: effect of elevated potassium and hypotonic stress **511.P**, 15*P*, 1998

Proske U.

Proske U., Gregory J. E., Whitehead N. P. & Morgan D. L. Resting tension and passive stiffness of skeletal muscle **511.P**, 30*S*, 1998

Prothero L. S.

Prothero L. S., Wood J., Onambélé G. N., Mathie A. & Richards C. D. Inorganic ion selectivity of the sustained calcium response following activation of metabotropic glutamate receptors in cultured rat cortical neurones and glia **506.P**, 147*P*, 1998

see Richards C. D., Prothero L. S. & Mathie A. **506.P**, 12*S*, 1998

Prydal J. I.

Prydal J. I., Kerr-Muir M. G. & Marshall J. Confocal microscopy with digital image analysis of the distribution and size of keratocytes in the cornea of conscious human subjects **506.P**, 90*P*, 1998

Pučelík P. *see Ostadal B., Pucelík P., Bass A. & Nováková O.* **511.P**, 76*P*, 1998

Pučelík P. & Štengl M. The effect of different concentrations of verapamil on action potentials and isometric contractions of the right ventricle papillary muscles of newborn and adult cats **511.P**, 87*P*, 1998

see Štengl M. & Pučelík P. **511.P**, 87*P*, 1998

Pugh E. N. Jr *see Lamb T. D., Cideciyan A. V., Jacobson S. G. & Pugh E. N. Jr* **506.P**, 88*P*, 1998

Puntschart A. *see Gustafsson T., Puntschart A., Sundberg C. J. & Jansson E.* **506.P**, 25*P*, 1998

Purcell C. *see Newham D. J., Purcell C. & Rutherford O. M.* **506.P**, 106*P*, 1998

Pye D. W. *see Bassey E. J., Rothwell M. C., Littlewood J. J. & Pye D. W.* **506.P**, 119*P*, 1998

Pyner S. *see Gladwell S. J., Pyner S., Barnes N. M. & Coote J. H.* **506.P**, 135*P*, 1998

Queen L. R. *see Xu B., Queen L. R. & Ferro A.* **506.P**, 30*P*, 1998

Queen L. R., Priest R. M., Ward J. P. T. & Ferro A. β-Adrenoceptor stimulation activates the L-arginine/nitric oxide synthase system in human umbilical vein endothelial cells **506.P**, 31*P*, 1998

Quesada I.

Quesada I., Martín F. & Soria B. Detection of submembrane cytosolic Ca^{2+} gradients by the laser spot confocal technique in pancreatic islet cells stimulated by nutrient secretagogues **509.P**, 105*P*, 1998

Quinn K.

Quinn K. & Beech D. J. K^+ channels determining resting potential in arterioles from rabbit cerebral cortex **509.P**, 35*P*, 1998

see Guibert C., Quinn K. & Beech D. J. **513.P**, 123*P*, 1998

Quinn K. & Beech D. J. Depolarizing potassium current sets resting potential in rabbit cerebral cortex arterioles **513.P**, 127*P*, 1998

Quinn P. A. *see Ng L. L., Jennings S. & Quinn P. A.* **511.P**, 167*P*, 1998

Qureshi I. Z.

Qureshi I. Z., Giesberts A. N. & White S. J. Immunohistochemical localization of sulphonylurea receptors SUR 1 and SUR 2A in the rat kidney **509.P**, 203*P*, 1998

Rabié A. *see Hurbin A., Boissin-Agasse L., Orcel H., Rabié A., Joux N., Desarménien M. G., Richard Ph. & Moos F. C.* **509.P**, 87*P*, 1998

Radda G. K. *see Mielke M., Paterson D. J., Radda G. K. & Clarke K.* **507.P**, 60*P*, 1998

Rahamimoff R. *see Teschemacher A., Kasparov S., Kravitz E. A. & Rahamimoff R.* **506.P**, 148*P*, 1998

Rainey E. M. *see Blackshaw S. E., Arkison S., Cattigan A., Chambers R. & Rainey E. M.* **511.P**, 139*P*, 1998

Rajamani S.

Rajamani S., Lemmens-Gruber R., Studenik C. & Heistracher P. Cardiotoxic effects of fenfluramine hydrochloride on isolated guinea-pig ventricular myocytes **513.P**, 162*P*, 1998

Ralevic V.

Ralevic V., Thomas T. & Spyer K. M. Effects of P2 purine receptor agonists microinjected into the rostral ventrolateral medulla on the cardiovascular and respiratory systems of the anaesthetized rat **509.P**, 127*P*, 1998

Ramage A. G.

Ramage A. G. & Mifflin S. W. Vagal-evoked excitation of a sub-population of neurones in the nucleus of the solitary tract (NTS) involves 5-HT_3 receptors in the anaesthetized rat **509.P**, 129*P*, 1998

see Wang Y., Sévoz-Couche C., Jordan D. & Ramage A. G. **513.P**, 78*P*, 1998

see Skinner M. R., Ramage A. G. & Jordan D. **513.P**, 85*P*, 1998

Ramírez M. C. *see Mañas M., Martínez M. A., Yago M. D., Ramírez M. C., Gil A., Martínez-Victoria E. & Singh J.* **509.P**, 14*P*, 1998

Ramírez R. *see Echevarría M., Ramírez R., Vizuete M. L., Venero J. L., Revuelta M., Cano J. & Ilundáin A. A.* **509.P**, 13*P*, 1998

Ramírez-Ponce P. *see Valero V., Ramírez-Ponce P., Mateos J. C., Alvarez de Toledo A. & Bellido J.* **509.P**, 106*P*, 1998

Ramsden M.

Ramsden M., Henderson Z. & Pearson H. A. The effects of amyloid β protein (1–40) on K^+ channel currents in cultures of rat cerebellar granule and cortical neurones **513.P**, 128*P*, 1998

Rana S. *see Wong P. S. K., Rana S. & Johns E. J.* **513.P**, 41*P*, 1998

Ranatunga K. W. *see Mutungi G. & Ranatunga K. W.* **511.P**, 155*P*, 1998

Rang H. P. *see Nagy I. & Rang H. P.* **506.P**, 153*P*, 1998

see Nagy I. & Rang H. P. **507.P**, 29*P*, 1998

Rangachari P. K. *see Unmack M. A., Rangachari P. K., Hansen M. B. & Skadhauge E.* **507.P**, 9*P*, 1998

Rankin A. C. *see Workman A. J., Kane K. A. & Rankin A. C.* **509.P**, 149*P*, 1998

Rapp G. *see Griffiths P. J., Ashley C. C., Bagni M. A., Cecchi G. & Rapp G.* **506.P**, 62*P*, 1998

see Hoskins B. K., Griffiths P. J., Ashley C. C. & Rapp G. **506.P**, 62*P*, 1998

see Hoskins B. K., Griffiths P. J., Ashley C. C. & Rapp G. **511.P**, 156*P*, 1998

Rapp G., Ashley C. C., Cecchi G., Griffiths P. J. & Bagni M. A. High time resolution meridional intensity changes from bundles of intact muscle fibres accompanying release–restretch cycling **511.P**, 157*P*, 1998

Rašková H. *see Yamamotová A., Rokyta R., Starec M. & Rašková H.* **511.P**, 58*P*, 1998

Ratcliff R. A. *see Riemen C. E., Muimo R., Ratcliff R. A., Colledge W. H., Evans M. J. & Mehta A.* **509.P**, 81*P*, 1998

Rattray M. *see Reddington F., Berry M., Rattray M., Kirvell S. & Butt A. M.* **513.P**, 68*P*, 1998

Rauchová H. *see Soukup T., Jirmanová I., Zacharová G., Rauchová H. & Pavelka S.* **511.P**, 137*P*, 1998

Ravenall S. *see Akopian A. N., Okuse K., Souslova V., England S., Sivilotti L., Fitzgerald E., Ravenall S., Dolphin A. C. & Wood J. N.* **513.P**, 20*S*, 1998

Raymond V.

Raymond V. & Lapied B. Separation and identification of two distinct inward currents activated by hyperpolarization in cockroach short-term cultured dorsal unpaired median neurones **513.P**, 103*P*, 1998

Razaq M. S.

Razaq M. S. & Wilkins R. J. Characterization of intracellular pH regulation of isolated cells from the nucleus pulposus of bovine intervertebral disc **513.P**, 58*P*, 1998

Reddington F.

Reddington F., Berry M., Rattray M., Kirvell S. & Butt A. M. Cytokine interactions on oligodendrocytes leading to disruption in the rat **513.P**, 68*P*, 1998

Reed J. W. *see Binks A. P. & Reed J. W.* **513.P**, 72*P*, 1998

Reed M. W. R. *see Kalia N., Jones C., Bardhan K. D., Reed M. W. R., Atherton J. C. & Brown N. J.* **513.P**, 151*P*, 1998

Rees A. *see Griffiths T. D., Rees G., Rees A., Green G. G. R., Witton C., Rowe D., Buechel C., Turner R. & Frackowiak R. S. J.* **506.P**, 85*P*, 1998

see Witton C., Rees A., Lavis R., Griffiths T. D. & Green G. G. R. **506.P**, 85*P*, 1998

Rees A., LeBeau F. E. N. & Malmierca M. S. The role of inhibition in the responses of neurons in the inferior colliculus **511.P**, 23*S*, 1998

Rees G. *see Griffiths T. D., Rees G., Rees A., Green G. G. R., Witton C., Rowe D., Buechel C., Turner R. & Frackowiak R. S. J.* **506.P**, 85*P*, 1998

Reggiani C. *see Bottinelli R., Pellegrino M. A., Canepari M., Stienen G. J. M. & Reggiani C.* **506.P**, 4*S*, 1998

Reisert J. *see Matthews H. R., Sampath A. P., Reisert J., Cornwall M. C. & Fain G. L.* **506.P**, 3*P*, 1998

Reisert J. & Matthews H. R. Recording odour-induced responses from isolated frog olfactory receptor cells using the suction pipette technique and multiple rapid solution exchanges **506.P**, 4*P*, 1998

Reisert J. & Matthews H. R. Adaptation of odour-induced responses in frog olfactory receptor cells **506.P**, 83*P*, 1998

Reiter R. J. *see García J. J., Reiter R. J., Acuña-Castroviejo D., Pié J., Ballarín E. M. & Yu B. P.* **509.P**, 95*P*, 1998

Remsbury A. L.

Remsbury A. L., Mylona P., Sibley C. P., Shennan D. B. & Greenwood S. L. The effect of anion channel blockers on hyposmotically stimulated [^{3}H]taurine efflux from cytotrophoblast cells and a choriocarcinoma cell line (BeWo) **509.P**, 78*P*, 1998

Rennie M. J. *see Yao P. C., Harper A. A., Brant A. M., Rennie M. J. & Ahmed A.* **507.P**, 5*P*, 1998

see Bowtell J. L., Smith K., Watt P. W. & Rennie M. J. **511.P**, 10*P*, 1998

see Khogali S. E. O., Lyall J. A. & Rennie M. J. **511.P**, 74*P*, 1998

see Khogali S. E. O., Weryk B., Lyall J. A. & Rennie M. J. **513.P**, 160*P*, 1998

Revuelta M. *see Echevarría M., Ramírez R., Vizuete M. L., Venero J. L., Revuelta M., Cano J. & Ilundáin A. A.* **509.P**, 13*P*, 1998

Reyes R.

Reyes R., González M., Negrín I., Alonso R. & Bello A. R. Neurotensin expression in the rat anterior pituitary during postnatal development of the rat: its relation to sex steroid hormone levels **509.P**, 93*P*, 1998

Reynolds A. M.

Reynolds A. M. & Robbins J. Metabotropic glutamate receptor agonists and 5-HT differentially modulate components of calcium channel currents in rat retinal ganglion cells **513.P**, 17*P*, 1998

see Vellani V., Reynolds A. M. & McNaughton P. A. **513.P**, 126*P*, 1998

Reynolds T.

Reynolds T. & Hartell N. A. Long-term depression in rat cerebellar slices lacks input specificity **509.P**, 57*P*, 1998

Rial R. V. *see Gamundí A., Roca C., Bernácer R., Nicolau M. C. & Rial R. V.* **509.P**, 89*P*, 1998

Ribchester R. R. *see Parson S. H., Davie N. & Ribchester R. R.* **507.P**, 30*P*, 1998

Ribchester R. R., Costanzo E. M., Parson S. H., Mattison R. J. & Barry J. A. Regulation of synaptic efficacy and occupancy at mammalian neuromuscular junctions **511.P**, 37*S*, 1998

Riccardi D. *see Bruce J. I. E., Ferguson C. & Riccardi D.* **513.P**, 50*P*, 1998

Rice A. S. C. *see Jaggar S. I. & Rice A. S. C.* **507.P**, 18*P*, 1998

see Scott H. C. F., Jaggar S. I. & Rice A. S. C. **507.P**, 18*P*, 1998

Richard Ph. *see Gouzènes L., Sabatier N., Richard Ph., Moos F. & Dayanithi G.* **509.P**, 86*P*, 1998

see Sabatier N., Richard Ph. & Dayanithi G. **509.P**, 86*P*, 1998

see Hurbin A., Boissin-Agasse L., Orcel H., Rabié A., Joux N., Desarménien M. G., Richard Ph. & Moos F. C. **509.P**, 87*P*, 1998

Richards C. D. *see Prothero L. S., Wood J., Onambélé G. N., Mathie A. & Richards C. D.* **506.P**, 147*P*, 1998

Richards C. D., Prothero L. S. & Mathie A. Activation of group I metabotropic glutamate receptors elicits a sustained calcium signal in rat cortical neurones and glia maintained in culture **506.P**, 12*S*, 1998
see Nicolson T., Bevan S. & Richards C. D. **511.P**, 122*P*, 1998
Richardson H. C. *see Burns P. A., McMullan S. S., Richardson H. C., Ryan W. G., Seddon S., Whitmore J. & Wilson C. L.* **511.P**, 61*P*, 1998
Richardson P. J. *see Preston Z., Lee K., Richardson P. J. & Pinnock R. D.* **513.P**, 24*P*, 1998
Richmond S.
Richmond S. & Ashmore J. Comparison of turn 4 and turn 1 *in situ* outer hair cells of the guinea-pig cochlea **513.P**, 133*P*, 1998
Richter D. W. *see Büsselberg D., Schwarzacher S. W., Bischoff A. M., Paton J. F. R. & Richter D. W.* **509.P**, 124*P*, 1998
see Mironov S. L. & Richter D. W. **509.P**, 125*P*, 1998
Richter D. W., Haller M. & Mironov S. Hypoxic and metabolic factors controlling brainstem respiratory neurones **509.P**, 22*S*, 1998
Riddell C. *see Morris J. G., Nevill M. E., Riddell C. & Williams C.* **506.P**, 104*P*, 1998
Riddell J. S. *see Bannatyne B. A., Riddell J. S., Maxwell D. J. & Scott D. T.* **509.P**, 171*P*, 1998
see Maxwell D. J. & Riddell J. S. **509.P**, 171*P*, 1998
Riddell J. S. The contribution of pre-motor interneurones to the control of muscle tone and tension **511.P**, 29*S*, 1998
Ridge R. M. A. P.
Ridge R. M. A. P. Changes in muscle fibre composition of motor units during development of mammalian skeletal muscle **511.P**, 38*S*, 1998
Riemen C. E.
Riemen C. E., Muimo R., Ratcliff R. A., Colledge W. H., Evans M. J. & Mehta A. Defective nucleoside triphosphate synthesis in plasma membranes derived from the tracheal epithelium of CFTR null (−/−) mice **509.P**, 81*P*, 1998
Rigas A.
Rigas A., Rosenberg J. R., Halliday D. M., Gray R. & Conway B. A. Procedures for the identification of task-dependent frequency components of movement-related signals during a simple motor task **509.P**, 6*P*, 1998
Rigg L. *see Lei M., Kohl P., Rigg L. & Terrar D.* **506.P**, 39*P*, 1998
Riley R. *see Wright D. J., Riley R., Stoker J. B., Mackintosh A., Tan L. B. & Hainsworth R.* **507.P**, 57*P*, 1998
Riolobos A. S. *see Yajeya J., Bajo V. M., de la Fuente A., Criado J. M., Riolobos A. S. & Heredia M.* **509.P**, 69*P*, 1998
Ripoll C. *see Rovira J. M., Nadal A., Soria B. & Ripoll C.* **509.P**, 89*P*, 1998
see Nadal A., Rovira J. M., Laribi O., Leon-Quinto T., Andreu E., Ripoll C. & Soria B. **509.P**, 90*P*, 1998
see Martín F., Pintor J., Rovira J. M., Ripoll C., Miras-Portugal M. T. & Soria B. **509.P**, 196*P*, 1998
Riquelme R. A. *see Giussani D. A., Riquelme R. A., McGarrigle H. H., Sanhueza E. M., Hanson M. A. & Llanos A. J.* **507.P**, 52*P*, 1998
Ritchie J. W. A. *see Stewart A., Ritchie J. W. A., Low S. Y., Hundal H. S. & Taylor P. M.* **513.P**, 51*P*, 1998
see Birrell J., Ritchie J. W. A., Low S. Y. & Taylor P. M. **513.P**, 62*P*, 1998
Ritter J. M. *see Dawes M., Chowienczyk P. J. & Ritter J. M.* **506.P**, 32*P*, 1998
Ritzhaupt A.
Ritzhaupt A., Wood I. S., Ellis A., Hosie K. B. & Shirazi-Beechey S. P. The role of monocarboxylate transporter (MCT1) in colonic short chain fatty acid (SCFA) transport; MCT1 expression in the healthy and diseased colon **509.P**, 79*P*, 1998
Rivera L.
Rivera L., McMurray G. & Brading A. F. The role of calcium stores in the action of muscarinic agonists on mammalian urinary bladder smooth muscle **507.P**, 21*P*, 1998
Rivolta M. N. *see Jagger D. J., Rivolta M. N., Holley M. C. & Ashmore J. F.* **509.P**, 189*P*, 1998
Robbins J. *see Reynolds A. M. & Robbins J.* **513.P**, 17*P*, 1998
Roberts J. C. *see Folland J. P., Irish C. S., Roberts J. C., Tarr J. E. & Jones D. A.* **506.P**, 102*P*, 1998
Roberts M. H. T. *see Monhemius R. & Roberts M. H. T.* **509.P**, 164*P*, 1998
see Monhemius R., Luton H. & Roberts M. H. T. **511.P**, 55*P*, 1998
Roberts N. *see Brunini T. M. C., Roberts N., Yaqoob M., Ellory J. C., Mann G. E. & Mendes Ribeiro A. C.* **506.P**, 33*P*, 1998
Roberts P. *see Kwong W. Y., Roberts P., Wild A. E., Langley-Evans S. C. & Fleming T. P.* **513.P**, 88*P*, 1998
Robertson B. *see Bell N., Akhtar S., Dolly J. O. & Robertson B.* **509.P**, 199*P*, 1998
see Southan A. P. & Robertson B. **511.P**, 127*P*, 1998
see McIntosh P., Moreno H., Robertson B. & Rudy B. **511.P**, 147*P*, 1998
Robertson I. *see Lewis G. H., Robertson I., Watson P. & Datta A. K.* **506.P**, 114*P*, 1998
Robinson H. P. C. *see Meister M., Crevier D. W. & Robinson H. P. C.* **506.P**, 2*P*, 1998
Robinson J. *see Hill I. D., Robinson J., Baxter G. D. & Allen J. M.* **506.P**, 115*P*, 1998
Robson L. *see Millar I. D. & Robson L.* **513.P**, 56*P*, 1998
see Balloch K. J. D., Kibble J. D. & Robson L. **513.P**, 61*P*, 1998
Robson P. J.
Robson P. J., Blannin A. K., Walsh N. P., Cook L. & Gleeson M. Effect of exercise intensity and duration on plasma glutamine responses following exercise and the time course of recovery in physically active men **506.P**, 118*P*, 1998
Roca C. *see Gamundí A., Roca C., Bernácer R., Nicolau M. C. & Rial R. V.* **509.P**, 89*P*, 1998
Roche E.
Roche E., Buteau J., Aniento I., Soria B. & Prentki M. Fatty acids induce the immediate-early response genes *c-fos* and *nur-77* in the pancreatic *β*-cell line INS-1 **509.P**, 197*P*, 1998
Rochette L. *see Dobšák P., Courderot-Masuyer C., Eicher J.-C., Siegelová J., Wolf J.-E. & Rochette L.* **511.P**, 114*P*, 1998
Rodeck C. *see Adinolfi M., Sherlock J. & Rodeck C.* **507.P**, 46*P*, 1998
Rodic B.
Rodic B., Schurch B., Schläpfer A., Curt A. & Knapp P. A. Are magnetic stimulations of the sacral roots useful to assess the efferent neuronal pathways of the lower urinary tract in SCI patients and to produce active detrusor contraction? **507.P**, 20*P*, 1998
Rodríguez A. B. *see Barriga C., Nogales G., Marchena J. M., Ortega E. & Rodríguez A. B.* **509.P**, 95*P*, 1998
Rodríguez A. B., Marchena J. M., Nogales G., Durán J. & Barriga C. Circadian rhythm of melatonin and its relationship with phagocytosis and superoxide anion levels in ring dove heterophils **509.P**, 96*P*, 1998
Rodríguez-Liñares B. *see Phaneuf S., Rodríguez-Liñares B. & López Bernal A.* **507.P**, 70*P*, 1998
Rodríguez-Liñares B., Phaneuf S., López Bernal A. & Linton E. A. Expression of corticotrophin releasing hormone receptor subtype 1 mRNA during labour in human myometrium measured by competitive PCR **507.P**, 70*P*, 1998
Rodríguez-Moreno A. *see Lerma J., Rodríguez-Moreno A., Paternain A. V. & Herreras O.* **509.P**, 2*S*, 1998
Roeper J. *see Bruns R., Liss B., Heymann J.-P. & Roeper J.* **507.P**, 28*P*, 1998
Rogers C. M.
Rogers C. M. & Brown E. R. L-type calcium channels exist in squid giant fibre lobe neurons **513.P**, 135*P*, 1998
Rogers S. M.
Rogers S. M. & Newland P. L. Taste coding by spiking local interneurones in the metathoracic ganglion of the locust **513.P**, 105*P*, 1998
Roitbak T.
Roitbak T., Šimonová Z. & Syková E. Injury-evoked reactive gliosis produces diffusion barriers in the rat cortex **511.P**, 17*P*, 1998
Rojas L.
Rojas L. & Orkand R. K. Potassium channel density increases selectively in the endfoot of retinal glial cells during bullfrog development **511.P**, 15*P*, 1998
Rokyta R.
Rokyta R., Jurčovičová J., Krsová D., Rovenský M., Šťastná H., Švík K. & Yamamoto A. Chronic stress by food restriction attenuates symptoms of adjuvant arthritis in rats **511.P**, 54*P*, 1998
see Kříž N., Yamamoto A., Tobiáš J. & Rokyta R. **511.P**, 57*P*, 1998
see Yamamotová A., Rokyta R., Starec M. & Rašková H. **511.P**, 58*P*, 1998
Rolf M. G.
Rolf M. G., Lockwood A. J., Mahaut-Smith M. P. & Sage S. O. Properties of the human platelet ADP receptor which releases calcium from intracellular stores **506.P**, 68*P*, 1998
Romero A. *see Pérez C., Canal J. R., Romero A. & Torres M. D.* **509.P**, 23*P*, 1998

ROSADO J. A.
ROSADO J. A., GARCIA L. J., SINGH J. & SALIDO G. M. Differential involvement of the small GTP-binding protein Rho in amylase secretion evoked by the occupation of CCK_A and M_3 muscarinic receptors in rat pancreatic acinar cells **506.P**, 127*P*, 1998
ROSBERGEN M. J. *see FISHER W. J., ROSBERGEN M. J. & WHITE M. J.* **506.P**, 116*P*, 1998
RÖSEN R. *see FARMER H., RÖSEN R., KLAUS W. & BORN G. V. R.* **506.P**, 27*P*, 1998
ROSENBERG J. R. *see HALLIDAY D. M., CONWAY B. A., FARMER S. F., ROSENBERG J. R., MCLELLAND D. & VOUREKAS G.* **506.P**, 82*P*, 1998
see RIGAS A., ROSENBERG J. R., HALLIDAY D. M., GRAY R. & CONWAY B. A. **509.P**, 6*P*, 1998
see CONWAY B. A., HALLIDAY D. M., BRAY K., CAMERON M., MCLELLAND D., MULCAHY E., FARMER S. F. & ROSENBERG J. R. **509.P**, 175*P*, 1998
see BROWN P., FARMER S. F., HALLIDAY D. M. & ROSENBERG J. R. **509.P**, 176*P*, 1998
see CONWAY B. A., FARMER S. F., HALLIDAY D. M. & ROSENBERG J. R. **509.P**, 31*S*, 1998
ROSENBERG M. *see COLLIER D., COLLIER C., GRADWELL D. & ROSENBERG M.* **506.P**, 84*P*, 1998
ROSIE R. *see FINK G., SUMNER B. E. H., MCQUEEN J. K., WILSON H. & ROSIE R.* **509.P**, 17*S*, 1998
ROSOFF M. *see NELSON L. S., ROSOFF M., KIM K., MEMMOTT J. E. & LI C.* **513.P**, 17*S*, 1998
ROSSI D.
ROSSI D., OSHIMA T. & ATTWELL D. Release of glutamate in simulated ischaemia sensed by whole-cell clamping CA1 pyramidal cells in rat hippocampal slices, and modelling of the release process **511.P**, 19*S*, 1998
ROSSITER H. B.
ROSSITER H. B., WARD S. A., DOYLE V. L., HOWE F. A., GRIFFITHS J. R. & WHIPP B. J. Simultaneous determination of intramuscular high-energy phosphate and pulmonary oxygen uptake kinetics for quadriceps exercise during whole-body ^{31}P-NMR spectroscopy **506.P**, 97*P*, 1998
ROSSITER H. B., WARD S. A., DOYLE V. L., HOWE F. A., GRIFFITHS J. R. & WHIPP B. J. Erratum: *Journal of Physiology* **506.P**, 97*P* (1998) **509.P**, 207*P*, 1998
ROTHERY S. *see DOBRZYNSKI H., HENDERSON Z., TAKAGISHI Y., ROTHERY S., SEVERS N. J., HONJO H., TAMKUN M. M., KODAMA I. & BOYETT M. R.* **506.P**, 54*P*, 1998
see DOBRZYNSKI H., MARPLES D., ROTHERY S., TAKAGISHI Y., HONJO H., SEVERS N. J., TAMKUN M. M., KODAMA I., HENDERSON Z. & BOYETT M. R. **511.P**, 148*P*, 1998
ROTHWELL J. *see LIMOUSIN P., BROWN P., MARSDEN J., DEFEBVRE L. & ROTHWELL J.* **509.P**, 176*P*, 1998
ROTHWELL J. C. *see MACKINNON C. D. & ROTHWELL J. C.* **506.P**, 114*P*, 1998
see AMASSIAN V. E., ROTHWELL J. C., CRACCO R. Q., MACCABEE P. J., VERGARA M., HASSAN N. & EBERLE L. **506.P**, 122*P*, 1998
see BROWN P., SALENIUS S., ROTHWELL J. C. & HARI R. **507.P**, 34*P*, 1998
see AMASSIAN V. E., CRACCO R. Q., MACCABEE P. J., VERGARA M., CAPADAY C. & ROTHWELL J. C. **509.P**, 162*P*, 1998
ROTHWELL M. C. *see BASSEY E. J., ROTHWELL M. C., LITTLEWOOD J. J. & PYE D. W.* **506.P**, 119*P*, 1998
ROTHWELL N. J. *see CULHANE A. C., MOLINA-HOLGADO F., LUHESHI G. N. & ROTHWELL N. J.* **513.P**, 15*P*, 1998
see MOORE J. D., MOLINA-HOLGADO F., ROTHWELL N. J. & LUHESHI G. N. **513.P**, 21*P*, 1998
see PARKER L. C., BALDERSON D. J., ROTHWELL N. J. & LUHESHI G. N. **513.P**, 21*P*, 1998
see CARTMELL T., MILLER A. J., MISTRY Y., ROTHWELL N. J. & LUHESHI G. N. **513.P**, 146*P*, 1998
ROUGIER O. *see BRUNOLD C., GUYOT A., ROUGIER O., BILBAUT A. & OJEDA C.* **513.P**, 53*P*, 1998
ROUSE S. T. *see GINGRICH M. B., ROUSE S. T., MARINO M. J., CONN P. J. & TRAYNELIS S. F.* **507.P**, 26*P*, 1998
ROUTLEDGE H. S.
ROUTLEDGE H. S., MUIR T. C., BRAIN N. J. R., SMITH G. L. & MCCARRON J. G. Effect of adenosine on rat cerebral and mesenteric resistance arteries **509.P**, 111*P*, 1998
ROVENSKÝ M. *see ROKYTA R., JURČOVIČOVÁ J., KRSOVÁ D., ROVENSKÝ M., ŠŤASTNÁ H., ŠVÍK K. & YAMAMOTO A.* **511.P**, 54*P*, 1998
ROVIRA J. M.
ROVIRA J. M., NADAL A., SORIA B. & RIPOLL C. Dual role of Ap_4A in the regulation of isolated pancreatic β-cell function **509.P**, 89*P*, 1998
see NADAL A., ROVIRA J. M., LARIBI O., LEON-QUINTO T., ANDREU E., RIPOLL C. & SORIA B. **509.P**, 90*P*, 1998
see MARTÍN F., PINTOR J., ROVIRA J. M., RIPOLL C., MIRAS-PORTUGAL M. T. & SORIA B. **509.P**, 196*P*, 1998
ROWE D. *see GRIFFITHS T. D., REES G., REES A., GREEN G. G. R., WITTON C., ROWE D., BUECHEL C., TURNER R. & FRACKOWIAK R. S. J.* **506.P**, 85*P*, 1998
ROWE I. C. M.
ROWE I. C. M., SPANSWICK D. & ASHFORD M. L. J. The characterization of potassium channels present in glucose- and sulphonylurea-sensitive hypothalamic neurones in isolation and in brain slices of the mf1 mouse **506.P**, 152*P*, 1998
ROWLEY J. A. *see MORRELL M. J., ROWLEY J. A. & BADR S. M.* **513.P**, 5*S*, 1998
RUBIO M. D. *see MUÑOZ A., CASTEJON F. M., RUBIO M. D., AGÜERA E. I., ESCRIBANO B. M. & SANTISTEBAN R.* **509.P**, 100*P*, 1998
see MUÑOZ A., SANTISTEBAN R., RUBIO M. D., AGÜERA E. I., ESCRIBANO B. M. & CASTEJON F. M. **509.P**, 101*P*, 1998
see FERNÁNDEZ P., CASTEJON F. M., AGÜERA E. I., ESCRIBANO B. M., MUÑOZ A. & RUBIO M. D. **509.P**, 102*P*, 1998
see FERNANDEZ P., CASTEJON F. M., AGÜERA E. I., ESCRIBANO B. M., MUÑOZ A. & RUBIO M. D. **509.P**, 147*P*, 1998
RUDY B. *see LAU D. H. P., CASTRO-ALAMANCOS M., CHOW A., OZAITA A., VEGA-SAENZ DE MIERA E., MATHEW S., GIBSON J., CONNORS B. & RUDY B.* **511.P**, 147*P*, 1998
see MCINTOSH P., MORENO H., ROBERTSON B. & RUDY B. **511.P**, 147*P*, 1998
RUKWEID R. *see SCHMELZ M., LISCHETZKI G. & RUKWEID R.* **513.P**, 24*S*, 1998
RUMSEY R. D. E. *see VIST G. E., HENDERSON R. A. & RUMSEY R. D. E.* **506.P**, 130*P*, 1998
RUSAKOV D. A. *see KULLMANN D. M., MIN M.-Y. & RUSAKOV D. A.* **511.P**, 12*S*, 1998
RUSZNÁK Z.
RUSZNÁK Z., HARASZTOSI CS., FORSYTHE I. D., STANFIELD P. R. & SZŰCS G. Modulation of voltage-gated calcium currents in pyramidal cells of the rat dorsal cochlear nucleus, *in vitro* **509.P**, 61*P*, 1998
RUTHERFORD O. M. *see NEWHAM D. J., PURCELL C. & RUTHERFORD O. M.* **506.P**, 106*P*, 1998
RYAN W. G. *see BURNS P. A., MCMULLAN S. S., RICHARDSON H. C., RYAN W. G., SEDDON S., WHITMORE J. & WILSON C. L.* **511.P**, 61*P*, 1998
RYBALKO N.
RYBALKO N., BROŠEK G. & SYKA J. Gap detection thresholds in young and old adult pigmented rats **511.P**, 45*P*, 1998
RYCROFT B.
RYCROFT B., SIMCOX R. & GIBB A. J. Inhibition of the phosphatase 2B: calcineurin does not influence the single-channel properties of NMDA receptors in outside-out patches from granule cells in slices of rat hippocampus **511.P**, 128*P*, 1998
SABATIER N. *see GOUZÈNES L., SABATIER N., RICHARD PH., MOOS F. & DAYANITHI G.* **509.P**, 86*P*, 1998
SABATIER N., RICHARD PH. & DAYANITHI G. Activation of multiple intracellular transduction signals by vasopressin (AVP) in AVP-sensitive neurones of the rat supraoptic nucleus **509.P**, 86*P*, 1998
SABINA R. L. *see NORMAN B., SABINA R. L., ESBJÖRNSSON-LILJEDAHL M. & JANSSON E.* **506.P**, 117*P*, 1998
SACHS F. *see BETT G. C. L. & SACHS F.* **511.P**, 90*P*, 1998
SÁEZ M. C. *see ORTEGA E., GARCÍA J. J., SÁEZ M. C. & DE LA FUENTE M.* **509.P**, 24*P*, 1998
SAFAR M. *see DAGHER G., SAMAIN E., BOUILLIER H., PERRET C. & SAFAR M.* **506.P**, 18*P*, 1998
see SAMAIN E., BOUILLIER H., PERRET C., SAFAR M. & DAGHER G. **506.P**, 19*P*, 1998
see BOUILLIER H., SAMAIN E., PERRET C., SAFAR M. & DAGHER G. **511.P**, 168*P*, 1998
see BOUILLIER H., SAMAIN E., PERRET C., SAFAR M. & DAGHER G. **511.P**, 168*P*, 1998
see BOUILLIER H., SAMAIN E., PERRET C., SAFAR M. & DAGHER G. **511.P**, 173*P*, 1998
SAGE S. O. *see MARCHENKO S. M. & SAGE S. O.* **506.P**, 17*P*, 1998
see HEEMSKERK J. W. M. & SAGE S. O. **506.P**, 67*P*, 1998
see ROLF M. G., LOCKWOOD A. J., MAHAUT-SMITH M. P. & SAGE S. O. **506.P**, 68*P*, 1998

see HUSSAIN J. F., SAGE S. O. & MAHAUT-SMITH M. P. **506.P**, 71*P*, 1998
see JENNER S., FARNDALE R. W., NORMAN J. C. & SAGE S. O. **511.P**, 37*P*, 1998

SAHAL A.
SAHAL A., MAXWELL D. J., JANKOWSKA E. & GLADDEN M. H. Relationships between noradrenaline- and serotonin-immunoreactive axons and hindlimb γ-motoneurones **509.P**, 172*P*, 1998

SAITO T. *see* HAWKINS P., CROWE C., MCGARRIGLE H. H. G., SAITO T., OZAKI T., STRATFORD L. L., NOAKES D. E. & HANSON M. A. **507.P**, 50*P*, 1998

SAKMANN B. *see* KÖSTER H. J. & SAKMANN B. **509.P**, 55*P*, 1998

SALAMÉ F. *see* PÉREZ-ROMERO A., DIALYNAS E., BARTKE A., SALAMÉ F., ARIZNAVARRETA C. & TRESGUERRES J. A. F. **509.P**, 94*P*, 1998

SALENIUS S. *see* BROWN P., SALENIUS S., ROTHWELL J. C. & HARI R. **507.P**, 34*P*, 1998
see KILNER J. M., BAKER S. N., SALENIUS S., HARI R. & LEMON R. N. **509.P**, 175*P*, 1998

SALIDO E. *see* ALONSO R., HERNÁNDEZ-DÍAZ F., ABREU P., LÓPEZ-COVIELLA I., DÍAZ-CRUZ A., MARTÍNEZ-MORALES J. R., SÁNCHEZ J. J., TABARES L. & SALIDO E. **509.P**, 168, 1998

SALIDO G. M. *see* LAJAS A. I., POZO M. J., SALIDO G. M., SINGH J. & PARIENTE J. A. **506.P**, 127*P*, 1998
see ROSADO J. A., GARCIA L. J., SINGH J. & SALIDO G. M. **506.P**, 127*P*, 1998
see CAMELLO P. J., CAMELLO C. & SALIDO G. M. **509.P**, 12*P*, 1998
see POZO M. J., ALCÓN S., CAMELLO P., SALIDO G. M. & SCARPIGNATO C. **509.P**, 16*P*, 1998
see CAMELLO C., SALIDO G. M. & CAMELLO P. J. **509.P**, 18*P*, 1998
see LAJAS A. I., POZO M. J., CAMELLO P. J., SALIDO G. M. & PARIENTE J. A. **509.P**, 19*P*, 1998
see ALCÓN S., CAMELLO P. J., SALIDO G. M., SCARPIGNATO C. & POZO M. J. **509.P**, 20*P*, 1998
see PARIENTE J. A., LAJAS A. I., POZO M. J., CAMELLO P. J. & SALIDO G. M. **509.P**, 20*P*, 1998

SALMONS A.
SALMONS A., TANG A. T. M., SUTHERLAND H. & JARVIS J. C. Long-term plasticity of motor unit properties and its application in man **506.P**, 78, 1998

SALTER K. J. *see* BETTS L. C., SALTER K. J. & KOZLOWSKI R. Z. **513.P**, 118*P*, 1998

SALVADOR V. *see* FRASER S. P., SALVADOR V. & DJAMGOZ M. B. A. **513.P**, 131*P*, 1998

SAMAIN E. *see* DAGHER G., SAMAIN E., BOUILLIER H., PERRET C. & SAFAR M. **506.P**, 18*P*, 1998
SAMAIN E., BOUILLIER H., PERRET C., SAFAR M. & DAGHER G. Angiotensin-induced calcium release in smooth muscle cells is regulated by actin and microtubule networks **506.P**, 19*P*, 1998
see BOUILLIER H., SAMAIN E., PERRET C., SAFAR M. & DAGHER G. **511.P**, 168*P*, 1998
see BOUILLIER H., SAMAIN E., PERRET C., SAFAR M. & DAGHER G. **511.P**, 168*P*, 1998
see BOUILLIER H., SAMAIN E., PERRET C., SAFAR M. & DAGHER G. **511.P**, 173*P*, 1998

SAMPATH A. P. *see* MATTHEWS H. R., SAMPATH A. P., REISERT J., CORNWALL M. C. & FAIN G. L. **506.P**, 3*P*, 1998
SAMPATH A. P., MATTHEWS H. R., CORNWALL M. C., BANDARCHI J. & FAIN G. L. Simultaneous measurement of Ca_i^{2+} and photocurrent from cone photoreceptors isolated from the tiger salamander **506.P**, 89*P*, 1998

SÁNCHEZ A. *see* PARDO L. A., DEL CAMINO D., BRÜGGERMANN A., BECKH S., SÁNCHEZ A. & STÜHMER W. **509.P**, 4*S*, 1998

SÁNCHEZ J. J. *see* ALONSO R., HERNÁNDEZ-DÍAZ F., ABREU P., LÓPEZ-COVIELLA I., DÍAZ-CRUZ A., MARTÍNEZ-MORALES J. R., SÁNCHEZ J. J., TABARES L. & SALIDO E. **509.P**, 168, 1998

SÁNCHEZ-AGUAYO I. *see* VÁZQUEZ C. M., DE LA HERMOSA M. A., MATE A., SÁNCHEZ-AGUAYO I. & PLANAS J. M. **509.P**, 25*P*, 1998

SANCHEZ-ANDRES J. V. *see* MENENDEZ DE LA PRIDA L. & SANCHEZ-ANDRES J. V. **509.P**, 68*P*, 1998
see BOLEA S., AVIGNONE E., SANCHEZ-ANDRES J. V., BERRETTA N. & CHERUBINI E. **509.P**, 69*P*, 1998
see MENENDEZ DE LA PRIDA L. & SANCHEZ-ANDRES J. V. **509.P**, 30*S*, 1998

SÁNCHEZ-CHAPULA J. A. *see* CASIS O., IRIARTE M. M., GALLEGO M. & SÁNCHEZ-CHAPULA J. A. **509.P**, 153*P*, 1998

SÁNCHEZ-CRIADO J. E. *see* HERNÁNDEZ G., HERNÁNDEZ-JIMÉNEZ J. G., SÁNCHEZ-CRIADO J. E., MORA O. A. & ALONSO R. **509.P**, 92*P*, 1998
see MORA O. A., ALONSO R. & SANCHEZ-CRIADO J. E. **509.P**, 93*P*, 1998

SANCHO S. *see* ALBEROLA A., MESEGUER I., TORREBLANCA M., MOYA A., SANCHO S., POLO B., SORIA B. & SUCH L. **509.P**, 148*P*, 1998

SANDLE G. I. *see* MORGAN S. R., BOOT-HANDFORD R. P. & SANDLE G. I. **513.P**, 59*P*, 1998

SANGER G. J. *see* CLARKE C. E., MEADOWS H. J., TOMLINSON W. J., CARPENTER D., SANGER G. J. & BENHAM C. D. **506.P**, 44*P*, 1998

SANHUEZA E. M. *see* GIUSSANI D. A., RIQUELME R. A., MCGARRIGLE H. H., SANHUEZA E. M., HANSON M. A. & LLANOS A. J. **507.P**, 52*P*, 1998

SAN ROMÁN J. I. *see* STEWARD M. C., LANG T. F., SAN ROMÁN J. I. & CASE R. M. **509.P**, 3*P*, 1998
see STEWARD M. C., LANG T. F., YANG X.-S., SAN ROMÁN J. I., VARGA G. & CASE R. M. **511.P**, 23*P*, 1998
SAN ROMÁN J. I., CASE R. M. & STEWARD M. C. Fluid secretion by isolated murine pancreatic ducts in the presence and absence of extracellular bicarbonate **513.P**, 53*P*, 1998

SANT'ANA PEREIRA J. A. A. *see* HABETS P. E. M. H., FRANCO D., SARGEANT A. J., SANT'ANA PEREIRA J. A. A. & MOORMAN A. F. M. **509.P**, 44*P*, 1998

SANTISTEBAN R. *see* MUÑOZ A., CASTEJON F. M., RUBIO M. D., AGÜERA E. I., ESCRIBANO B. M. & SANTISTEBAN R. **509.P**, 100*P*, 1998
see MUÑOZ A., SANTISTEBAN R., RUBIO M. D., AGÜERA E. I., ESCRIBANO B. M. & CASTEJON F. M. **509.P**, 101*P*, 1998

SANZGIRI R. *see* ARAQUE A., PARPURA V., SANZGIRI R. & HAYDON P. G. **513.P**, 13*S*, 1998

SARANTIS M. *see* TORSNEY C., SARANTIS M. & ATTWELL D. **513.P**, 20*P*, 1998

SARGEANT A. J. *see* ARITAN S., DABNICHKI P. & SARGEANT A. J. **506.P**, 10*P*, 1998
see DE RUITER C. J., DE HAAN A., JONES D. A. & SARGEANT A. J. **506.P**, 106*P*, 1998
SARGEANT A. J. Acute plasticity – effects of temperature and fatigue on human locomotory performance **506.P**, 6*S*, 1998
see GERRITS H. L., DE HAAN A., HOPMAN M. T. E., VAN DER WOUDE L. & SARGEANT A. J. **509.P**, 43*P*, 1998
see HABETS P. E. M. H., FRANCO D., SARGEANT A. J., SANT'ANA PEREIRA J. A. A. & MOORMAN A. F. M. **509.P**, 44*P*, 1998
see FERGUSON R. A., BALL D. & SARGEANT A. J. **511.P**, 8*P*, 1998
see KARATZAFERI C., DE HAAN A., OFFRINGA C., FERGUSON R. A. & SARGEANT A. J. **511.P**, 10*P*, 1998
see MAGANARIS C. N., BALTZOPOULOS V. & SARGEANT A. J. **513.P**, 34*P*, 1998

SARKER M. H.
SARKER M. H. & FRASER P. A. Evidence that bradykinin increases cerebral microvascular permeability via cGMP generated independently from soluble guanylate cyclase in the anaesthetized rat **506.P**, 22*P*, 1998

SARVESWARAN J.
SARVESWARAN J. & WINLOW W. Ethanol and butanol have different effects on the input resistance of an identified neurone of *Lymnaea stagnalis* **513.P**, 110*P*, 1998

SASA T. *see* YAMADA M., SASA T., HIRASAWA H. & SHIELLS R. A. **509.P**, 66*P*, 1998

SASTRE A. *see* ESTEBAN S., SASTRE A. & GARCÍA-SEVILLA J. A. **509.P**, 70*P*, 1998

SATHER W. A. *see* WILLIAMSON A. V. & SATHER W. A. **506.P**, 48*P*, 1998

SATO H. *see* FUKUBA Y., HAYASHI N., SATO H. & YOSHIDA T. **507.P**, 64*P*, 1998

SATTELLE D. B. *see* GROLLEAU F. & SATTELLE D. B. **513.P**, 134*P*, 1998
SATTELLE D. B. Genetic, genomic and functional studies on the nicotinic acetylcholine receptor gene family of *Caenorhabditis elegans* **513.P**, 18*S*, 1998

SAVIC G. *see* DAVEY N. J., SMITH H. C., SAVIC G. & ELLAWAY P. H. **511.P**, 66*P*, 1998

SAVORY D. *see* WHITE M. J., UBOLSAKKA C. & SAVORY D. **513.P**, 87*P*, 1998

SAWDY R. *see* KNOCK G., SAWDY R., SMIRNOV S., POSTON L., BENNETT P. & AARONSON P. **507.P**, 69*P*, 1998

SAYWELL S. A.
SAYWELL S. A., FORD T. W. & KIRKWOOD P. A. Morphology and projections of thoracic interneurones **509.P**, 170*P*, 1998
SAYWELL S. A., FORD T. W. & KIRKWOOD P. A. Distribution of Renshaw cell terminals in the thoracic spinal cord **511.P**, 61*P*, 1998

SCANNELL J. W. *see* ZHENG F., GOLLEDGE H. D. R., GIANNIKOPOULOS D. V., MASON R. J., SCANNELL J. W., TOVEE M. J. & YOUNG M. P. **509.P**, 58*P*, 1998

SCARPIGNATO C. *see* POZO M. J., ALCÓN S., CAMELLO P., SALIDO G. M. & SCARPIGNATO C. **509.P**, 16*P*, 1998
see ALCÓN S., CAMELLO P. J., SALIDO G. M., SCARPIGNATO C. & POZO M. J. **509.P**, 20*P*, 1998

Scepek S. *see Hartmann J., Scepek S. & Lindau M.* **506.P**, 72*P*, 1998

Schäfer W.

Schäfer W. The biomechanics of the lower urinary tract **507.P**, 3*S*, 1998

Scheld J.-S. *see Closs E. I., Scheld J.-S., Sharafi M. & Förstermann U.* **506.P**, 29*P*, 1998

Schiefer A. *see Isenberg G. & Schiefer A.* **509.P**, 154*P*, 1998

Schjerling P.

Schjerling P., Jonsdottir I. H., Ostrowski K., Asp S. & Pedersen B. K. Eccentric one-leg exercise in rats induces interleukin-6 mRNA production in the exercised muscles **509.P**, 47*P*, 1998

Schläpfer A. *see Rodic B., Schurch B., Schläpfer A., Curt A. & Knapp P. A.* **507.P**, 20*P*, 1998

Schmelz M.

Schmelz M., Lischetzki G. & Rukweid R. Neurovascular interactions in human skin **513.P**, 24*S*, 1998

Schmid A. *see González A., Pfeiffer F., Schmid A. & Schulz I.* **506.P**, 126*P*, 1998

see Pfeiffer F., González A., Schmid A., Sternfeld L. & Schulz I. **509.P**, 9*S*, 1998

Schmidt J. *see Deitmer J. W., Lohr C. & Schmidt J.* **513.P**, 12*S*, 1998

Schnupp J. W. H.

Schnupp J. W. H., Giles J. D., Baddeley R. J. & King A. J. Non-linearities in the auditory-visual joint sensitivity functions of neurons in the deeper layers of the ferret superior colliculus may explain multisensory facilitation **506.P**, 90*P*, 1998

Schoepfer R. *see Anson L. C., Chen P. E., Wyllie D. J. A., Colquhoun D. & Schoepfer R.* **506.P**, 147*P*, 1998

see Chen P. E., Anson L. C., Colquhoun D. & Schoepfer R. **507.P**, 30*P*, 1998

Scholfield C. N.

Scholfield C. N. Endothelin-induced Ca^{2+} transients in freshly isolated microvessels from rat retina **506.P**, 23*P*, 1998

Schomburg E. D. *see Ellrich J., Schomburg E. D. & Steffens H.* **509.P**, 172*P*, 1998

Schomburg E. D., Steffens H. & Nagel H. A possible role of serotonin release for evoking fictive spinal locomotion in the cat **511.P**, 65*P*, 1998

Schreiber V. *see Nedvídková J., Haluzík M., Pacák K., Nedvídek J. & Schreiber V.* **511.P**, 50*P*, 1998

Schroter R. C.

Schroter R. C., Marlin D. J. & Denny E. Is exercised-induced pulmonary haemorrhage (EIPH) in horses caused by locomotory impact-induced trauma? **507.P**, 65*P*, 1998

Schubert F. *see Kranda K., Horowski R., Schubert F. & Seifert F.* **511.P**, 68*P*, 1998

Schulz I. *see González A., Pfeiffer F., Schmid A. & Schulz I.* **506.P**, 126*P*, 1998

see Pfeiffer F., González A., Schmid A., Sternfeld L. & Schulz I. **509.P**, 9*S*, 1998

Schumacher M.

Schumacher M., Guennoun R., Shazand K., Desarnaud F., Koenig H. & Baulieu E. E. Progesterone is synthesized in the nervous system and promotes myelination **509.P**, 14*S*, 1998

Schurch B. *see Rodic B., Schurch B., Schläpfer A., Curt A. & Knapp P. A.* **507.P**, 20*P*, 1998

Schwaber J. S. *see Paton J. F. R., Li Y.-W., Schwaber J. S. & Kasparov S.* **513.P**, 78*P*, 1998

Schwartz A. *see Fearon I. M., Palmer A. C. V., Balmforth A. J., Ball S. G., Schwartz A. & Peers C.* **506.P**, 48*P*, 1998

Schwarzacher S. W. *see Büsselberg D., Schwarzacher S. W., Bischoff A. M., Paton J. F. R. & Richter D. W.* **509.P**, 124*P*, 1998

Schwiening C. J. *see Willoughby D. & Schwiening C. J.* **506.P**, 5*P*, 1998

Schwiening C. J. A double patch-pipette technique to investigate activity-dependent intracellular calcium and pH transients in isolated snail neurones **506.P**, 6*P*, 1998

see Willoughby D. & Schwiening C. J. **511.P**, 42*P*, 1998

Scott D. T. *see Bannatyne B. A., Riddell J. S., Maxwell D. J. & Scott D. T.* **509.P**, 171*P*, 1998

Scott H. C. F.

Scott H. C. F., Jaggar S. I. & Rice A. S. C. Mechanical hyperalgesia is referred to the hind limb following inflammation of the urinary bladder in the rat **507.P**, 18*P*, 1998

Scott J.

Scott J., Navaratnam N. & Shoulders C. Molecular fossils and the biosynthesis of atherogenic lipoproteins **506.P**, 18*S*, 1998

Scott O. M. *see Bateman A., Greenwood R. J. & Scott O. M.* **509.P**, 44*P*, 1998

Sears C. E.

Sears C. E., Choate J. K. & Paterson D. J. Effect of neuronal nitric oxide synthase inhibition on the heart rate response to cardiac sympathetic and vagal nerve stimulation in the anaesthetized rabbit **507.P**, 57*P*, 1998

Sears C. E., Choate J. K. & Paterson D. J. Nitric oxide donors enhance the heart rate response to vagal nerve stimulation in the anaesthetized rabbit and isolated guinea-pig atria preparation **509.P**, 121*P*, 1998

Sears T. A. *see Seers C. P. & Sears T. A.* **509.P**, 130*P*, 1998

Secaduras A. *see Such L., Chorro F. J., Colom F., Alba I., Secaduras A., Such L. M., Meseguer I., Soria B. & Alberola A.* **509.P**, 148*P*, 1998

Secker B. *see Pelah A., Secker B., Bishop A. & Askham C.* **506.P**, 12*P*, 1998

Seddon S. *see Burns P. A., McMullan S. S., Richardson H. C., Ryan W. G., Seddon S., Whitmore J. & Wilson C. L.* **511.P**, 61*P*, 1998

Sedova M.

Sedova M., Klishin A. & Blatter L. A. Intracellular mechanisms shaping capacitative Ca^{2+} entry signals in single calf pulmonary artery endothelial cells **506.P**, 20*P*, 1998

Seers C. P.

Seers C. P. & Sears T. A. Non-respiratory-modulated vagal tone induced by intravenous morphine in the anaesthetized cat **509.P**, 130*P*, 1998

Seifert F. *see Kranda K., Horowski R., Schubert F. & Seifert F.* **511.P**, 68*P*, 1998

Selyanko A. A.

Selyanko A. A., Menendez de la Prida L., Marsh S. J. & Brown D. A. Control of resting submembrane Ca^{2+} in rat sympathetic neurones studied using K^+ channels as Ca^{2+} detectors **509.P**, 64*P*, 1998

see Hadley J. K., Selyanko A. A. & Brown D. A. **509.P**, 71*P*, 1998

Senzaki H. *see Pagliaro P., Senzaki H. & Kass D. A.* **507.P**, 56*P*, 1998

Sequeira H. *see Mullier O., Viltart O., Poulain P., Tramu G. & Sequeira H.* **513.P**, 84*P*, 1998

Sergeant G. P.

Sergeant G. P., Hollywood M. A., Cotton K. D., McHale N. G. & Thornbury K. D. Modulation of Ca^{2+}-activated Cl^- currents in sheep urethral smooth muscle cells **513.P**, 95*P*, 1998

Serrano M. A. *see Macias R. I. R., Serrano M. A., Briz O., Bravo P., Larena M., Pascual M. J. & Marin J. J. G.* **509.P**, 15*P*, 1998

see Marin J. J. G., Dominguez S. M., Macias R. I. R., Dominguez M. F., Serrano M. A. & Monte M. J. **509.P**, 15*P*, 1998

see Bayón J. E., Pascolo L., Serrano M. A., Cupelli F., Tiribelli C., Gonzalez-Gallego J. & Marin J. G. **509.P**, 26*P*, 1998

Sesay A. K.

Sesay A. K., Magnus C. J., Ogden D., Lai F. A. & Capiod T. The $InsP_3$ receptor isoform of rat cerebellar Purkinje neurones **509.P**, 186*P*, 1998

Severn P. S. *see Chipperfield A. R., Davey P. & Severn P. S.* **513.P**, 61*P*, 1998

Severs N. J. *see Dobrzynski H., Henderson Z., Takagishi Y., Rothery S., Severs N. J., Honjo H., Tamkun M. M., Kodama I. & Boyett M. R.* **506.P**, 54*P*, 1998

see Dobrzynski H., Marples D., Rothery S., Takagishi Y., Honjo H., Severs N. J., Tamkun M. M., Kodama I., Henderson Z. & Boyett M. R. **511.P**, 148*P*, 1998

Severson D. *see Ewart H. S., Severson D. & Shimoni Y.* **511.P**, 148*P*, 1998

Sévoz-Couche C. *see Wang Y., Sévoz-Couche C., Jordan D. & Ramage A. G.* **513.P**, 78*P*, 1998

Sewell K. J.

Sewell K. J., Shirley D. G. & Unwin R. J. Inhibition of renal 11β-hydroxysteroid dehydrogenase: effect on electrolyte transport in the distal tubule **513.P**, 38*P*, 1998

Sha Q. *see Koster J. C., Sha Q., Shyng S.-L. & Nichols C. G.* **509.P**, 36*P*, 1998

Shackleton T. M. *see Palmer A. R., McAlpine D., Jiang D. & Shackleton T. M.* **511.P**, 24*S*, 1998

Shah B. S. *see Stevens E. B., Shah B. S., Lee K. & Pinnock R. D.* **513.P**, 138*P*, 1998

Shah N. *see Craggs M. D., Edhem I., Knight S. L., McFarlane J. P. & Shah N.* **507.P**, 19*P*, 1998

Shah R. *see Hartley D. E., Herget C., Shah R. & Forsling M. L.* **506.P**, 143*P*, 1998

Shah R., Herget C., Hartley D. E., Eckert T. & Forsling M. L. The renal responses to vasopressin in the lactating rat **507.P**, 43*P*, 1998

see HARTLEY D. E., ECKERT T., SHAH R., HERGET C. & FORSLING M. L. **509.P**, 88*P*, 1998

SHAKESBY A. *see* LANG D., SHAKESBY A., MOSFAR S. & LEWIS M. J. **506.P**, 18*P*, 1998

SHANKS E. A.

SHANKS E. A., DUTIA M. B., MCQUEEN J. K., LENG G. & FINK G. Effects of oestradiol-17β on the firing characteristics of presumed 5-hydroxytryptamine (5-HT) neurones in rat dorsal raphe nucleus **509.P**, 91*P*, 1998

SHARAFI M. *see* CLOSS E. I., SCHELD J.-S., SHARAFI M. & FÖRSTERMANN U. **506.P**, 29*P*, 1998

SHARP P. *see* FLATMAN R., DEDES M., WILLIAMS M. & SHARP P. **511.P**, 26*P*, 1998

SHARP P. A. *see* LINDQVIST S. M., SHARP P. A., JOHNSON I. T. & WILLIAMS M. R. **511.P**, 28*P*, 1998

SHARPE C. S. *see* CLARKE R. W. & SHARPE C. S. **513.P**, 33*P*, 1998

SHAW L.

SHAW L., TAGGART M. & AUSTIN C. Mechanisms of oestrogen-induced vasodilatation in isolated rat small arteries **511.P**, 171*P*, 1998

SHAZAND K. *see* SCHUMACHER M., GUENNOUN R., SHAZAND K., DESARNAUD F., KOENIG H. & BAULIEU E. E. **509.P**, 14*S*, 1998

SHEERIN F. *see* BAMBER C., SHEERIN F., TYSOME J. & FITZSIMONS J. T. **506.P**, 143*P*, 1998

SHENNAN D. B. *see* REMSBURY A. L., MYLONA P., SIBLEY C. P., SHENNAN D. B. & GREENWOOD S. L. **509.P**, 78*P*, 1998

SHEPHERD R. M. *see* HASHMI M. N., MACFARLANE W. N., SHEPHERD R. M., JAMES R. F. L., AYNSLEY-GREEN A., DOCHERTY K. D. & DUNNE M. J. **509.P**, 106*P*, 1998

see DUNNE M. J., HASHMI M. N., SHEPHERD R. M., CHAPMAN J. C., COSGROVE K. E., KAMIMURA N., JAMES R. F. L., AYNSLEY-GREEN A., LINDLEY K. J., MACFARLANE W. N., DOCHERTY K. D. & ÄMMÄLÄ C. **509.P**, 11*S*, 1998

SHERIDAN D. J. *see* STAVROU B. M., SHERIDAN D. J. & FLORES N. A. **509.P**, 150*P*, 1998

SHERLOCK J. *see* ADINOLFI M., SHERLOCK J. & RODECK C. **507.P**, 46*P*, 1998

SHERLOCK J., CIRIGLIANO V., PETRU M. & ADINOLFI M. The detection of chromosome aneuploidy, sex chromosome compliment and selected single gene defects from minute amounts of DNA using multiplex quantitative fluorescent PCR **507.P**, 46*P*, 1998

SHERWIN S. J. *see* CARO C. G., WATKINS N., DOORLY D. J., SHERWIN S. J. & PEIRÓ J. **513.P**, 2*P*, 1998

SHETH B.

SHETH B., HAY M., ANDERSON J. M. & FLEMING T. P. Expression of occludin in mouse preimplantation embryos **513.P**, 65*P*, 1998

see NOWAK R. L., GORRY P., SHETH B. & FLEMING T. P. **513.P**, 66*P*, 1998

SHIBATA M.

SHIBATA M. & UNO T. Disinhibition of the lower midbrain neurons induces hyperthermia via an activation of neurons in the inferior olive in rats **511.P**, 4*P*, 1998

SHIELLS R. A.

SHIELLS R. A. & FALK G. A rise in intracellular Ca^{2+} underlies light adaptation in dogfish retinal On-bipolar cells **509.P**, 54*P*, 1998

see YAMADA M., SASA T., HIRASAWA H. & SHIELLS R. A. **509.P**, 66*P*, 1998

SHIMONI Y. *see* EWART H. S., SEVERSON D. & SHIMONI Y. **511.P**, 148*P*, 1998

SHIN J.-H. *see* CHO K., LITTLE H. J., SHIN J.-H. & SUH C.-K. **511.P**, 48*P*, 1998

SHIRAZI-BEECHEY S. P. *see* RITZHAUPT A., WOOD I. S., ELLIS A., HOSIE K. B. & SHIRAZI-BEECHEY S. P. **509.P**, 79*P*, 1998

SHIRLEY D. G.

SHIRLEY D. G., WALTER S. J., FOLKERD E. J. & UNWIN R. J. Bumetanide-induced potassium secretion in perfused loops of Henle in anaesthetized rats: effect of barium **507.P**, 40*P*, 1998

see SEWELL K. J., SHIRLEY D. G. & UNWIN R. J. **513.P**, 38*P*, 1998

SHISHKIN V. *see* KOSTYUK E., SVICHAR N. & SHISHKIN V. **509.P**, 66*P*, 1998

SHLYKOV S. G. *see* KOSTERIN S. A., BURDYGA T. V., BABICH L. G. & SHLYKOV S. G. **506.P**, 68*P*, 1998

SHMIGOL A. V.

SHMIGOL A. V., WRAY S. & EISNER D. A. Sarcolemmal calcium removal mechanisms in myocytes isolated from pregnant rat uterus **509.P**, 30*P*, 1998

SHORE A. C. *see* KLAENTSCHI K., SHORE A. C. & TOOKE J. E. **506.P**, 35*P*, 1998

SHOULDERS C. *see* SCOTT J., NAVARATNAM N. & SHOULDERS C. **506.P**, 18*S*, 1998

SHUI Z.

SHUI Z., KHAN I. A., TSUGA H., HAGA T. & BOYETT M. R. Role of β-arrestin in modulation of the cardiac muscarinic K^+ current **511.P**, 78*P*, 1998

SHYNG S.-L. *see* KOSTER J. C., SHA Q., SHYNG S.-L. & NICHOLS C. G. **509.P**, 36*P*, 1998

SIBBRING G. *see* SMITH P. M. & SIBBRING G. **506.P**, 69*P*, 1998

SIBBRING G. C. *see* TRAFFORD A. W., DÍAZ M. E., SIBBRING G. C. & EISNER D. A. **509.P**, 146*P*, 1998

SIBLEY C. *see* AYUK P., GLAZIER J., SIDES K., D'SOUZA S. & SIBLEY C. **509.P**, 78*P*, 1998

SIBLEY C. P. *see* REMSBURY A. L., MYLONA P., SIBLEY C. P., SHENNAN D. B. & GREENWOOD S. L. **509.P**, 78*P*, 1998

SIBLEY G. N. A. *see* WHITTLESTONE T. H. & SIBLEY G. N. A. **507.P**, 23*P*, 1998

ŠÍDA P. *see* MAREŠ J., POKORNÝ J., ŠÍDA P. & KLENEROVÁ V. **511.P**, 127*P*, 1998

SIDES K. *see* AYUK P., GLAZIER J., SIDES K., D'SOUZA S. & SIBLEY C. **509.P**, 78*P*, 1998

SIEGELOVÁ J.

SIEGELOVÁ J., FIŠER B., DUŠEK J. & PLACHETA Z. Baroreflex gain in essential hypertension: the effect of combined trandolapril (ACE inhibitor) and verapamil (Ca antagonist) therapy **511.P**, 113*P*, 1998

see DOBŠÁK P., COURDEROT-MASUYER C., EICHER J.-C., SIEGELOVÁ J., WOLF J.-E. & ROCHETTE L. **511.P**, 114*P*, 1998

see DUŠEK J., SIEGELOVÁ J., DOBŠÁK P., FIŠER B. & PLACHETA Z. **511.P**, 115*P*, 1998

SILIÓ M. *see* VEGAS L., ECHEVARRÍA E., MUÑOZ C., MUGABURU G. F., SILIÓ M. & CASIS L. **509.P**, 94*P*, 1998

SILVER M. *see* FOWDEN A. L., FORHEAD A. J., BLOOMFIELD M., TAYLOR P. M. & SILVER M. **507.P**, 49*P*, 1998

SIMCOX R. *see* RYCROFT B., SIMCOX R. & GIBB A. J. **511.P**, 128*P*, 1998

ŠIMEČKOVÁ M. *see* JANSKÝ L., VYBÍRAL S., JANÁKOVÁ H., LESNÁ I., ŠIMEČKOVÁ M., ŠRÁMEK P. & ZEMAN V. **511.P**, 2*P*, 1998

ŠIMEČKOVÁ M., LESNÁ I., VYBÍRAL S., JANSKÝ L. & ŠRÁMEK P. Effect of propranolol on thermoregulatory responses of cold-exposed humans **511.P**, 4*P*, 1998

SIMMONS N. L. *see* THWAITES D. T., WALKER D. & SIMMONS N. L. **506.P**, 129*P*, 1998

ŠIMONOVÁ Z. *see* PROKOPOVÁ Š., ŠIMONOVÁ Z. & SYKOVÁ E. **511.P**, 15*P*, 1998

see ROITBAK T., ŠIMONOVÁ Z. & SYKOVÁ E. **511.P**, 17*P*, 1998

see MAZEL T., ŠIMONOVÁ Z. & SYKOVÁ E. **511.P**, 19*P*, 1998

SIMPSON A. W. M. *see* HEPWORTH T. J. & SIMPSON A. W. M. **506.P**, 19*P*, 1998

see ZOLLE O. C., LAWRIE A. M. & SIMPSON A. W. M. **506.P**, 20*P*, 1998

see CONANT A. R., FISHER M. J., MCLENNAN A. G. & SIMPSON A. W. M. **506.P**, 33*P*, 1998

SIMPSON E. J. *see* CONSTANTIN-TEODOSIU D., SIMPSON E. J. & GREENHAFF P. L. **506.P**, 102*P*, 1998

SIMPSON N. A. B.

SIMPSON N. A. B., BARKER A., WALL O., SNOWDEN S., SMYE S. & WALKER J. J. Changes in uterine electrical activity associated with onset of labour in human pregnancy **507.P**, 68*P*, 1998

SINGH J. *see* ROSADO J. A., GARCIA L. J., SINGH J. & SALIDO G. M. **506.P**, 127*P*, 1998

see LAJAS A. I., POZO M. J., SALIDO G. M., SINGH J. & PARIENTE J. A. **506.P**, 127*P*, 1998

see MARTINEZ-VICTORIA E., YAGO M. D., MAÑAS M. & SINGH J. **506.P**, 128*P*, 1998

see MAÑAS M., MARTÍNEZ M. A., YAGO M. D., RAMÍREZ M. C., GIL A., MARTÍNEZ-VICTORIA E. & SINGH J. **509.P**, 14*P*, 1998

see DRAPER C. E., SINGH J., PONNERY A. S., MASON N. & ADEGHATE E. A. **511.P**, 22*P*, 1998

see EMBER Z., YAGO M. D. & SINGH J. **511.P**, 24*P*, 1998

SINGH J., YAGO M. D. & ADEGHATE E. A. Distribution and effects of islet hormones on nerve-mediated amylase secretion and calcium mobilization in the pancreas of normal and diabetic rats **511.P**, 24*P*, 1998

see DRAPER C. E., SINGH J., LAWRENCE P. A., PALLOT D. J. & ADEGHATE E. A. **513.P**, 48*P*, 1998

SIOFTANOS G. *see* KEELAN J., HERSSON-RINGSKOG J., SIOFTANOS G., SRITHARAN K., VERGUN O. & DUCHEN M. R. **511.P**, 122*P*, 1998

SIOW R. C. M.

SIOW R. C. M. & MANN G. E. Vitamin C attenuates induction of heme oxygenase-1 by oxidized LDL in human smooth muscle cells **506.P**, 37*P*, 1998

SIOW R. C. M., LEAKE D. S. & MANN G. E. Ascorbic acid attenuates oxidized LDL-induced apoptosis in cultured human vascular smooth muscle cells **513.P**, 149*P*, 1998

Sitsapesan R. *see Ching L. L., Williams A. J. & Sitsapesan R.* **509.P**, 144*P*, 1998

Sivaprasadarao A. *see Hough E., Xu S. Z., Beech D. J. & Sivaprasadarao A.* **513.P**, 137*P*, 1998

see Bannister J. P. A., Young B. A., Main M. J., Sivaprasadarao A. & Wray D. **513.P**, 139*P*, 1998

Sivilotti L. *see Akopian A. N., Okuse K., Souslova V., England S., Sivilotti L., Fitzgerald E., Ravenall S., Dolphin A. C. & Wood J. N.* **513.P**, 208, 1998

Skadhauge E. *see Unmack M. A., Rangachari P. K., Hansen M. B. & Skadhauge E.* **507.P**, 9*P*, 1998

see Unmack M. A. & Skadhauge E. **511.P**, 30*P*, 1998

Skarli M.

Skarli M., Yang S. Y., Bouloux P., Yellon D. M. & Goldspink G. Up-regulation and alternative splicing of the IGF-1 gene in the rabbit heart following a brief pressure/volume overload **509.P**, 192*P*, 1998

Skelton D. A.

Skelton D. A., Phillips S. K., Bruce S. A., Naylor C. H. & Woledge R. C. Hormone replacement therapy increases muscle strength **506.P** , 105*P*, 1998

Skinner M. R.

Skinner M. R., Ramage A. G. & Jordan D. Effect of antagonism of central 5-HT_{1A} receptors on baroreceptor and cardiopulmonary receptor reflexes in anaesthetized rabbits **513.P**, 85*P*, 1998

Slater C. R. *see Wood S. J. & Slater C. R.* **511.P**, 142*P*, 1998

Slater P. *see Balderson D. J., Chahal H., Owen F. & Slater P.* **513.P**, 18*P*, 1998

Slavíček J.

Slavíček J., Krůšek J., Kittnar O., Vyskočil F. & Trojan S. Monophasic action potential in frog and rat heart and its possible origin **511.P**, 86*P*, 1998

see Trefný Z., Svačinka J., Trojan S., Slavíček J., Kittnar O. & Trefný M. **511.P**, 159*P*, 1998

Slavíková J.

Slavíková J. & Horackova M. Distribution and immunocytochemical properties of intracardiac ganglion cells in developing rat atria **511.P**, 116*P*, 1998

Sławińska U.

Sławińska U. & Vrbová G. Different effects of neonatal nerve injury on motor activity patterns of postural and phasic muscles of the rat **511.P**, 38*S*, 1998

Smani T.

Smani T., Iwabuchi S., López-Barneo J. & Ureña J. Differential properties of Ca^{2+} stores and Ca^{2+}-dependent ionic conductances in conduit and resistance pulmonary arterial myocytes **509.P**, 115*P*, 1998

Smart T. G. *see Amato A., McDonald B. J., Moss S. J. & Smart T. G.* **506.P**, 44*P*, 1998

Smirnov S. *see Knock G., Sawdy R., Smirnov S., Poston L., Bennett P. & Aaronson P.* **507.P**, 69*P*, 1998

Smirnov S. V. *see Beck R., Abbot S. E., Aaronson P. I. & Smirnov S. V.* **507.P**, 71*P*, 1998

Smirnov S. V., Knock G. A. & Aaronson P. I. Inhibition of the delayed rectifier K^+ current by 5-lipoxygenase (5-LO) inhibitors in rat pulmonary arterial myocytes **507.P**, 72*P*, 1998

Smirnov S. V., Beck R., Bertolino S., Abbot S. E. & Aaronson P. I. Bovine serum albumin stimulates arachidonic acid release and decreases membrane fluidity in vascular smooth muscle and endothelial cells **511.P**, 165*P*, 1998

Smith A. B.

Smith A. B. & Adams D. J. Presynaptic inhibition of neurotransmitter release by ATP in rat parasympathetic ganglia **513.P**, 31*P*, 1998

Smith C. P.

Smith C. P., Heitz M. J., Wood C. M. & Walsh P. J. Molecular identification of a Gulf toadfish (*Opsanus beta*) urea transporter **511.P**, 33*P*, 1998

Smith D. J. *see Bertog M., Smith D. J., Harris A. & Korbmacher C.* **513.P**, 60*P*, 1998

Smith G. L. *see MacFarlane N. G. & Smith G. L.* **506.P**, 120*P*, 1998

see Routledge H. S., Muir T. C., Brain N. J. R., Smith G. L. & McCarron J. G. **509.P**, 111*P*, 1998

see Darnley G. M., Smith G. L. & MacFarlane N. G. **509.P**, 132*P*, 1998

see Neary P., Cobbe S. M. & Smith G. L. **509.P**, 145*P*, 1998

Smith G. L., Duncan A. M., Bruce L. & Neary P. Inhibition of Ca^{2+} uptake by inorganic phosphate is accompanied by increased Ca^{2+} leak from the sarcoplasmic reticulum in permeabilized cardiac myocytes from rabbit **509.P**, 145*P*, 1998

see Currie S. & Smith G. L. **509.P**, 157*P*, 1998

Smith H. C. *see Davey N. J., Smith H. C., Savic G. & Ellaway P. H.* **511.P**, 66*P*, 1998

Smith I. C. H. *see Amobi N. I. B., Sugden D. & Smith I. C. H.* **513.P**, 97*P*, 1998

Smith J. E. *see Chang H.-S., Smith J. E., Staras K. & Gilbey M. P.* **509.P**, 123*P*, 1998

Smith J. E. & Gilbey M. P. Rhythmical discharges in the sympathetic supply to rat tail are of central origin **513.P**, 81*P*, 1998

Smith K. *see Bowtell J. L., Smith K., Watt P. W. & Rennie M. J.* **511.P**, 10*P*, 1998

Smith L. *see Gagg J., Smith L., Brown H., Perry V. H. & Kozlowski R.* **506.P**, 46*P*, 1998

Smith L. C. *see Bailey A. R. T., Smith L. C., Brown C. H., Smith R. G., Dickson S. L. & Leng G.* **506.P**, 142*P*, 1998

Smith M. A.

Smith M. A. & Ashford M. L. J. Alkaline phosphatase irreversibly abolishes modal activity of large-conductance Ca^{2+}-activated K^+ channels in rat cortical fused nerve terminals **509.P**, 63*P*, 1998

Smith M. E. *see Macdonald S., Smith M. E. & Bailey C. J.* **506.P**, 93*P*, 1998

see Young M. M., Smith M. E. & Coote J. H. **513.P**, 18*P*, 1998

Smith M. W.

Smith M. W. & Collins A. J. Developmental regulation of lactase gene expression in pig jejunal villus-attached enterocytes **509.P**, 12*P*, 1998

see Brown D. & Smith M. W. **513.P**, 48*P*, 1998

Smith P. J. S. *see Langton P. D. & Smith P. J. S.* **509.P**, 108*P*, 1998

Smith P. M.

Smith P. M. & Sibbring G. Acetylcholine-evoked oscillations of Ca^{2+}-dependent ion currents in mouse lacrimal acinar cells maintained in culture **506.P**, 69*P*, 1998

Smith P. M. & Irvine R. F. Activation of Ca^{2+}-dependent K^+ and Cl^- channels by Ins-2,4,5-P_3 and Ins-1,3,4,5-P_4 in mouse lacrimal acinar cells maintained in primary culture **509.P**, 9*P*, 1998

see Dawson L. J. & Smith P. M. **509.P**, 107*P*, 1998

Smith R. G. *see Bailey A. R. T., Smith L. C., Brown C. H., Smith R. G., Dickson S. L. & Leng G.* **506.P**, 142*P*, 1998

see Bailey A. R. T., Giles M. E., Opstad K., Smith R. G. & Leng G. **511.P**, 49*P*, 1998

Smye S. *see Simpson N. A. B., Barker A., Wall O., Snowden S., Smye S. & Walker J. J.* **507.P**, 68*P*, 1998

Smyth D.

Smyth D., Tolhurst D. J., Baker G. E. & Thompson I. D. Responses of neurons in the visual cortex of anaesthetized ferrets to natural visual scenes **509.P**, 50*P*, 1998

Snetkov V. A. *see Hapgood K. J., Snetkov V. A. & Ward J. P. T.* **513.P**, 90*P*, 1998

see McCready J. W., Snetkov V. A. & Ward J. P. T. **513.P**, 91*P*, 1998

see Priest R. M., Snetkov V. A. & Ward J. P. T. **513.P**, 155*P*, 1998

Snowden S. *see Simpson N. A. B., Barker A., Wall O., Snowden S., Smye S. & Walker J. J.* **507.P**, 68*P*, 1998

Sobrevia L. *see Wyatt A. W., Sobrevia L., Wheeler-Jones C. P. D., Houliston R. A. & Mann G. E.* **506.P**, 32*P*, 1998

see Parra M., Yudilevich D. L., Mann G. E., Pedley K., Nicolaides K., Pearson J. D. & Sobrevia L. **506.P**, 34*P*, 1998

see Montecinos V. P., Mann G. E. & Sobrevia L. **513.P**, 152*P*, 1998

Sokal D. M. *see Mason R., Sokal D. M., Parker T. L., Parker K. G., Gross G. W. & Wiggins H.* **506.P**, 9*P*, 1998

Solovyova N. *see Kostyuk P. & Solovyova N.* **509.P**, 62*P*, 1998

Sørensen J. B.

Sørensen J. B. & Larsen E. H. Co-existence of Cl^- and Na^+ channels in the apical membrane of exocrine gland acini from frog skin (*Rana esculenta*) **507.P**, 2*P*, 1998

Soria B. *see Leon-Quinto T., Nadal A., Portha B. & Soria B.* **509.P**, 72*P*, 1998

see Rovira J. M., Nadal A., Soria B. & Ripoll C. **509.P**, 89*P*, 1998

see Nadal A., Rovira J. M., Laribi O., Leon-Quinto T., Andreu E., Ripoll C. & Soria B. **509.P**, 90*P*, 1998

see Quesada I., Martín F. & Soria B. **509.P**, 105*P*, 1998

see Alberola A., Meseguer I., Torreblanca M., Moya A., Sancho S., Polo B., Soria B. & Such L. **509.P**, 148*P*, 1998

see SUCH L., CHORRO F. J., COLOM F., ALBA I., SECADURAS A., SUCH L. M., MESEGUER I., SORIA B. & ALBEROLA A. **509.P**, 148*P*, 1998
see MARTÍN F., PINTOR J., ROVIRA J. M., RIPOLL C., MIRAS-PORTUGAL M. T. & SORIA B. **509.P**, 196*P*, 1998
see ROCHE E., BUTEAU J., ANIENTO I., SORIA B. & PRENTKI M. **509.P**, 197*P*, 1998
see PERTUSA J. A. G., SORIA B. & MARTÍN F. **509.P**, 202*P*, 1998

SOTO L.
SOTO L., MARTÍN A. I. & LÓPEZ-CALDERÓN A. Experimental arthritis decreases IGF-I serum levels and increases serum IGFBPs in rats. Effect of cyclosporine treatment **509.P**, 97*P*, 1998

SOUKUP T.
SOUKUP T., JIRMANOVÁ I., ZACHAŘOVÁ G., RAUCHOVÁ H. & PAVELKA S. The hypothyroid state restricts the conversion of regenerating soleus muscle grafted into fast EDL muscle **511.P**, 137*P*, 1998

SOUSLOVA V. *see* AKOPIAN A. N., OKUSE K., SOUSLOVA V., ENGLAND S., SIVILOTTI L., FITZGERALD E., RAVENALL S., DOLPHIN A. C. & WOOD J. N. **513.P**, 20*S*, 1998

SOUTHAN A. P.
SOUTHAN A. P. & ROBERTSON B. Effects of dendrotoxin (DTX) homologues on spontaneous inhibitory postsynaptic currents recorded from cerebellar Purkinje cells **511.P**, 127*P*, 1998

SPADONI F. *see* HAINSWORTH A. H., SPADONI F., CALABRESI P., LEACH M. J., BERNARDI G. & STEFANI A. **511.P**, 124*P*, 1998

SPANSWICK D.
SPANSWICK D., NOLAN M. F. & LOGAN S. D. Slow synaptic potentials in rat sympathetic preganglionic neurones *in vitro* **506.P**, 146*P*, 1998
see LESLIE J., NOLAN M. F., LOGAN S. D. & SPANSWICK D. **506.P**, 146*P*, 1998
see ROWE I. C. M., SPANSWICK D. & ASHFORD M. L. J. **506.P**, 152*P*, 1998
see WILSON J. M. M. & SPANSWICK D. **506.P**, 154*P*, 1998
see NOLAN M. F., LOGAN S. D., ASHFORD M. L. J. & SPANSWICK D. **506.P**, 155*P*, 1998
see NOLAN M. F., LOGAN S. D. & SPANSWICK D. **513.P**, 36*P*, 1998

SPÄT A. *see* PETHEÖ G. L., MOLNÁR Z. & SPÄT A. **513.P**, 132*P*, 1998

SPEAKE P. F.
SPEAKE P. F., ELLORY J. C. & GIBSON J. S. O_2 dependence of KCl cotransport in normal and sickle red blood cells **509.P**, 79*P*, 1998

SPEAKE T.
SPEAKE T., DOUGLAS I. J. & BROWN P. D. The role of calcium in the volume regulation of rat lacrimal acinar cells **511.P**, 22*P*, 1998
SPEAKE T. & BROWN P. D. The delayed rectifier K^+ channel in rat choroid plexus epithelium is inhibited by margatoxin **513.P**, 64*P*, 1998

SPENCER G. E.
SPENCER G. E., SYED N. I. & WINLOW W. A novel enkephalinergic excitatory response induced by halothane **507.P**, 28*P*, 1998

SPENCER P. J. *see* THOMPSON G. A., PASSMORE G. M., SPENCER P. J., DAVIES N. W. & STANFIELD P. R. **511.P**, 146*P*, 1998

SPRINGETT R. *see* NEWMAN J. P., PEEBLES D., HARDING S., SPRINGETT R. & HANSON M. A. **507.P**, 52*P*, 1998

SPYER K. M. *see* RALEVIC V., THOMAS T. & SPYER K. M. **509.P**, 127*P*, 1998

SRAI S. K. *see* DEBNAM E. S., MARKS J., DONG R., SRAI S. K. & UNWIN R. J. **507.P**, 38*P*, 1998

ŠRÁMEK P. *see* JANSKÝ L., VYBÍRAL S., JANÁKOVÁ H., LESNÁ I., ŠIMEČKOVÁ M., ŠRÁMEK P. & ZEMAN V. **511.P**, 2*P*, 1998
see ŠIMEČKOVÁ M., LESNÁ I., VYBÍRAL S., JANSKÝ L. & ŠRÁMEK P. **511.P**, 4*P*, 1998

SRITHARAN K. *see* KEELAN J., HERSSON-RINGSKOG J., SIOFTANOS G., SRITHARAN K., VERGUN O. & DUCHEN M. R. **511.P**, 122*P*, 1998

STANČÁK A. JR
STANČÁK A. JR, KRISTEVA-FEIGE R., LÜCKING C. H. & FEIGE B. EEG changes preceding and accompanying proximal and distal movements **511.P**, 68*P*, 1998

STANFIELD P. R. *see* RUSZNÁK Z., HARASZTOSI CS., FORSYTHE I. D., STANFIELD P. R. & SZÜCS G. **509.P**, 61*P*, 1998
see THOMPSON G. A., PASSMORE G. M., SPENCER P. J., DAVIES N. W. & STANFIELD P. R. **511.P**, 146*P*, 1998

STANSBY G. *see* STEVENS R. J. G., LINTOTT P., HAFEZ H., HOPPENTEADT D. A., FAREED J., MANSFIELD A. O., NICOLAIDES A. N. & STANSBY G. **506.P**, 108*P*, 1998

STARAS K. *see* CHANG H.-S., SMITH J. E., STARAS K. & GILBEY M. P. **509.P**, 123*P*, 1998

STAREC M. *see* YAMAMOTOVÁ A., ROKYTA R., STAREC M. & RAŠKOVÁ H. **511.P**, 58*P*, 1998

STARKEY S. J. *see* DUPERE J. R. B., STARKEY S. J., MARSHALL F. H. & XIE X. M. **513.P**, 30*P*, 1998

ŠT'ASTNÁ H. *see* ROKYTA R., JURČOVIČOVÁ J., KRSOVÁ D., ROVENSKÝ M., ŠT'ASTNÁ H., ŠVÍK K. & YAMAMOTO A. **511.P**, 54*P*, 1998

STAVROU B. M.
STAVROU B. M., SHERIDAN D. J. & FLORES N. A. Cardiac electrophysiological and haemodynamic effects of diadenosine polyphosphates in the isolated perfused guinea-pig heart **509.P**, 150*P*, 1998

STEELE D. S. *see* DARNLEY G. M., DUKE A. M., STEELE D. S. & MACFARLANE N. G. **506.P**, 58*P*, 1998
see MACFARLANE N. G., DUKE A. M., DARNLEY G. M. & STEELE D. S. **506.P**, 58*P*, 1998
see DUKE A. M. & STEELE D. S. **506.P**, 78*P*, 1998
see DUKE A. M. & STEELE D. S. **509.P**, 45*P*, 1998
see DUKE A. M. & STEELE D. S. **509.P**, 45*P*, 1998

STEENGE G. R.
STEENGE G. R., LAMBOURNE J., CASEY A., MACDONALD I. A. & GREENHAFF P. L. The effect of insulin on muscle creatine accumulation in man **506.P**, 103*P*, 1998

STEERS W. D.
STEERS W. D., MCCARTY R. & TUTTLE J. B. The spontaneously hypertensive rat (SHR): insight into the association between hypertension, anxiety and lower urinary tract symptoms (LUTS) **507.P**, 2*S*, 1998

STEFANI A. *see* HAINSWORTH A. H., SPADONI F., CALABRESI P., LEACH M. J., BERNARDI G. & STEFANI A. **511.P**, 124*P*, 1998

STEFFENS H. *see* ELLRICH J., SCHOMBURG E. D. & STEFFENS H. **509.P**, 172*P*, 1998
see SCHOMBURG E. D., STEFFENS H. & NAGEL H. **511.P**, 65*P*, 1998

ŠTEFL B.
ŠTEFL B., MEJSNAR J. & JANOVSKÁ A. Metabolic effects of increasing the perfusion flow rate in rat isolated skeletal muscle **511.P**, 158*P*, 1998

STEINERT J. R.
STEINERT J. R., JACOB R., POSTON L. & MANN G. E. Effects of pre-eclampsia on intracellular calcium levels in human fetal endothelial and smooth muscle cells **513.P**, 150*P*, 1998

ŠTENGL M. *see* PUČELÍK P. & ŠTENGL M. **511.P**, 87*P*, 1998
ŠTENGL M. & PUČELÍK P. Effects of tetraethylammonium and strontium on excitation–contraction coupling in rabbit papillary muscles **511.P**, 87*P*, 1998

STENSGAARD A. *see* HARRIDGE S. D. R., KRYGER A. & STENSGAARD A. **509.P**, 42*P*, 1998

STEPHEN L. E.
STEPHEN L. E. & HUGHES G. A. 5-Hydroxytryptamine (5-HT) induces contraction via 5-HT_2 receptors in bovine mesenteric lymph node capsular strips *in vitro* **509.P**, 21*P*, 1998

STEPHENS G. J. *see* CANTI C., STEPHENS G. J., PAGE K. M. & DOLPHIN A. C. **509.P**, 38*P*, 1998

STEPHENS J. A. *see* NADLER M. A., HARRISON L. M., MOORE M., TOWNEND E. & STEPHENS J. A. **511.P**, 135*P*, 1998
see MAYSTON M. J., HARRISON L. M., DATTA S. & STEPHENS J. A. **511.P**, 136*P*, 1998

STEPHENS R. H. *see* BENJAMIN A. R., STEPHENS R. H. & WALTERS D. V. **513.P**, 65*P*, 1998
see O'KELLY I., STEPHENS R. H., PEERS C. & KEMP P. J. **513.P**, 128*P*, 1998

STEPHENSON J. D. *see* DAWE G. S. & STEPHENSON J. D. **509.P**, 67*P*, 1998
see DAWE G. S. & STEPHENSON J. D. **511.P**, 138*P*, 1998

STEPHENSON T. *see* BISPHAM J., HEASMAN L., INGELTON P., STEPHENSON T. & SYMONDS M. E. **511.P**, 96*P*, 1998
see HEASMAN L., STEPHENSON T. & SYMONDS M. E. **511.P**, 96*P*, 1998
see DANDREA J., HEASMAN L., STEPHENSON T. & SYMONDS M. E. **511.P**, 97*P*, 1998

STERNFELD L. *see* PFEIFFER F., GONZÁLEZ A., SCHMID A., STERNFELD L. & SCHULZ I. **509.P**, 9*S*, 1998

STEVENS E. B.
STEVENS E. B., SHAH B. S., LEE K. & PINNOCK R. D. Bombesin receptors inhibit G protein-coupled inwardly rectifying K^+ channels expressed in *Xenopus* oocytes through a PKC-dependent pathway **513.P**, 138*P*, 1998

STEVENS R. J. G.

STEVENS R. J. G., LINTOTT P., HAFEZ H., HOPPENTEADT D. A., FAREED J., MANSFIELD A. O., NICOLAIDES A. N. & STANSBY G. Supracoeliac aortic cross-clamping causes systemic activation of fibrinolysis in humans **506.P**, 108*P*, 1998

STEWARD M. C.

STEWARD M. C., LANG T. F., SAN ROMÁN J. I. & CASE R. M. Measurement of secretory rate in isolated pancreatic duct segments by digital videomicroscopy **509.P**, 3*P*, 1998

STEWARD M. C., LANG T. F., YANG X.-S., SAN ROMÁN J. I., VARGA G. & CASE R. M. Regulation of HCO_3^- and fluid secretion in isolated guinea-pig pancreatic ducts **511.P**, 23*P*, 1998

see SAN ROMÁN J. I., CASE R. M. & STEWARD M. C. **513.P**, 53*P*, 1998

see ISHIGURO H., NARUSE S., CASE R. M. & STEWARD M. C. **513.P**, 54*P*, 1998

STEWART A.

STEWART A., RITCHIE J. W. A., LOW S. Y., HUNDAL H. S. & TAYLOR P. M. Glutamine transport in rat adipocytes **513.P**, 51*P*, 1998

STEWART A. K.

STEWART A. K., BOYD C. A. R. & VAUGHAN-JONES R. D. The effect of zinc chloride on recovery from an intracellular acid load in mouse isolated enterocytes **511.P**, 31*P*, 1998

STEWART D. E. *see HUANG S.J. & STEWART D. E.* **509.P**, 119*P*, 1998

STEWART J. D.

STEWART J. D. & TURNER D. L. P_{a,CO_2} regulation during exercise with added dead space is achieved by an increase in the primary exercise stimulus to breathe in humans **511.P**, 100*P*, 1998

STEWART K. A.

STEWART K. A., DITTRICH W., HAWKEN M., HENDERSON L., JACKSON S. & KENNARD C. The effect of target location on pro-point and anti-point movements in patients with Parkinson's disease **509.P**, 177*P*, 1998

STEWART W. *see WELTON J., STEWART W., KERR R. & MAXWELL D. J.* **509.P**, 179*P*, 1998

STEZHKA V. V.

STEZHKA V. V. & LOVICK T. A. Inhibitory serotonergic influence on neurones in the dorsolateral periaqueductal grey matter in rats involves nitric oxide **509.P**, 160*P*, 1998

ŠTICH V.

ŠTICH V., VYBÍRAL S., KVÍTEK J., HEJNÁ J. & JANSKÝ L. Impaired β-adrenergically mediated thermogenic and lipolytic responses in obesity **511.P**, 3*P*, 1998

STIENEN G. J. M. *see BOTTINELLI R., PELLEGRINO M. A., CANEPARI M., STIENEN G. J. M. & REGGIANI C.* **506.P**, 4*S*, 1998

STOKER J. B. *see WRIGHT D. J., RILEY R., STOKER J. B., MACKINTOSH A., TAN L. B. & HAINSWORTH R.* **507.P**, 57*P*, 1998

see GREENWOOD J. P., STOKER J. B. & MARY D. A. S. G. **511.P**, 11*P*, 1998

STOKES M. J. *see ELLAWAY P. H., MOOSAVI S. H., CATLEY M., STOKES M. J. & HAQUE N.* **511.P**, 67*P*, 1998

STOROZHEVYKH T. P.

STOROZHEVYKH T. P., GRIGORTSEVICH N. Y., VERGUN O. V., VINSKAYA N. P., PINELIS V. G. & KHODOROV B. I. A re-evaluation of the role of Na^+–Ca^{2+} exchange in regulation of Ca^{2+} homeostasis in mammalian central neurons **509.P**, 56*P*, 1998

STRATFORD L. L. *see HAWKINS P., CROWE C., MCGARRIGLE H. H. G., SAITO T., OZAKI T., STRATFORD L. L., NOAKES D. E. & HANSON M. A.* **507.P**, 50*P*, 1998

STRICKLAND C. *see KOOB S., STRICKLAND C. & ABBOTT N. J.* **509.P**, 75*P*, 1998

see MISTRY H., KOOB S., STRICKLAND C. & ABBOTT N. J. **509.P**, 75*P*, 1998

STUDENIK C. *see RAJAMANI S., LEMMENS-GRUBER R., STUDENIK C. & HEISTRACHER P.* **513.P**, 162*P*, 1998

STUERMER I. W. *see MOORE D. R., MOSSOP J. E. & STUERMER I. W.* **511.P**, 22*S*, 1998

STÜHMER W. *see PARDO L. A., DEL CAMINO D., BRÜGGERMANN A., BECKH S., SÁNCHEZ A. & STÜHMER W.* **509.P**, 4*S*, 1998

ŠUBR V. *see VARGOVÁ L., TAO L., SYKOVÁ E., ULBRICH K., ŠUBR V. & NICHOLSON C.* **511.P**, 16*P*, 1998

SUCH L. *see ALBEROLA A., MESEGUER I., TORREBLANCA M., MOYA A., SANCHO S., POLO B., SORIA B. & SUCH L.* **509.P**, 148*P*, 1998

SUCH L., CHORRO F. J., COLOM F., ALBA I., SECADURAS A., SUCH L. M., MESEGUER I., SORIA B. & ALBEROLA A. Effects of halocin H7 on A-V nodal conduction and heart rate in isolated rabbit heart **509.P**, 148*P*, 1998

SUCH L. M. *see SUCH L., CHORRO F. J., COLOM F., ALBA I., SECADURAS A., SUCH L. M., MESEGUER I., SORIA B. & ALBEROLA A.* **509.P**, 148*P*, 1998

SUGDEN D. *see ANWAR N. & SUGDEN D.* **509.P**, 201*P*, 1998

see AMOBI N. I. B., SUGDEN D. & SMITH I. C. H. **513.P**, 97*P*, 1998

SUH C.-K. *see CHO K., LITTLE H. J., SHIN J.-H. & SUH C.-K.* **511.P**, 48*P*, 1998

SUI G.

SUI G., WU C. & FRY C. H. Membrane inward currents and action potentials of cultured smooth muscle cells from the guinea-pig bladder **507.P**, 22*P*, 1998

see WU C., SUI G. & FRY C. H. **507.P**, 22*P*, 1998

SUI G., WU C. & FRY C. H. Evidence for a T-type current in guinea-pig detrusor smooth muscle **513.P**, 96*P*, 1998

SUL J.-Y.

SUL J.-Y. & MCNAUGHTON P. A. Dopamine elicits calcium signals in rat cortical astrocytes **513.P**, 14*P*, 1998

see NADAL A., FUENTES E., SUL J.-Y., PASTOR J., VALDEOLMILLOS M. & MCNAUGHTON P. A. **513.P**, 11*S*, 1998

SULEIMAN M.-S.

SULEIMAN M.-S., CAPUTO M., ANGELINI G. D., BRYAN A. J. & CALAFIORE A. M. Intermittent antegrade hyperkalaemic warm blood cardioplegia supplemented with magnesium prevents myocardial substrate derangement in patients undergoing coronary artery bypass surgery **511.P**, 74*P*, 1998

see LIN H., JEREMY J. Y. & SULEIMAN M.-S. **511.P**, 89*P*, 1998

see WILLIAMS H., MOFFAT A., GRIFFITHS E. J. & SULEIMAN M.-S. **511.P**, 89*P*, 1998

SULLIVAN M. E. *see MUMTAZ F. H., NASEEM K. M., THOMPSON C. S., SULLIVAN M. E., MIKHAILIDIS D. P., MORGAN R. J. & BRUCKDORFER K. R.* **507.P**, 23*P*, 1998

SUMERAY M. S. *see BLAIKLEY J. F., SUTTON P. M., WALTER M. F., SUMERAY M. S., WOOLFSON R. & UNWIN R. J.* **509.P**, 82*P*, 1998

SUMNER B. E. H. *see FINK G., SUMNER B. E. H., MCQUEEN J. K., WILSON H. & ROSIE R.* **509.P**, 17*S*, 1998

SUMNERS C. *see MASON H. S., GELBAND C. H., SUMNERS C., HOROWITZ B. & KENYON J. L.* **509.P**, 63*P*, 1998

SUN X.-P. *see MARCHANT J. S., CALLAMARAS N., SUN X.-P. & PARKER I.* **506.P**, 70*P*, 1998

SUNDBERG C. J. *see GUSTAFSSON T., PUNTSCHART A., SUNDBERG C. J. & JANSSON E.* **506.P**, 25*P*, 1998

SUNDBLAD P. *see DEMETRIADES A. K., OSTLUND A., SUNDBLAD P. & LINNARSSON D.* **511.P**, 117*P*, 1998

SURPRENANT A. *see MACKENZIE A. B., VIRGINIO C., NORTH R. A. & SURPRENANT A.* **506.P**, 45*P*, 1998

SURTEES R. A. H. *see DOBBIE M. S., HURST R. D. & SURTEES R. A. H.* **509.P**, 73*P*, 1998

ŠUTA D. *see SYKA J., POPELÁŘ J., KVAŠŇÁK E. & ŠUTA D.* **511.P**, 25*S*, 1998

SUTHERLAND H. *see SALMONS A., TANG A. T. M., SUTHERLAND H. & JARVIS J. C.* **506.P**, 7*S*, 1998

SUTTON J. K.

SUTTON J. K. & HARTELL N. A. The incidence of input-specific long-term depression in rat cerebellar slices: an extracellular study **509.P**, 57*P*, 1998

SUTTON P. M. *see BLAIKLEY J. F., SUTTON P. M., WALTER M. F., SUMERAY M. S., WOOLFSON R. & UNWIN R. J.* **509.P**, 82*P*, 1998

SVAČINKA J. *see TREFNÝ Z., SVAČINKA J., TROJAN S., SLAVÍČEK J., KITTNAR O. & TREFNÝ M.* **511.P**, 159*P*, 1998

SVICHAR N. *see KOSTYUK E., SVICHAR N. & SHISHKIN V.* **509.P**, 66*P*, 1998

ŠVÍK K. *see ROKYTA R., JURČOVIČOVÁ J., KRSOVÁ D., ROVENSKÝ M., ŠŤASTNÁ H., ŠVÍK K. & YAMAMOTO A.* **511.P**, 54*P*, 1998

SWEENEY M.

SWEENEY M., O'REGAN R. G. & MCLOUGHLIN P. Effects of hypercapnic acidosis on vascular smooth muscle tone in isolated rat intrapulmonary arteries **511.P**, 174*P*, 1998

SWEENEY T.

SWEENEY T., NICOL L. & BROOKS A. N. Can *in utero* exposure to environmental oestrogenic chemicals suppress FSH synthesis and secretion in both the male and female fetus? **509.P**, 90*P*, 1998

SYED N. I. *see SPENCER G. E., SYED N. I. & WINLOW W.* **507.P**, 28*P*, 1998

see HAMAKAWA T., SYED N. I. & WINLOW W. **513.P**, 100*P*, 1998

SYKA J. *see DRUGA R. & SYKA J.* **511.P**, 44*P*, 1998

see POPELÁŘ J., VALVODA J. & SYKA J. **511.P**, 45*P*, 1998

see RYBALKO N., BROŠEK G. & SYKA J. **511.P**, 45*P*, 1998

SYKA J., POPELÁŘ J., KVAŠŇÁK E. & ŠUTA D. Processing of simple and complex sounds in the auditory midbrain and auditory thalamus of the guinea-pig **511.P**, 25*S*, 1998

SYKOVÁ E. *see ANDĚROVÁ M., CHVÁTAL A., ŽIAK D. & SYKOVÁ E.* **511.P**, 15*P*, 1998

see PROKOPOVÁ Š., ŠIMONOVÁ Z. & SYKOVÁ E. **511.P**, 15*P*, 1998
see VARGOVÁ L., TAO L., SYKOVÁ E., ULBRICH K., ŠUBR V. & NICHOLSON C. **511.P**, 16*P*, 1998
see ROITBAK T., ŠIMONOVÁ Z. & SYKOVÁ E. **511.P**, 17*P*, 1998
see MAZEL T., ŠIMONOVÁ Z. & SYKOVÁ E. **511.P**, 19*P*, 1998
SYKOVÁ E. Diffusion barriers evoked by cell swelling, astrogliosis and pathological states in the CNS **511.P**, 9*S*, 1998

SYME C. A.
SYME C. A., MASON H. S., MACDONALD A. G. & WAHLE K. W. Arachidonic acid induces membrane hyperpolarization in cultured bovine aortic endothelial cells **507.P**, 12*P*, 1998

SYMONDS M. E. *see* HEASMAN L., CLARKE L. & SYMONDS M. E. **507.P**, 48*P*, 1998
see BISPHAM J., HEASMAN L., INGELTON P., STEPHENSON T. & SYMONDS M. E. **511.P**, 96*P*, 1998
see HEASMAN L., STEPHENSON T. & SYMONDS M. E. **511.P**, 96*P*, 1998
see DANDREA J., HEASMAN L., STEPHENSON T. & SYMONDS M. E. **511.P**, 97*P*, 1998

SZATKOWSKI M. *see* CANDY S. M. & SZATKOWSKI M. **513.P**, 13*P*, 1998

SZÉCSI J. *see* IOST N., VIRÁG L., OPINCARIU M., SZÉCSI J., VARROÓ A. & PAPP J. G. **506.P**, 55*P*, 1998

SZEDER V. *see* GRIM M., ZELENÁ J., HALATA Z., VALÁŠEK P., SZEDER V. & JEŘÁBKOVÁ G. **511.P**, 140*P*, 1998

SZKUTNIK Z. *see* ZOLADZ J. A., SZKUTNIK Z., MAJERCZAK J. & DUDA K. **506.P**, 99*P*, 1998

SZONYI G. *see* MALONE-LEE J. G. & SZONYI G. **507.P**, 21*P*, 1998

SZÜCS G. *see* RUSZNÁK Z., HARASZTOSI CS., FORSYTHE I. D., STANFIELD P. R. & SZÜCS G. **509.P**, 61*P*, 1998

TABARES L. *see* POYATO J. M., TABARES L., ALÉS E., LINDAU M. & ALVAREZ DE TOLEDO G. **509.P**, 60*P*, 1998
see ALÉS E., TABARES L., POYATO J. M., LINDAU M. & ALVAREZ DE TOLEDO G. **509.P**, 71*P*, 1998
see ALONSO R., HERNÁNDEZ-DÍAZ F., ABREU P., LÓPEZ-COVIELLA I., DÍAZ-CRUZ A., MARTÍNEZ-MORALES J. R., SÁNCHEZ J. J., TABARES L. & SALIDO E. **509.P**, 16*S*, 1998

TAGGART M. *see* SHAW L., TAGGART M. & AUSTIN C. **511.P**, 171*P*, 1998

TAGGART M. J. *see* MANKOURI H. W., BURDYGA T., TAGGART M. J. & WRAY S. **509.P**, 2*P*, 1998

TAILOR S.
TAILOR S., FAGBEMI O. & ECONOMIDES A. P. Comparison of ischaemic preconditioning and α_{-1} induced preconditioning on the isolated rabbit papillary muscle **513.P**, 160*P*, 1998

TAIT C. J.
TAIT C. J., HUDSON L. J., COX V. M. & GOLDSPINK D. F. Proto-oncogene expression in rabbit skeletal muscle after different electrical stimulation regimes **506.P**, 61*P*, 1998

TAKAGISHI Y. *see* DOBRZYNSKI H., HENDERSON Z., TAKAGISHI Y., ROTHERY S., SEVERS N. J., HONJO H., TAMKUN M. M., KODAMA I. & BOYETT M. R. **506.P**, 54*P*, 1998
see DOBRZYNSKI H., MARPLES D., ROTHERY S., TAKAGISHI Y., HONJO H., SEVERS N. J., TAMKUN M. M., KODAMA I., HENDERSON Z. & BOYETT M. R. **511.P**, 148*P*, 1998

TAKEO T.
TAKEO T., CRASKE M., TÖRÖK K., PETERSEN O. H. & TEPIKIN A. Intracellular distribution of calmodulin and calcium–calmodulin binding in nucleus and cytoplasm of mouse pancreatic acinar cells **506.P**, 74*P*, 1998
see CRASKE M., TAKEO T., TÖRÖK K., PETERSEN O. H. & TEPIKIN A. V. **509.P**, 3*P*, 1998
see TEPIKIN A., BELAN P., GERASIMENKO O., CRASKE M., TAKEO T., TÖRÖK K. & PETERSEN O. H. **509.P**, 8*S*, 1998

TALON S.
TALON S., HUCHET-CADIOU C. & LÉOTY C. Rapid cooling contractures in rat soleus muscle are sensitive to heparin **509.P**, 47*P*, 1998

TAMKUN M. M. *see* DOBRZYNSKI H., HENDERSON Z., TAKAGISHI Y., ROTHERY S., SEVERS N. J., HONJO H., TAMKUN M. M., KODAMA I. & BOYETT M. R. **506.P**, 54*P*, 1998
see DOBRZYNSKI H., MARPLES D., ROTHERY S., TAKAGISHI Y., HONJO H., SEVERS N. J., TAMKUN M. M., KODAMA I., HENDERSON Z. & BOYETT M. R. **511.P**, 148*P*, 1998

TAN L. B. *see* WRIGHT D. J., RILEY R., STOKER J. B., MACKINTOSH A., TAN L. B. & HAINSWORTH R. **507.P**, 57*P*, 1998
see NG Y., COLYER J., TAN L. B., CLARK W. A. & GOLDSPINK D. F. **511.P**, 157*P*, 1998

TANG A. T. M. *see* SALMONS A., TANG A. T. M., SUTHERLAND H. & JARVIS J. C. **506.P**, 7*S*, 1998

TANSEY E. M. *see* ANDREWS P. L. R. & TANSEY E. M. **509.P**, 18*P*, 1998

TAO L. *see* VARGOVÁ L., TAO L., SYKOVÁ E., ULBRICH K., ŠUBR V. & NICHOLSON C. **511.P**, 16*P*, 1998
see NICHOLSON C., TAO L. & KUME-KICK J. **511.P**, 8*S*, 1998

TAPIA J. A.
TAPIA J. A., FERRIS H. A., JENSEN R. T. & GARCÍA L. J. Cholecystokinin (CCK) causes tyrosine phosphorylation of PYK2/CAKβ in pancreatic acinar cells by both calcium-dependent and -independent pathways **509.P**, 11*P*, 1998

TARASENKO A. N.
TARASENKO A. N. & GILLESPIE J. I. Measurement of electrical events on the peri-nuclear membrane of bovine aortic endothelial cells: evidence for ion channel activity **506.P**, 35*P*, 1998
see EREMIN A. V., ISAEV D. S., PALIGIN O. A., TARASENKO A. N. & KOSTYUK P. G. **506.P**, 77*P*, 1998
see ISAEV D. S., EREMIN A. V., PALIGIN O. A., TARASENKO A. N. & KOSTYUK P. G. **506.P**, 77*P*, 1998
TARASENKO A. N. Large conductance, voltage-dependent transitions in the membranes surrounding isolated voltage clamped bovine aortic endothelial nuclei **507.P**, 13*P*, 1998

TARNAWSKI M.
TARNAWSKI M., MCLEAN M., CARO C. G., DOORLY D. J. & DUMOULIN C. L. Effect of nicotine transdermal patch on femoral artery wavespeed in healthy human subjects measured by MRI **506.P**, 16*P*, 1998

TARR J. E. *see* FOLLAND J. P., IRISH C. S., ROBERTS J. C., TARR J. E. & JONES D. A. **506.P**, 102*P*, 1998

TAS M. *see* HILLMAN N. J., TAS M., MURRAY R. C., WILLIAMS B. & BATES D. O. **513.P**, 154*P*, 1998

TATE S. *see* GLADWELL Z. M., TREZISE D. J., PLUMPTON C., XIE X. M. & TATE S. **513.P**, 141*P*, 1998

TAUC M. *see* DURANTON C., AVELLA M., TAUC M. & POUJEOL P. **513.P**, 136*P*, 1998

TAVARES E. *see* ARTILLO R., MURILLO M. L., TAVARES E. & CARRERAS O. **509.P**, 21*P*, 1998

TAVI P.
TAVI P., HAN C., VOUTILAINEN S. & WECKSTRÖM M. Intracellular acidosis modulates stretch-induced changes in calcium balance, contraction force, action potentials and ANP (atrial natriuretic peptide) secretion in the rat atrium **511.P**, 90*P*, 1998
see WECKSTRÖM M., TAVI P. & HAN C. **511.P**, 91*P*, 1998

TAYLOR C. W. *see* BROAD L. M. & TAYLOR C. W. **506.P**, 66*P*, 1998
see CARDY T. J. A., TRAYNOR D. & TAYLOR C. W. **506.P**, 73*P*, 1998
see CORREA V., MORRIS S. A., O'BEIRNE G. & TAYLOR C. W. **506.P**, 78*P*, 1998
see THORNTON S., MCKILLEN H.-C. & TAYLOR C. W. **506.P**, 144*P*, 1998
see BROAD L. M. & TAYLOR C. W. **507.P**, 74*P*, 1998

TAYLOR D. J. *see* KARDOS A., TAYLOR D. J., THOMPSON C. H., HANDS L., COLLIN J. & CASADEI B. **506.P**, 98*P*, 1998

TAYLOR E. W. *see* BLOGG S. L., BUTLER P. J. & TAYLOR E. W. **506.P**, 156*P*, 1998

TAYLOR I. H. *see* ANDERSON K. G., TAYLOR I. H., DENNIFF P. & HIRST B. H. **509.P**, 26*P*, 1998

TAYLOR J. L. *see* PETERSEN N., TAYLOR J. L., BUTLER J. E. & GANDEVIA S. C. **511.P**, 65*P*, 1998

TAYLOR J. P.
TAYLOR J. P., MILLER S., VILLAGRA F. & EYRE J. A. Comparison of responses in biceps brachii following transcranial magnetic stimulation of ipsilateral and contralateral hemispheres in normal human adults and neonates **509.P**, 169*P*, 1998

TAYLOR P. M. *see* FOWDEN A. L., FORHEAD A. J., BLOOMFIELD M., TAYLOR P. M. & SILVER M. **507.P**, 49*P*, 1998
see PETER G. J., WADE E. A. & TAYLOR P. M. **509.P**, 193*P*, 1998
see LOW S. Y. & TAYLOR P. M. **509.P**, 195*P*, 1998
see STEWART A., RITCHIE J. W. A., LOW S. Y., HUNDAL H. S. & TAYLOR P. M. **513.P**, 51*P*, 1998
see BIRRELL J., RITCHIE J. W. A., LOW S. Y. & TAYLOR P. M. **513.P**, 62*P*, 1998

TAYLOR S. C.
TAYLOR S. C. & PEERS C. Chronic hypoxia enhances quantal secretion evoked from rat pheochromocytoma (PC-12) cells by acute hypoxia **513.P**, 74*P*, 1998

TEJKALOVÁ H. *see* BENEŠOVÁ O., TEJKALOVÁ H., KRIŠTOFIKOVÁ Z., NEDVÍDKOVÁ J. & HUŠEK P. **511.P**, 50*P*, 1998

TEMPLE C. S. *see* MEREDITH D., TEMPLE C. S. & BOYD C. A. R. **506.P**, 131*P*, 1998

TEMPLE C. S., COLLIER I. D., BRONK J. R., BAILEY P. D. & BOYD C. A. R. Structural requirements for non-peptide substrate binding to the epithelial proton-coupled oligopeptide transporter **511.P**, 26*P*, 1998

TENSEN C. P. *see* BURKE J. F., COX K. J. A., PERRY S., TENSEN C. P. & VAN HEERIKHUIZEN H. **513.P**, 16*S*, 1998

TEPEL M. *see* ORIE N. N., TEPEL M. & ZIDEK W. **509.P**, 196*P*, 1998

TEPIKIN A. *see* TAKEO T., CRASKE M., TÖRÖK K., PETERSEN O. H. & TEPIKIN A. **506.P**, 74*P*, 1998

see TINEL H., MOGAMI H., CANCELA J. M., TEPIKIN A. & PETERSEN O. H. **509.P**, 104*P*, 1998

TEPIKIN A., BELAN P., GERASIMENKO O., CRASKE M., TAKEO T., TÖRÖK K. & PETERSEN O. H. Calcium signals and calcium–calmodulin binding in pancreatic acinar cells **509.P**, 8*S*, 1998

TEPIKIN A. V. *see* CANCELA J. M., MOGAMI H., TEPIKIN A. V. & PETERSEN O. H. **506.P**, 72*P*, 1998

see MOGAMI H., TEPIKIN A. V. & PETERSEN O. H. **509.P**, 3*P*, 1998

see CRASKE M., TAKEO T., TÖRÖK K., PETERSEN O. H. & TEPIKIN A. V. **509.P**, 3*P*, 1998

see GERASIMENKO O. V., GERASIMENKO J. V., TEPIKIN A. V. & PETERSEN O. H. **509.P**, 105*P*, 1998

TEPPEMA L.

TEPPEMA L. Carbonic anhydrase and the control of breathing **511.P**, 45*S*, 1998

TERRACCIANO C. M. N.

TERRACCIANO C. M. N., DE SOUZA A. I., PHILIPSON K. D. & MACLEOD K. T. Ca^{2+} handling in cardiac myocytes isolated from transgenic mice overexpressing the Na^+–Ca^{2+} exchanger **509.P**, 154*P*, 1998

TERRAR D. *see* LEI M., KOHL P., RIGG L. & TERRAR D. **506.P**, 39*P*, 1998

TERRAR D. A. *see* MAMAS M. A. & TERRAR D. A. **511.P**, 93*P*, 1998

see CUI Y., GALIONE A. & TERRAR D. A. **511.P**, 94*P*, 1998

see ANNETTS C., HANSON P. & TERRAR D. A. **513 .P**, 2*P*, 1998

TESCHEMACHER A.

TESCHEMACHER A., KASPAROV S., KRAVITZ E. A. & RAHAMIMOFF R. Inhibition by baclofen of the Ca^{2+}-independent component of spontaneous GABA release in rat hippocampal cultures **506.P**, 148*P*, 1998

THAYER S. A.

THAYER S. A., USACHEV Y. M., WERTH J. L. & BARON K. T. Modulation of calcium signalling in cultured rat dorsal root ganglion neurones **506.P**, 10*S*, 1998

THIN A.

THIN A., KELLY G., DALY L., FITZGERALD M. X. & MCLOUGHLIN P. Repeatability of the gas exchange threshold; relative contribution of method and biological variability **513.P**, 75*P*, 1998

THIPPESWAMY T.

THIPPESWAMY T. & MORRIS R. Evidence for developmental changes in the role of nitric oxide (NO) in dorsal root ganglion (DRG) neurones in the rat **509.P**, 182*P*, 1998

THIRION S. *see* TROADEC J. D., THIRION S., NICAISE G., LEMOS J. R. & DAYANITHI G. **506.P**, 66*P*, 1998

THOMAS A. L. *see* OAKLEY F., HORN N. M., HUBBARD A. & THOMAS A. L. **511.P**, 38*P*, 1998

see HORN N. M., OAKLEY F. & THOMAS A. L. **513.P**, 50*P*, 1998

THOMAS D.

THOMAS D., LIPP P., BERRIDGE M. J. & BOOTMAN M. D. Ca^{2+} puffs in HeLa cells arise from a varying number of inositol 1,4,5-trisphosphate receptors and display a continuum of Ca^{2+} release amplitudes **509.P**, 186*P*, 1998

see TOVEY S. C., THOMAS D., LIPP P., BERRIDGE M. J. & BOOTMAN M. D. **509.P**, 200*P*, 1998

THOMAS M. M. *see* LAMB T. D. & THOMAS M. M. **506.P**, 2*P*, 1998

THOMAS M. M. & LAMB T. D. Dark adaptation recovery of human rod photoreceptors following partial bleaches **506.P**, 87*P*, 1998

THOMAS P.

THOMAS P. Two types of exocytosis observed in single, rat pancreatic acinar cells **509.P**, 10*P*, 1998

THOMAS R. C. *see* COLLINS R. O. & THOMAS R. C. **511.P**, 42*P*, 1998

THOMAS S. *see* EGÉE S., CABIOCH S. & THOMAS S. **511.P**, 150*P*, 1998

THOMAS T. *see* RALEVIC V., THOMAS T. & SPYER K. M. **509.P**, 127*P*, 1998

THOMPSON A.

THOMPSON A., BAILEY M. A., MICHAEL A. E. & UNWIN R. J. Effect of metabolic acidosis on renal 11β-hydroxysteroid dehydrogenase activities in rat kidney **513.P**, 38*P*, 1998

THOMPSON C. H. *see* KARDOS A., TAYLOR D. J., THOMPSON C. H., HANDS L., COLLIN J. & CASADEI B. **506.P**, 98*P*, 1998

THOMPSON C. S. *see* MUMTAZ F. H., NASEEM K. M., THOMPSON C. S., SULLIVAN M. E., MIKHAILIDIS D. P., MORGAN R. J. & BRUCKDORFER K. R. **507.P**, 23*P*, 1998

THOMPSON D. G. *see* LOMAX R. B., MCLAUGHLIN J. T., DOCKRAY G. J., THOMPSON D. G. & WARHURST G. **511.P**, 25*P*, 1998

THOMPSON G. A.

THOMPSON G. A., PASSMORE G. M., SPENCER P. J., DAVIES N. W. & STANFIELD P. R. Blockage of inward rectifier potassium channels (murine Kir2.1) by Ba^{2+} is influenced by an aspartate residue (D172) **511.P**, 146*P*, 1998

THOMPSON I. D. *see* SMYTH D., TOLHURST D. J., BAKER G. E. & THOMPSON I. D. **509.P**, 50*P*, 1998

THOMSON A. M. *see* BROWN L. A., LOVICK T. A., KEY B. J., THOMSON A. M., ALI A. B. & PAWELZIK H. **511.P**, 115*P*, 1998

see HUGHES D. I., BANNISTER A. P., ILIA M., WEST D. C. & THOMSON A. M. **513.P**, 3*P*, 1998

see PAWELZIK H. & THOMSON A. M. **513.P**, 14*P*, 1998

see ALI A. B. & THOMSON A. M. **513.P**, 30*P*, 1998

THORN P. *see* CAREW M. A., ERMOLAYEVA E., GODDARD C. A. & THORN P. **507.P**, 3*P*, 1998

see KIDD J. F. & THORN P. **509.P**, 108*P*, 1998

THORNBURY K. D. *see* HOLLYWOOD M. A., COTTON K. D., THORNBURY K. D. & MCHALE N. G. **509.P**, 28*P*, 1998

see COTTON K. D., TOLAND H. M., HOLLYWOOD M. A., THORNBURY K. D. & MCHALE N. G. **513.P**, 95*P*, 1998

see SERGEANT G. P., HOLLYWOOD M. A., COTTON K. D., MCHALE N. G. & THORNBURY K. D. **513.P**, 95*P*, 1998

THORNTON J. M. *see* NASH M. P., THORNTON J. M. & PATERSON D. J. **507.P**, 60*P*, 1998

see NASH M. P., THORNTON J. M., BANNING A. P. & PATERSON D. J. **513.P**, 162*P*, 1998

THORNTON S.

THORNTON S., MCKILLEN H.-C. & TAYLOR C. W. Oxytocin increases the sensitivity *in vitro* of the contractile apparatus to Ca^{2+} in human pregnant myometrium **506.P**, 144*P*, 1998

THWAITES D. T.

THWAITES D. T., WALKER D. & SIMMONS N. L. Polarized expression of the Na^+–H^+ exchangers NHE1 and NHE3 in Caco-2 cell monolayers **506.P**, 129*P*, 1998

TIBBATTS C. *see* EVANS D., HOLDEN E., TIBBATTS C. & FORSLING M. L. **513.P**, 6*P*, 1998

TIMMONS J. A.

TIMMONS J. A., POUCHER S. M. & GREENHAFF P. L. Inhibition of lipolysis and mitochondrial lipid uptake during contraction in ischaemic skeletal muscle **506.P**, 40*P*, 1998

TIMMONS J. A., GREENHAFF P. L. & POUCHER S. M. The effects of asparagine infusion on ischaemic contractile function in canine skeletal muscle **506.P**, 41*P*, 1998

TINEL H.

TINEL H., MOGAMI H., CANCELA J. M., TEPIKIN A. & PETERSEN O. H. Mitochondria surround the secretory granule region in mouse pancreatic acinar cells, and accumulate Ca^{2+} released during local spiking events **509.P**, 104*P*, 1998

TINKER A. *see* GIBLIN J., LEANEY J. & AND TINKER A. **513.P**, 137*P*, 1998

TIRIBELLI C. *see* BAYÓN J. E., PASCOLO L., SERRANO M. A., CUPELLI F., TIRIBELLI C., GONZALEZ-GALLEGO J. & MARIN J. G. **509.P**, 26*P*, 1998

TOBIÁŠ J. *see* KŘÍŽ N., YAMAMOTO A., TOBIÁŠ J. & ROKYTA R. **511.P**, 57*P*, 1998

TOESCU E. C.

TOESCU E. C. Thapsigargin-sensitive stores act as a 'Ca^{2+} sink' during depolarization in rat cultured cerebellar granule cells **506.P**, 71*P*, 1998

TOILLON R. A. *see* OUADID-AHIDOUCH H., LE BHOURIS X. F., TOILLON R. A. & PREVARSKAYA N. **513.P**, 136*P*, 1998

TOLAND H. M. *see* COTTON K. D., TOLAND H. M., HOLLYWOOD M. A., THORNBURY K. D. & MCHALE N. G. **513.P**, 95*P*, 1998

TOLHURST D. J. *see* WINTER I. M. & TOLHURST D. J. **506.P**, 11*P*, 1998

TOLHURST D. J., TROSCIANKO T., BENSON P. J. & PARRAGA C. A. The use of morphed images in the quantitative study of human spatial vision **506.P**, 11*P*, 1998

see PÁRRAGA C. A., TOLHURST D. J. & LEE J. T. C. **506.P**, 86*P*, 1998

see WATTERS P. A. & TOLHURST D. J. **506.P**, 91*P*, 1998

see SMYTH D., TOLHURST D. J., BAKER G. E. & THOMPSON I. D. **509.P**, 50*P*, 1998

Tomlinson W. J. *see* Clarke C. E., Meadows H. J., Tomlinson W. J., Carpenter D., Sanger G. J. & Benham C. D. **506.P**, 44*P*, 1998

Tonta M. A. *see* Parkington H. C., Tonta M. A., Brennecke S. P., Holman M. E. & Coleman H. A. **507.P**, 68*P*, 1998

Tooke J. E. *see* Klaentschi K., Shore A. C. & Tooke J. E. **506.P**, 35*P*, 1998

Török K. *see* Takeo T., Craske M., Török K., Petersen O. H. & Tepikin A. **506.P**, 74*P*, 1998

see Craske M., Takeo T., Török K., Petersen O. H. & Tepikin A. V. **509.P**, 3*P*, 1998

see Tepikin A., Belan P., Gerasimenko O., Craske M., Takeo T., Török K. & Petersen O. H. **509.P**, 8*S*, 1998

Torrance R. W.

Torrance R. W. The normal function of Hb in transporting CO in the body **513.P**, 72*P*, 1998

Torreblanca M. *see* Alberola A., Meseguer I., Torreblanca M., Moya A., Sancho S., Polo B., Soria B. & Such L. **509.P**, 148*P*, 1998

Torres M. D. *see* Pérez C., Canal J. R., Romero A. & Torres M. D. **509.P**, 23*P*, 1998

Torsney C.

Torsney C., Sarantis M. & Attwell D. Early neuronal death caused by simulated ischaemia in rat hippocampal slices, monitored using propidium iodide fluorescence **513.P**, 20*P*, 1998

Tóth T. I. *see* Hughes S. W., Cope D. W., Tóth T. I., Williams S. R. & Crunelli V. **506.P**, 151*P*, 1998

Tovee M. J. *see* Zheng F., Golledge H. D. R., Giannikopoulos D. V., Mason R. J., Scannell J. W., Tovee M. J. & Young M. P. **509.P**, 58*P*, 1998

Tovey S. C.

Tovey S. C., Thomas D., Lipp P., Berridge M. J. & Bootman M. D. Cytoplasmic and nucleoplasmic calibration of fluo-3 confirms the lack of nucleo-cytoplasmic Ca^{2+} gradients during stimulation of HeLa cells **509.P**, 200*P*, 1998

Townend E. *see* Nadler M. A., Harrison L. M., Moore M., Townend E. & Stephens J. A. **511.P**, 135*P*, 1998

Townend J. N. *see* Farmer M. R., Vaile J. C., Townend J. N. & Coote J. H. **506.P**, 109*P*, 1998

see Vaile J. C., Hammond J., Littler W. A., Coote J. H. & Townend J. N. **506.P**, 110*P*, 1998

see Farmer M. R., Vaile J. C., Osman F., Townend J. N. & Coote J. H. **513.P**, 82*P*, 1998

Trafford A. W.

Trafford A. W. A computer program for analysis of continuously recorded data **509.P**, 4*P*, 1998

Trafford A. W., Díaz M. E., Sibbring G. C. & Eisner D. A. The use of spontaneous rather than stimulated sarcoplasmic reticulum Ca^{2+} release to identify agents that modulate Ca^{2+}-induced Ca^{2+} release in cardiac muscle **509.P**, 146*P*, 1998

Tramu G. *see* Mullier O., Viltart O., Poulain P., Tramu G. & Sequeira H. **513.P**, 84*P*, 1998

Traub R. D. *see* Faulkner H. J., Traub R. D. & Whittington M. A. **513.P**, 12*P*, 1998

Traynelis S. F. *see* Gingrich M. B., Rouse S. T., Marino M. J., Conn P. J. & Traynelis S. F. **507.P**, 26*P*, 1998

Traynor D. *see* Cardy T. J. A., Traynor D. & Taylor C. W. **506.P**, 73*P*, 1998

Treacher D. F. *see* Kostoglou-Athanassiou I., Athanassiou P., Treacher D. F., Wheeler M. J. & Forsling M. L. **506.P**, 142*P*, 1998

Trefný M. *see* Trefný Z., Svačinka J., Trojan S., Slavíček J., Kittnar O. & Trefný M. **511.P**, 159*P*, 1998

Trefný Z.

Trefný Z., Svačinka J., Trojan S., Slavíček J., Kittnar O. & Trefný M. Relation between systolic cardiac force and maximal skeletal muscle force **511.P**, 159*P*, 1998

Tresguerres J. A. F. *see* Pérez-Romero A., Dialynas E., Bartke A., Salamé F., Ariznavarreta C. & Tresguerres J. A. F. **509.P**, 94*P*, 1998

Trezise D. J. *see* John V. H., Trezise D. J. & Xie X. M. **513.P**, 140*P*, 1998

see Gladwell Z. M., Trezise D. J., Plumpton C., Xie X. M. & Tate S. **513.P**, 141*P*, 1998

Trigo J. A.

Trigo J. A., Gruart A. & Delgado-García J. M. Discharge properties of brainstem motoneurons involved in the generation of unconditioned and conditioned eye blinks in the alert cat **509.P**, 28*S*, 1998

Trim N.

Trim N., Holden-Dye L. & Walker R. J. The effect of tamoxifen on the somatic muscle of the nematode *Ascaris suum* **513.P**, 109*P*, 1998

Trinick J.

Trinick J. & Tskhovrebova L. Extensibility in the titin molecule monitored by fluorescence microscopy **511.P**, 60*P*, 1998

Tripathy S. P.

Tripathy S. P. & Barlow H. B. Coherent motion between non-adjacent fields of a random-dot kinematogram **506.P**, 86*P*, 1998

Troadec J. D.

Troadec J. D., Thirion S., Nicaise G., Lemos J. R. & Dayanithi G. The effects of ATP on intracellular Ca^{2+} and vasopressin release from isolated rat neurohypophysial terminals **506.P**, 66*P*, 1998

Trojan S. *see* Slavíček J., Krůšek J., Kittnar O., Vyskočil F. & Trojan S. **511.P**, 86*P*, 1998

see Marešová D., Doubek P., Pokorný J., Langmeier M., Mareš J., Hetka R. & Trojan S. **511.P**, 131*P*, 1998

see Pokorný J. & Trojan S. **511.P**, 138*P*, 1998

see Trefný Z., Svačinka J., Trojan S., Slavíček J., Kittnar O. & Trefný M. **511.P**, 159*P*, 1998

Troscianko T. *see* Tolhurst D. J., Troscianko T., Benson P. J. & Parraga C. A. **506.P**, 11*P*, 1998

Trouet D. *see* Eggermont J., Kamouchi M., Trouet D., Droogmans G. & Nilius B. **506.P**, 22*P*, 1998

Truini A. *see* Priori A., Truini A. & Cruccu G. **513.P**, 33*P*, 1998

Trujillo E.

Trujillo E., Alvarez de la Rosa D., Mobasheri A., Avila J., González T. & Martín-Vasallo P. Expression of the Na^+, K^+-ATPase α and β subunit isoforms in fetal and adult human chondrocytes **511.P**, 40*P*, 1998

Tsintzas K.

Tsintzas K., Williams C., Constantin-Teodosiu D., Hultman E., Boobis L. & Greenhaff P. Dual effect of carbohydrate feeding on skeletal muscle substrate utilization during exercise in man **506.P**, 101*P*, 1998

Tskhovrebova L. *see* Trinick J. & Tskhovrebova L. **511.P**, 60*P*, 1998

Tsuga H. *see* Shui Z., Khan I. A., Tsuga H., Haga T. & Boyett M. R. **511.P**, 78*P*, 1998

Tuček S. *see* Lysíková M., Fuksová K., Elbert T., El-Fakahany E. E. & Tuček S. **511.P**, 129*P*, 1998

Tuček S. & Doležal V. Muscarinic acetylcholine receptors: basic properties and allosteric regulation **511.P** , 2*S*, 1998

Tullett J. M.

Tullett J. M., Naseem K. M. & Bruckdorfer K. R. Hydrogen sulphide, nitric oxide and platelet function **513.P**, 155*P*, 1998

Turner C. R.

Turner C. R. & Crawford A. C. Components of the current activated by stretch at the isolated muscle spindle of the frog **506.P**, 82*P*, 1998

Turner C. R. & Crawford A. C. The relationship between force and transducer current in the isolated frog muscle spindle during very small stretches **509.P**, 50*P*, 1998

Turner D. A. *see* Wheal H. V., Cannon R. C. & Turner D. A. **511.P**, 18*P*, 1998

Turner D. L. *see* Hughes V. L., Wood H. E. & Turner D. L. **506.P**, 96*P*, 1998

see Wood H. E., Hughes V. L. & Turner D. L. **506.P**, 96*P*, 1998

see Natali A. J., White E., Harrison S. M. & Turner D. L. **509.P**, 151*P*, 1998

see Natali A. J., White E., Harrison S. M. & Turner D. L. **511.P**, 88*P*, 1998

see Stewart J. D. & Turner D. L. **511.P**, 100*P*, 1998

see Ming C., Marshall R., Withington D. J. & Turner D. L. **511.P**, 101*P*, 1998

see Marshall R., Ming C., Withington D. J. & Turner D. L. **511.P**, 102*P*, 1998

Turner D. L. & Claydon T. Respiratory muscle EMG activity is modulated by visually cued simple non-respiratory motor tasks in humans **511.P**, 103*P*, 1998

Turner D. L. Modulation of ventilatory control: a review of evidence and neural models **511.P**, 46*S*, 1998

Turner R. *see* Griffiths T. D., Rees G., Rees A., Green G. G. R., Witton C., Rowe D., Buechel C., Turner R. & Frackowiak R. S. J. **506.P**, 85*P*, 1998

see Corfield D. R., Murphy K., Josephs O., Adams L. & Turner R. **513.P**, 87*P*, 1998

TUTTLE J. B. *see* STEERS W. D., MCCARTY R. & TUTTLE J. B. **507.P**, 2*S*, 1998

TYSOME J. *see* BAMBER C., SHEERIN F., TYSOME J. & FITZSIMONS J. T. **506.P**, 143*P*, 1998

UBOLSAKKA C. *see* WHITE M. J., UBOLSAKKA C. & SAVORY D. **513.P**, 87*P*, 1998

ULBRICH K. *see* VARGOVÁ L., TAO L., SYKOVÁ E., ULBRICH K., ŠUBR V. & NICHOLSON C. **511.P**, 16*P*, 1998

UNMACK M. A.

UNMACK M. A., RANGACHARI P. K., HANSEN M. B. & SKADHAUGE E. Effects of isoprostanes and prostanoids on the short-circuit current in porcine small intestine *in vitro* **507.P**, 9*P*, 1998

UNMACK M. A. & SKADHAUGE E. Ion transport pathways involved in the response to isoprostanes and prostaglandins in the porcine small intestine **511.P**, 30*P*, 1998

UNO T. *see* SHIBATA M. & UNO T. **511.P**, 4*P*, 1998

UNWIN R. J. *see* DEBNAM E. S., MARKS J., DONG R., SRAI S. K. & UNWIN R. J. **507.P**, 38*P*, 1998

see WALTER M. F. & UNWIN R. J. **507.P**, 39*P*, 1998

see SHIRLEY D. G., WALTER S. J., FOLKERD E. J. & UNWIN R. J. **507.P**, 40*P*, 1998

see WALTER M. F. & UNWIN R. J. **507.P**, 42*P*, 1998

see BLAIKLEY J. F., SUTTON P. M., WALTER M. F., SUMERAY M. S., WOOLFSON R. & UNWIN R. J. **509.P**, 82*P*, 1998

see SEWELL K. J., SHIRLEY D. G. & UNWIN R. J. **513.P**, 38*P*, 1998

see THOMPSON A., BAILEY M. A., MICHAEL A. E. & UNWIN R. J. **513.P**, 38*P*, 1998

see BAILEY M. A., IMBERT-TEBOUL M., BURNSTOCK G. & UNWIN R. J. **513.P**, 39*P*, 1998

see WALTER M. F. & UNWIN R. J. **513.P**, 43*P*, 1998

see MARKS J., DEBNAM E. S. & UNWIN R. J. **513.P**, 45*P*, 1998

UNZAGA M. T. *see* LOPEZ-OLIVA M. E., AGIS-TORRES A., UNZAGA M. T. & MUÑOZ-MARTINEZ E. **509.P**, 100*P*, 1998

URBACH V. *see* BROWNE G. P., WALSH D. E., VAN BERKEL A., HARVEY B. J. & URBACH V. **511.P**, 32*P*, 1998

see WALSH D. E., HARVEY B. J. & URBACH V. **511.P**, 37*P*, 1998

URDANETA E. *see* DIEZ-SAMPEDRO A., LOSTAO M. P., URDANETA E. & BARBER A. **509.P**, 25*P*, 1998

URDANETA E., BARBER A. & LOSTAO M. P. Properties of the neutral amino acid transporter ASCT1 expressed in *Xenopus laevis* oocytes **509.P**, 202*P*, 1998

UREÑA J. *see* SMANI T., IWABUCHI S., LÓPEZ-BARNEO J. & UREÑA J. **509.P**, 115*P*, 1998

USACHEV Y. M. *see* THAYER S. A., USACHEV Y. M., WERTH J. L. & BARON K. T. **506.P**, 10*S*, 1998

VAILE J. C. *see* FARMER M. R., VAILE J. C., TOWNEND J. N. & COOTE J. H. **506.P**, 109*P*, 1998

VAILE J. C., HAMMOND J., LITTLER W. A., COOTE J. H. & TOWNEND J. N. Inhibition of cardiac vagal tone by angiotensin II in humans **506.P**, 110*P*, 1998

see FARMER M. R., VAILE J. C., OSMAN F., TOWNEND J. N. & COOTE J. H. **513.P**, 82*P*, 1998

VALÁŠEK P. *see* GRIM M., ZELENÁ J., HALATA Z., VALÁŠEK P., SZEDER V. & JEŘÁBKOVÁ G. **511.P**, 140*P*, 1998

VALDEOLMILLOS M. *see* NADAL A., FUENTES E., SUL J.-Y., PASTOR J., VALDEOLMILLOS M. & MCNAUGHTON P. A. **513.P**, 11*S*, 1998

VALERO V.

VALERO V., RAMÍREZ-PONCE P., MATEOS J. C., ALVAREZ DE TOLEDO A. & BELLIDO J. Cytosolic free calcium measurements in adipocytes of rat **509.P**, 106*P*, 1998

VALLE-AGUILERA R. *see* GONZALEZ-SERRATOS H., ORTEGA A., VALLE-AGUILERA R. & CHANG R. **506.P**, 59*P*, 1998

VALVODA J. *see* POPELÁŘ J., VALVODA J. & SYKA J. **511.P**, 45*P*, 1998

VAN BERKEL A. *see* BROWNE G. P., WALSH D. E., VAN BERKEL A., HARVEY B. J. & URBACH V. **511.P**, 32*P*, 1998

VANDECASTEELE G.

VANDECASTEELE G., VERDE I. & FISCHMEISTER R. cGMP regulation of the L-type Ca^{2+} current in human atrial myocytes **511.P**, 80*P*, 1998

see FISCHMEISTER R., VANDECASTEELE G., ABI-GERGES N., VERDE I., ESCHENHAGEN T. & MÉRY P.-F. **511.P**, 2*S*, 1998

VAN DER WOUDE L. *see* GERRITS H. L., DE HAAN A., HOPMAN M. T. E., VAN DER WOUDE L. & SARGEANT A. J. **509.P**, 43*P*, 1998

VANDIER C.

VANDIER C., CONWAY A. F. & KUMAR P. Presynaptic effect of adenosine on the rat carotid body *in vitro* **511.P**, 101*P*, 1998

VANDIER C., CONWAY A. F. & KUMAR P. Adenosine decreases a 4-AP-sensitive current in rat carotid body type I cells **513.P**, 73*P*, 1998

VAN HEERIKHUIZEN H. *see* BURKE J. F., COX K. J. A., PERRY S., TENSEN C. P. & VAN HEERIKHUIZEN H. **513.P**, 16*S*, 1998

VAN ROSSUM D.

VAN ROSSUM D. Direct interaction between soluble forms of tubulin and the NMDA receptor channel complex **511.P**, 134*P*, 1998

VARADI G. *see* FEARON I. M., PALMER A. C. V., BALMFORTH A. J., BALL S. G., VARADI G. & PEERS C. **513.P**, 126*P*, 1998

VARGA G. *see* STEWARD M. C., LANG T. F., YANG X.-S., SAN ROMÁN J. I., VARGA G. & CASE R. M. **511.P**, 23*P*, 1998

VARGOVÁ L.

VARGOVÁ L., TAO L., SYKOVÁ E., ULBRICH K., ŠUBR V. & NICHOLSON C. Diffusion of large polymers in rat cortical slices measured by integrative optical imaging **511.P**, 16*P*, 1998

VARRO A. *see* BATE G. W., VARRO A., DIMALINE R., WANG T. C., KOH T. J. & DOCKRAY G. J. **509.P**, 10*P*, 1998

see BLACKMORE C. G., BISHOP L. A., DIMALINE R., GALLACHER D. V., VARRO A. & DOCKRAY G. J. **509.P**, 195*P*, 1998

VARRÓ A. *see* IOST N., VIRÁG L., OPINCARIU M., SZÉCSI J., VARRÓ A. & PAPP J. G. **506.P**, 55*P*, 1998

VAUGHAN-JONES R. D. *see* STEWART A. K., BOYD C. A. R. & VAUGHAN-JONES R. D. **511.P**, 31*P*, 1998

see WILSON D. A. & VAUGHAN-JONES R. D. **511.P**, 75*P*, 1998

VÁZQUEZ C. M.

VÁZQUEZ C. M., DE LA HERMOSA M. A., MATE A., SÁNCHEZ-AGUAYO I. & PLANAS J. M. Monosaccharide transport in ileal brush-border membrane vesicles of hypertensive rats **509.P**, 25*P*, 1998

VEGAS L.

VEGAS L., ECHEVARRÍA E., MUÑOZ C., MUGABURU G. F., SILIÓ M. & CASIS L. μ-Opioid receptor changes in the rat brain during the oestrous cycle **509.P**, 94*P*, 1998

VEGA-SAENZ DE MIERA E. *see* LAU D. H. P., CASTRO-ALAMANCOS M., CHOW A., OZAITA A., VEGA-SAENZ DE MIERA E., MATHEW S., GIBSON J., CONNORS B. & RUDY B. **511.P**, 147*P*, 1998

VEGH A. *see* KIS A., VEGH A., PAPP J. G. & PARRATT J. R. **506.P**, 56*P*, 1998

VEHOVSKY Á.

VEHOVSKY Á., HIRIPI L., ELEKES K. & ELLIOTT C. J. H. Octopamine-containing neurons in the buccal feeding system of the pond snail *Lymnaea stagnalis* **513.P**, 107*P*, 1998

VEJSADA R.

VEJSADA R. Motoneurone cell death after axotomy: facts and fiction **511.P**, 34*S*, 1998

VELÍŠEK L. *see* KÁBOVÁ R., VELÍŠKOVÁ J., VELÍŠEK L. & MOSHÉ S. L. **511.P**, 70*P*, 1998

see MATĚJOVSKÁ I., VELÍŠKOVÁ J. & VELÍŠEK L. **511.P**, 70*P*, 1998

VELÍŠKOVÁ J. *see* KÁBOVÁ R., VELÍŠKOVÁ J., VELÍŠEK L. & MOSHÉ S. L. **511.P**, 70*P*, 1998

see MATĚJOVSKÁ I., VELÍŠKOVÁ J. & VELÍŠEK L. **511.P**, 70*P*, 1998

VELLANI V.

VELLANI V., REYNOLDS A. M. & MCNAUGHTON P. A. Arachidonic acid and all-*trans* retinal suppress L-type Ca^{2+} current in vertebrate rods **513.P**, 126*P*, 1998

VENERO J. L. *see* ECHEVARRÍA M., RAMÍREZ R., VIZUETE M. L., VENERO J. L., REVUELTA M., CANO J. & ILUNDÁIN A. A. **509.P**, 13*P*, 1998

VENNSTROM B. *see* PFAFF D. W., DELLOVADE T., CHAN J., ZHU Y., KIA K., VENNSTROM B. & FORREST D. **509.P**, 14*S*, 1998

VERDE I. *see* VANDECASTEELE G., VERDE I. & FISCHMEISTER R. **511.P**, 80*P*, 1998

see FISCHMEISTER R., VANDECASTEELE G., ABI-GERGES N., VERDE I., ESCHENHAGEN T. & MÉRY P.-F. **511.P**, 2*S*, 1998

VERDON B.

VERDON B. & LEES G. Stereospecific modulation of $GABA_A$ receptors and spontaneous synaptic currents by *cis*- and *trans*-9, 10-octadecenoamide **513.P**, 134*P*, 1998

see LEES G., VERDON B., EDWARDS M. D., ZHENG J. & NICHOLSON R. A. **513.P**, 2*S*, 1998

VERGARA M. *see* AMASSIAN V. E., ROTHWELL J. C., CRACCO R. Q., MACCABEE P. J., VERGARA M., HASSAN N. & EBERLE L. **506.P**, 122*P*, 1998

see AMASSIAN V. E., CRACCO R. Q., MACCABEE P. J., VERGARA M., CAPADAY C. & ROTHWELL J. C. **509.P**, 162*P*, 1998

VERGUN O. *see* KEELAN J., VERGUN O., KHODOROV B. I. & DUCHEN M. R. **506.P**, 75*P*, 1998

see KEELAN J., HERSSON-RINGSKOG J., SIOFTANOS G., SRITHARAN K., VERGUN O. & DUCHEN M. R. **511.P**, 122*P*, 1998

VERGUN O. V. *see* STOROZHEVYKH T. P., GRIGORTSEVICH N. Y., VERGUN O. V., VINSKAYA N. P., PINELIS V. G. & KHODOROV B. I. **509.P**, 56*P*, 1998

VERKHRATSKY A.

VERKHRATSKY A. Calcium signalling in glial cells **506.P**, 15*S*, 1998

VERKHRATSKY A. Glutamate-induced signalling in cerebellar Bergmann glial cells **511.P**, 11*S*, 1998

see HARTMANN J., LABRAKAKIS C., VERKHRATSKY A., PATT S. & KETTENMANN H. **513.P**, 14*S*, 1998

VESELY M. J. J.

VESELY M. J. J., EXON D. J., CLARK J. E., GREEN C. J. & MOTTERLINI R. Hemin – an inducer of heme oxygense-1 in rat skeletal myoblast cells **506.P**, 16*P*, 1998

VÍCTOR V. M. *see* DE LA FUENTE M., GUAYERBAS N., CATALÁN M. P., VÍCTOR V. M., DEL RÍO M. & MIQUEL J. **509.P**, 72*P*, 1998

VICTOR V. M., GUAYERBAS N., DEL RIO M. & DE LA FUENTE M. Changes in murine peritoneal macrophage functions and mortality with endotoxic shock in two strains of mice **509.P**, 203*P*, 1998

VILLAGRA F. *see* TAYLOR J. P., MILLER S., VILLAGRA F. & EYRE J. A. **509.P**, 169*P*, 1998

VILTART O. *see* MULLIER O., VILTART O., POULAIN P., TRAMU G. & SEQUEIRA H. **513.P**, 84*P*, 1998

VINSKAYA N. P. *see* STOROZHEVYKH T. P., GRIGORTSEVICH N. Y., VERGUN O. V., VINSKAYA N. P., PINELIS V. G. & KHODOROV B. I. **509.P**, 56*P*, 1998

VIRÁG L. *see* IOST N., VIRÁG L., OPINCARIU M., SZÉCSI J., VARRÓÓ A. & PAPP J. G. **506.P**, 55*P*, 1998

VIRGINIO C. *see* MACKENZIE A. B., VIRGINIO C., NORTH R. A. & SURPRENANT A. **506.P**, 45*P*, 1998

VIST G. E.

VIST G. E., HENDERSON R. A. & RUMSEY R. D. E. The effect of a 3-week high-fat diet on the rate of gastric emptying of a fat-containing solution in man **506.P**, 130*P*, 1998

VITÁSKOVÁ Z. *see* VYKLICKÝ L., VLACHOVÁ V., VITÁSKOVÁ Z. & KABÁT M. **511.P**, 125*P*, 1998

see DITTERT I., VLACHOVÁ V., KNOTKOVÁ H., VITÁSKOVÁ Z. & VYKLICKÝ L. **511.P**, 130*P*, 1998

VÍZEK M.

VÍZEK M. & BONORA M. Changes in airway resistance do not contribute to the hypoxia-induced increase in end-expiratory lung volume in the rat **511.P**, 104*P*, 1998

VÍZEK M. Control of end-expiratory lung volume: a component of the control of breathing **511.P**, 42*S*, 1998

VIZUETE M. L. *see* ECHEVARRÍA M., RAMÍREZ R., VIZUETE M. L., VENERO J. L., REVUELTA M., CANO J. & ILUNDÁIN A. A. **509.P**, 13*P*, 1998

VLACHOVÁ V. *see* VYKLICKÝ L., VLACHOVÁ V., VITÁSKOVÁ Z. & KABÁT M. **511.P**, 125*P*, 1998

see DITTERT I., VLACHOVÁ V., KNOTKOVÁ H., VITÁSKOVÁ Z. & VYKLICKÝ L. **511.P**, 130*P*, 1998

see ABDRACHMANOVA G., VLACHOVÁ V., PALEČEK J. & VYKLICKÝ L. JR **511.P**, 18*S*, 1998

VOETS T.

VOETS T., BUYSE G., DROOGMANS G., EGGERMONT J. & NILIUS B. Mutation of the putative nucleotide-binding site of pI_{Cln} does not alter the nucleotide sensitivity and Ca^{2+} dependence of the chloride current I_{Cln} after expression in *Xenopus* oocytes **506.P**, 47*P*, 1998

VOUREKAS G. *see* HALLIDAY D. M., CONWAY B. A., FARMER S. F., ROSENBERG J. R., MCLELLAND D. & VOUREKAS G. **506.P**, 82*P*, 1998

VOUTILAINEN S. *see* TAVI P., HAN C., VOUTILAINEN S. & WECKSTRÖM M. **511.P**, 90*P*, 1998

VOŽEH F.

VOŽEH F., CADDY K. W. T., MYSLIVEČEK J. & MOTÁŇOVÁ A. Some morphological and functional characteristics of cerebellar degeneration – animal model (Lurcher mutant mice) **511.P**, 72*P*, 1998

VRBOVÁ G. *see* HARDING D. I., GREENSMITH L., ANDERSON P. N. & VRBOVÁ G. **511.P**, 143*P*, 1998

see GREENSMITH L., HARDING D. I., MEYER M. P. & VRBOVÁ G. **511.P**, 37*S*, 1998

see SŁAWIŃSKA U. & VRBOVÁ G. **511.P**, 38*S*, 1998

VYBÍRAL S. *see* JANSKÝ L., VYBÍRAL S., JANÁKOVÁ H., LESNÁ I., ŠIMEČKOVÁ M., ŠRÁMEK P. & ZEMAN V. **511.P**, 2*P*, 1998

see LESNÁ I., VYBÍRAL S., JANSKÝ L. & ZEMAN V. **511.P**, 3*P*, 1998

see ŠTICH V., VYBÍRAL S., KVÍTEK J., HEJNÁ J. & JANSKÝ L. **511.P**, 3*P*, 1998

see ŠIMEČKOVÁ M., LESNÁ I., VYBÍRAL S., JANSKÝ L. & ŠRÁMEK P. **511.P**, 4*P*, 1998

VYKLICKÝ L.

VYKLICKÝ L., VLACHOVÁ V., VITÁSKOVÁ Z. & KABÁT M. The effects of algogens on membrane currents induced by noxious heat in sensory neurones from newborn rats **511.P**, 125*P*, 1998

see DITTERT I., VLACHOVÁ V., KNOTKOVÁ H., VITÁSKOVÁ Z. & VYKLICKÝ L. **511.P**, 130*P*, 1998

VYKLICKÝ L. JR *see* ABDRACHMANOVA G., VLACHOVÁ V., PALEČEK J. & VYKLICKÝ L. JR **511.P**, 18*S*, 1998

see PALEČEK J., ABDRACHMANOVA G. & VYKLICKÝ L. JR **511.P**, 35*S*, 1998

VYLITOVÁ M.

VYLITOVÁ M., MIKŠÍK I. & PÁCHA J. Metabolism of corticosterone is different in avian and mammalian intestine **511.P**, 51*P*, 1998

VYSKOČIL F. *see* SLAVÍČEK J., KRŮŠEK J., KITTNAR O., VYSKOČIL F. & TROJAN S. **511.P**, 86*P*, 1998

see BUKCHARAEVA E. A., NIKOLSKY E. E., MORAVEC J. & VYSKOČIL F. **511.P**, 142*P*, 1998

see KOVYAZINA I., NIKOLSKY E. E., GINIATULLIN R. A. & VYSKOČIL F. **511.P**, 143*P*, 1998

VYSKOČIL F., BUKHARAEVA E., GINIATULLIN R. & NIKOLSKY E. E. Quantal and non-quantal acetylcholine release in mammalian endplate during motor denervation and reinnervation **511.P**, 36*S*, 1998

WADE E. A. *see* PETER G. J., WADE E. A. & TAYLOR P. M. **509.P**, 193*P*, 1998

WAFFORD K. A. *see* CLARK S. A., KACZOROWSKI G. J. & WAFFORD K. A. **513.P**, 140*P*, 1998

WAGG A. S.

WAGG A. S., MALONE-LEE J. G. & FRY C. H. An *in vitro* investigation into the active and passive components of visco-elastic relaxation in human bladder **507.P**, 77*P*, 1998

WAGNER D. A. *see* LEONARD J. P., WAGNER D. A., LIAO G.-Y. & LOGAN S. M. **509.P**, 190*P*, 1998

WAHLE K. W. *see* SYME C. A., MASON H. S., MACDONALD A. G. & WAHLE K. W. **507.P**, 12*P*, 1998

WALKER D. *see* THWAITES D. T., WALKER D. & SIMMONS N. L. **506.P**, 129*P*, 1998

see CHRISTIE G. R., WALKER D., FELLOWS E. A. & HIRST B. H. **509.P**, 13*P*, 1998

see CHRISTIE G. R., WALKER D. & HIRST B. H. **513.P**, 51*P*, 1998

see BLEASBY K., WALKER D., WANG L., LAUFFART B. & BROWN C. D. A. **513.P**, 52*P*, 1998

see GRAY P. A., WALKER D. & HIRST B. H. **513.P**, 62*P*, 1998

WALKER J. H. *see* FAWCETT J. M., HARRISON S. M., WALKER J. H. & ORCHARD C. H. **509.P**, 153*P*, 1998

see FAWCETT J. M., HARRISON S. M., WALKER J. H. & ORCHARD C. H. **511.P**, 83*P*, 1998

WALKER J. J. *see* SIMPSON N. A. B., BARKER A., WALL O., SNOWDEN S., SMYE S. & WALKER J. J. **507.P**, 68*P*, 1998

WALKER R. J. *see* FRANKS C., CHAD J. E., WALKER R. J. & HOLDEN-DYE L. **513.P**, 106*P*, 1998

see BUSH E. R., HOLDEN-DYE L. M. & WALKER R. J. **513.P**, 108*P*, 1998

see WHITE A. R., CURTIS S. A. & WALKER R. J. **513.P**, 108*P*, 1998

see BROWNLEE D. J., HOLDEN-DYE L. & WALKER R. J. **513.P**, 109*P*, 1998

see TRIM N., HOLDEN-DYE L. & WALKER R. J. **513.P**, 109*P*, 1998

see GOODWIN F., BROWNLEE D. J. A., ALSTON R., BAGUST J. & WALKER R. J. **513.P**, 112*P*, 1998

see PIVOVAROV A. S. & WALKER R. J. **513.P**, 112*P*, 1998

WALL O. *see* SIMPSON N. A. B., BARKER A., WALL O., SNOWDEN S., SMYE S. & WALKER J. J. **507.P**, 68*P*, 1998

WALLØE L. *see* BERGERSEN T. K., HISDAL J. & WALLØE L. **509.P**, 118*P*, 1998

WALSH D. A. *see* LYNN B. & WALSH D. A. **509.P**, 163*P*, 1998

WALSH D. E. *see* BROWNE G. P., WALSH D. E., VAN BERKEL A., HARVEY B. J. & URBACH V. **511.P**, 32*P*, 1998

WALSH D. E., HARVEY B. J. & URBACH V. Regulation of intracellular calcium by nucleotides in human bronchial epithelial cells **511.P**, 37*P*, 1998

WALSH N. P. *see* ROBSON P. J., BLANNIN A. K., WALSH N. P., COOK L. & GLEESON M. **506.P**, 118*P*, 1998

see BLANNIN A. K., WALSH N. P., CLARK A. M. & GLEESON M. **506.P**, 121*P*, 1998

WALSH P. J. *see* SMITH C. P., HEITZ M. J., WOOD C. M. & WALSH P. J. **511.P**, 33*P*, 1998

WALTER M. F.

WALTER M. F. & UNWIN R. J. The effect of chronic inhibition of neutral endopeptidase on proximal tubular function in the rat: a micropuncture study **507.P**, 39*P*, 1998

WALTER M. F. & UNWIN R. J. Neutral endopeptidase activity in rat urine increases following anaesthesia and surgery **507.P**, 42*P*, 1998

see BLAIKLEY J. F., SUTTON P. M., WALTER M. F., SUMERAY M. S., WOOLFSON R. & UNWIN R. J. **509.P**, 82*P*, 1998

WALTER M. F. & UNWIN R. J. Effect of endothelin 1 on bicarbonate reabsorption in the loop of Henle of anaesthetized rats **513.P**, 43*P*, 1998

WALTER S. J. *see* BAILEY M. A. & WALTER S. J. **507.P**, 40*P*, 1998

see SHIRLEY D. G., WALTER S. J., FOLKERD E. J. & UNWIN R. J. **507.P**, 40*P*, 1998

WALTERS D. V. *see* BENJAMIN A. R., STEPHENS R. H. & WALTERS D. V. **513.P**, 65*P*, 1998

WANG H.-X. *see* BIAN J.-S., WANG H.-X., ZHANG W.-M. & WONG T.-M. **509.P**, 143*P*, 1998

WANG L. *see* BROWN C. D. A., WANG L. & BLEASBY K. **511.P**, 28*P*, 1998

see BLEASBY K., WALKER D., WANG L., LAUFFART B. & BROWN C. D. A. **513.P**, 52*P*, 1998

WANG T. C. *see* BATE G. W., VARRO A., DIMALINE R., WANG T. C., KOH T. J. & DOCKRAY G. J. **509.P**, 10*P*, 1998

WANG Y.

WANG Y. & JORDAN D. Involvement of nitric oxide (NO) in the excitatory vagal afferent input to nucleus tractus solitarii (NTS) neurones in anaesthetized rats **511.P**, 112*P*, 1998

WANG Y., SÉVOZ-COUCHE C., JORDAN D. & RAMAGE A. G. Activation of 5-HT_{1B} and 5-HT_{1D} receptors modulates the excitatory vagal afferent input to nucleus tractus solitarius (NTS) neurones in anaesthetized rats **513.P**, 78*P*, 1998

WARD D. G.

WARD D. G. & CAVIERES J. D. Covalent incorporation of TNP-8N3-[α^{32}P]-ADP into distinct catalytic and regulatory ATP-binding sequences of pig kidney Na^+, K^+-ATPase **511.P**, 29*P*, 1998

WARD J. P. T. *see* QUEEN L. R., PRIEST R. M., WARD J. P. T. & FERRO A. **506.P**, 31*P*, 1998

see PRIEST R. M., HUCKS D., POSTON L. & WARD J. P. T. **509.P**, 31*P*, 1998

see HAGUE D. E., AARONSON P. I. & WARD J. P. T. **511.P**, 172*P*, 1998

see HILL H. S., LEACH R. M. & WARD J. P. T. **511.P**, 172*P*, 1998

see HAPGOOD K. J., SNETKOV V. A. & WARD J. P. T. **513.P**, 90*P*, 1998

see MOIR L. M., WARD J. P. T. & HIRST S. J. **513.P**, 90*P*, 1998

see HUCKS D., PRIEST R. M. & WARD J. P. T. **513.P**, 91*P*, 1998

see MCCREADY J. W., SNETKOV V. A. & WARD J. P. T. **513.P**, 91*P*, 1998

see PRIEST R. M., SNETKOV V. A. & WARD J. P. T. **513.P**, 155*P*, 1998

WARD S. A. *see* ROSSITER H. B., WARD S. A., DOYLE V. L., HOWE F. A., GRIFFITHS J. R. & WHIPP B. J. **506.P**, 97*P*, 1998

see ROSSITER H. B., WARD S. A., DOYLE V. L., HOWE F. A., GRIFFITHS J. R. & WHIPP B. J. **509.P**, 207*P*, 1998

see ÖZYENER F., WARD S. A. & WHIPP B. J. **511.P**, 12*P*, 1998

WARHURST G. *see* LOMAX R. B., MCLAUGHLIN J. T., DOCKRAY G. J., THOMPSON D. G. & WARHURST G. **511.P**, 25*P*, 1998

WARNER J. A. *see* HUGHES E., MOORE W. C., BLEECKER E. & WARNER J. A. **513.P**, 74*P*, 1998

WARR O.

WARR O., LEVY L. M., BILLUPS B., DANBOLT N. C. & ATTWELL D. Stoichiometry, and reversal in conditions mimicking ischaemia, of glial cell glutamate transporters in CHO cells and in Muller cells isolated from the tiger salamander retina **511.P**, 108, 1998

WATKINS N. *see* CARO C. G., WATKINS N., DOORLY D. J., SHERWIN S. J. & PEIRÓ J. **513.P**, 2*P*, 1998

WATKINS P. *see* OHNISHI M., KIRKMAN E., COOPER G. J. & WATKINS P. **511.P**, 111*P*, 1998

WATSON F.

WATSON F., DEAVALL D. G., MACRO J. A. & DIMALINE R. Transcriptional activation of vesicular monoamine transporter 2, induced by raised intracellular calcium in EA3.123 cells **509.P**, 193*P*, 1998

WATSON P. *see* LEWIS G. H., ROBERTSON I., WATSON P. & DATTA A. K. **506.P**, 114*P*, 1998

WATT P. W. *see* BOWTELL J. L., SMITH K., WATT P. W. & RENNIE M. J. **511.P**, 10*P*, 1998

WATTERS P. A.

WATTERS P. A. & TOLHURST D. J. Comparing variance distribution in orthogonal and sparse-coding models of simple cell receptive fields in mammalian visual cortex **506.P**, 91*P*, 1998

WAXMAN S. G.

WAXMAN S. G. Complex patterns of sodium channel gene expression and their functional consequences **513.P**, 20*S*, 1998

WEAVER Y. R. *see* KIESSLING K., WEAVER Y. R., GIBSON J. S. & COSSINS A. R. **513.P**, 57*P*, 1998

WEBB T. E. *see* FILIPPOV A. K., WEBB T. E., BARNARD E. A. & BROWN D. A. **509.P**, 64*P*, 1998

WECKSTRÖM M. *see* TAVI P., HAN C., VOUTILAINEN S. & WECKSTRÖM M. **511.P**, 90*P*, 1998

WECKSTRÖM M., TAVI P. & HAN C. Mechanisms of stretch-induced changes in calcium balance in rat atrial myocytes: role of increased TnC affinity and stretch-activated ion channels **511.P**, 91*P*, 1998

WEEKES C. *see* WHITE M. J. & WEEKES C. **506.P**, 119*P*, 1998

WELLER A. S.

WELLER A. S., NEVOLA V. R., HARRISON M. H., GREENHAFF P. L. & MACDONALD I. A. The influence of low glycogen availability and cold stress on the physiological responses to prolonged intermittent walking exercise in man **506.P**, 104*P*, 1998

WELLNER-KIENITZ M.-C. *see* BRANDTS B., BRANDTS A., BENDER K., WELLNER-KIENITZ M.-C. & POTT L. **511.P**, 77*P*, 1998

WELLS S. G.

WELLS S. G. & BARNES G. R. Predictive smooth pursuit eye movements while identifying moving acuity targets **509.P**, 178*P*, 1998

WELTON J.

WELTON J., STEWART W., KERR R. & MAXWELL D. J. Differential expression of the muscarinic acetylcholine m2 receptor by large and small motoneurons of the rat lumbar spinal cord **509.P**, 179*P*, 1998

WERTH J. L. *see* THAYER S. A., USACHEV Y. M., WERTH J. L. & BARON K. T. **506.P**, 10*S*, 1998

WERYK B. *see* KHOGALI S. E. O., WERYK B., LYALL J. A. & RENNIE M. J. **513.P**, 160*P*, 1998

WEST D. C. *see* HUGHES D. I., BANNISTER A. P., ILIA M., WEST D. C. & THOMSON A. M. **513.P**, 3*P*, 1998

WHARRAD H. J.

WHARRAD H. J. Using parameters derived from the frequency spectrum to discriminate between human physiological tremor and essential tremor **509.P**, 183*P*, 1998

WHEAL H. V.

WHEAL H. V., CANNON R. C. & TURNER D. A. An on-line archive of hippocampal neuronal morphology **511.P**, 18*P*, 1998

see MARSDEN D. P., CHAD J. E. & WHEAL H. V. **513.P**, 22*P*, 1998

WHEELER M. J. *see* KOSTOGLOU-ATHANASSIOU I., ATHANASSIOU P., TREACHER D. F., WHEELER M. J. & FORSLING M. L. **506.P**, 142*P*, 1998

WHEELER-JONES C. P. D. *see* BAYDOUN A. R., WHEELER-JONES C. P. D., PEARSON J. D. & CLOSS E. I. **506.P**, 29*P*, 1998

see WYATT A. W., SOBREVIA L., WHEELER-JONES C. P. D., HOULISTON R. A. & MANN G. E. **506.P**, 32*P*, 1998

WHIPP B. J. *see* ROSSITER H. B., WARD S. A., DOYLE V. L., HOWE F. A., GRIFFITHS J. R. & WHIPP B. J. **506.P**, 97*P*, 1998

see ROSSITER H. B., WARD S. A., DOYLE V. L., HOWE F. A., GRIFFITHS J. R. & WHIPP B. J. **509.P**, 207*P*, 1998

see ÖZYENER F., WARD S. A. & WHIPP B. J. **511.P**, 12*P*, 1998

WHITE A. R.

WHITE A. R., CURTIS S. A. & WALKER R. J. Possible nitrergic modulation of cholinergic responses in *Achatina fulica* heart **513.P**, 108*P*, 1998

WHITE C.

WHITE C. & MCGEOWN J. G. Cyclopiazonic acid amplifies rather than attenuates depolarization-induced Ca^{2+} transients in rat gastric myocytes **511.P**, 164*P*, 1998

WHITE C. & MCGEOWN J. G. Calcium uptake by the sarcoplasmic reticulum limits steady-state cytoplasmic $[Ca^{2+}]$ in rat gastric myocytes **511.P**, 164*P*, 1998

WHITE E. *see* CAZORLA O., LE GUENNEC J.-Y. & WHITE E. **509.P**, 138*P*, 1998

see CALAGHAN S. C., COLYER J. & WHITE E. **509.P**, 142*P*, 1998

see NATALI A. J., WHITE E., HARRISON S. M. & TURNER D. L. **509.P**, 151*P*, 1998

see CALAGHAN S. C., COLYER J. & WHITE E. **511.P**, 82*P*, 1998

see HOWARTH F. C., BOYETT M. R. & WHITE E. **511.P**, 84*P*, 1998

see HARWOOD C. L., ALTRINGHAM J. D. & WHITE E. **511.P**, 87*P*, 1998

see NATALI A. J., WHITE E., HARRISON S. M. & TURNER D. L. **511.P**, 88*P*, 1998

WHITE M. J. *see* FISHER W. J., ROSBERGEN M. J. & WHITE M. J. **506.P**, 116*P*, 1998

WHITE M. J. & WEEKES C. No evidence for a change in the voluntary or electrically evoked contractile characteristics of the triceps surae during the human menstrual cycle **506.P**, 119*P*, 1998

WHITE M. J., UBOLSAKKA C. & SAVORY D. Calf muscle compression during and after involuntary isometric exercise of the human triceps surae increases blood pressure, but not heart rate, during post-exercise circulatory occlusion **513.P**, 87*P*, 1998

WHITE S. J. *see* QURESHI I. Z., GIESBERTS A. N. & WHITE S. J. **509.P**, 203*P*, 1998

see BEESLEY A. H., HORNBY D. & WHITE S. J. **511.P**, 29*P*, 1998

WHITEHEAD N. P. *see* PROSKE U., GREGORY J. E., WHITEHEAD N. P. & MORGAN D. L. **511.P**, 30*S*, 1998

WHITLOCK G. G.

WHITLOCK G. G. & LAMB T. D. Temporal development of amplitude histograms for dim flash stimuli in isolated toad rods **506.P**, 89*P*, 1998

WHITMORE J. *see* BURNS P. A., MCMULLAN S. S., RICHARDSON H. C., RYAN W. G., SEDDON S., WHITMORE J. & WILSON C. L. **511.P**, 61*P*, 1998

WHITTINGTON M. A. *see* FAULKNER H. J., TRAUB R. D. & WHITTINGTON M. A. **513.P**, 12*P*, 1998

see DOHENY H. C. & WHITTINGTON M. A. **513.P**, 23*P*, 1998

WHITTLESTONE T. H.

WHITTLESTONE T. H. & SIBLEY G. N. A. The effect of angiotensin II on stable and unstable human detrusor smooth muscle **507.P**, 23*P*, 1998

WHITWELL C.

WHITWELL C. & BROWN P. D. Chloride channel expression in the sheep choroid plexus (SCP) cell line **513.P**, 63*P*, 1998

WIDDICOMBE J. G.

WIDDICOMBE J. G. Lung liquid: the last uncharted water? **511.P**, 42*S*, 1998

WIGGINS H. *see* MASON R., SOKAL D. M., PARKER T. L., PARKER K. G., GROSS G. W. & WIGGINS H. **506.P**, 9*P*, 1998

WILD A. E. *see* KWONG W. Y., ROBERTS P., WILD A. E., LANGLEY-EVANS S. C. & FLEMING T. P. **513.P**, 88*P*, 1998

WILKINS R. J. *see* BROWNING J. A. & WILKINS R. J. **506.P**, 129*P*, 1998

see CORKEY K. & WILKINS R. J. **513.P**, 49*P*, 1998

see BROWNING J. A. & WILKINS R. J. **513.P**, 54*P*, 1998

see YAMAZAKI N. & WILKINS R. J. **513.P**, 55*P*, 1998

see RAZAQ M. S. & WILKINS R. J. **513.P**, 58*P*, 1998

WILLATT D. J. *see* CAMPBELL I. T., PERERA D. M., BANNON J. W., KEEGAN M. A. & WILLATT D. J. **506.P**, 98*P*, 1998

WILLIAMS A. J. *see* CHING L. L., WILLIAMS A. J. & SITSAPESAN R. **509.P**, 144*P*, 1998

WILLIAMS B. *see* HILLMAN N. J., TAS M., MURRAY R. C., WILLIAMS B. & BATES D. O. **513.P**, 154*P*, 1998

WILLIAMS B. A.

WILLIAMS B. A. & BUCKLER K. J. A novel oxygen-sensitive potassium channel in neonatal rat carotid body type I cells **509.P**, 35*P*, 1998

WILLIAMS C. *see* TSINTZAS K., WILLIAMS C., CONSTANTIN-TEODOSIU D., HULTMAN E., BOOBIS L. & GREENHAFF P. **506.P**, 101*P*, 1998

see MORRIS J. G., NEVILL M. E., RIDDELL C. & WILLIAMS C. **506.P**, 104*P*, 1998

WILLIAMS D. A. *see* BOWSER D. N., MINAMIKAWA T. & WILLIAMS D. A. **506.P**, 74*P*, 1998

WILLIAMS G. *see* NADERALI E. K., DOYLE P., JACKSON M. J. & WILLIAMS G. **513.P**, 157*P*, 1998

WILLIAMS H.

WILLIAMS H., MOFFAT A., GRIFFITHS E. J. & SULEIMAN M.-S. Efflux of amino acids from isolated rat cardiac myocytes **511.P**, 89*P*, 1998

WILLIAMS M. *see* FLATMAN R., DEDES M., WILLIAMS M. & SHARP P. **511.P**, 26*P*, 1998

WILLIAMS M. R. *see* LINDQVIST S. M., SHARP P. A., JOHNSON I. T. & WILLIAMS M. R. **511.P**, 28*P*, 1998

WILLIAMS S. R. *see* HUGHES S. W., COPE D. W., TÓTH T. I., WILLIAMS S. R. & CRUNELLI V. **506.P**, 151*P*, 1998

WILLIAMSON A. V.

WILLIAMSON A. V. & SATHER W. A. Influence of a phenylalanine/glycine switch in motif *III* on single-channel conductance and ion selectivity in voltage-gated Ca^{2+} channels **506.P**, 48*P*, 1998

WILLIAMSON R. *see* HUSSEY D. A., WILLIAMSON R. & JONES M. B. **513.P**, 101*P*, 1998

see CHRACHRI A. & WILLIAMSON R. **513.P**, 111*P*, 1998

WILLOTT R. *see* LEES G., EDWARDS M. D. & WILLOTT R. **509.P**, 190*P*, 1998

WILLOUGHBY D.

WILLOUGHBY D. & SCHWIENING C. J. Intracellular pH measurements in *Helix* neurones using 8-hydroxypyrene-1,3,6-trisulphonic acid (HPTS) **506.P**, 5*P*, 1998

WILLOUGHBY D. & SCHWIENING C. J. Effects of EIPA (5-[*N*-ethyl-*N*-isopropyl]-amiloride) on intracellular pH regulation in snail neurones **511.P**, 42*P*, 1998

WILSON C. *see* HOGG D., WILSON C. & KOZLOWSKI R. **509.P**, 152*P*, 1998

WILSON C. L. *see* BURNS P. A., MCMULLAN S. S., RICHARDSON H. C., RYAN W. G., SEDDON S., WHITMORE J. & WILSON C. L. **511.P**, 61*P*, 1998

WILSON D. A.

WILSON D. A. & VAUGHAN-JONES R. D. Kinetic characterization of chloride–hydroxyl exchange in guinea-pig ventricular myocytes **511.P**, 75*P*, 1998

WILSON H. *see* FINK G., SUMNER B. E. H., MCQUEEN J. K., WILSON H. & ROSIE R. **509.P**, 178*S*, 1998

WILSON J. M. M.

WILSON J. M. M. & SPANSWICK D. Bilateral GABA-mediated synaptic inputs to rat sympathetic preganglionic neurons *in vitro* **506.P**, 154*P*, 1998

WILSON S. M. *see* KO W. H., LAW V. W. Y. & WILSON S. M. **506.P**, 126*P*, 1998

WINLOW W. *see* MOGHADAM H. F. & WINLOW W. **507.P**, 13*P*, 1998

see SPENCER G. E., SYED N. I. & WINLOW W. **507.P**, 28*P*, 1998

see COPPING J. & WINLOW W. **507.P**, 31*P*, 1998

see HAMAKAWA T., SYED N. I. & WINLOW W. **513.P**, 100*P*, 1998

see GRAHAM D., WOOD G. & WINLOW W. **513.P**, 110*P*, 1998

see SARVESWARAN J. & WINLOW W. **513.P**, 110*P*, 1998

WINSLOW R. M. *see* MOTTERLINI R., GONZALES A., FORESTI R., CLARK J. E., GREEN C. J. & WINSLOW R. M. **506.P**, 37*P*, 1998

WINTER I. M.

WINTER I. M. & TOLHURST D. J. Single neuron sensory neurophysiology in an advanced teaching class **506.P**, 11*P*, 1998

WITCHEL H. J. *see* HANCOX J. C. & WITCHEL H. J. **509.P**, 137*P*, 1998

see HANCOX J. C. & WITCHEL H. J. **511.P**, 151*P*, 1998

WITHINGTON D. J. *see* BADIE-MAHDAVI H., WITHINGTON D. J., INGHAM N. J. & KING A. E. **511.P**, 44*P*, 1998

see MING C., MARSHALL R., WITHINGTON D. J. & TURNER D. L. **511.P**, 101*P*, 1998

see MARSHALL R., MING C., WITHINGTON D. J. & TURNER D. L. **511.P**, 102*P*, 1998

WITTON C. *see* GRIFFITHS T. D., REES G., REES A., GREEN G. G. R., WITTON C., ROWE D., BUECHEL C., TURNER R. & FRACKOWIAK R. S. J. **506.P**, 85*P*, 1998

WITTON C., REES A., LAVIS R., GRIFFITHS T. D. & GREEN G. G. R. Detection and discrimination of apparent sound movement by human listeners **506.P**, 85*P*, 1998

WOLEDGE R. C. *see* SKELTON D. A., PHILLIPS S. K., BRUCE S. A., NAYLOR C. H. & WOLEDGE R. C. **506.P** , 105*P*, 1998

WOLEDGE R. C. Fundamental considerations: energetics, power, efficiency **506.P**, 2*S*, 1998

see HE Z.-H., FERENCZI M. A., LOU F., CURTIN N. A. & WOLEDGE R. C. **509.P**, 42*P*, 1998

WOLF J.-E. *see* DOBŠÁK P., COURDEROT-MASUYER C., EICHER J.-C., SIEGELOVÁ J., WOLF J.-E. & ROCHETTE L. **511.P**, 114*P*, 1998

WONG A.

WONG A., BURNSTOCK G. & GIBB A. J. Characterization of P2X ATP receptor single-channel properties in outside-out patches from granule cells in slices of rat hippocampus **511.P**, 17*P*, 1998

WONG P. S. K.

WONG P. S. K. & JOHNS E. J. Effect of saline volume expansion (VE) on renal nerve activity (RNA) in anaesthetized lean and obese Zucker rats **507.P**, 42*P*, 1998

WONG P. S. K., RANA S. & JOHNS E. J. Renal responses to saline volume expansion in anaesthetized high-fat-fed Wistar rats **513.P**, 41*P*, 1998

WONG T.-M. *see* BIAN J.-S., WANG H.-X., ZHANG W.-M. & WONG T.-M. **509.P**, 143*P*, 1998

WOOD C. M. *see* SMITH C. P., HEITZ M. J., WOOD C. M. & WALSH P. J. **511.P**, 33*P*, 1998

WOOD G. *see* GRAHAM D., WOOD G. & WINLOW W. **513.P**, 110*P*, 1998

WOOD H. E. *see* HUGHES V. L., WOOD H. E. & TURNER D. L. **506.P**, 96*P*, 1998

WOOD H. E., HUGHES V. L. & TURNER D. L. Long-term modulation of the exercise breathing pattern after associative conditioning with inspiratory resistive loading in humans **506.P**, 96*P*, 1998

WOOD I. S. *see* RITZHAUPT A., WOOD I. S., ELLIS A., HOSIE K. B. & SHIRAZI-BEECHEY S. P. **509.P**, 79*P*, 1998

WOOD J. *see* PROTHERO L. S., WOOD J., ONAMBÉLÉ G. N., MATHIE A. & RICHARDS C. D. **506.P**, 147*P*, 1998

WOOD J. N. *see* ENGLAND S., CHEN C.-C., AKOPIAN A. N. & WOOD J. N. **509.P**, 34*P*, 1998

see ENGLAND S., OKUSE K., OGATA N. & WOOD J. N. **511.P**, 124*P*, 1998

see AKOPIAN A. N., OKUSE K., SOUSLOVA V., ENGLAND S., SIVILOTTI L., FITZGERALD E., RAVENALL S., DOLPHIN A. C. & WOOD J. N. **513.P**, 20*S*, 1998

WOOD S. J.

WOOD S. J. & SLATER C. R. Quantal content at neuromuscular junctions that lack postsynaptic folds **511.P**, 142*P*, 1998

WOODALL A. J.

WOODALL A. J. & MCCROHAN C. R. Differential effects of two intravenous anaesthetics on rat neocortical neurones *in vitro* **509.P**, 161*P*, 1998

WOODCOCK C. P.

WOODCOCK C. P., BELLE M. D. C. & LEA R. W. The effect of photoperiod on progesterone receptor (PR) and androgen receptor (AR) expression within the brain and anterior pituitary gland of the ring dove **513.P**, 7*P*, 1998

WOODING F. B. P.

WOODING F. B. P. & MORGAN G. Separate sites for placental transport of calcium and glucose in the equine placenta **507.P**, 47*P*, 1998

WOODRUFF K. T.

WOODRUFF K. T. & BROOKS D. D. Cholinergic and peptidergic responses of respiratory pattern generator and associated cells from *Lymnaea stagnalis* **513.P**, 107*P*, 1998

WOODWARD R.

WOODWARD R., LUTCHMAN M., CHISHTI A. H. & MURRELL-LAGNADO R. D. Membrane organization of Kir4.1 by proteins possessing PDZ domains **506.P**, 49*P*, 1998

WOOLFSON R. *see* BLAIKLEY J. F., SUTTON P. M., WALTER M. F., SUMERAY M. S., WOOLFSON R. & UNWIN R. J. **509.P**, 82*P*, 1998

WORKMAN A. J.

WORKMAN A. J., KANE K. A. & RANKIN A. C. Functional and ionic effects of adenosine in rabbit atrioventricular nodal and atrial isolated myocytes **509.P**, 149*P*, 1998

WOTHERSPOON G. *see* KHASABOV S. G., WOTHERSPOON G., PRIESTLEY J. V. & KING A. E. **509.P**, 164*P*, 1998

WRAY D. *see* MILLIGAN C. J. & WRAY D. **506.P**, 49*P*, 1998

see BANNISTER J. P. A., YOUNG B. A., MAIN M. J., SIVAPRASADARAO A. & WRAY D. **513.P**, 139*P*, 1998

see MILLIGAN C. J. & WRAY D. **513.P**, 139*P*, 1998

WRAY S. *see* MANKOURI H. W., BURDYGA T., TAGGART M. J. & WRAY S. **509.P**, 2*P*, 1998

see LARCOMBE-MCDOUALL J., BUTTELL N., HARRISON N. & WRAY S. **509.P**, 29*P*, 1998

see SHMIGOL A. V., WRAY S. & EISNER D. A. **509.P**, 30*P*, 1998

see BUTTELL N. & WRAY S. **511.P**, 169*P*, 1998

see DUQUETTE R. A. & WRAY S. **511.P**, 170*P*, 1998

WRIGHT D. J.

WRIGHT D. J., RILEY R., STOKER J. B., MACKINTOSH A., TAN L. B. & HAINSWORTH R. Non-invasive assessment of ventilatory and haemodynamic response to exercise following mitral valvuloplasty **507.P**, 57*P*, 1998

WRIGHT M. O. *see* MASON H. S., WRIGHT M. O., HALL A. C. & MACDONALD A. G. **507.P**, 12*P*, 1998

WU C. *see* SUI G., WU C. & FRY C. H. **507.P**, 22*P*, 1998

WU C., SUI G. & FRY C. H. The role of the membrane potential in refilling functional intracellular Ca^{2+} stores in guinea-pig detrusor smooth muscle **507.P**, 22*P*, 1998

see FRY C. H. & WU C. **507.P**, 5*S*, 1998

see SUI G., WU C. & FRY C. H. **513.P**, 96*P*, 1998

WU R.-L.

WU R.-L. & BARISH M. E. Metabotropic glutamate receptor-mediated modulation of delayed potassium currents in cultured mouse hippocampal pyramidal neurons **511.P**, 121*P*, 1998

WU X.

WU X., HARRIS P. J. & JOHNS E. J. Neural influences on proximal tubular fluid reabsorption in normotensive and hypertensive anaesthetized rats **513.P**, 39*P*, 1998

WYATT A. W.

WYATT A. W., SOBREVIA L., WHEELER-JONES C. P. D., HOULISTON R. A. & MANN G. E. Involvement of protein tyrosine kinases in stimulation by adenosine of the L-arginine–nitric oxide signalling pathway in human umbilical vein endothelial cells **506.P**, 32*P*, 1998

WYATT C. N. *see* MEIR A., WYATT C. N., PAGE K. M., BERROW N. S., BRICE N. L. & DOLPHIN A. C. **509.P**, 5*S*, 1998

WYLLIE D. J. A. *see* ANSON L. C., CHEN P. E., WYLLIE D. J. A., COLQUHOUN D. & SCHOEPFER R. **506.P**, 147*P*, 1998

XIA R.

XIA R. & BARNES G. R. Influence of motion target predictability on co-ordination of hand and eye motor systems in visuo-motor tracking tasks **509.P**, 181*P*, 1998

XIA R. & BARNES G. R. Effect of target dynamics on eye and hand tracking performance in pursuit of unpredictable motion stimuli **511.P**, 67*P*, 1998

XIE X. M. *see* DUPERE J. R. B., STARKEY S. J., MARSHALL F. H. & XIE X. M. **513.P**, 30*P*, 1998

see DALE T. J., CHEN Y. H., CLARE J. J. & XIE X. M. **513.P**, 129*P*, 1998

see BURBIDGE S. A., POWELL A. J., DALE T. J., XIE X. M. & CLARE J. J. **513.P**, 130*P*, 1998

see JOHN V. H., TREZISE D. J. & XIE X. M. **513.P**, 140*P*, 1998

see GLADWELL Z. M., TREZISE D. J., PLUMPTON C., XIE X. M. & TATE S. **513.P**, 141*P*, 1998

see POWELL A. J., MAIN M. J., DALE T. J., NASSAU P. M., PLUMPTON C., XIE X. M., CLARE J. J. & PEAKMAN T. C. **513.P**, 141*P*, 1998

XU B.

XU B., QUEEN L. R. & FERRO A. β-Adrenoceptor-mediated vasorelaxation is largely mediated through the L-arginine/nitric oxide system in human umbilical vein **506.P**, 30*P*, 1998

see FERRO A. & XU B. **511.P**, 167*P*, 1998

XU S. Z. *see* HOUGH E., XU S. Z., BEECH D. J. & SIVAPRASADARAO A. **513.P**, 137*P*, 1998

YAGO M. D. *see* MARTINEZ-VICTORIA E., YAGO M. D., MAÑAS M. & SINGH J. **506.P**, 128*P*, 1998

see MAÑAS M., MARTÍNEZ M. A., YAGO M. D., RAMÍREZ M. C., GIL A., MARTÍNEZ-VICTORIA E. & SINGH J. **509.P**, 14*P*, 1998

see EMBER Z., YAGO M. D. & SINGH J. **511.P**, 24*P*, 1998

see SINGH J., YAGO M. D. & ADEGHATE E. A. **511.P**, 24*P*, 1998

YAJEYA J.

YAJEYA J., BAJO V. M., DE LA FUENTE A., CRIADO J. M., RIOLOBOS A. S. & HEREDIA M. Muscarinic agonists depress excitatory synaptic transmission to the pyramidal neurons in the basolateral amygdaloid complex **509.P**, 69*P*, 1998

YAMADA M.

YAMADA M., SASA T., HIRASAWA H. & SHIELLS R. A. Light stimulates an increase in intracellular Ca^{2+} in carp retinal On-bipolar cells **509.P**, 66*P*, 1998

YAMAMOTO A. *see* ROKYTA R., JURČOVIČOVÁ J., KRSOVÁ D., ROVENSKÝ M., ŠT'ASTNÁ H., ŠVÍK K. & YAMAMOTO A. **511.P**, 54*P*, 1998

see KŘÍŽ N., YAMAMOTO A., TOBIÁŠ J. & ROKYTA R. **511.P**, 57*P*, 1998

YAMAMOTO M. *see* BOYETT M. R., KODAMA I., NIKMARAM M. R., YAMAMOTO M., HONJO H., NIWA R., ZHANG H. & HOLDEN A. V. **511.P**, 79*P*, 1998

YAMAMOTOVÁ A.

YAMAMOTOVÁ A., ROKYTA R., STAREC M. & RAŠKOVÁ H. The role of preconditioning on the stress response in two inbred rat strains **511.P**, 58*P*, 1998

YAMAZAKI N.

YAMAZAKI N. & WILKINS R. J. Role of the cytoskeleton in the hypertonic induced stimulation of the Na^+–H^+ exchanger in bovine articular chondrocytes **513.P**, 55*P*, 1998

YANG S. Y. *see* SKARLI M., YANG S. Y., BOULOUX P., YELLON D. M. & GOLDSPINK G. **509.P**, 192*P*, 1998

YANG X.-S. *see* STEWARD M. C., LANG T. F., YANG X.-S., SAN ROMÁN J. I., VARGA G. & CASE R. M. **511.P**, 23*P*, 1998

YANG Z.

YANG Z. & COOTE J. H. Co-operative interaction between glutamate and vasopressin in the excitation of RVL neurones by stimulation of paraventricular neurones in hypertensive and normotensive anaesthetized rats **509.P**, 131*P*, 1998

Yao P. C. *see* Brant A. M., Yao P. C. & Ahmed A. **507.P**, 4*P*, 1998

Yao P. C., Harper A. A., Brant A. M., Rennie M. J. & Ahmed A. Glutamate and glutamine transport in isolated rat cardiac myocytes **507.P**, 5*P*, 1998

Yaqoob M. *see* Mendes Ribeiro A. C., Brunini T. M. C., Yaqoob M., Ellory J. C. & Mann G. E. **506.P**, 30*P*, 1998

see Brunini T. M. C., Roberts N., Yaqoob M., Ellory J. C., Mann G. E. & Mendes Ribeiro A. C. **506.P**, 33*P*, 1998

Yegen B. C.

Yegen B. C., Bozkurt A., Coskun T., Karakoyun B., Kurtel H. & Alican I. Capsaicin-sensitive vagal fibres and 5-HT_3-, gastrin releasing peptide- and cholecystokinin A-receptors are involved in mechanoreceptor-mediated inhibition of gastric emptying in the rat **509.P**, 9*P*, 1998

Yellon D. M. *see* Skarli M., Yang S. Y., Bouloux P., Yellon D. M. & Goldspink G. **509.P**, 192*P*, 1998

Yoshida T. *see* Fukuba Y., Hayashi N., Sato H. & Yoshida T. **507.P**, 64*P*, 1998

You Y.

You Y., Pelzer D. J. & Pelzer S. Dual effect of BAPTA on cAMP-activated Cl^- current in guinea-pig ventricular cardiomyocytes **509.P**, 140*P*, 1998

Young B. A. *see* Bannister J. P. A., Young B. A., Main M. J., Sivaprasadarao A. & Wray D. **513.P**, 139*P*, 1998

Young J. D. *see* Clark M. F., Young J. D. & Boyd C. A. R. **511.P**, 27*P*, 1998

Young L. *see* Hegarty N., Young L. & Fitzpatrick J. M. **507.P**, 41*P*, 1998

Young L., Hegarty N. & Fitzpatrick J. M. The role of endothelium-derived vasoactive mediators in the post-ischaemic kidney of the rat **507.P**, 41*P*, 1998

Young M. M.

Young M. M., Smith M. E. & Coote J. H. Effect of cervical sympathetic nerve section on AMPA receptor expression in immature rat spinal cord **513.P**, 18*P*, 1998

Young M. P. *see* Zheng F., Golledge H. D. R., Giannikopoulos D. V., Mason R. J., Scannell J. W., Tovee M. J. & Young M. P. **509.P**, 58*P*, 1998

Yu B. P. *see* García J. J., Reiter R. J., Acuña-Castroviejo D., Pié J., Ballarín E. M. & Yu B. P. **509.P**, 95*P*, 1998

Yudilevich D. L. *see* Parra M., Yudilevich D. L., Mann G. E., Pedley K., Nicolaides K., Pearson J. D. & Sobrevia L. **506.P**, 34*P*, 1998

Yung W.-h. *see* Chan P. K. Y. & Yung W.-h. **511.P**, 121*P*, 1998

Zacharová G. *see* Soukup T., Jirmanová I., Zacharová G., Rauchová H. & Pavelka S. **511.P**, 137*P*, 1998

Zafra F. *see* Batten T. F. C., Pow D. V. & Zafra F. **509.P**, 126*P*, 1998

Zagon A.

Zagon A. Voltage-dependent variation in the pattern of discharge in putative sympatho-inhibitory neurones of the rostral ventrolateral medulla oblongata of the rat **509.P**, 59*P*, 1998

Zagon A. Neurones that receive convergent somatic and vagal inputs are present in the rostral ventrolateral medulla oblongata (RVLM) of the rat **511.P**, 55*P*, 1998

Zaitsev A. V. *see* Biktashev V. N., Holden A. V., Mironov S. F., Pertsov A. M. & Zaitsev A. V. **509.P**, 139*P*, 1998

Zedka M.

Zedka M., Knight B. & Prochazka A. The effect of back pain on voluntary and reflex activation of human erector spinae muscles **511.P**, 60*P*, 1998

Zelená J. *see* Grim M., Zelená J., Halata Z., Valášek P., Szeder V. & Jeřábková G. **511.P**, 140*P*, 1998

Zeman V. *see* Janský L., Vybíral S., Janáková H., Lesná I., Šimečková M., Šrámek P. & Zeman V. **511.P**, 2*P*, 1998

see Lesná I., Vybíral S., Janský L. & Zeman V. **511.P**, 3*P*, 1998

Zhainazarov A.

Zhainazarov A., Jeziorski M. C., Anderson P. A. V., Ache B. & Cottrell G. A. The actions of two natural ligands on the single-channel activity of a peptide-gated Na^+ channel expressed in *Xenopus* oocytes **506.P**, 47*P*, 1998

Zhang H.

Zhang H., Boyett M. R., Holden A. V., Honjo H. & Kodama I. Evidence that the Na^+ current, i_{Na}, in the periphery of the sinoatrial node helps the node to drive the surrounding atrial muscle **506.P**, 54*P*, 1998

Zhang H., Boyett M. R., Holden A. V., Honjo H. & Kodama I. A hypothesis to explain the decline of sinoatrial node function with age **511.P**, 76*P*, 1998

see Boyett M. R., Kodama I., Nikmaram M. R., Yamamoto M., Honjo H., Niwa R., Zhang H. & Holden A. V. **511.P**, 79*P*, 1998

Zhang L. *see* Morgan E., Zhang L. & Bagust J. **513.P**, 25*P*, 1998

Zhang W.-M. *see* Bian J.-S., Wang H.-X., Zhang W.-M. & Wong T.-M. **509.P**, 143*P*, 1998

Zhang Y. B. *see* Magyar C. E., Zhang Y. B. & McDonough A. A. **513.P**, 43*P*, 1998

Zhao M.

Zhao M., Forrester J. V. & McCaig C. D. Asymmetric localization of EGF receptor and co-localization with actin may underlie directional migration of bovine corneal epithelial cells in physiological electric fields **511.P**, 39*P*, 1998

Zhao Y.-T. *see* Krnjević K. & Zhao Y.-T. **511.P**, 134*P*, 1998

Zheng F.

Zheng F., Golledge H. D. R., Giannikopoulos D. V., Mason R. J., Scannell J. W., Tovee M. J. & Young M. P. Bimodal orientation and motion sensitivity in striate cortical neurons of anaesthetized cat **509.P**, 58*P*, 1998

Zheng J. *see* Lees G., Verdon B., Edwards M. D., Zheng J. & Nicholson R. A. **513.P**, 2*S*, 1998

Zholos A. V.

Zholos A. V. & Bolton T. B. Muscarinic control of cationic channel opening in smooth muscle **511.P**, 3*S*, 1998

Zhou S. *see* Harridge S. D. R., Andersen J. L., Kjær M., Hartkopp A., Biering-Sørensen F. & Zhou S. **506.P**, 108*P*, 1998

Zhu Y. *see* Pfaff D. W., Dellovade T., Chan J., Zhu Y., Kia K., Vennstrom B. & Forrest D. **509.P**, 14*S*, 1998

Zia S.

Zia S., Cody F. W. J. & O'Boyle D. J. Impairment of discrimination of bilateral differences in the loci of tactile stimuli in Parkinson's disease **509.P**, 180*P*, 1998

Žiak D. *see* Anděrová M., Chvátal A., Žiak D. & Syková E. **511.P**, 15*P*, 1998

Zicha J.

Zicha J., Le Quan Sang K. H., David-Dufilho M., Kunes J., Pernollet M.-G. & Devynck M.-A. Membrane microviscosity and cytosolic pH in salt hypertension: the relationship to plasma lipids **511.P**, 165*P*, 1998

Zidek W. *see* Orie N. N., Tepel M. & Zidek W. **509.P**, 196*P*, 1998

Zoladz J.

Zoladz J., Duda K. & Majerczak J. Oxygen uptake–power output relationship during incremental exercise tests in humans **511.P**, 8*P*, 1998

Zoladz J. A.

Zoladz J. A., Szkutnik Z., Majerczak J. & Duda K. Detection of the change point in V_{CO_2} during an incremental exercise test in humans: relationship to the lactate threshold and blood acid–base status **506.P**, 99*P*, 1998

Zolle O. C.

Zolle O. C., Lawrie A. M. & Simpson A. W. M. Cyclic GMP inhibits calcium extrusion from ECV304 endothelial cells derived from the human umbilical vein **506.P**, 20*P*, 1998

Subject Index

The Journal of Physiology
Proceedings of The Physiological Society
Volumes 506 – 513

(January – December 1998)

Absorption

Comparative effects of zinc intestinal absorption through different intestinal segments in offspring rats: effects of ethanol **509.P**, 21*P*, 1998

Effect of chronic ethanol ingestion on zinc duodenal absorption and zinc serum levels during pregnancy or lactation in rats **509.P**, 22*P*, 1998

Monosaccharide transport in ileal brush-border membrane vesicles of hypertensive rats **509.P**, 25*P*, 1998

Regulation of intracellular pH during H^+-coupled oligopeptide absorption in enterocytes from guinea-pig ileum **511**, 573, 1998

Acetylcholine

Inhibition of vasodilator responses to acetylcholine by N^G-monomethyl-L-arginine in human forearm vasculature depends strongly on acetylcholine dose **506.P**, 32*P*, 1998

Regulation of acetylcholine release by intracellular acidification of developing motoneurons in *Xenopus* cell cultures **507**, 41, 1998

Role of receptor kinase in short-term desensitization of cardiac muscarinic K^+ channels expressed in Chinese hamster ovary cells **507**, 325, 1998

Cyclic ADP-ribose and calcium-induced calcium release regulate neurotransmitter release at a cholinergic synapse of *Aplysia* **507**, 405, 1998

Lambert–Eaton syndrome antibodies inhibit acetylcholine release and P/Q-type Ca^{2+} channels in electric ray nerve endings **508**, 427, 1998

Ca^{2+}-permeable non-NMDA glutamate receptors in rat magnocellular basal forebrain neurones **508**, 453, 1998

Central role of heterocellular gap junctional communication in endothelium-dependent relaxations of rabbit arteries **508**, 561, 1998

Release of acetylcholine from embryonic myocytes in *Xenopus* cell cultures **509**, 497, 1998

Ca^{2+} channel subtypes underlying acetylcholine release from rat basal forebrain neurones and their modulation by cholinergic agonists **509.P**, 61*P*, 1998

Cholinergic and voltage-activated currents expressed in a cochlear cell line derived from the Immortomouse™ **509.P**, 189*P*, 1998

Muscarinic IPSPs in rat striatal cholinergic interneurones **510**, 421, 1998

Identification of an ATP-sensitive potassium channel current in rat striatal cholinergic interneurones **510**, 441, 1998

Muscarinic regulation of the heart: NO news is bad news **511.P**, 2*S*, 1998

Acetylcholine mobilizes intracellular calcium and inhibits proliferation in human adenocarcinoma HT29 cells **511.P**, 28*P*, 1998

Quantal and non-quantal acetylcholine release in mammalian endplate during motor denervation and reinnervation **511.P**, 36*S*, 1998

The action of adrenergic compounds on synchronization of the evoked release of quanta in frog endplate **511.P**, 142*P*, 1998

Dependence of the time course of miniature endplate currents on kinetic constants k_{-1} and α **511.P**, 143*P*, 1998

The generation of directionally selective responses in the retina **512**, 316, 1998

Necessity of acetylcholine for retinal directionally selective responses to drifting gratings in rabbit **512**, 575, 1998

Two mutations linked to nocturnal frontal lobe epilepsy cause use-dependent potentiation of the nicotinic ACh response **513**, 655, 1998

Tachykinins increase [^{3}H]acetylcholine release in mouse striatum through multiple receptor subtypes **513.P**, 24*P*, 1998

Structure–activity relationships of the *Helix* neuropeptide, SEPYLRFamide, and its four N-terminally modified analogues on identified *Helix lucorum* neurones **513.P**, 112*P*, 1998

Acetylcholine receptor

The channel opening rate of adult- and fetal-type mouse muscle nicotinic receptors activated by acetylcholine **506**, 53, 1998

Ca^{2+} permeability of mouse and chick nicotinic acetylcholine receptors expressed in transiently transfected human cells **507**, 749, 1998

The open duration of fetal ACh receptor–channel changes during mouse muscle development **508**, 393, 1998

Functional contribution of the α7 subunit to multiple subtypes of nicotinic receptors in embryonic chick sympathetic neurones **509**, 651, 1998

Functional contribution of the α5 subunit to neuronal nicotinic channels expressed by chick sympathetic ganglion neurones **509**, 667, 1998

Mutual occlusion of P2X ATP receptors and nicotinic receptors on sympathetic neurons of the guinea-pig **510**, 783, 1998

Prejunctional effects of the nicotinic ACh receptor agonist dimethylphenylpiperazinium at the rat neuromuscular junction **511**, 451, 1998

Muscarinic acetylcholine receptors: basic properties and allosteric regulation **511.P**, 2*S*, 1998

Single channel currents at six microsecond resolution elicited by acetylcholine in mouse myoballs **512**, 181, 1998

Acid–base balance

Detection of the change point in V_{CO_2} during an incremental exercise test in humans: relationship to the lactate threshold and blood acid–base status **506.P**, 99*P*, 1998

Acid/base transport across the leech giant glial cell membrane at low external bicarbonate concentration **512**, 459, 1998

Acidosis

Effect of exercise-induced metabolic acidaemia on pulmonary V_{O_2} kinetics during heavy exercise **507.P**, 64*P*, 1998

Oxygen uptake–power output relationship during incremental exercise tests in humans **511.P**, 8*P*, 1998

Effects of hypercapnic acidosis on vascular smooth muscle tone in isolated rat intrapulmonary arteries **511.P**, 174*P*, 1998

Effect of metabolic acidosis on renal 11β-hydroxysteroid dehydrogenase activities in rat kidney **513.P**, 38*P*, 1998

A novel inward rectifying proton channel in the chemoreceptor cell of the rat carotid body **513.P**, 132*P*, 1998

Acinar cell

Evidence that the local $InsP_3$-induced Ca^{2+} spikes in mouse pancreatic acinar cells are due to small 'hot spots' of calcium release co-ordinated by cytosolic calcium **509.P**, 108*P*, 1998

The role of calcium in the volume regulation of rat lacrimal acinar cells **511.P**, 22*P*, 1998

Actin

Angiotensin-induced calcium release in smooth muscle cells is regulated by actin and microtubule networks **506.P**, 19*P*, 1998

Cytoskeletal targeting of calponin in differentiated, contractile smooth muscle cells of the ferret **508**, 187, 1998

Modulation of ATP-gated non-selective cation channel ($P2X_4$ receptor) activation and desensitization by the actin cytoskeleton **510**, 19, 1998

Action potential

Calcium current during a single action potential in a large presynaptic terminal of the rat brainstem **506**, 143, 1998

M-wave properties associated with twitch and tetanic contraction in isolated rat soleus muscle **506.P**, 156*P*, 1998

Uneven distribution of K^+ channels in soma, axon and dendrites of rat spinal neurones: functional role of the soma in generation of action potentials **509**, 767, 1998

Functionally defined re-entry in a two-dimensional model of ventricular tissue simulating long QT syndrome **509.P**, 139*P*, 1998

Three-dimensional aspects of re-entry in two models of ventricular fibrillation **509.P**, 139*P*, 1998

Compound action potentials recorded from the trigeminal root in the horse: preliminary results **509.P**, 183*P*, 1998

Age and gender differences in excitation–contraction coupling of the rat ventricle **511**, 533, 1998

Monophasic action potential in frog and rat heart and its possible origin **511.P**, 86*P*, 1998

The effect of different concentrations of verapamil on action potentials and isometric contractions of the right ventricle papillary muscles of newborn and adult cats **511.P**, 87*P*, 1998

Intracellular acidosis modulates stretch-induced changes in calcium balance, contraction force, action potentials and ANP (atrial natriuretic peptide) secretion in the rat atrium **511.P**, 90*P*, 1998

Na^+–Ca^{2+} exchange current in ventricular and atrioventricular nodal myocytes measured using 'action potential clamp' **511.P**, 93*P*, 1998

Properties and functions of calcium-activated K^+ channels in small neurones of rat dorsal root ganglion studied in a thin slice preparation **513**, 55, 1998

Control of L-type calcium current during the action potential of guinea-pig ventricular myocytes **513**, 425, 1998

Association of somatic action potential shape with sensory receptive properties in guinea-pig dorsal root ganglion neurones **513**, 857, 1998

Neuritic localization of spontaneous action potentials triggering calcium spikes in isolated dorsal paired median neuron cell body from the cockroach **513.P**, 103*P*, 1998

The role of $G\alpha_0$ in the effects of 5-hydroxytryptamine and octopamine on pharyngeal action potentials of the nematode, *Caenorhabditis elegans* **513.P**, 106*P*, 1998

BDF-9198, a putative novel inotrope, prolongs the action potential in guinea-pig isolated ventricular myocytes **513.P**, 163*P*, 1998

Activity
Reappearance of activity in the vestibular neurones of labyrinthectomized guinea-pigs is not delayed by cycloheximide **512**, 533, 1998
Adaptation
Calcium permeation of the turtle hair cell mechanotransducer channel and its relation to the composition of endolymph **506**, 159, 1998
Adaptation of odour-induced responses in frog olfactory receptor cells **506.P**, 83*P*, 1998
The effect of hydroxylamine on recovery of flash sensitivity and kinetics following small bleaches, in rod photoreceptors isolated from the toad, *Bufo marinus* **506.P**, 87*P*, 1998
Dark adaptation recovery of human rod photoreceptors following partial bleaches **506.P**, 87*P*, 1998
Towards a molecular description of human dark adaptation **506.P**, 88*P*, 1998
The role of optic flow in visuo-motor calibration during running **506.P**, 111*P*, 1998
Adaptive modulation of the motion after-effect by walking **506.P**, 111*P*, 1998
The relationship between force and transducer current in the isolated frog muscle spindle during very small stretches **509.P**, 50*P*, 1998
A rise in intracellular Ca^{2+} underlies light adaptation in dogfish retinal On-bipolar cells **509.P**, 54*P*, 1998
Regional hypertrophy of left ventricular myocytes induced by voluntary exercise in female rats **509.P**, 151*P*, 1998
Field sensitivity action spectra of cone photoreceptors in the turtle retina **511**, 479, 1998
Membrane current noise in dark-adapted and light-adapted isolated retinal rods of the larval tiger salamander **511**, 903, 1998
Human adaptability to cold **511.P**, 2*P*, 1998
Habituation of the initial responses to cold water immersion in humans: a central or peripheral mechanism? **512**, 621, 1998
Two components of motion adaptation in the fly **513.P**, 105*P*, 1998
Adenosine
Involvement of protein tyrosine kinases in stimulation by adenosine of the L-arginine–nitric oxide signalling pathway in human umbilical vein endothelial cells **506.P**, 32*P*, 1998
Coronary reactive hyperaemia after ischaemic preconditioning in the anaesthetized goat: no role of adenosine A_1 receptors **507.P**, 56*P*, 1998
Activation of pulmonary C fibres by adenosine in anaesthetized rats: role of adenosine A_1 receptors **508**, 109, 1998
ATP and glutamate are released from separate neurones in the rat medial habenula nucleus: frequency dependence and adenosine-mediated inhibition of release **508**, 691, 1998
Role of adenosine and its receptors in the vasodilatation induced in the cerebral cortex of the rat by systemic hypoxia **509**, 507, 1998
Effect of adenosine on rat cerebral and mesenteric resistance arteries **509.P**, 111*P*, 1998
Does chronic hypoxia affect the functional importance of adenosine A_1 receptors in regulating the cardiovascular system of the rat? **509.P**, 120*P*, 1998
Functional and ionic effects of adenosine in rabbit atrioventricular nodal and atrial isolated myocytes **509.P**, 149*P*, 1998
Adenosine excites nociceptive afferents of the rat knee joint via adenosine A_1 receptors **509.P**, 162*P*, 1998
Delayed production of adenosine underlies temporal modulation of swimming in frog embryo **511**, 265, 1998
Presynaptic effect of adenosine on the rat carotid body *in vitro* **511.P**, 101*P*, 1998
Presynaptic adenosine modulation of muscarinic acetylcholine receptor-mediated synaptic responses in the rat hippocampus **511.P**, 129*P*, 1998
Chronic hypoxia reduces adenosine A_{2A} receptor-mediated inhibition of calcium current in rat PC12 cells via downregulation of protein kinase A **512**, 351, 1998
Effect of exogenous adenosine upon CO_2 sensitivity in the neonatal rat carotid body, *in vitro* **513.P**, 73*P*, 1998
Adenosine decreases a 4-AP-sensitive current in rat carotid body type I cells **513.P**, 73*P*, 1998
Effects of central A_2 receptors on aortic baroreceptor and cardiopulmonary receptor reflexes in anaesthetized rabbits **513.P**, 79*P*, 1998
Adenosine transport is reduced by elevated D-glucose and ATP in human umbilical vein endothelial cells **513.P**, 152*P*, 1998
Adenosine monophosphate, see AMP
Adenosine triphosphate, see ATP
Adipocyte
Cytosolic free calcium measurements in adipocytes of rat **509.P**, 106*P*, 1998
Glutamine transport in rat adipocytes **513.P**, 51*P*, 1998
Effects of osmotically induced swelling on glutamine transport in rat adipocytes **513.P**, 62*P*, 1998
Adrenal gland
Characterization of Na^+–Ca^{2+} exchange in plasmalemmal vesicles from zona fasciculata cells of the bovine adrenal gland **513.P**, 53*P*, 1998
Adrenal medulla
Oxygen-sensing mechanisms are present in the chromaffin cells of the sheep adrenal medulla before birth **509**, 887, 1998
Adrenaline
The effect of overnight nasal anaesthesia with cocaine and adrenaline on lung volume **506.P**, 98*P*, 1998
Adrenoceptor
Oestrogen modulation of adrenergic transmission. A model for cross-talk between neurotransmitter and hormone-activated receptors **509.P**, 168, 1998
Effects of a decrease in temperature on contraction evoked in rat aorta *in vitro* by adrenoreceptor agonists **509.P**, 131*P*, 1998
α-Adrenoceptor
A comparison of α- and β-adrenoceptor function of the internal anal sphincter in people with and without chronic anal fissures **507.P**, 19*P*, 1998
The regulation of human prostate smooth muscle contraction **507.P**, 73*P*, 1998
α_2-Adrenoceptor-mediated potassium currents in acutely dissociated rat locus coeruleus neurones **508**, 57, 1998
α-Adrenergic effects on Na^+–K^+ pump current in guinea-pig ventricular myocytes **509**, 117, 1998
Synergistic relationship between α- and β-adrenoceptor-mediated pathways in isolated pulmonary artery of the rat **509.P**, 31*P*, 1998
In vivo effects of imidazoline drugs on monoamine synthesis in rat brain **509.P**, 70*P*, 1998
The effects of α_1-adrenoceptor stimulation on myofilament Ca^{2+} sensitivity in intact, isolated rat cardiac muscles **509.P**, 158*P*, 1998
Adrenergic regulation of calcium-activated potassium current in cultured rabbit pigmented ciliary epithelial cells **511**, 145, 1998
β-Adrenoceptor
β-Adrenoceptor-mediated vasorelaxation is largely mediated through the L-arginine/nitric oxide system in human umbilical vein **506.P**, 30*P*, 1998
β-Adrenoceptor stimulation activates the L-arginine/nitric oxide synthase system in human umbilical vein endothelial cells **506.P**, 31*P*, 1998
Na^+–K^+ pump cycle during β-adrenergic stimulation of adult rat cardiac myocytes **507**, 527, 1998
A comparison of α- and β-adrenoceptor function of the internal anal sphincter in people with and without chronic anal fissures **507.P**, 19*P*, 1998
Synergistic relationship between α- and β-adrenoceptor-mediated pathways in isolated pulmonary artery of the rat **509.P**, 31*P*, 1998
Co-ordinated changes in cAMP, phosphorylated phospholamban, Ca^{2+} and contraction following β-adrenergic stimulation in isolated rat ventricular myocytes **509.P**, 142*P*, 1998
Post-prandial mesenteric hyperaemia in man: the effect of β-adrenoceptor blockade **513.P**, 119*P*, 1998
Adrenocorticotrophic hormone (ACTH)
Attenuated neuroendocrine responses to emotional and physical stressors in pregnant rats involve adenohypophysial changes **508**, 289, 1998
Afferent nerve fibre
Direct and indirect actions of 5-hydroxytryptamine on the discharge of mesenteric afferent fibres innervating the rat jejunum **506**, 551, 1998
The canine phrenic-to-intercostal reflex **508**, 919, 1998
Sensitivity to 5-hydroxytryptamine in different afferent subpopulations within mesenteric nerves supplying the rat jejunum **509**, 717, 1998
Role of 5-HT_3 receptors in activation of abdominal sympathetic C fibre afferents during ischaemia in cats **509**, 729, 1998
Postnatal changes in responses of rat dorsal horn cells to afferent stimulation: a fibre-induced sensitization **509**, 859, 1998
Central projection of proprioceptive information from the wrist joint via a forearm 'muscle' nerve in the cat **510**, 261, 1998
The role of 5-HT_3 receptors in the generation of dorsal root potentials in the rat spinal cord *in vitro* **511.P**, 131*P*, 1998
The C fibre reflex of the cat urinary bladder **513**, 531, 1998

After-hyperpolarization
Caesium blocks depolarizing after-potentials and phasic firing in rat supraoptic neurones **510**, 165, 1998
Components of after-hyperpolarization in magnocellular neurones of the rat supraoptic nucleus *in vitro* **513**, 493, 1998
The excitability of the heteronimous trigeminal Ia-motoneurone connection: an indirect estimate of the after-hyperpolarization **513.P**, 33*P*, 1998

Ageing
The effects of strength training on muscle size and force production in elderly people aged 85–97 years **509.P**, 42*P*, 1998
Relationship between exploratory activity and macrophage function in ageing mice **509.P**, 72*P*, 1998
Gap detection thresholds in young and old adult pigmented rats **511.P**, 45*P*, 1998
A hypothesis to explain the decline of sinoatrial node function with age **511.P**, 76*P*, 1998
Baroreflex sensitivity in children and young adults **511.P**, 113*P*, 1998

Airway
Diaphragmatic loading and expression of genes corresponding to different isoforms of myosin in humans with airway obstruction **509.P**, 114*P*, 1998
The effect of rapid eye movement (REM) sleep on upper airway mechanics in normal human subjects **510**, 963, 1998
Cyclic GMP-dependent but G-kinase-independent inhibition of Ca^{2+}-dependent Cl^- currents by NO donors in cat tracheal smooth muscle **511**, 719, 1998
Regulation of intracellular calcium by nucleotides in human bronchial epithelial cells **511.P**, 37*P*, 1998
Bradycardic responses to upper airway negative pressure during hypocapnic apnoea in the decerebrate paralysed rabbit **511.P**, 106*P*, 1998
Inhibition by hypoxia of oxygen-sensitive K^+ channels in a neuroepithelial body-derived cell line causes depolarization **511.P**, 146*P*, 1998
Muscarinic receptor control of airway function **511.P**, 4*S*, 1998
Lung liquid: the last uncharted water? **511.P**, 42*S*, 1998
Contractile response to leukotriene D_4 in human small isolated bronchioles **513.P**, 90*P*, 1998
Compliance and contractility of human small bronchioles in response to prolonged culture **513.P**, 90*P*, 1998
Upper airway control awake and asleep **513.P**, 5*S*, 1998
Reflex responses to upper airway negative pressure and their role in obstructive apnoea **513.P**, 6*S*, 1998

Albumin
Effect of temperature and albumin on membrane fluidity in vascular smooth muscle and endothelial cells **507.P**, 71*P*, 1998
Albumin elicits calcium signals from astrocytes in brain slices from neonatal rat cortex **509**, 711, 1998
Calcium signals in astrocytes **513.P**, 11*S*, 1998

Alcohol
Alcohols potentiate the function of 5-HT_3 receptor-channels on NCB-20 neuroblastoma cells by favouring and stabilizing the open channel state **507**, 335, 1998

Aldosterone
Regulation of distal nephron K^+ channels (ROMK) mRNA expression by aldosterone in rat kidney **509**, 629, 1998
Non-genomic action of the mineralocorticoid aldosterone on cytosolic sodium in cultured kidney cells **511**, 255, 1998

Alzheimer's disease
The effects of amyloid β protein (1–40) on K^+ channel currents in cultures of rat cerebellar granule and cortical neurones **513.P**, 128*P*, 1998

Amino acid
Arginine efflux in neutral and basic amino acid transporter (NBAT) cRNA-injected *Xenopus laevis* oocytes **507.P**, 4*P*, 1998
Glutamate and glutamine transport in isolated rat cardiac myocytes **507.P**, 5*P*, 1998
Pore mutations alter closing and opening kinetics in *Shaker* K^+ channels **509**, 327, 1998
Multiple pathways for L-methionine transport in brush-border membrane vesicles from chicken jejunum **509**, 527, 1998
Functional properties of C-terminal deletion mutants of NBAT assessed using *c-myc* tagged proteins expressed in *Xenopus laevis* oocytes **509.P**, 193*P*, 1998
Properties of the neutral amino acid transporter ASCT1 expressed in *Xenopus laevis* oocytes **509.P**, 202*P*, 1998
Plasma amino acid measurement in exercise-related chronic fatigue syndrome **509.P**, 206*P*, 1998
Glutamine provides cardioprotection during reperfusion (but not during cardioplegia) after prolonged cardioplegic arrest with St Thomas's Solution in the isolated working rat heart **511.P**, 74*P*, 1998
Efflux of amino acids from isolated rat cardiac myocytes **511.P**, 89*P*, 1998
Activation of bovine tracheal chloride channels by amino group-specific reagents **512**, 129, 1998
Regulation of the amino acid transport system $hATB^0$ by L-alanine and L-leucine in human intestinal Caco-2 cells **513.P**, 62*P*, 1998
Post-ischaemic reperfusion with glutamine, but not glutamate or aspartate, enhances glutathione reduction state in the isolated working rat heart **513.P**, 160*P*, 1998

γ-Aminobutyric acid, see GABA

γ-Aminobutyric acid receptor, see GABA receptor

Ammonium
NH_4^+ as a substrate for apical and basolateral Na^+–H^+ exchangers of thick ascending limbs of rat kidney: evidence from isolated membranes **506**, 689, 1998
The major routes of entry of NH_4^+ and K^+ into bee retinal glial cells are independent **513.P**, 15*P*, 1998
Potentiation of glutamate uptake by ammonia in isolated salamander retinal glial cells **513.P**, 16*P*, 1998

AMP
The effects of AMP on the gating of the sheep cardiac ryanodine receptor **509.P**, 144*P*, 1998

AMPA receptor
AMPA receptor activation and phosphatase inhibition affect neonatal rat respiratory rhythm generation **509**, 255, 1998

Amygdala
Muscarinic agonists depress excitatory synaptic transmission to the pyramidal neurons in the basolateral amygdaloid complex **509.P**, 69*P*, 1998

Anaesthesia
Mechanisms of force inhibition by halothane and isoflurane in intact rat cardiac muscle **506**, 231, 1998
A novel enkephalinergic excitatory response induced by halothane **507.P**, 28*P*, 1998
Neutral endopeptidase activity in rat urine increases following anaesthesia and surgery **507.P**, 42*P*, 1998
Involvement of the sarcoplasmic reticulum in contractile changes in single isolated rat ventricular myocytes during exposure to halothane, isoflurane and sevoflurane **509.P**, 156*P*, 1998
Effects of volatile general anaesthetics on Ca^{2+} content and release from the sarcoplasmic reticulum of isolated rat ventricular myocytes **511.P**, 85*P*, 1998
Multiple ionic mechanisms mediate inhibition of rat motoneurones by inhalation anaesthetics **512**, 851, 1998
Structure, function and molecular pharmacology of Na^+ channels **513.P**, 22*S*, 1998

Angiogenesis
Dynamic muscle exercise increases gene expression of vascular endothelial growth factor (VEGF) in healthy males **506.P**, 25*P*, 1998
The effects of prolonged cold exposure on angiogenesis in skeletal and cardiac muscle of hamsters **511.P**, 160*P*, 1998
Chronic hypoxia induces angiogenesis in striated muscle of rat **513.P**, 86*P*, 1998

Angiotensin
Angiotensin II exposure up-regulates NADH/NADPH oxidase-mediated superoxide anion production by guinea-pig coronary microvascular endothelial cells in culture **506.P**, 18*P*, 1998
Inhibition of cardiac vagal tone by angiotensin II in humans **506.P**, 110*P*, 1998
Developmental changes in the hypotensive response to angiotensin II type 1 receptor antagonism in fetal sheep near term **506.P**, 138*P*, 1998
Angiotensin II and cardiovascular chemoreflex responses to acute hypoxia in late gestation fetal sheep **507**, 857, 1998
The effect of angiotensin II on stable and unstable human detrusor smooth muscle **507.P**, 23*P*, 1998
The effect of cortisol on the renin-angiotensin system in fetal sheep during late gestation **507.P**, 51*P*, 1998
The positive inotropic effect of angiotensin II is associated with, but not dependent on, cytosolic alkalinization in the isolated perfused rabbit heart **507.P**, 60*P*, 1998

Inhibition of Kv2.2 expressed in *Xenopus laevis* oocytes by angiotensin II and PKC **509.P**, 63*P*, 1998
Effect of renal perfusion pressure (RPP) reduction and anaesthetics on renal function and the renin-angiotensin system in rats **509.P**, 123*P*, 1998
Effects of angiotensin II on neurones in nucleus of the solitary tract (NTS) of the developing rat *in vitro* **509.P**, 128*P*, 1998
Renal haemodynamic responses to exogenous and endogenous adenosine in conscious dogs **510**, 321, 1998
Angiotensin AT_1 receptor-mediated excitation of rat carotid body chemoreceptor afferent activity **510**, 773, 1998
Vasopressin, angiotensin II and renal responses during water immersion in hydrated humans **511**, 323, 1998
The effect of extracellular matrix elements on AII-induced calcium release in vascular smooth muscle cells from normotensive and hypertensive rats **511.P**, 168*P*, 1998
Evidence for brain angiotensin II in mediating reflex renal nerve-dependent antinatriuresis in the anaesthetized rat **513.P**, 42*P*, 1998

Anion
The characterization of butyrate transport across pig and human colonic luminal membrane **507**, 819, 1998
Methylglyoxal causes swelling and induces inward currents in rat pancreatic β-cells **509.P**, 34*P*, 1998
Regulated anion secretion in cultured epithelia from Sertoli cells of immature rats **512**, 471, 1998

Anoxia
Activity-related and metabolic modulation of intracellular calcium and pH in spontaneously active dorsal vagal neurons *in situ* **506.P**, 138*S*, 1998

Antioxidant
Induction of antioxidant enzyme activity by hyperoxia (60 % O_2) in the developing chick embryo **509**, 289, 1998
Antioxidant–oxidant balance in the glomerulus and proximal tubule of the rat kidney **509**, 599, 1998

Aorta
Effects of shear stress and changes in osmolarity on endothelium of rat aorta **506.P**, 17*P*, 1998
Aortic chemoreceptors of the rat **513.P**, 85*P*, 1998

Aortic body
Respiratory modulation of carotid and aortic body reflex left ventricular inotropic responses in the cat **509**, 895, 1998

Apnoea
The hypoxic response of neurones within the *in vitro* mammalian respiratory network **507**, 571, 1998
Neural mechanisms of apnoea **513.P**, 2*S*, 1998
The effects of sleep on pharyngeal patency in humans **513.P**, 5*S*, 1998

Apoptosis
A neuronal C5a receptor and an associated apoptotic signal transduction pathway **507**, 679, 1998

Aquaporin
Localization of the mRNAs for several aquaporins along the gastrointestinal tract of rats **509.P**, 13*P*, 1998
Effect of serosal hypertonicity on water flux across urinary bladder **511.P**, 35*P*, 1998

Arachidonic acid
Arachidonic acid increases cerebral microvascular permeability by free radicals in single pial microvessels of the anaesthetized rat **507**, 541, 1998
Arachidonic acid induces membrane hyperpolarization in cultured bovine aortic endothelial cells **507.P**, 12*P*, 1998
Bovine serum albumin stimulates arachidonic acid release and decreases membrane fluidity in vascular smooth muscle and endothelial cells **511.P**, 165*P*, 1998
Inhibition of rat neuronal kainate receptors by *cis*-unsaturated fatty acids **513**, 331, 1998
The effect of eicosa-5,8,11,14-tetraynoic acid (ETYA) on fetal sheep lung liquid secretion *in vivo* **513.P**, 65*P*, 1998

Arcuate nucleus
Effects of chronic central growth hormone secretagogue infusion on the activation of arcuate nucleus neurones in the conscious male rat **506.P**, 142*P*, 1998
The effects of chronic central growth hormone secretagogue infusion on the expression of mRNA for neuropeptide Y, somatostatin and growth hormone-releasing hormone in the hypothalamus of the rat **511.P**, 49*P*, 1998

Arginine
Peripheral mononuclear cells from uraemic patients exhibit an increased transport of L-arginine via system y^+ (CAT-1): implications for nitric oxide synthesis **506.P**, 30*P*, 1998
L-Arginine–nitric oxide pathway in a rat model of uraemia **506.P**, 33*P*, 1998
Modification of Cl^- transport in skeletal muscle of *Rana temporaria* with the arginine-binding reagent phenylglyoxal **510**, 591, 1998
Activation of L-arginine transport by protein kinase C in rabbit, rat and mouse alveolar macrophages **511**, 813, 1998

Arginine vasotocin
Antidiuretic hormone and angiotensin II plasma concentrations in febrile Pekin ducks **511**, 605, 1998

Arrhythmia
Characterization of the epicardial electrical activation sequence during a ventricular arrhythmia in the anaesthetized pig **507.P**, 60*P*, 1998
Three-dimensional aspects of re-entry in two models of ventricular fibrillation **509.P**, 139*P*, 1998
Functionally defined re-entry in a two-dimensional model of ventricular tissue simulating long QT syndrome **509.P**, 139*P*, 1998
Computational investigation of the effect of mechano-electrical feedback on the vulnerability to re-entrant excitation in cardiac tissue **511.P**, 75*P*, 1998
3D epicardial activation sequence during a ventricular arrhythmia in the anaesthetized pig **513.P**, 162*P*, 1998

Arteriole
Digital imaging of the Ca^{2+} response to endothelin-1 in arterioles from rabbit cerebral cortex **509.P**, 31*P*, 1998
K^+ channels determining resting potential in arterioles from rabbit cerebral cortex **509.P**, 35*P*, 1998
Neuroeffector transmission in arterioles of the guinea-pig choroid **510**, 209, 1998
Vasomotion and intracellular calcium oscillations in precapillary arterioles from rabbit cerebral cortex **513.P**, 123*P*, 1998
Depolarizing potassium current sets resting potential in rabbit cerebral cortex arterioles **513.P**, 127*P*, 1998

Artery
Effect of nicotine transdermal patch on femoral artery wavespeed in healthy human subjects measured by MRI **506.P**, 16*P*, 1998
Role of endothelium in relaxation induced by glibenclamide in rat isolated mesenteric artery **506.P**, 26*P*, 1998
ATP-sensitive K^+ channel activation by calcitonin gene-related peptide and protein kinase A in pig coronary arterial smooth muscle **507**, 117, 1998
Streptomycin inhibition of myogenic tone, K^+-induced force and block of L-type calcium current in rat cerebral arteries **508**, 793, 1998
Possible involvement of the novel CPI-17 protein in protein kinase C signal transduction of rabbit arterial smooth muscle **508**, 871, 1998
Effect of adenosine on rat cerebral and mesenteric resistance arteries **509.P**, 111*P*, 1998
Synchronous and asynchronous rhythmical discharges of postganglionic sympathetic neurones innervating an identified blood vessel in the rat **509.P**, 123*P*, 1998
Potassium channels activated in the endothelium-dependent hyperpolarization in guinea-pig coronary artery **510**, 455, 1998
Functions of large conductance Ca^{2+}-activated (BK_{Ca}), delayed rectifier (K_V) and background K^+ channels in the control of membrane potential in rabbit renal arcuate artery **511**, 159, 1998
The responses of the digital artery of the fallow deer, *Dama dama*, in a mild winter **511.P**, 2*P*, 1998
Effect of hydrocortisone on the accumulation of LDL and fibrinogen by arterial walls and other tissues of the rat **511.P**, 114*P*, 1998
The proinsulin-derived C-peptide does not produce vasorelaxation in rat or guinea-pig mesenteric arteries **513.P**, 157*P*, 1998

Arthritis
Chronic stress by food restriction attenuates symptoms of adjuvant arthritis in rats **511.P**, 54*P*, 1998

Asthma
Protein oxidation in asthma **513.P**, 74*P*, 1998

Astrocyte
Albumin elicits calcium signals from astrocytes in brain slices from neonatal rat cortex **509**, 711, 1998
Astrocytes regulate developmental changes in the chloride ion gradient of embryonic rat ventral spinal cord neurons in culture **509**, 847, 1998

Dopamine elicits calcium signals in rat cortical astrocytes **513.P**, 14*P*, 1998
Interleukin-18 induces nitric oxide production in primary rat astrocyte cells **513.P**, 15*P*, 1998
Leptin induces nitric oxide production from rat astrocyte primary cultures **513.P**, 21*P*, 1998
Calcium signals in astrocytes **513.P**, 11*S*, 1998
Astrocyte-induced modulation of synaptic transmission **513.P**, 13*S*, 1998

Atherosclerosis
Influence of nitric oxide on the uptake of low-density lipoprotein into human endothelial cells *in vitro* **506.P**, 28*P*, 1998

ATP
The effects of ATP on intracellular Ca^{2+} and vasopressin release from isolated rat neurohypophysial terminals **506.P**, 66*P*, 1998
ATP metabolism during sprint exercise in subjects with different genotype for AMP deaminase in skeletal muscle **506.P**, 117*P*, 1998
Two mechanisms for inward rectification of current flow through the purinoceptor $P2X_2$ class of ATP-gated channels **507**, 353, 1998
Age-dependent changes in myosin composition correlate with enhanced economy of contraction in guinea-pig hearts **507**, 497, 1998
Differential up regulation of Na^+–Ca^{2+} exchange by phosphoarginine and ATP in dialysed squid axons **507**, 737, 1998
Na^+ and K^+ differentially regulate nucleoside diphosphate kinase in human respiratory epithelium *in vitro* **507.P**, 3*P*, 1998
The antagonist trinitrophenyl-ATP reveals co-existence of distinct P2X receptor channels in rat nodose neurones **509**, 411, 1998
In vivo metabolite and pH changes during the contraction cycle in uterine smooth muscle **509.P**, 29*P*, 1998
A comparison of the energy turnover detected by heat production and by P_i assay in dogfish isolated muscle fibres **509.P**, 42*P*, 1998
$[Na^+]$ regulates nucleoside diphosphate kinase in human respiratory epithelium *in vitro* when ATP (but not GTP) is the kinase substrate **509.P**, 81*P*, 1998
Modulation of ATP-gated non-selective cation channel ($P2X_4$ receptor) activation and desensitization by the actin cytoskeleton **510**, 19, 1998
Extracellular ATP raises cytosolic calcium and activates basolateral chloride conductance in *Necturus* proximal tubule **510**, 535, 1998
Preferential regulation of rabbit cardiac L-type Ca^{2+} current by glycolytic derived ATP via a direct allosteric pathway **511**, 67, 1998
Delayed production of adenosine underlies temporal modulation of swimming in frog embryo **511**, 265, 1998
ATP is a potent stimulator of the activation and formation of rodent osteoclasts **511**, 495, 1998
ATP dependence of the volume-sensitive anion channel in rat pancreatic β-cells **511.P**, 22*P*, 1998
Covalent incorporation of TNP-8N3-[α^{32}P]-ADP into distinct catalytic and regulatory ATP-binding sequences of pig kidney Na^+, K^+-ATPase **511.P**, 29*P*, 1998
Effects of caffeine and adenine nucleotides on Ca^{2+} release by the sarcoplasmic reticulum in saponin-permeabilized frog skeletal muscle fibres **513**, 43, 1998
Presynaptic inhibition of neurotransmitter release by ATP in rat parasympathetic ganglia **513.P**, 31*P*, 1998
P2-purinoceptors in the rat thin descending limb of Henle **513.P**, 39*P*, 1998
ATP modulates intracellular Ca^{2+} in isolated optic nerves of developing rats **513.P**, 68*P*, 1998

ATP-dependent potassium channel
Voltage-dependent gating of cloned K_{ATP} channels **511.P**, 150*P*, 1998

ATP-sensitive potassium channel
Role of tyrosine phosphorylation in leptin activation of ATP-sensitive K^+ channels in the rat insulinoma cell line CRI-G1 **510**, 47, 1998
Identification of an ATP-sensitive potassium channel current in rat striatal cholinergic interneurones **510**, 441, 1998
Intracellular nucleotide-mediated gating of SUR/Kir6.0 complex potassium channels expressed in a mammalian cell line and its modification by pinacidil **511**, 663, 1998
Insulin occludes leptin activation of ATP-sensitive K^+ channels in rat CRI-G1 insulin secreting cells **511**, 695, 1998
Cytoplasmic terminus domains of Kir6.x confer different nucleotide-dependent gating on the ATP-sensitive K^+ channel **512**, 395, 1998

Atrial myocyte
Role of the NO–cGMP pathway in the muscarinic regulation of the L-type Ca^{2+} current in human atrial myocytes **506**, 653, 1998

Atrioventricular node
Functional and ionic effects of adenosine in rabbit atrioventricular nodal and atrial isolated myocytes **509.P**, 149*P*, 1998
A comparison of the rapid delayed rectifier potassium current during action potentials in isolated rabbit atrioventricular and ventricular myocytes **511.P**, 79*P*, 1998
Na^+–Ca^{2+} exchange current in ventricular and atrioventricular nodal myocytes measured using 'action potential clamp' **511.P**, 93*P*, 1998

Attention
Circadian rhythm of sleepiness and vigilance studied in man **506.P**, 114*P*, 1998

Auditory system
Audiometry at high altitude (and its problems) **506.P**, 84*P*, 1998
Detection and discrimination of apparent sound movement by human listeners **506.P**, 85*P*, 1998
Functional imaging of human sound-movement perception in response to interaural phase and amplitude cues **506.P**, 85*P*, 1998
Glycine-activated currents are changed by coincident membrane depolarization in developing rat auditory brainstem neurones **507**, 783, 1998
The role of GABAergic inputs for coincidence detection in the neurones of nucleus laminaris of the chick **508**, 851, 1998
Contribution of the Kv3.1 potassium channel to high-frequency firing in mouse auditory neurones **509**, 183, 1998
Modulation of voltage-gated calcium currents in pyramidal cells of the rat dorsal cochlear nucleus, *in vitro* **509.P**, 61*P*, 1998
Mechanisms of sound motion processing in the inferior colliculus **511.P**, 24*S*, 1998
Processing of simple and complex sounds in the auditory midbrain and auditory thalamus of the guinea-pig **511.P**, 25*S*, 1998
Expression of *c-fos* following single or multisensory stimulation in the superior colliculus **511.P**, 44*P*, 1998
Decreased NADPH-diaphorase expression in the inferior colliculus following decortication **511.P**, 44*P*, 1998
Suppression of transient-evoked otoacoustic emissions by acoustical and electrical stimulation of the contralateral ear in guinea-pigs **511.P**, 45*P*, 1998
Gap detection thresholds in young and old adult pigmented rats **511.P**, 45*P*, 1998
Contrasting Ca^{2+} channel subtypes at cell bodies and synaptic terminals of rat anterioventral cochlear bushy neurones **512**, 365, 1998
Layer-specific NO dependence of long-term potentiation and biased NO release in layer V in the rat auditory cortex **513**, 71, 1998

Autonomic nervous system
Inhibition of cardiac vagal tone by angiotensin II in humans **506.P**, 110*P*, 1998
Nitric oxide donors enhance the heart rate response to vagal nerve stimulation in the anaesthetized rabbit and isolated guinea-pig atria preparation **509.P**, 121*P*, 1998
Involvement of the autonomic nervous system on the cardiovascular effects of galanin peptides **509.P**, 132*P*, 1998
Presynaptic adrenergic facilitation of parasympathetic neurotransmission in sympathectomized rat smooth muscle **512**, 841, 1998
The arterial baroreceptor reflex of the rat exhibits positive feedback properties at the frequency of Mayer waves **513**, 251, 1998
Induction of Fos protein in bulbar neurones is probably connected to sympathetic preganglionic neurones following electrical stimulation of motor cortex **513.P**, 84*P*, 1998

Axon
Axonal conduction velocities of functionally characterized retinal ganglion cells in goldfish **506**, 207, 1998
Activity-dependent hyperpolarization of human motor axons produced by natural activity **507**, 919, 1998
Routes of Ca^{2+} influx during ischaemia in rat neonatal white matter astrocytes *in situ* **511.P**, 14*P*, 1998
The development of conduction block in single human axons following a focal nerve injury **513**, 127, 1998

Axotomy
Motoneurone cell death after axotomy: facts and fiction **511.P**, 34*S*, 1998

Balance
The influence of circular translation of the visual scene on human stance **506.P**, 112*P*, 1998
Galvanic vestibular stimulation modulates voluntary movement of the human upper body **513**, 611, 1998

Barium
Barium triggers rapid endocytosis in calf adrenal chromaffin cells **508**, 483, 1998

Baroreceptor
Convergence properties of solitary tract neurones driven synaptically by cardiac vagal afferents in the mouse **508**, 237, 1998
The plasticity of afferent integration within the nucleus of the solitary tract **509.P**, 21*S*, 1998
Differential roles for NMDA and non-NMDA receptor subtypes in baroreceptor afferent integration in the nucleus of the solitary tract of the rat **511**, 733, 1998
The carotid–cardiac baroreflex in man operates with unaffected mode in the mild to moderate narcotic situation as experienced with 39% nitrous oxide (N_2O) **511.P**, 117*P*, 1998
Medullary raphe neurones and baroreceptor modulation of the respiratory motor pattern in the cat **512**, 863, 1998
Absence of early resetting of coronary baroreceptors in anaesthetized dogs **513**, 543, 1998
Morphology of neurones in the nucleus tractus solitarii (NTS) in the working heart–brainstem preparation (WHBP) of the rat receiving afferent input from baroreceptors **513.P**, 83*P*, 1998

Baroreceptor reflex
Baroreflex sensitivity in children and young adults **511.P**, 113*P*, 1998
The arterial baroreceptor reflex of the rat exhibits positive feedback properties at the frequency of Mayer waves **513**, 251, 1998
Reflex control of splanchnic blood volume in anaesthetized dogs **513**, 263, 1998

Basal ganglia
Muscarinic IPSPs in rat striatal cholinergic interneurones **510**, 421, 1998
Presynaptic inhibition by dopamine of a discrete component of GABA release in rat substantia nigra pars reticulata **513**, 805, 1998

Basilar membrane
Harmonic distortion on the basilar membrane in the basal turn of the guinea-pig cochlea **509**, 277, 1998

Bicarbonate
Fluid secretion in interlobular ducts isolated from guinea-pig pancreas **511**, 407, 1998
Evidence for an electrogenic Na^+–HCO_3^- symport in rat cardiac myocytes **512**, 137, 1998
Acid/base transport across the leech giant glial cell membrane at low external bicarbonate concentration **512**, 459, 1998
Inhibition of renal membrane-anchored carbonic anhydrase activity by chloride ions **513.P**, 44*P*, 1998
Effects of extracellular ATP on HCO_3^- secretion in interlobular ducts isolated from guinea-pig pancreas **513.P**, 54*P*, 1998

Bicuculline
The effect of bicuculline on the frequency response of neurones in the rat dorsal horn **506.P**, 153*P*, 1998

Bird
Localization of preganglionic vagal neurones in the brainstem of the anaesthetized tufted duck, *Aythya fuligula* **506.P**, 156*P*, 1998
Antidiuretic hormone and angiotensin II plasma concentrations in febrile Pekin ducks **511**, 605, 1998

Bladder
Mechanical hyperalgesia is referred to the hind limb following inflammation of the urinary bladder in the rat **507.P**, 18*P*, 1998
Are magnetic stimulations of the sacral roots useful to assess the efferent neuronal pathways of the lower urinary tract in SCI patients and to produce active detrusor contraction? **507.P**, 20*P*, 1998
Regional variations in nerve density in the bladder wall of patients with idiopathic and neuropathic instability: identification of three discrete areas **507.P**, 75*P*, 1998
Bladder motility and efferent nerve activity during isotonic and isovolumic recording in the cat **510**, 297, 1998
Effect of serosal hypertonicity on water flux across *Rana temporaria* urinary bladder **511.P**, 35*P*, 1998

Blood
Blood lactate as an outcome indicator for deep-water running in the male elderly **509.P**, 119*P*, 1998

Blood–brain barrier
Serum-induced changes in the physiology of mammalian retinal glial cells: role of lysophosphatidic acid **506**, 445, 1998
Evidence that bradykinin increases cerebral microvascular permeability via cGMP generated independently from soluble guanylate cyclase in the anaesthetized rat **506.P**, 22*P*, 1998
Regulation of cerebral microvascular permeability by histamine in the anaesthetized rat **507**, 909, 1998
Expression of ICAM-1 on endothelial cells in an *in vitro* model of the blood–brain barrier **509.P**, 73*P*, 1998
Reduction in endothelial cell energy resources and monolayer integrity by nitric oxide in an *in vitro* model blood–brain barrier **509.P**, 74*P*, 1998
The glial–endothelial interface at the blood–brain barrier; barrier induction and interstitial fluid dynamics **511.P**, 8*S*, 1998
Horseradish peroxidase leakage quantified following experimental cerebral ischaemia in anaesthetized rats **513.P**, 148*P*, 1998

Blood flow
Autoregulation of renal blood flow in the conscious dog and the contribution of the tubuloglomerular feedback **506**, 275, 1998
Use of fluorescent microspheres to determine regional blood flow in small tissue samples **506.P**, 38*P*, 1998
Human calf precapillary resistance decreases in response to small cumulative increases in venous congestion pressure **507**, 611, 1998
Nitric oxide in the vascular response to prolonged ureteric obstruction in the rat **507.P**, 41*P*, 1998
The role of endothelium-derived vasoactive mediators in the post-ischaemic kidney of the rat **507.P**, 41*P*, 1998
Pulse pressure-enhanced coronary flow in dogs: does it alter energetics or flow distribution, and is it modulated by contractility? **507.P**, 56*P*, 1998
Osmotic hypertonicity of the renal medulla during changes in renal perfusion pressure in the rat **508**, 929, 1998
Blood velocity and skin temperature during cold-induced vasodilatation **509.P**, 118*P*, 1998
Sympathetic attenuation of parasympathetic vasodilatation in oro-facial areas in the cat **510**, 915, 1998
Role of endogenous endothelin in the regulation of basal coronary tone in the rat **511**, 549, 1998
Reflex control of splanchnic blood volume in anaesthetized dogs **513**, 263, 1998
Two neural mechanisms for respiration-induced cutaneous vasodilatation in humans? **513**, 559, 1998
Mesenteric, coeliac and splanchnic blood flow in humans during exercise **513**, 907, 1998
Post-prandial mesenteric hyperaemia in man: the effect of β-adrenoceptor blockade **513.P**, 119*P*, 1998

Blood pressure
Short-term haemodynamic variability in the conscious areflexic rat **506**, 263, 1998
Developmental changes in the hypotensive response to angiotensin II type 1 receptor antagonism in fetal sheep near term **506.P**, 138*P*, 1998
Membrane microviscosity and cytosolic pH in salt hypertension: the relationship to plasma lipids **511.P**, 165*P*, 1998
The effect of repeated acute hypoxaemia on fetal cardiovascular development in the sheep **512**, 295, 1998
Buffering of blood pressure variability by the renin–angiotensin system in the conscious dog **512**, 583, 1998
The compliance of the porcine pulmonary artery depends on pressure and heart rate **512**, 917, 1998
The arterial baroreceptor reflex of the rat exhibits positive feedback properties at the frequency of Mayer waves **513**, 251, 1998
Absence of early resetting of coronary baroreceptors in anaesthetized dogs **513**, 543, 1998
Muscle blood flow is reduced with dehydration during prolonged exercise in humans **513**, 895, 1998

Blood vessel
The role of sympathetic nerve activity in responses evoked in the rat tail artery by systemic hypoxia: simultaneous recordings of neuronal activity and blood flow **513.P**, 82*P*, 1998
Isolated systemic resistance vessel function in hypertensive male rat offspring of mildly nutritionally restricted dams **513.P**, 118*P*, 1998

Bone
Hormone replacement therapy increases muscle strength **506.P**, 105*P*, 1998
ATP is a potent stimulator of the activation and formation of rodent osteoclasts **511**, 495, 1998

Bradykinin

Endothelial calcium changes in response to activated leucocytes and bradykinin in cultures of rat brain endothelial cells **506.P**, 21*P*, 1998

Mechanisms of bradykinin-induced contraction of human gallbladder muscle *in vitro* **509.P**, 16*P*, 1998

The role of bradykinin in the regulation of blood flow to hindlimb muscle groups of the anaesthetized cat **510**, 643, 1998

An intercellular regenerative calcium wave in porcine coronary artery endothelial cells in primary culture **513**, 103, 1998

A study of the receptors involved in bradykinin induced contraction of human gallbladder *in vitro* **513.P**, 94*P*, 1998

Brain

Evidence for enhancement of gap junctional coupling between rat island of Calleja granule cells *in vitro* by the activation of dopamine D_3 receptors **506**, 175, 1998

A putative osmoreceptive site in the forebrain inhibiting parotid secretion in sheep **509.P**, 8*P*, 1998

Central serotonin mechanisms affected by sex steroids; relevance for mood, mental state and memory **509.P**, 17*S*, 1998

Quadriceps femoris strength and fatiguability in patients after recent brain injury **509.P**, 44*P*, 1998

In vivo effects of imidazoline drugs on monoamine synthesis in rat brain **509.P**, 70*P*, 1998

Evoked potentials from subthalamic nucleus, internal pallidum and thalamic stimulation in parkinsonian and postural tremor patients **509.P**, 176*P*, 1998

Hypoxia reversibly inhibits the activity of cloned human brain BK_{Ca} channels stably expressed in HEK 293 cells **509.P**, 188*P*, 1998

Properties of heteromultimeric Kv1 channels expressed in *Xenopus* oocytes **509.P**, 199*P*, 1998

Neuroendocrine and behavioural deviations in adult rats after neonatal indomethacine or dexamethazone administration **511.P**, 50*P*, 1998

The reticulum and the rumen contracted separately to brainstem stimulation in sheep **511.P**, 54*P*, 1998

Variability in the size of compound motor evoked potentials elicited by transcranial magnetic stimulation in severe brain damage **511.P**, 67*P*, 1998

Transient aphasia induced by the onset of multiple sclerosis **511.P**, 68*P*, 1998

Hypobaric hypoxia and the brain during development **511.P**, 131*P*, 1998

Multimodal output mapping of human central motor representation on different spatial scales **512**, 163, 1998

Two types of parasympathetic preganglionic neurones in the superior salivatory nucleus characterized electrophysiologically in slice preparations of neonatal rats **513**, 157, 1998

Visual responses of neurones in the second visual area of flying foxes (*Pteropus poliocephalus*) after lesions of striate cortex **513**, 507, 1998

Mapping of evoked field potentials from a brain slice preparation of the octopus optic lobe **513.P**, 101*P*, 1998

Brainstem

The hypoxic response of neurones within the *in vitro* mammalian respiratory network **507**, 571, 1998

Selective lesioning of the cat pre-Bötzinger complex *in vivo* eliminates breathing but not gasping **507**, 895, 1998

The role of GABAergic inputs for coincidence detection in the neurones of nucleus laminaris of the chick **508**, 851, 1998

Blockade of synaptic inhibition within the pre-Bötzinger complex in the cat suppresses respiratory rhythm generation *in vivo* **509**, 245, 1998

AMPA receptor activation and phosphatase inhibition affect neonatal rat respiratory rhythm generation **509**, 255, 1998

The plasticity of afferent integration within the nucleus of the solitary tract **509.P**, 21*S*, 1998

Effects of inhibitory synaptic transmission blockade and pontomedullary transection on phrenic motor outflow in arterially perfused adult mice **509.P**, 124*P*, 1998

Brain-derived neurotrophic factor is required for normal development of the central respiratory rhythm in mice **510**, 527, 1998

Vagally evoked synaptic currents in the immature rat nucleus tractus solitarii in an intact *in vitro* preparation **512**, 149, 1998

Effects of central A_2 receptors on aortic baroreceptor and cardiopulmonary receptor reflexes in anaesthetized rabbits **513.P**, 79*P*, 1998

Effect of antagonism of central 5-HT_{1A} receptors on baroreceptor and cardiopulmonary receptor reflexes in anaesthetized rabbits **513.P**, 85*P*, 1998

Breathing

Co-activation of tongue protrudor and retractor muscles during chemoreceptor stimulation in the rat **507**, 265, 1998

The canine phrenic-to-intercostal reflex **508**, 919, 1998

Effects of a progressive resistive breathing training programme on exercise capacity and diaphragm function in patients with ischaemic heart disease **509.P**, 119*P*, 1998

Carbonic anhydrase and the control of breathing **511.P**, 45*S*, 1998

Cardiovascular effects of positive pressure breathing with counter pressure in humans **511.P**, 106*P*, 1998

Epiglottic movements during breathing in humans **512**, 307, 1998

Medullary raphe neurones and baroreceptor modulation of the respiratory motor pattern in the cat **512**, 863, 1998

Two neural mechanisms for respiration-induced cutaneous vasodilatation in humans? **513**, 559, 1998

Mechanical advantage of the human parasternal intercostal and triangularis sterni muscles **513**, 915, 1998

Sleep-related changes in human respiratory chemosensitivity **513.P**, 4*S*, 1998

The effects of sleep on pharyngeal patency in humans **513.P**, 5*S*, 1998

The effect of an inappropriate breathing pattern upon dyspnoea **513.P**, 72*P*, 1998

Brush-border membrane

Neutral endopeptidase activity in rat urine increases following anaesthesia and surgery **507.P**, 42*P*, 1998

Multiple pathways for L-methionine transport in brush-border membrane vesicles from chicken jejunum **509**, 527, 1998

Monosaccharide transport in ileal brush-border membrane vesicles of hypertensive rats **509.P**, 25*P*, 1998

Rapid stimulation by pancreatic glucagon of facilitated glucose transport across luminal membrane prepared from isolated rat renal cortex **513.P**, 45*P*, 1998

Burst firing

Anemone toxin (ATX II)-induced increase in persistent sodium current: effects on the firing properties of rat neocortical pyramidal neurones **507**, 105, 1998

Properties of γ-frequency oscillations initiated by propagating population bursts in retrohippocampal regions of rat brain slices **510**, 191, 1998

C fibre

Cutaneous vasodilatation and macrophage infiltration during prolonged electrical stimulation of the the saphenous nerve **509.P**, 163*P*, 1998

Endogenous bradykinin activates ischaemically sensitive cardiac visceral afferents through kinin B_2 receptors in cats **510**, 633, 1998

The J Reflex **511**, 2, 1998

Caffeine

The influence of caffeine on the fatigue of isolated diaphragm muscle from control and streptozotocin-diabetic rats **511.P**, 161*P*, 1998

The influence of caffeine on intramembrane charge movements in intact frog striated muscle **512**, 707, 1998

Effects of caffeine and adenine nucleotides on Ca^{2+} release by the sarcoplasmic reticulum in saponin-permeabilized frog skeletal muscle fibres **513**, 43, 1998

Calbindin

Calcium-dependent inactivation of high-threshold calcium currents in human dentate gyrus granule cells **509**, 39, 1998

Calcineurin

Compensatory and excess retrieval: two types of endocytosis following single step depolarizations in bovine adrenal chromaffin cells **506**, 591, 1998

Calcineurin involvement in the regulation of high-threshold Ca^{2+} channels in NG108-15 (rodent neuroblastoma × glioma hybrid) cells **510**, 371, 1998

Inhibition of the phosphatase 2B: calcineurin does not influence the single-channel properties of NMDA receptors in outside-out patches from granule cells in slices of rat hippocampus **511.P**, 128*P*, 1998

Calcitonin gene-related peptide

Calcitonin gene-related peptide acts presynaptically to increase quantal size and output at frog neuromuscular junctions **507**, 689, 1998

Excitation-induced force recovery in potassium-inhibited rat soleus muscle **512**, 819, 1998

Effects of intraperitoneal administration of calcitonin gene-related peptide (CGRP) on food and water intake in female rats **513.P**, 8*P*, 1998

Calcium

Submaximal stimulation of porcine endothelial cells causes focal Ca^{2+} elevation beneath the cell membrane **506**, 109, 1998

Calcium permeation of the turtle hair cell mechanotransducer channel and its relation to the composition of endolymph **506**, 159, 1998
Changes in force and cytosolic Ca^{2+} concentration after length changes in isolated rat ventricular trabeculae **506**, 431, 1998
A laser spot confocal technique for the measurement of bleach-induced changes in Ca_i^{2+} from rod and cone photoreceptors isolated from the tiger salamander **506.P**, 3*P*, 1998
A double patch-pipette technique to investigate activity-dependent intracellular calcium and pH transients in isolated snail neurones **506.P**, 6*P*, 1998
Activation of group I metabotropic glutamate receptors elicits a sustained calcium signal in rat cortical neurones and glia maintained in culture **506.P**, 12*S*, 1998
Angiotensin-induced calcium release in smooth muscle cells is regulated by actin and microtubule networks **506.P**, 19*P*, 1998
Cyclic GMP inhibits calcium extrusion from ECV304 endothelial cells derived from the human umbilical vein **506.P**, 20*P*, 1998
A comparison of the purinoceptor populations of primary human umbilical vein endothelial cells and the derived cell line ECV304 **506.P**, 33*P*, 1998
The effect of $[Ca^{2+}]_o$ on the properties of the noradrenaline-activated non-selective cation current (I_{cat}) in rabbit portal vein smooth muscle cells **506.P**, 45*P*, 1998
The effects of ATP on intracellular Ca^{2+} and vasopressin release from isolated rat neurohypophysial terminals **506.P**, 66*P*, 1998
ADP-evoked Ca^{2+} signalling in single human platelets in plasma and in whole blood under flow conditions **506.P**, 67*P*, 1998
Properties of the human platelet ADP receptor which releases calcium from intracellular stores **506.P**, 68*P*, 1998
Reversible and irreversible Ca_i^{2+} spiking in single human platelets **506.P**, 71*P*, 1998
Intracellular glucose inhibits cyclic ADP-ribose, but not inositol trisphosphate-evoked Ca^{2+} spiking in mouse pancreatic acinar cells **506.P**, 72*P*, 1998
Differential regulation of exocytotic fusion and granule–granule fusion in eosinophils **506.P**, 72*P*, 1998
Role of mitochondria in calcium regulation of spontaneously contracting cardiac muscle cells **506.P**, 74*P*, 1998
Intracellular distribution of calmodulin and calcium–calmodulin binding in nucleus and cytoplasm of mouse pancreatic acinar cells **506.P**, 74*P*, 1998
Fluorescence imaging of the mitochondrial permeability transition in rat cortical astrocytes in culture **506.P**, 75*P*, 1998
Calcium-dependent mitochondrial depolarization specific to toxic glutamate stimulation in cultured rat hippocampal neurones **506.P**, 75*P*, 1998
Simultaneous measurement of Ca_i^{2+} and photocurrent from cone photoreceptors isolated from the tiger salamander **506.P**, 89*P*, 1998
Simultaneous measurement of short-circuit current (I_{sc}) and $[Ca^{2+}]_i$ in equine cultured epithelia **506.P**, 126*P*, 1998
Influence of cytosolic pH on Ca^{2+} wave propagation in isolated mouse pancreatic acinar cells **506.P**, 126*P*, 1998
Oxytocin increases the sensitivity *in vitro* of the contractile apparatus to Ca^{2+} in human pregnant myometrium **506.P**, 144*P*, 1998
Inorganic ion selectivity of the sustained calcium response following activation of metabotropic glutamate receptors in cultured rat cortical neurones and glia **506.P**, 147*P*, 1998
Changes in $[Ca^{2+}]_i$ and membrane currents during impaired mitochondrial metabolism in dissociated rat hippocampal neurons **507**, 131, 1998
Intracellular Ca^{2+} regulation by the leech giant glial cell **507**, 147, 1998
Nitric oxide lowers the calcium sensitivity of tension in the rat tail artery **507**, 163, 1998
Cytosolic and mitochondrial Ca^{2+} signals in patch clamped mammalian ventricular myocytes **507**, 379, 1998
Voltage-dependent blockade of HERG channels expressed in *Xenopus* oocytes by external Ca^{2+} and Mg^{2+} **507**, 631, 1998
Ca^{2+} permeability of mouse and chick nicotinic acetylcholine receptors expressed in transiently transfected human cells **507**, 749, 1998
Hypoxia and cyanide induce depolarization and catecholamine release in dispersed guinea-pig chromaffin cells **507**, 807, 1998
Hydrogen peroxide causes a biphasic increase in intracellular calcium in an insulinoma cell line, CRI-G1 **507.P**, 15*P*, 1998
The role of calcium stores in the action of muscarinic agonists on mammalian urinary bladder smooth muscle **507.P**, 21*P*, 1998
The regulation of human prostate smooth muscle contraction **507.P**, 73*P*, 1998
Vasopressin-activated Ca^{2+} extrusion from rat A7r5 vascular smooth muscle cells **507.P**, 74*P*, 1998
Elevation of intracellular Ca^{2+} in the physiologically relevant range does not inhibit voltage-gated K^+ channels in human T lymphocytes **508**, 167, 1998
Mitochondrial Ca^{2+} uptake and release influence metabotropic and ionotropic cytosolic Ca^{2+} responses in rat oligodendrocyte progenitors **508**, 413, 1998
Ca^{2+}-permeable non-NMDA glutamate receptors in rat magnocellular basal forebrain neurones **508**, 453, 1998
The ion selectivity of a membrane conductance inactivated by extracellular calcium in *Xenopus* oocytes **508**, 763, 1998
Endogenous pacemaker activity of rat tumour somatotrophs **508**, 883, 1998
Evidence that mitochondria buffer physiological Ca^{2+} loads in lizard motor nerve terminals **509**, 59, 1998
The role of intracellular Na^+ and mitochondria in buffering of kainate-induced intracellular free Ca^{2+} changes in rat forebrain neurones **509**, 103, 1998
Albumin elicits calcium signals from astrocytes in brain slices from neonatal rat cortex **509**, 711, 1998
Astrocytes regulate developmental changes in the chloride ion gradient of embryonic rat ventral spinal cord neurons in culture **509**, 847, 1998
Simultaneous measurements of electrical activity, intracellular $[Ca^{2+}]$ and contraction in smooth muscle **509.P**, 2*P*, 1998
Activation of Ca^{2+}-dependent K^+ and Cl^- channels by Ins-2,4,5-P_3 and Ins-1,3,4,5-P_4 in mouse lacrimal acinar cells maintained in primary culture **509.P**, 9*P*, 1998
Role of proton gradients and a vacuolar proton pump in the refilling of intracellular calcium pools in pancreatic acinar cells **509.P**, 12*P*, 1998
Lanthanum and PK-C modulate capacitative Ca^{2+} entry in mouse pancreatic acinar cells **509.P**, 18*P*, 1998
Mitochondrial regulation of the cytosolic calcium concentration in guinea-pig colonic smooth muscle **509.P**, 28*P*, 1998
Mitochondria contribute to Ca^{2+} removal in rabbit aorta smooth muscle cells **509.P**, 29*P*, 1998
Digital imaging of the Ca^{2+} response to endothelin-1 in arterioles from rabbit cerebral cortex **509.P**, 31*P*, 1998
A re-evaluation of the role of Na^+–Ca^{2+} exchange in regulation of Ca^{2+} homeostasis in mammalian central neurons **509.P**, 56*P*, 1998
Comparative study of sodium, chloride and calcium plasma concentrations in Iberian and Duroc pigs **509.P**, 102*P*, 1998
Mitochondria surround the secretory granule region in mouse pancreatic acinar cells, and accumulate Ca^{2+} released during local spiking events **509.P**, 104*P*, 1998
Inter-relation between acidification and calcium transport in endosomes of Swiss 3T3 fibroblasts **509.P**, 105*P*, 1998
The role of different types of calcium channels in secretion from bovine chromaffin cells **509.P**, 106*P*, 1998
Insulin secretion and calcium signalling in a novel human insulin-secreting cell line, NISK 9 **509.P**, 106*P*, 1998
Intracellular calcium signalling in mouse submandibular acinar cells co-cultured with activated splenic lymphocytes **509.P**, 107*P*, 1998
Evidence that the local InsP_3-induced Ca^{2+} spikes in mouse pancreatic acinar cells are due to small 'hot spots' of calcium release co-ordinated by cytosolic calcium **509.P**, 108*P*, 1998
The use of spontaneous rather than stimulated sarcoplasmic reticulum Ca^{2+} release to identify agents that modulate Ca^{2+}-induced Ca^{2+} release in cardiac muscle **509.P**, 146*P*, 1998
Changes in sarcolemmal flux balance in guinea-pig ventricular myocytes during application of strophanthidin **509.P**, 147*P*, 1998
Ca^{2+} handling in cardiac myocytes isolated from transgenic mice overexpressing the Na^+–Ca^{2+} exchanger **509.P**, 154*P*, 1998
4-Dimensional imaging of the caffeine effect on mitochondrial calcium concentration and membrane potential (isolated guinea-pig ventricular myocytes) **509.P**, 154*P*, 1998
Effect of arachidonic acid on sarcoplasmic reticulum Ca^{2+} uptake in isolated rabbit cardiac myocytes **509.P**, 157*P*, 1998
The InsP_3 receptor isoform of rat cerebellar Purkinje neurones **509.P**, 186*P*, 1998
Ca^{2+} puffs in HeLa cells arise from a varying number of inositol 1,4,5-trisphosphate receptors and display a continuum of Ca^{2+} release amplitudes **509.P**, 186*P*, 1998
Cytoplasmic and nucleoplasmic calibration of fluo-3 confirms the lack of nucleo-cytoplasmic Ca^{2+} gradients during stimulation of HeLa cells **509.P**, 200*P*, 1998

Competitive effects of alien intracellular calcium chelators with the receptor molecule that triggers insulin release **509.P**, 202*P*, 1998
Calcium signals and calcium–calmodulin binding in pancreatic acinar cells **509.P**, 88*S*, 1998
Control of Ca^{2+} wave propagation in mouse pancreatic acinar cells **509.P**, 98*S*, 1998
Functional measurements of $[Ca^{2+}]$ in the endoplasmic reticulum of a variety of cell types using targeted aequorin delivered with a Herpes virus **509.P**, 108*S*, 1998
The role of cytoplasmic Ca^{2+} signals in β-cell disease **509.P**, 118*S*, 1998
Calcium permeability and block at homomeric and heteromeric $P2X_2$ and $P2X_3$ receptors, and P2X receptors in rat nodose neurones **510**, 27, 1998
Control of pulsatile 5-HT/insulin secretion from single mouse pancreatic islets by intracellular calcium dynamics **510**, 135, 1998
pH modulation of Ca^{2+} responses and a Ca^{2+}-dependent K^+ channel in cultured rat hippocampal neurones **511**, 119, 1998
Contribution of sarcoplasmic reticular calcium to smooth muscle contractile activation: gestational dependence in isolated rat uterus **511**, 133, 1998
Requirement of rapid Ca^{2+} entry and synaptic activation of metabotropic glutamate receptors for the induction of long-term depression in adult rat hippocampus **511**, 761, 1998
ADP and inositol trisphosphate evoke oscillations of a monovalent cation conductance in rat megakaryocytes **511**, 791, 1998
The role of calcium in the volume regulation of rat lacrimal acinar cells **511.P**, 22*P*, 1998
Nitrergic nervous control of amylase secretion and calcium mobilization in the isolated rat pancreas **511.P**, 24*P*, 1998
Acetylcholine mobilizes intracellular calcium and inhibits proliferation in human adenocarcinoma HT29 cells **511.P**, 28*P*, 1998
Spatial distribution of calcium concentration changes in the calcium stores of mechanically permeabilized pancreatic acinar cells **511.P**, 32*P*, 1998
Aldosterone increases intracellular calcium in cultured human sweat gland epithelial cells by a non-genomic mechanism of action **511.P**, 36*P*, 1998
Regulation of intracellular calcium by nucleotides in human bronchial epithelial cells **511.P**, 37*P*, 1998
Changes in plasma membrane proteins upon store depletion in dimethyl-BAPTA-loaded human platelets **511.P**, 37*P*, 1998
Intracellular calcium, caffeine and store refilling in snail neurones **511.P**, 42*P*, 1998
The Ca^{2+} content of sarcoplasmic reticulum is limited by leak, not uptake, in rat cardiac isolated myocytes **511.P**, 85*P*, 1998
The effect of stimulation frequency on cell shortening and Ca^{2+} transients in isolated single rainbow trout ventricular myocytes **511.P**, 87*P*, 1998
Intracellular acidosis modulates stretch-induced changes in calcium balance, contraction force, action potentials and ANP (atrial natriuretic peptide) secretion in the rat atrium **511.P**, 90*P*, 1998
Mechanisms of stretch-induced changes in calcium balance in rat atrial myocytes: role of increased TnC affinity and stretch-activated ion channels **511.P**, 91*P*, 1998
Ca_i^{2+} extrusion via Na^+–Ca^{2+} exchange is accelerated by internal dialysis with cAMP, in guinea-pig cardiac myocytes at 37 °C **511.P**, 91*P*, 1998
Contribution of SR Ca^{2+} store loading to differences in the amplitude of contractions accompanying action potentials or voltage-clamp depolarizations from −40 to 0 mV in guinea-pig ventricular myocytes **511.P**, 93*P*, 1998
Effects of photolysis of caged cADP-ribose on whole-cell Ca^{2+} transients and 'Ca^{2+} sparks' in guinea-pig and rat isolated ventricular myocytes **511.P**, 94*P*, 1998
The effect of bFGF on angiotensin II-induced Ca^{2+} mobilization is mediated by the MAP kinase pathway **511.P**, 168*P*, 1998
Mechanisms of oestrogen-induced vasodilatation in isolated rat small arteries **511.P**, 171*P*, 1998
Actin filaments regulate angiotensin II-induced Ca^{2+} influx in vascular smooth muscle cells from spontaneous hypertensive rats **511.P**, 173*P*, 1998
Glutamate-induced signalling in cerebellar Bergmann glial cells **511.P**, 118*S*, 1998
Facilitation of the presynaptic calcium current at an auditory synapse in rat brainstem **512**, 723, 1998
Facilitatory effect of Ca^{2+} on the noradrenaline-evoked cation current in rabbit portal vein smooth muscle cells **512**, 731, 1998
An intercellular regenerative calcium wave in porcine coronary artery endothelial cells in primary culture **513**, 103, 1998
Involvement of tyrosine kinases, Ca^{2+} and PKC in activation of mitogen-activated protein (MAP) kinase in human polymorphonuclear neutrophils **513**, 359, 1998
Membrane capacitance changes induced by thrombin and calcium in single endothelial cells cultured from human umbilical vein **513**, 845, 1998
Dopamine elicits calcium signals in rat cortical astrocytes **513.P**, 14*P*, 1998
The involvement of voltage-dependent Ca^{2+} channels in long-term depression in the adult rat hippocampal slice **513.P**, 22*P*, 1998
Identification of an extracellular calcium-sensing receptor in rat pancreatic acinar cells **513.P**, 50*P*, 1998
ATP modulates intracellular Ca^{2+} in isolated optic nerves of developing rats **513.P**, 68*P*, 1998
Effects of pre-eclampsia on intracellular calcium levels in human fetal endothelial and smooth muscle cells **513.P**, 150*P*, 1998
Mitochondrial calcium during the contractile cycle of isolated rat and guinea-pig cardiomyocytes **513.P**, 161*P*, 1998
Calcium signals in astrocytes **513.P**, 118*S*, 1998

Calcium absorption

Oestrogen deficiency impairs intestinal calcium absorption in the rat **511**, 313, 1998

Calcium-activated potassium channel

Intracellular Ca^{2+} measurements in endothelial cells transiently transfected with a bicistronic Green Fluorescent Protein expression vector **506.P**, 22*P*, 1998
Ca^{2+}-dependent inactivation of large conductance Ca^{2+}-activated K^+ (BK) channels in rat hippocampal neurones produced by pore block from an associated particle **508**, 721, 1998
Activation of Ca^{2+}-activated K^+ channels by an increase in intracellular Ca^{2+} induced by depolarization of mouse skeletal muscle fibres **509**, 93, 1998
Alkaline phosphatase irreversibly abolishes modal activity of large-conductance Ca^{2+}-activated K^+ channels in rat cortical fused nerve terminals **509.P**, 63*P*, 1998
Hypoxia reversibly inhibits the activity of cloned human brain BK_{Ca} channels stably expressed in HEK 293 cells **509.P**, 188*P*, 1998
Ion channel activity drives ion channel expression **511**, 645, 1998
Properties and functions of calcium-activated K^+ channels in small neurones of rat dorsal root ganglion studied in a thin slice preparation **513**, 55, 1998

Calcium-activated potassium current

Adrenergic regulation of calcium-activated potassium current in cultured rabbit pigmented ciliary epithelial cells **511**, 145, 1998

Calcium buffer

Calcium-dependent inactivation of high-threshold calcium currents in human dentate gyrus granule cells **509**, 39, 1998
Dual effect of BAPTA on cAMP-activated Cl^- current in guinea-pig ventricular cardiomyocytes **509.P**, 140*P*, 1998
Endogenous calcium buffering in motoneurones of the nucleus hypoglossus from mouse **511**, 105, 1998
Transmitter release modulation in nerve terminals of rat neocortical pyramidal cells by intracellular calcium buffers **513**, 135, 1998

Calcium channel

Inhibitory control of plateau properties in dorsal horn neurones in the turtle spinal cord *in vitro* **506**, 795, 1998
Effects of sulphydryl modulating agents on recombinant human cardiac L-type Ca^{2+} channel α_{1C} subunits stably expressed in HEK 293 cells **506.P**, 48*P*, 1998
Influence of a phenylalanine/glycine switch in motif *III* on single-channel conductance and ion selectivity in voltage-gated Ca^{2+} channels **506.P**, 48*P*, 1998
Difference in expression of low-voltage-operated Ca^{2+} channels in visual and sensorimotor rat cortical neurones during early postnatal development **506.P**, 77*P*, 1998
Pharmacological and kinetic properties of low-voltage-activated Ca^{2+} channels in rat sensorimotor cortex **506.P**, 77*P*, 1998
Endomorphins inhibit high-threshold Ca^{2+} channel currents in rodent NG108-15 cells overexpressing μ-opioid receptors **507**, 71, 1998
Heterogeneous presynaptic Ca^{2+} channel types triggering GABA release onto medial preoptic neurons from rat **507**, 77, 1998
Facilitation by the β_{2a} subunit of pore openings in cardiac Ca^{2+} channels **507**, 93, 1998
Non-specificity of chloride channel blockers in rat cerebral arteries: block of the L-type calcium channel **507**, 433, 1998
Effects of 2,3-butanedione monoxime (BDM) on calcium channels expressed in *Xenopus* oocytes **508**, 1, 1998

Regulation of arterial diameter and wall [Ca^{2+}] in cerebral arteries of rat by membrane potential and intravascular pressure **508**, 199, 1998
Ryanodine receptors regulate arterial diameter and wall [Ca^{2+}] in cerebral arteries of rat via Ca^{2+}-dependent K^+ channels **508**, 211, 1998
Lambert–Eaton syndrome antibodies inhibit acetylcholine release and P/Q-type Ca^{2+} channels in electric ray nerve endings **508**, 427, 1998
T-type Ca^{2+} current as a trigger for Ca^{2+} release from the sarcoplasmic reticulum in guinea-pig ventricular myocytes **508**, 439, 1998
Facilitation of rabbit α_{1B} calcium channels: involvement of endogenous $G\beta\gamma$ subunits **509**, 15, 1998
Role of domain I of neuronal Ca^{2+} channel $\alpha 1$ subunits in G protein modulation **509**, 163, 1998
Inhibition of N- and P/Q-type calcium channels by postsynaptic $GABA_B$ receptor activation in rat supraoptic neurones **509**, 371, 1998
Developmental changes in the expression of low-voltage-activated Ca^{2+} channels in rat visual cortical neurones **509**, 385, 1998
Developmental changes in calcium channel types mediating synaptic transmission in rat auditory brainstem **509**, 419, 1998
Presynaptic calcium channels mediating synaptic transmission in submucosal neurones of the guinea-pig caecum **509**, 425, 1998
Molecular studies on T-type voltage-dependent calcium channels **509.P**, 5*S*, 1998
Involvement of the transmembrane domain I and the N-terminus of neuronal calcium channels in G protein modulation **509.P**, 38*P*, 1998
Single channel properties and influence of auxiliary subunits on calcium channel $\alpha 1$ subunits expressed in COS7 cells **509.P**, 38*P*, 1998
Ca^{2+} channel subtypes underlying acetylcholine release from rat basal forebrain neurones and their modulation by cholinergic agonists **509.P**, 61*P*, 1998
The role of different types of calcium channels in secretion from bovine chromaffin cells **509.P**, 106*P*, 1998
L-type Ca^{2+} channels in inspiratory neurones of neonatal mice *in vitro* and their modulation by hypoxia **509.P**, 125*P*, 1998
Subcellular targeting of voltage-dependent calcium channels in a polarized canine cell line **509.P**, 187*P*, 1998
Differential inhibition of N and P/Q Ca^{2+} currents by 5-HT_{1A} and 5-HT_{1D} receptors in spinal neurons of *Xenopus* larvae **510**, 103, 1998
Detection and functional characterization of ryanodine receptors from sea urchin eggs **510**, 155, 1998
The effect of overexpression of auxiliary Ca^{2+} channel subunits on native Ca^{2+} channel currents in undifferentiated mammalian NG108-15 cells **510**, 347, 1998
Ca^{2+} influx through voltage-gated Ca^{2+} channels regulates 5-HT_3 receptor channel desensitization in rat glioma × mouse neuroblastoma hybrid NG108-15 cells **510**, 361, 1998
Calcineurin involvement in the regulation of high-threshold Ca^{2+} channels in NG108-15 (rodent neuroblastoma × glioma hybrid) cells **510**, 371, 1998
Metabotropic and ionotropic glutamate receptors regulate calcium channel currents in salamander retinal ganglion cells **510**, 815, 1998
Preferential regulation of rabbit cardiac L-type Ca^{2+} current by glycolytic derived ATP via a direct allosteric pathway **511**, 67, 1998
Mechanosensitive cation channels mediate afferent arteriolar myogenic constriction in the isolated rat kidney **511**, 245, 1998
Facilitation of currents through rat Ca^{2+}-permeable AMPA receptor channels by activity-dependent relief from polyamine block **511**, 361, 1998
Age and gender differences in excitation–contraction coupling of the rat ventricle **511**, 533, 1998
Fatty acids stimulate cholecystokinin secretion from STC-1 enteroendocrine cells by Ca^{2+} influx through L-type Ca^{2+} channels **511.P**, 25*P*, 1998
Inhibition of the L-type Ca^{2+} channel by external nickel in guinea-pig ventricular myocytes dialysed with cAMP-free and cAMP-containing solutions **511.P**, 80*P*, 1998
cGMP regulation of the L-type Ca^{2+} current in human atrial myocytes **511.P**, 80*P*, 1998
The neuroprotective agent 619C89 inhibits voltage-operated calcium channels in rat cortical neurones **511.P**, 124*P*, 1998
N- and L-type calcium channel involvement in depolarization-induced suppression of inhibition in rat hippocampal CA1 cells **512**, 61, 1998
L-type Ca^{2+} channels in inspiratory neurones of mice and their modulation by hypoxia **512**, 75, 1998
Fatty acids stimulate cholecystokinin secretion via an acyl chain length-specific, Ca^{2+}-dependent mechanism in the enteroendocrine cell line STC-1 **513**, 11, 1998
Facilitation of presynaptic calcium currents in the rat brainstem **513**, 149, 1998
The effect of extracellularly applied divalent cations on cytosolic Ca^{2+} in murine Leydig cells: evidence for a Ca^{2+}-sensing receptor **513**, 399, 1998
Heterologous expression and coupling of G protein-gated inwardly rectifying K^+ channels in adult rat sympathetic neurons **513**, 761, 1998
Effects of β_{2a} subunit co-expression on hypoxic inhibition of recombinant human cardiac L-type calcium channel α_{1C} subunits stably expressed in HEK 293 cells **513.P**, 126*P*, 1998
Arachidonic acid and all-*trans* retinal suppress L-type Ca^{2+} current in vertebrate rods **513.P**, 126*P*, 1998
L-type calcium channels exist in squid giant fibre lobe neurons **513.P**, 135*P*, 1998

Calcium current

Calcium current during a single action potential in a large presynaptic terminal of the rat brainstem **506**, 143, 1998
On the role of endogenous G-protein $\beta\gamma$ subunits in N-type Ca^{2+} current inhibition by neurotransmitters in rat sympathetic neurones **506**, 319, 1998
Modulation of guinea-pig cardiac L-type calcium current by nitric oxide synthase inhibitors **506**, 639, 1998
Role of the NO–cGMP pathway in the muscarinic regulation of the L-type Ca^{2+} current in human atrial myocytes **506**, 653, 1998
A dynamic clamp study of signal amplification and bistability in rat and cat thalamic neurones *in vitro* **506.P**, 151*P*, 1998
Membrane inward currents and action potentials of cultured smooth muscle cells from the guinea-pig bladder **507.P**, 22*P*, 1998
Inhibition by nimesulide of spontaneous contractions and the voltage-gated Ca^{2+} current in human myometrium **507.P**, 69*P*, 1998
Adenosine modulates hypoxia-induced responses in rat PC12 cells via the A_{2A} receptor **508**, 95, 1998
Cytochrome P450: a novel system modulating Ca^{2+} channels and contraction in mammalian heart cells **508**, 777, 1998
Streptomycin inhibition of myogenic tone, K^+-induced force and block of L-type calcium current in rat cerebral arteries **508**, 793, 1998
Calcium-dependent inactivation of high-threshold calcium currents in human dentate gyrus granule cells **509**, 39, 1998
Modulation of Ca^{2+} channel currents of acutely dissociated rat periaqueductal grey neurons **509**, 47, 1998
Multiple modulatory effects of dopamine on calcium channel kinetics in adult rat sensory neurons **509**, 395, 1998
Characteristics of nitric oxide-mediated cholinergic modulation of calcium current in rabbit sino-atrial node **509**, 741, 1998
Hypoxic and metabolic factors controlling brainstem respiratory neurones **509.P**, 22*S*, 1998
Modulation of voltage-gated calcium currents in pyramidal cells of the rat dorsal cochlear nucleus, *in vitro* **509.P**, 61*P*, 1998
Nitric oxide inhibits predominantly low-voltage-activated calcium currents in mouse primary sensory neurones **509.P**, 62*P*, 1998
Effects of cytosolic free Mg^{2+} on Ca^{2+} current density in guinea-pig heart muscle cells **509.P**, 141*P*, 1998
Diffusion of nickel, cadmium and calcium ions into the transverse (T) tubules of guinea-pig cardiac myocytes at 37 °C **509.P**, 142*P*, 1998
The effect of overexpression of auxiliary Ca^{2+} channel subunits on native Ca^{2+} channel currents in undifferentiated mammalian NG108-15 cells **510**, 347, 1998
Properties of voltage-activated $[Ca^{2+}]_i$ transients in single smooth muscle cells isolated from pregnant rat uterus **511**, 803, 1998
Contrasting Ca^{2+} channel subtypes at cell bodies and synaptic terminals of rat anterioventral cochlear bushy neurones **512**, 365, 1998
Facilitation of the presynaptic calcium current at an auditory synapse in rat brainstem **512**, 723, 1998
Control of L-type calcium current during the action potential of guinea-pig ventricular myocytes **513**, 425, 1998
μ-Opioid receptor activation inhibits N- and P-type Ca^{2+} channel currents in magnocellular neurones of the rat supraoptic nucleus **513**, 787, 1998
Metabotropic glutamate receptor agonists and 5-HT differentially modulate components of calcium channel currents in rat retinal ganglion cells **513.P**, 17*P*, 1998
Evidence for a T-type current in guinea-pig detrusor smooth muscle **513.P**, 96*P*, 1998
Effects of acetylcholine on L-type calcium currents in dissociated statocyst sensory hair cells of octopus, *Eledone cirrhosa* **513.P**, 111*P*, 1998

Calcium-dependent potassium channel
Differential effects of apamin on neuronal excitability in the nucleus of the solitary tract (NTS) studied *in vitro* **509.P**, 128*P*, 1998
Calcium-dependent potassium current
Ca^{2+} images and K^+ current during depolarization in smooth muscle cells of the guinea-pig vas deferens and urinary bladder **510**, 705, 1998
Spontaneous activity regulates calcium-dependent K^+ current expression in developing ascidian muscle **511**, 683, 1998
Calcium imaging
NMDA receptor NR2 subunits contain amino acids involved in glutamate binding **506.P**, 76*P*, 1998
Ca^{2+} transients in dendritic spines of layer 5 neocortical pyramidal neurons evoked by APs and EPSPs **509.P**, 55*P*, 1998
Light stimulates an increase in intracellular Ca^{2+} in carp retinal On-bipolar cells **509.P**, 66*P*, 1998
Ca^{2+} images and K^+ current during depolarization in smooth muscle cells of the guinea-pig vas deferens and urinary bladder **510**, 705, 1998
Intercellular Ca^{2+} waves in rat heart muscle **512**, 669, 1998
Calcium-induced calcium release
The effect of tetracaine on stimulated contractions, sarcoplasmic reticulum Ca^{2+} content and membrane current in isolated rat ventricular myocytes **507**, 759, 1998
Ca^{2+}-induced Ca^{2+} release: physiological experiments on a new level **508**, 645, 1998
Calcium influx
Intracellular mechanisms shaping capacitative Ca^{2+} entry signals in single calf pulmonary artery endothelial cells **506.P**, 20*P*, 1998
Characterization of a vasopressin-activated Ca^{2+} influx pathway in rat A7r5 vascular smooth muscle cells **506.P**, 66*P*, 1998
Near-visible ultraviolet light induces a novel ubiquitous calcium-permeable cation current in mammalian cell lines **507**, 365, 1998
ATP-activated cation currents in single guinea-pig hepatocytes **507**, 795, 1998
Origin of slow and fast oscillations of Ca^{2+} in mouse pancreatic islets **508**, 471, 1998
Kainate receptor-mediated inhibition of presynaptic Ca^{2+} influx and EPSP in area CA1 of the rat hippocampus **509**, 833, 1998
ATP-evoked increases in $[Ca^{2+}]_i$ and peptide release from rat isolated neurohypophysial terminals via a P_{2X2} purinoceptor **511**, 89, 1998
Routes of Ca^{2+} influx during ischaemia in rat neonatal white matter astrocytes *in situ* **511.P**, 14*P*, 1998
Corticosterone induced cell death in dopamine-sensitive ventral tegmental area neurones in the rat **511.P**, 48*P*, 1998
Relations between intracellular Ca^{2+} stores and store-operated Ca^{2+} entry in primary cultured human glioblastoma cells **513**, 411, 1998
The buffer barrier hypothesis, $[Ca^{2+}]_i$ homogeneity, and sarcoplasmic reticulum function in swine carotid artery **513**, 477, 1998
Ca^{2+} influx through carbachol-activated non-selective cation channels in guinea-pig gastric myocytes **513**, 749, 1998
Calcium oscillation
Acetylcholine-evoked oscillations of Ca^{2+}-dependent ion currents in mouse lacrimal acinar cells maintained in culture **506.P**, 69*P*, 1998
Voltage-dependent $[Ca^{2+}]_i$ changes during purinoceptor activation in the rat megakaryocyte **506.P**, 69*P*, 1998
Developmental profile and synaptic origin of early network oscillations in the CA1 region of rat neonatal hippocampus **507**, 219, 1998
A characterization of muscarinic receptor-mediated intracellular Ca^{2+} mobilization in cultured rat hippocampal neurones **511**, 747, 1998
α-Adrenergic stimulation of cytosolic Ca^{2+} oscillations and exocytosis in identified rat corticotrophs **512**, 385, 1998
Differential modulation of the phases of a Ca^{2+} spike by the store Ca^{2+}-ATPase in human umbilical vein endothelial cells **513**, 83, 1998
Calcium pump
Intracellular mechanisms shaping capacitative Ca^{2+} entry signals in single calf pulmonary artery endothelial cells **506.P**, 20*P*, 1998
Mg^{2+},ATP-dependent Ca^{2+} transport in endoplasmic reticulum of myometrial cells **506.P**, 68*P*, 1998
Modulation of calcium signalling in cultured rat dorsal root ganglion neurones **506.P**, 10*S*, 1998
Activity-related and metabolic modulation of intracellular calcium and pH in spontaneously active dorsal vagal neurons *in situ* **506.P**, 13*S*, 1998
Differential modulation of the phases of a Ca^{2+} spike by the store Ca^{2+}-ATPase in human umbilical vein endothelial cells **513**, 83, 1998
Calcium release
Modulation of calcium signals by intracellular pH in isolated rat pancreatic acinar cells **506**, 415, 1998
Activation of adenylate cyclase and PKA can mediate Ca^{2+} release in cultured ECV304 endothelial cells derived from the human umbilical vein **506.P**, 19*P*, 1998
A continuum of subcellular Ca^{2+} signals in the *Xenopus laevis* oocyte **506.P**, 70*P*, 1998
Cyclic ADP-ribose and calcium-induced calcium release regulate neurotransmitter release at a cholinergic synapse of *Aplysia* **507**, 405, 1998
Variability in spontaneous subcellular calcium release in guinea-pig ileum smooth muscle cells **507**, 707, 1998
Intrasarcomere $[Ca^{2+}]$ gradients and their spatio-temporal relation to Ca^{2+} sparks in rat cardiomyocytes **508**, 145, 1998
T-type Ca^{2+} current as a trigger for Ca^{2+} release from the sarcoplasmic reticulum in guinea-pig ventricular myocytes **508**, 439, 1998
Origin of slow and fast oscillations of Ca^{2+} in mouse pancreatic islets **508**, 471, 1998
Fundamental calcium release events revealed by two-photon excitation photolysis of caged calcium in guinea-pig cardiac myocytes **508**, 801, 1998
A continuum of $InsP_3$-mediated elementary Ca^{2+} signalling events in *Xenopus* oocytes **509**, 67, 1998
Activation and co-ordination of $InsP_3$-mediated elementary Ca^{2+} events during global Ca^{2+} signals in *Xenopus* oocytes **509**, 81, 1998
Differential properties of Ca^{2+} stores and Ca^{2+}-dependent ionic conductances in conduit and resistance pulmonary arterial myocytes **509.P**, 115*P*, 1998
Detection and functional characterization of ryanodine receptors from sea urchin eggs **510**, 155, 1998
Extracellular ATP raises cytosolic calcium and activates basolateral chloride conductance in *Necturus* proximal tubule **510**, 535, 1998
Hemispheric asymmetry of macroscopic and elementary calcium signals mediated by $InsP_3$ in *Xenopus* oocytes **511**, 395, 1998
Carbachol-induced oscillations in membrane potential and $[Ca^{2+}]_i$ in guinea-pig ileal smooth muscle cells **511**, 559, 1998
$InsP_3$, but not novel Ca^{2+} releasers, contributes to agonist-initiated contraction in rabbit airway smooth muscle **511**, 915, 1998
Might membrane repolarization turn off Ca^{2+} release from the sarcoplasmic reticulum, in guinea-pig cardiac cells at 37 °C dialysed with 100 μM cAMP? **511.P**, 82*P*, 1998
The effect of extracellular matrix elements on AII-induced calcium release in vascular smooth muscle cells from normotensive and hypertensive rats **511.P**, 168*P*, 1998
cGMP inhibits IP_3-induced Ca^{2+} release in intact rat megakaryocytes via cGMP- and cAMP-dependent protein kinases **512**, 89, 1998
Local calcium release in mammalian skeletal muscle **512**, 377, 1998
Direct measurement of SR release flux by tracking 'Ca^{2+} sparks' in rat cardiac myocytes **512**, 677, 1998
Calcium removal
Calcium–calmodulin-dependent mechanisms accelerate calcium decay in gastric myocytes from *Bufo marinus* **506**, 95, 1998
Calcium sensitivity
Clostridium difficile toxin B inhibits carbachol-induced force and myosin light chain phosphorylation in guinea-pig smooth muscle: role of Rho proteins **506**, 83, 1998
Effect of hydrogen peroxide and dithiothreitol on contractile function of single skeletal muscle fibres from the mouse **509**, 565, 1998
Effect of nitric oxide on single skeletal muscle fibres from the mouse **509**, 577, 1998
The effects of α_1-adrenoceptor stimulation on myofilament Ca^{2+} sensitivity in intact, isolated rat cardiac muscles **509.P**, 158*P*, 1998
Mechanisms of Ca^{2+} sensitization of force production by noradrenaline in rat mesenteric small arteries **510**, 577, 1998
Force–velocity and power–load curves in rat skinned cardiac myocytes **511**, 519, 1998
Role of myosin heavy chain composition in kinetics of force development and relaxation in rat myocardium **513**, 171, 1998
Calcium signalling
Gap junctional communication and pharmacological heterogeneity in astrocytes cultured from the rat striatum **510**, 429, 1998
Expression of functional $GABA_A$ receptors in cholecystokinin-secreting gut neuroendocrine murine STC-1 cells **510**, 805, 1998
Chloride-sensitive nature of the histamine-induced Ca^{2+} entry in cultured human aortic endothelial cells **511**, 837, 1998

Stealth ryanodine-sensitive Ca^{2+} release contributes to activity of capacitative Ca^{2+} entry and nitric oxide synthase in bovine endothelial cells **513**, 369, 1998

Calcium store

Allosteric regulation by cytoplasmic Ca^{2+} and IP_3 of the gating of IP_3 receptors in permeabilized guinea-pig vascular smooth muscle cells **506**, 407, 1998

Modulation of calcium signalling in cultured rat dorsal root ganglion neurones **506.P**, 10*S*, 1998

Thapsigargin-sensitive stores act as a 'Ca^{2+} sink' during depolarization in rat cultured cerebellar granule cells **506.P**, 71*P*, 1998

Intracellular Ca^{2+} regulation by the leech giant glial cell **507**, 147, 1998

The role of the membrane potential in refilling functional intracellular Ca^{2+} stores in guinea-pig detrusor smooth muscle **507.P**, 22*P*, 1998

Spatial distribution of calcium concentration changes in the calcium stores of mechanically permeabilized pancreatic acinar cells **511.P**, 32*P*, 1998

Intracellular calcium, caffeine and store refilling in snail neurones **511.P**, 42*P*, 1998

Relations between intracellular Ca^{2+} stores and store-operated Ca^{2+} entry in primary cultured human glioblastoma cells **513**, 411, 1998

Calcium transient

Fast voltage gating of Ca^{2+} release in frog skeletal muscle revealed by supercharging pulses **511**, 509, 1998

Ca^{2+} sparks activate K^+ and Cl^- channels, resulting in spontaneous transient currents in guinea-pig tracheal myocytes **513**, 711, 1998

Calcium transport

A double patch-pipette technique to investigate activity-dependent intracellular calcium and pH transients in isolated snail neurones **506.P**, 6*P*, 1998

The microtubule polymerizing agent Taxol reduces Ca^{2+} transients in isolated single rat ventricular myocytes **511.P**, 84*P*, 1998

Effects of volatile general anaesthetics on Ca^{2+} content and release from the sarcoplasmic reticulum of isolated rat ventricular myocytes **511.P**, 85*P*, 1998

Calmodulin

Calcium–calmodulin-dependent mechanisms accelerate calcium decay in gastric myocytes from *Bufo marinus* **506**, 95, 1998

Ca^{2+}-independent inhibition by calmodulin of inositol trisphosphate binding to type 1 but not type 3 inositol trisphosphate receptors **506.P**, 73*P*, 1998

Intracellular distribution of calmodulin and calcium–calmodulin binding in nucleus and cytoplasm of mouse pancreatic acinar cells **506.P**, 74*P*, 1998

Combined patch clamp and confocal microscopy studies of the loading and distribution of fluorescent forms of calmodulin in the cytoplasm of mouse pancreatic acinar cells **509.P**, 3*P*, 1998

Calcium signals and calcium–calmodulin binding in pancreatic acinar cells **509.P**, 8*S*, 1998

Prejunctional effects of the nicotinic ACh receptor agonist dimethylphenylpiperazinium at the rat neuromuscular junction **511**, 451, 1998

Calyx of Held

Contrasting Ca^{2+} channel subtypes at cell bodies and synaptic terminals of rat anterioventral cochlear bushy neurones **512**, 365, 1998

Facilitation of the presynaptic calcium current at an auditory synapse in rat brainstem **512**, 723, 1998

Facilitation of presynaptic calcium currents in the rat brainstem **513**, 149, 1998

cAMP

Activation of adenylate cyclase and PKA can mediate Ca^{2+} release in cultured ECV304 endothelial cells derived from the human umbilical vein **506.P**, 19*P*, 1998

The intracellular cAMP level may modulate the flow dependence of potassium permeability in single perfused mesenteric microvessels of pithed frogs **506.P**, 25*P*, 1998

Protein kinase A induces recruitment of active Na^+,K^+-ATPase units to the plasma membrane of rat proximal convoluted tubule cells **511**, 235, 1998

The regulation of lung liquid absorption by endogenous cAMP in postnatal sheep lungs perfused *in situ* **511**, 587, 1998

Modulation of the unitary exocytic event amplitude by cAMP in rat melanotrophs **511**, 851, 1998

Activation of cAMP-dependent Cl^- currents in guinea-pig Paneth cells without relevant evidence for CFTR expression **512**, 765, 1998

Role of cAMP-dependent protein kinase A in activation of a voltage-sensitive release mechanism for cardiac contraction in guinea-pig myocytes **513**, 185, 1998

Presynaptic mechanisms are responsible for the response of thalamocortical neurones to hypoxia **513.P**, 32*P*, 1998

Cannabinoid

A CB2 cannabinoid receptor agonist attenuates the viscero-visceral hyper-reflexia associated with a rat model of persistent visceral pain **507.P**, 18*P*, 1998

Cannabinoids decrease excitatory synaptic transmission and impair long-term depression in rat cerebellar Purkinje cells **510**, 867, 1998

Capillary

Evidence that bradykinin increases cerebral microvascular permeability via cGMP generated independently from soluble guanylate cyclase in the anaesthetized rat **506.P**, 22*P*, 1998

Differences in microvascular parameters in the limbs of endurance-trained, strength-trained and sedentary humans **506.P**, 23*P*, 1998

The intracellular cAMP level may modulate the flow dependence of potassium permeability in single perfused mesenteric microvessels of pithed frogs **506.P**, 25*P*, 1998

Arachidonic acid increases cerebral microvascular permeability by free radicals in single pial microvessels of the anaesthetized rat **507**, 541, 1998

Regulation of cerebral microvascular permeability by histamine in the anaesthetized rat **507**, 909, 1998

The effects of flow on the transport of potassium ions through the walls of single perfused frog mesenteric capillaries **511**, 707, 1998

Growth and regression of capillaries in rabbit and rat skeletal muscles **511.P**, 158*P*, 1998

Horseradish peroxidase leakage quantified following experimental cerebral ischaemia in anaesthetized rats **513.P**, 148*P*, 1998

Capsaicin

pH affects the affinity and apparent co-operativity of the interaction between capsaicin and the vanilloid receptor in adult rat isolated DRG neurons **513.P**, 129*P*, 1998

Vanilloid receptor antagonists do not block heat responses of rat primary dorsal root ganglion neurones in culture **513.P**, 133*P*, 1998

Carbohydrate

Dual effect of carbohydrate feeding on skeletal muscle substrate utilization during exercise in man **506.P**, 101*P*, 1998

Effects of pyruvate, dichloroacetate and adrenaline infusion on pyruvate dehydrogenase complex activation and tricarboxylic acid cycle intermediates in human skeletal muscle **506.P**, 102*P*, 1998

Carbon dioxide

Effect of exogenous adenosine upon CO_2 sensitivity in the neonatal rat carotid body, *in vitro* **513.P**, 73*P*, 1998

Carbon monoxide

The normal function of Hb in transporting CO in the body **513.P**, 72*P*, 1998

Cardiac muscle

Role of mitochondria in calcium regulation of spontaneously contracting cardiac muscle cells **506.P**, 74*P*, 1998

Calcium cycling and contractile activation in intact mouse cardiac muscle **507**, 175, 1998

Regional differences in the length–active tension relationship of isolated rat and ferret ventricular myocytes **509.P**, 138*P*, 1998

Co-ordinated changes in cAMP, phosphorylated phospholamban, Ca^{2+} and contraction following β-adrenergic stimulation in isolated rat ventricular myocytes **509.P**, 142*P*, 1998

Diffusion of nickel, cadmium and calcium ions into the transverse (T) tubules of guinea-pig cardiac myocytes at 37 °C **509.P**, 142*P*, 1998

The use of spontaneous rather than stimulated sarcoplasmic reticulum Ca^{2+} release to identify agents that modulate Ca^{2+}-induced Ca^{2+} release in cardiac muscle **509.P**, 146*P*, 1998

Morphology of electrocardiographic waves in Iberian pigs **509.P**, 147*P*, 1998

Changes in sarcolemmal flux balance in guinea-pig ventricular myocytes during application of strophanthidin **509.P**, 147*P*, 1998

Role of endogenous endothelin in the regulation of basal coronary tone in the rat **511**, 549, 1998

A comparison of the rapid delayed rectifier potassium current during action potentials in isolated rabbit atrioventricular and ventricular myocytes **511.P**, 79*P*, 1998

Might membrane repolarization turn off Ca^{2+} release from the sarcoplasmic reticulum, in guinea-pig cardiac cells at 37 °C dialysed with 100 μM cAMP? **511.P**, 82*P*, 1998

Contribution of SR Ca^{2+} store loading to differences in the amplitude of contractions accompanying action potentials or voltage-clamp depolarizations from −40 to 0 mV in guinea-pig ventricular myocytes **511.P**, 93*P*, 1998

Effects of photolysis of caged cADP-ribose on whole-cell Ca^{2+} transients and 'Ca^{2+} sparks' in guinea-pig and rat isolated ventricular myocytes **511.P**, 94*P*, 1998

Intercellular Ca^{2+} waves in rat heart muscle **512**, 669, 1998

Voltage-controlled Ca^{2+} release in normal and ryanodine receptor type 3 (RyR3)-deficient mouse myotubes **513**, 3, 1998

Cardiac myocyte

Changes in force and cytosolic Ca^{2+} concentration after length changes in isolated rat ventricular trabeculae **506**, 431, 1998

Modulation of guinea-pig cardiac L-type calcium current by nitric oxide synthase inhibitors **506**, 639, 1998

Delayed rectifier potassium current in undiseased human ventricular myocytes **506.P**, 55*P*, 1998

Type I and II models of diabetes produce different modifications of K^+ currents in rat heart: role of insulin **507**, 485, 1998

Na^+–K^+ pump cycle during β-adrenergic stimulation of adult rat cardiac myocytes **507**, 527, 1998

Glutamate and glutamine transport in isolated rat cardiac myocytes **507.P**, 5*P*, 1998

Intrasarcomere [Ca^{2+}] gradients and their spatio-temporal relation to Ca^{2+} sparks in rat cardiomyocytes **508**, 145, 1998

Fundamental calcium release events revealed by two-photon excitation photolysis of caged calcium in guinea-pig cardiac myocytes **508**, 801, 1998

The transient outward current in mice lacking the potassium channel gene Kv1.4 **509**, 171, 1998

Dual effect of BAPTA on cAMP-activated Cl^- current in guinea-pig ventricular cardiomyocytes **509.P**, 140*P*, 1998

Effects of cytosolic free Mg^{2+} on Ca^{2+} current density in guinea-pig heart muscle cells **509.P**, 141*P*, 1998

Regional hypertrophy of left ventricular myocytes induced by voluntary exercise in female rats **509.P**, 151*P*, 1998

Correlation between Ca^{2+} waves, Ca^{2+} sparks and the loading state of the sarcoplasmic reticulum in rat ventricular cardiomyocytes **509.P**, 155*P*, 1998

Involvement of the sarcoplasmic reticulum in contractile changes in single isolated rat ventricular myocytes during exposure to halothane, isoflurane and sevoflurane **509.P**, 156*P*, 1998

A repolarization-induced transient increase in the outward current of the inward rectifier K^+ channel in guinea-pig cardiac myocytes **510**, 755, 1998

Force–velocity and power–load curves in rat skinned cardiac myocytes **511**, 519, 1998

Metabolic activation of K_{ATP} channels and inhibition of K_{ACh} channels in guinea-pig atrial myocytes by diadenosine polyphosphates: evidence against an A_1-agonistic action **511.P**, 77*P*, 1998

The Ca^{2+} content of sarcoplasmic reticulum is limited by leak, not uptake, in rat cardiac isolated myocytes **511.P**, 85*P*, 1998

The effect of stimulation frequency on cell shortening and Ca^{2+} transients in isolated single rainbow trout ventricular myocytes **511.P**, 87*P*, 1998

Negative and positive contraction–frequency relationships at low and high stimulation rates in rat left ventricular myocytes isolated from the subendocardium and subepicardium **511.P**, 88*P*, 1998

Ca_i^{2+} extrusion via Na^+–Ca^{2+} exchange is accelerated by internal dialysis with cAMP, in guinea-pig cardiac myocytes at 37 °C **511.P**, 91*P*, 1998

Evidence for an electrogenic Na^+–HCO_3^- symport in rat cardiac myocytes **512**, 137, 1998

Non-receptor-mediated activation of $I_{K(ATP)}$ and inhibition of $I_{K(ACh)}$ by diadenosine polyphosphates in guinea-pig atrial myocytes **512**, 407, 1998

Another trigger for the heartbeat **513**, 1, 1998

Role of cAMP-dependent protein kinase A in activation of a voltage-sensitive release mechanism for cardiac contraction in guinea-pig myocytes **513**, 185, 1998

Muscle blood flow is reduced with dehydration during prolonged exercise in humans **513**, 895, 1998

Cardiac neurone

Activity of C fibre cardiac vagal efferents in anaesthetized cats and rats **507**, 869, 1998

Distribution and immunocytochemical properties of intracardiac ganglion cells in developing rat atria **511.P**, 116*P*, 1998

Cardiac output

Cardiovascular actions of nitric oxide synthase inhibition in the portal hypertensive rat **506.P**, 27*P*, 1998

Cardiovascular reflex

Involvement of nitric oxide (NO) in the excitatory vagal afferent input to nucleus tractus solitarii (NTS) neurones in anaesthetized rats **511.P**, 112*P*, 1998

Cardiovascular response

A simple physical model to illustrate Guyton's venous return curves **506.P**, 7*P*, 1998

Voltage-dependent variation in the pattern of discharge in putative sympatho-inhibitory neurones of the rostral ventrolateral medulla oblongata of the rat **509.P**, 59*P*, 1998

Interactions of A5 region and medial parabrachial and Kölliker Fuse nuclei in respiratory and cardiovascular control in the anaesthetized rat **509.P**, 126*P*, 1998

Involvement of the autonomic nervous system on the cardiovascular effects of galanin peptides **509.P**, 132*P*, 1998

Ondansetron does not modify the cardiorespiratory response to primary thoracic injury in the anaesthetized rat **511.P**, 111*P*, 1998

The effect of repeated acute hypoxaemia on fetal cardiovascular development in the sheep **512**, 295, 1998

Induction of Fos protein in bulbar neurones is probably connected to sympathetic preganglionic neurones following electrical stimulation of motor cortex **513.P**, 84*P*, 1998

Carotid body

Protein kinase C activation causes inhibition of maxi-K channels in isolated rat carotid body type I cells **506.P**, 50*P*, 1998

Effects of chronic hypoxia on K^+ currents recorded in isolated adult rat carotid body type I cells **506.P**, 51*P*, 1998

Respiratory modulation of carotid and aortic body reflex left ventricular inotropic responses in the cat **509**, 895, 1998

Mechanisms of peripheral chemoreception **509.P**, 20*S*, 1998

A novel oxygen-sensitive potassium channel in neonatal rat carotid body type I cells **509.P**, 35*P*, 1998

Potassium-induced chemoexcitation in the *in vitro* rat carotid body is Ca^{2+} dependent **509.P**, 114*P*, 1998

Angiotensin AT_1 receptor-mediated excitation of rat carotid body chemoreceptor afferent activity **510**, 773, 1998

Altered respiratory responses to hypoxia in mutant mice deficient in neuronal nitric oxide synthase **511**, 273, 1998

Effect of sodium perturbations on rat chemoreceptor spike generation: implications for a Poisson model **511**, 301, 1998

Effects of Ca^{2+} channel antagonists upon K^+-induced chemoexcitation in the *in vitro* rat carotid body **511.P**, 100*P*, 1998

Presynaptic effect of adenosine on the rat carotid body *in vitro* **511.P**, 101*P*, 1998

Inhibition of Ca^{2+}-dependent K^+ channels in rat carotid body type I cells by protein kinase C **512**, 743, 1998

Effects of mitochondrial uncouplers on intracellular calcium, pH and membrane potential in rat carotid body type I cells **513**, 819, 1998

Adenosine decreases a 4-AP-sensitive current in rat carotid body type I cells **513.P**, 73*P*, 1998

Effect of exogenous adenosine upon CO_2 sensitivity in the neonatal rat carotid body, *in vitro* **513.P**, 73*P*, 1998

Cat

Corticofugal effects on somatosensory ascendant transmission in the cuneate nucleus of chloralose-anaesthetized cats **509.P**, 31*S*, 1998

Bimodal orientation and motion sensitivity in striate cortical neurons of anaesthetized cat **509.P**, 58*P*, 1998

Intracellular evidence of cortico-cuneate synchronization during evoked spike-and-wave cortical seizure activity **509.P**, 180*P*, 1998

Sympathetic attenuation of parasympathetic vasodilatation in oro-facial areas in the cat **510**, 915, 1998

Catecholamine

Slow synaptic potentials in rat sympathetic preganglionic neurones *in vitro* **506.P**, 146*P*, 1998

Developmental regulation of glucogenesis in the sheep fetus during late gestation **508**, 937, 1998

Chronic hypoxia enhances quantal secretion evoked from rat pheochromocytoma (PC-12) cells by acute hypoxia **513.P**, 74*P*, 1998

Cation channel

Near-visible ultraviolet light induces a novel ubiquitous calcium-permeable cation current in mammalian cell lines **507**, 365, 1998

Ion permeation and conduction in a human recombinant 5-HT_3 receptor subunit (h5-HT_{3A}) **507**, 653, 1998

Hypoxia and cyanide induce depolarization and catecholamine release in dispersed guinea-pig chromaffin cells **507**, 807, 1998

Hydrogen peroxide causes a biphasic increase in intracellular calcium in an insulinoma cell line, CRI-G1 **507.P**, 15*P*, 1998

Non-genomic inhibition of human $P2X_7$ purinoceptor by 17β-oestradiol **508**, 659, 1998

Extracellular ATP directly gates a cation-selective channel in rabbit airway ciliated epithelial cells **508**, 703, 1998

Ca^{2+} influx through carbachol-activated non-selective cation channels in guinea-pig gastric myocytes **513**, 749, 1998

Cation current

The effect of $[Ca^{2+}]_o$ on the properties of the noradrenaline-activated non-selective cation current (I_{cat}) in rabbit portal vein smooth muscle cells **506.P**, 45*P*, 1998

Extracellular K^+ activates a K^+- and H^+-permeable conductance in frog taste receptor cells **507**, 415, 1998

Pituitary adenylyl cyclase activating peptide (PACAP) activates multiple intracellular signalling pathways to regulate cation channels in PC12 cells **509.P**, 187*P*, 1998

Encoding properties induced by a persistent voltage-gated muscarinic sodium current in rabbit sympathetic neurones **510**, 387, 1998

Hyperpolarization-activated cationic currents (I_h) in neurones of the trigeminal mesencephalic nucleus of the rat **510**, 695, 1998

Muscarinic control of cationic channel opening in smooth müscle **511.P**, 3*S*, 1998

Facilitatory effect of Ca^{2+} on the noradrenaline-evoked cation current in rabbit portal vein smooth muscle cells **512**, 731, 1998

Spontaneous electrical rhythmicity in cultured interstitial cells of Cajal from the murine small intestine **513**, 203, 1998

Cell line

GnRH content in an immortalized cell line derived from the mouse septal region **509.P**, 98*P*, 1998

Cell volume

Bayliss, myogenic tone and volume-regulated chloride channels in arterial smooth muscle **507**, 631, 1998

Functional and molecular expression of volume-regulated chloride channels in canine vascular smooth muscle cells **507**, 729, 1998

K^+ channel block-induced mammalian neuroblastoma cell swelling: a possible mechanism to influence proliferation **510**, 93, 1998

Non-genomic action of the mineralocorticoid aldosterone on cytosolic sodium in cultured kidney cells **511**, 255, 1998

Constraints on the extracellular diffusion of molecules **511.P**, 8*S*, 1998

Diffusion barriers evoked by cell swelling, astrogliosis and pathological states in the CNS **511.P**, 9*S*, 1998

Basolateral membrane potential (V_{bl}) and partial conductance for potassium (t_K) in flush preserved rabbit kidney proximal tubules **511.P**, 34*P*, 1998

Activation of a chloride current by hypotonic swelling of rabbit vascular myocytes **511.P**, 171*P*, 1998

Integrin and cytoskeletal involvement in signalling cell volume changes to glutamine transport in rat skeletal muscle **512**, 481, 1998

Characterization of cell volume-sensitive chloride currents in freshly prepared and cultured pancreatic acinar cells from early postnatal rats **513**, 453, 1998

A digital method to measure cell volume in isolated, perfused rabbit renal proximal tubules **513.P**, 3*P*, 1998

Solute-induced and osmotic cell swelling responses of renal proximal tubule cells isolated from wild-type and ΔF508 cystic fibrosis mice **513.P**, 61*P*, 1998

Cerebellum

Voltage-dependent deactivation and desensitization of GABA responses in cultured murine cerebellar granule cells **506**, 377, 1998

Presynaptic origin of paired-pulse depression at climbing fibre–Purkinje cell synapses in the rat cerebellum **506**, 391, 1998

Neuronal activity in the lateral cerebellum of the cat related to visual stimuli at rest, visually guided step modification, and saccadic eye movements **506**, 489, 1998

Identification of NMDA channel subtypes in cerebellar Golgi cells of the rat **507.P**, 27*P*, 1998

Differential effects of noradrenaline on evoked, spontaneous and miniature IPSCs in rat cerebellar stellate cells **509**, 233, 1998

Autaptic inhibitory currents recorded from interneurones in rat cerebellar slices **509**, 777, 1998

Potentiation of GABAergic synaptic transmission by AMPA receptors in mouse cerebellar stellate cells: changes during development **509**, 817, 1998

Two functionally distinct families of native NMDA receptors **509.P**, 2*S*, 1998

Role of the cerebellum in visually guided stepping **509.P**, 29*S*, 1998

Long-term depression in rat cerebellar slices lacks input specificity **509.P**, 57*P*, 1998

The incidence of input-specific long-term depression in rat cerebellar slices: an extracellular study **509.P**, 57*P*, 1998

Imaging cGMP in cerebellar Purkinje cells **509.P**, 60*P*, 1998

Submillisecond kinetics and low efficacy of parallel fibre–Golgi cell synaptic currents in the rat cerebellum **510**, 845, 1998

Cannabinoids decrease excitatory synaptic transmission and impair long-term depression in rat cerebellar Purkinje cells **510**, 867, 1998

Locus of frequency-dependent depression identified with multiple-probability fluctuation analysis at rat climbing fibre–Purkinje cell synapses **510**, 881, 1998

Lanthanum-mediated modification of $GABA_A$ receptor deactivation, desensitization and inhibitory synaptic currents in rat cerebellar neurons **511**, 647, 1998

Glutamate-induced signalling in cerebellar Bergmann glial cells **511.P**, 11*S*, 1998

The cerebellum as a model system for examining functional properties of native NMDA channel subtypes **511.P**, 17*S*, 1998

Some morphological and functional characteristics of cerebellar degeneration – animal model (Lurcher mutant mice) **511.P**, 72*P*, 1998

Cutaneous receptive fields and topography of mossy fibres and climbing fibres projecting to cat cerebellar C3 zone **512**, 277, 1998

Modification of activity-dependent increases of cerebral blood flow by excitatory synaptic activity and spikes in rat cerebellar cortex **512**, 555, 1998

Zinc–carnosine affinity for the H_1-receptor in guinea-pig cerebellum revealed by inhibition of tritiated mepyramine binding **513.P**, 116*P*, 1998

Cerebral blood flow

Effect of hypercapnia on cerebral blood flow in the anaesthetized spontaneously hypertensive rat **511.P**, 110*P*, 1998

Relationship between cerebral microvessels, pyramidal layer neurones and a nitric oxide synthase-containing nerve network in rat hippocampus: a morphological basis for flow-metabolism coupling in the brain? **511.P**, 115*P*, 1998

Modification of activity-dependent increases of cerebral blood flow by excitatory synaptic activity and spikes in rat cerebellar cortex **512**, 555, 1998

Does hypercapnia modulate the haemodynamic response to neural activation in the human visual cortex assessed using functional magnetic resonance imaging (fMRI)? **513.P**, 87*P*, 1998

Cerebral cortex

Sensorimotor modulation of human cortical swallowing pathways **506**, 857, 1998

What is excited by near-threshold twin magnetic stimuli over human cerebral cortex? **506.P**, 122*P*, 1998

Role of adenosine and its receptors in the vasodilatation induced in the cerebral cortex of the rat by systemic hypoxia **509**, 507, 1998

Alkaline phosphatase irreversibly abolishes modal activity of large-conductance Ca^{2+}-activated K^+ channels in rat cortical fused nerve terminals **509.P**, 63*P*, 1998

Constraints on the extracellular diffusion of molecules **511.P**, 8*S*, 1998

Persistent depolarizing action of GABA in rat Cajal–Retzius cells **512**, 809, 1998

cGMP

Cyclic GMP inhibits calcium extrusion from ECV304 endothelial cells derived from the human umbilical vein **506.P**, 20*P*, 1998

Imaging cGMP in cerebellar Purkinje cells **509.P**, 60*P*, 1998

cGMP regulation of the L-type Ca^{2+} current in human atrial myocytes **511.P**, 80*P*, 1998

cGMP inhibits IP_3-induced Ca^{2+} release in intact rat megakaryocytes via cGMP- and cAMP-dependent protein kinases **512**, 89, 1998

Presynaptic mechanisms are responsible for the response of thalamocortical neurones to hypoxia **513.P**, 32*P*, 1998

Channel blockade
Voltage-dependent blockade of HERG channels expressed in *Xenopus* oocytes by external Ca^{2+} and Mg^{2+} **507**, 631, 1998
Selective block of persistent Na^+ current by lidocaine in cultured rat sensory neurones **511.P**, 123*P*, 1998
The neuroprotective agent 619C89 inhibits voltage-operated calcium channels in rat cortical neurones **511.P**, 124*P*, 1998

Channel gating
Facilitation by the β_{2a} subunit of pore openings in cardiac Ca^{2+} channels **507**, 93, 1998
Comparison of the gating behaviour of human and murine cystic fibrosis transmembrane conductance regulator Cl^- channels expressed in mammalian cells **508**, 379, 1998
Voltage change-induced gating transitions of the rabbit skeletal muscle Ca^{2+} release channel **509**, 29, 1998
Intracellular nucleotide-mediated gating of SUR/Kir6.0 complex potassium channels expressed in a mammalian cell line and its modification by pinacidil **511**, 663, 1998
Regulation of murine cystic fibrosis transmembrane conductance regulator Cl^- channels expressed in Chinese hamster ovary cells **512**, 751, 1998
Single-channel currents of a peptide-gated sodium channel expressed in *Xenopus* oocytes **513**, 19, 1998

Charge movement
The influence of perchlorate ions on complex charging transients in amphibian striated muscle **506**, 699, 1998
A slow calcium-dependent component of charge movement in *Rana temporaria* cut twitch fibres **509**, 869, 1998
Fast voltage gating of Ca^{2+} release in frog skeletal muscle revealed by supercharging pulses **511**, 509, 1998

Chemoreceptor
Co-activation of tongue protrudor and retractor muscles during chemoreceptor stimulation in the rat **507**, 265, 1998
Convergence properties of solitary tract neurones driven synaptically by cardiac vagal afferents in the mouse **508**, 237, 1998
The plasticity of afferent integration within the nucleus of the solitary tract **509.P**, 21*S*, 1998
Interactions between chemosensory inputs in the nucleus tractus solitarii **509.P**, 23*S*, 1998
Angiotensin AT_1 receptor-mediated excitation of rat carotid body chemoreceptor afferent activity **510**, 773, 1998
Effect of sodium perturbations on rat chemoreceptor spike generation: implications for a Poisson model **511**, 301, 1998
Chemosensitivity of rat medullary raphe neurones in primary tissue culture **511**, 433, 1998
Effects of Ca^{2+} channel antagonists upon K^+-induced chemoexcitation in the *in vitro* rat carotid body **511.P**, 100*P*, 1998
Presynaptic effect of adenosine on the rat carotid body *in vitro* **511.P**, 101*P*, 1998
Effects of mitochondrial uncouplers on intracellular calcium, pH and membrane potential in rat carotid body type I cells **513**, 819, 1998
Aortic chemoreceptors of the rat **513.P**, 85*P*, 1998
Spiking local interneurones process gustatory signals from chemoreceptors on the legs of the locust **513.P**, 104*P*, 1998
Taste coding by spiking local interneurones in the metathoracic ganglion of the locust **513.P**, 105*P*, 1998
A novel inward rectifying proton channel in the chemoreceptor cell of the rat carotid body **513.P**, 132*P*, 1998

Chemoreceptor reflex
Angiotensin II and cardiovascular chemoreflex responses to acute hypoxia in late gestation fetal sheep **507**, 857, 1998
Cardiac output distribution in response to hypoxia in the chick embryo in the second half of the incubation time **508**, 281, 1998
Chemoafferent degeneration and carotid body hypoplasia following chronic hyperoxia in newborn rats **509**, 519, 1998

Chemosensitivity
Respiration-modulated membrane potential and chemosensitivity of locus coeruleus neurones in the *in vitro* brainstem–spinal cord of the neonatal rat **513**, 381, 1998

Chicken
Induction of antioxidant enzyme activity by hyperoxia (60 % O_2) in the developing chick embryo **509**, 289, 1998
Electrical characteristics and responses to jejunal distension of neurons in Remak's juxta-jejunal ganglia of the domestic fowl **510**, 563, 1998

Chloride
Na^+ and K^+ differentially regulate nucleoside diphosphate kinase in human respiratory epithelium *in vitro* **507.P**, 3*P*, 1998
Sarcolemmal mechanisms for pH_i recovery from alkalosis in the guinea-pig ventricular myocyte **509**, 487, 1998
Astrocytes regulate developmental changes in the chloride ion gradient of embryonic rat ventral spinal cord neurons in culture **509**, 847, 1998
The chloride-dependent phosphorylated protein in apical membranes from ovine airway is annexin I **509.P**, 82*P*, 1998
Comparative study of sodium, chloride and calcium plasma concentrations in Iberian and Duroc pigs **509.P**, 102*P*, 1998
Chloride and non-selective cation channels in unstimulated trout red blood cells **511**, 213, 1998
Inhibition of renal membrane-anchored carbonic anhydrase activity by chloride ions **513.P**, 44*P*, 1998
L-Alanine activates an outwardly rectifying DIDS-sensitive conductance in single proximal tubule cells isolated from frog kidney **513.P**, 56*P*, 1998

Chloride channel
Activation of volume-regulated chloride currents by reduction of intracellular ionic strength in bovine endothelial cells **506**, 353, 1998
$GABA_A$ receptor-mediated currents in interneurons and pyramidal cells of rat visual cortex **506**, 715, 1998
Non-specificity of chloride channel blockers in rat cerebral arteries: block of the L-type calcium channel **507**, 433, 1998
Bayliss, myogenic tone and volume-regulated chloride channels in arterial smooth muscle **507**, 631, 1998
Functional and molecular expression of volume-regulated chloride channels in canine vascular smooth muscle cells **507**, 729, 1998
Protein kinase C inhibits anion channels in epithelial cells of the choroid plexus isolated from rat **507.P**, 2*P*, 1998
Co-existence of Cl^- and Na^+ channels in the apical membrane of exocrine gland acini from frog skin (*Rana esculenta*) **507.P**, 2*P*, 1998
Comparison of the gating behaviour of human and murine cystic fibrosis transmembrane conductance regulator Cl^- channels expressed in mammalian cells **508**, 379, 1998
Cl^- transport by cystic fibrosis transmembrane conductance regulator (CFTR) contributes to the inhibition of epithelial Na^+ channels (ENaCs) in *Xenopus* oocytes co-expressing CFTR and ENaC **508**, 825, 1998
Ionotropic and metabotropic activation of a neuronal chloride channel by serotonin and dopamine in the leech *Hirudo medicinalis* **509**, 211, 1998
Modification of Cl^- transport in skeletal muscle of *Rana temporaria* with the arginine-binding reagent phenylglyoxal **510**, 591, 1998
Antisense to MDR1 mRNA reduces P-glycoprotein expression, swelling-activated Cl^- current and volume regulation in bovine ciliary epithelial cells **511**, 33, 1998
Osmosensitive Cl^- currents and their relevance to regulatory volume decrease in human intestinal T_{84} cells: outwardly *vs.* inwardly rectifying currents **511**, 45, 1998
Long-term induction of a unique Cl^- current by endothelin-1 in an epithelial cell line from rat lung: evidence for regulation of cytoplasmic calcium **511**, 55, 1998
Characterization of the putative chloride channel xClC-5 expressed in *Xenopus laevis* oocytes and comparison with endogenous chloride currents **511**, 379, 1998
ATP dependence of the volume-sensitive anion channel in rat pancreatic β-cells **511.P**, 22*P*, 1998
Non-pore lining amino acid side chains influence anion selectivity of the human CFTR Cl^- channel expressed in mammalian cell lines **512**, 1, 1998
Activation of bovine tracheal chloride channels by amino group-specific reagents **512**, 129, 1998
Involvement of PKC-α in regulatory volume decrease responses and activation of volume-sensitive chloride channels in human cervical cancer HT-3 cells **512**, 435, 1998
Regulation of murine cystic fibrosis transmembrane conductance regulator Cl^- channels expressed in Chinese hamster ovary cells **512**, 751, 1998
Activation of cAMP-dependent Cl^- currents in guinea-pig Paneth cells without relevant evidence for CFTR expression **512**, 765, 1998
Inhibition of Na^+–K^+–Cl^- cotransport in human red cells by chloride channel blockers **513.P**, 61*P*, 1998
Chloride channel expression in the sheep choroid plexus (SCP) cell line **513.P**, 63*P*, 1998
The action of barbiturates and benzodiazepines at the *Caenorhabditis elegans* glutamate-gated chloride channel **513.P**, 108*P*, 1998

BIDN and fipronil affect single-channel properties of a *Drosophila* GABA receptor (RDL) stably expressed in a *Drosophila* cell line **513.P**, 134*P*, 1998

Chloride conductance

Effect of transverse-tubular chloride conductance on excitability in skinned skeletal muscle fibres of rat and toad **509**, 551, 1998

Extracellular ATP raises cytosolic calcium and activates basolateral chloride conductance in *Necturus* proximal tubule **510**, 535, 1998

Chloride current

Regulation of a swelling-activated chloride current in bovine endothelium by protein tyrosine phosphorylation and G proteins **506**, 341, 1998

Characterization of the hyperpolarization-activated chloride current in dissociated rat sympathetic neurons **506**, 665, 1998

Mutation of the putative nucleotide-binding site of pI_{Cln} does not alter the nucleotide sensitivity and Ca^{2+} dependence of the chloride current I_{Cln} after expression in *Xenopus* oocytes **506.P**, 47*P*, 1998

Dual effect of BAPTA on cAMP-activated Cl^- current in guinea-pig ventricular cardiomyocytes **509.P**, 140*P*, 1998

Regulation of Ca^{2+}-dependent Cl^- conductance in a human colonic epithelial cell line (T_{84}): cross-talk between Ins(3,4,5,6)P_4 and protein phosphatases **510**, 661, 1998

Expression of functional $GABA_A$ receptors in cholecystokinin-secreting gut neuroendocrine murine STC-1 cells **510**, 805, 1998

Chloride-sensitive nature of the histamine-induced Ca^{2+} entry in cultured human aortic endothelial cells **511**, 837, 1998

Effects of chloride current inhibitors on vascular tone in rat isolated small coronary arteries **511.P**, 170*P*, 1998

Activation of a chloride current by hypotonic swelling of rabbit vascular myocytes **511.P**, 171*P*, 1998

Ca^{2+} sparks activate K^+ and Cl^- channels, resulting in spontaneous transient currents in guinea-pig tracheal myocytes **513**, 711, 1998

Chloride secretion

Regulation of chloride secretion across porcine endometrial epithelial cells by prostaglandin E_2 **508**, 31, 1998

Importance of basolateral K^+ conductance in maintaining Cl^- secretion in murine nasal and colonic epithelia **510**, 237, 1998

Cholecystokinin

Differential involvement of the small GTP-binding protein Rho in amylase secretion evoked by the occupation of CCK_A and M_3 muscarinic receptors in rat pancreatic acinar cells **506.P**, 127*P*, 1998

Interaction between bFGF and CCK-8 on amylase release and calcium mobilization in rat pancreatic acinar cells **506.P**, 127*P*, 1998

A comparison of serum cholecystokinin levels and gallbladder volume between normal individuals, gallstone patients and individuals with irritable bowel syndrome **509.P**, 17*P*, 1998

Multiple pathways involved in CCK-induced guinea-pig gallbladder contraction **509.P**, 20*P*, 1998

Modulation of *c-fos* messenger RNA abundance by hypotonic media and a peptidomimetic antibiotic in STC-1 cells **509.P**, 194*P*, 1998

Fatty acids stimulate cholecystokinin secretion from STC-1 enteroendocrine cells by Ca^{2+} influx through L-type Ca^{2+} channels **511.P**, 25*P*, 1998

Fatty acids stimulate cholecystokinin secretion via an acyl chain length-specific, Ca^{2+}-dependent mechanism in the enteroendocrine cell line STC-1 **513**, 11, 1998

Cholesterol

Pancreatic enzyme content in hypercholesterolaemic rabbits: the influence of recovery diets that differ in the type of dietary fat **509.P**, 14*P*, 1998

Choline

Polarized enteric submucosal circuits involved in secretory responses of the guinea-pig proximal colon **506**, 539, 1998

Chondrocyte

The modulation of Na^+–H^+ exchange by hydrostatic pressure in bovine articular chondrocytes **506.P**, 129*P*, 1998

The effect of hypotonically induced stretch on the ion channel activity of cultured human articular chondrocytes **507.P**, 12*P*, 1998

Expression of the Na^+, K^+-ATPase α and β subunit isoforms in fetal and adult human chondrocytes **511.P**, 40*P*, 1998

Increases in extracellular sulphate concentration decrease AE2 protein levels in the transformed human chondrocyte cell line C-20/A4 **513.P**, 49*P*, 1998

The characterization of mechanisms regulating intracellular pH in a transformed human articular chondrocyte cell line C-20/A4 **513.P**, 54*P*, 1998

Choroid plexus

Chloride channel expression in the sheep choroid plexus (SCP) cell line **513.P**, 63*P*, 1998

Effect of protein kinase A (PKA) and phorbol 12-myristate, 13-acetate (PMA) on delayed rectifier K^+ currents in epithelial cells of rat choroid plexus **513.P**, 63*P*, 1998

The delayed rectifier K^+ channel in rat choroid plexus epithelium is inhibited by margatoxin **513.P**, 64*P*, 1998

Chromaffin cell

Low-conductance intercellular coupling between mouse chromaffin cells *in situ* **506**, 195, 1998

Compensatory and excess retrieval: two types of endocytosis following single step depolarizations in bovine adrenal chromaffin cells **506**, 591, 1998

Barium triggers rapid endocytosis in calf adrenal chromaffin cells **508**, 483, 1998

Properties of amperometric spikes studied by patch amperometry Monte Carlo simulation in rat chromaffin cells **509.P**, 60*P*, 1998

Anoxia differentially modulates multiple K^+ currents and depolarizes neonatal rat adrenal chromaffin cells **512**, 421, 1998

Circadian rhythm

Electrophysiological and morphological heterogeneity of neurons in slices of rat suprachiasmatic nucleus **506**, 775, 1998

Behavioural sleep and environmental factors in reptiles (*Gallotia galloti*) **509.P**, 89*P*, 1998

Circadian rhythm of melatonin and its relationship with phagocytosis and superoxide anion levels in ring dove heterophils **509.P**, 96*P*, 1998

Pinealectomy affects the day/night variation in the firing of vasopressin and oxytocin cells in the rat **511.P**, 48*P*, 1998

Circulation

Cardiac output distribution in response to hypoxia in the chick embryo in the second half of the incubation time **508**, 281, 1998

Cochlea

Harmonic distortion on the basilar membrane in the basal turn of the guinea-pig cochlea **509**, 277, 1998

Effects of membrane potential on the voltage dependence of motility-related charge in outer hair cells of the guinea-pig **510**, 225, 1998

Basilar membrane motion in the hook region of the guinea-pig cochlea: an update **513.P**, 26*P*, 1998

Comparison of turn 4 and turn 1 *in situ* outer hair cells of the guinea-pig cochlea **513.P**, 133*P*, 1998

Cold

Habituation of the initial responses to cold water immersion in humans: a central or peripheral mechanism? **512**, 621, 1998

Colon

Involvement of interleukin-1, prostaglandins and mast cells in rectal distension-induced colonic water secretion in rats **506**, 245, 1998

Localization of cAMP- and aldosterone-induced K^+ secretion in rat distal colon by conductance scanning **507**, 561, 1998

The characterization of butyrate transport across pig and human colonic luminal membrane **507**, 819, 1998

The role of monocarboxylate transporter (MCT1) in colonic short chain fatty acid (SCFA) transport; MCT1 expression in the healthy and diseased colon **509.P**, 79*P*, 1998

Rapid non-genomic effects of 17β-oestradiol on cAMP-dependent protein kinase activity in rat distal colon **511.P**, 32*P*, 1998

Nitric oxide modulates cholinergic reflex pathways to the longitudinal and circular muscle in the isolated guinea-pig distal colon **512**, 893, 1998

Identification and characterization of a monocarboxylate transporter (MCT1) in pig and human colon: its potential to transport L-lactate as well as butyrate **513**, 719, 1998

Colour vision

Demonstration of a new stimulator for human colour vision testing **506.P**, 13*P*, 1998

Colour processing in the primate retina: recent progress **513**, 631, 1998

Computer

A computer program for analysis of continuously recorded data **509.P**, 4*P*, 1998

Computer modelling

A dynamic clamp study of signal amplification and bistability in rat and cat thalamic neurones *in vitro* **506.P**, 151*P*, 1998

Mathematical model of vertebrate gap junctions derived from electrical measurements on homotypic and heterotypic channels **510**, 177, 1998

Non-linear summation of excitatory synaptic inputs to small neurones: a case study in spinal motoneurones of the young *Xenopus* tadpole **511**, 871, 1998

Conductance

Influence of a phenylalanine/glycine switch in motif *III* on single-channel conductance and ion selectivity in voltage-gated Ca^{2+} channels **506.P**, 48*P*, 1998

Localization of cAMP- and aldosterone-induced K^+ secretion in rat distal colon by conductance scanning **507**, 561, 1998

Contractility

Superoxide potentiates contractile force in isolated triton-treated rabbit diaphragm fibres **506.P**, 58*P*, 1998

Pulse pressure-enhanced coronary flow in dogs: does it alter energetics or flow distribution, and is it modulated by contractility? **507.P**, 56*P*, 1998

Contraction

Effect of the organic Ca^{2+} channel blocker diltiazem on excitation–contraction coupling in frog isolated skeletal muscle fibres and in rabbit isolated sarcoplasmic reticulum **506.P**, 59*P*, 1998

Correlation between EEG and motor output during voluntary contractions in man **506.P**, 82*P*, 1998

Agonist and antagonist activity during isokinetic contractions of the human quadriceps **506.P**, 106*P*, 1998

In vivo Achilles tendon moment arm measurements during static maximum ankle plantarflexion in man **506.P**, 113*P*, 1998

M-wave properties associated with twitch and tetanic contraction in isolated rat soleus muscle **506.P**, 156*P*, 1998

Are magnetic stimulations of the sacral roots useful to assess the efferent neuronal pathways of the lower urinary tract in SCI patients and to produce active detrusor contraction? **507.P**, 20*P*, 1998

Inhibition by nimesulide of spontaneous contractions and the voltage-gated Ca^{2+} current in human myometrium **507.P**, 69*P*, 1998

Characterization of vanadate-induced contraction in guinea-pig gallbladder **509.P**, 16*P*, 1998

Mechanisms of bradykinin-induced contraction of human gallbladder muscle *in vitro* **509.P**, 16*P*, 1998

A comparison of serum cholecystokinin levels and gallbladder volume between normal individuals, gallstone patients and individuals with irritable bowel syndrome **509.P**, 17*P*, 1998

Multiple pathways involved in CCK-induced guinea-pig gallbladder contraction **509.P**, 20*P*, 1998

Effects of a progressive resistive breathing training programme on exercise capacity and diaphragm function in patients with ischaemic heart disease **509.P**, 119*P*, 1998

Effects of a decrease in temperature on contraction evoked in rat aorta *in vitro* by adrenoreceptor agonists **509.P**, 131*P*, 1998

The effect of different concentrations of verapamil on action potentials and isometric contractions of the right ventricle papillary muscles of newborn and adult cats **511.P**, 87*P*, 1998

Negative and positive contraction–frequency relationships at low and high stimulation rates in rat left ventricular myocytes isolated from the subendocardium and subepicardium **511.P**, 88*P*, 1998

Power of a muscle isometric contraction **511.P**, 155*P*, 1998

Voluntary activation of human elbow flexor muscles during maximal concentric contractions **512**, 595, 1998

A study of the receptors involved in bradykinin induced contraction of human gallbladder *in vitro* **513.P**, 94*P*, 1998

Copper

Effect of copper on Langendorff perfused guinea-pig heart during ischaemia and reperfusion **511.P**, 89*P*, 1998

Cornea

Confocal microscopy with digital image analysis of the distribution and size of keratocytes in the cornea of conscious human subjects **506.P**, 90*P*, 1998

Cortex

Diffusion of large polymers in rat cortical slices measured by integrative optical imaging **511.P**, 16*P*, 1998

Injury-evoked reactive gliosis produces diffusion barriers in the rat cortex **511.P**, 17*P*, 1998

Corticofugal feedback

The influence of corticofugal feedback on the temporal structure of visual responses of cat thalamic relay cells **509**, 797, 1998

Corticospinal limb

Role of spinal premotoneurones in mediating corticospinal input to forearm motoneurones in man **508**, 301, 1998

Corticospinal tract

Inhibitory influence of the ipsilateral motor cortex on responses to stimulation of the human cortex and pyramidal tract **510**, 249, 1998

Does a C3–C4 propriospinal system transmit corticospinal excitation in the primate? An investigation in the macaque monkey **511**, 191, 1998

Corticosterone

Attenuated neuroendocrine responses to emotional and physical stressors in pregnant rats involve adenohypophysial changes **508**, 289, 1998

Corticotroph

α-Adrenergic stimulation of cytosolic Ca^{2+} oscillations and exocytosis in identified rat corticotrophs **512**, 385, 1998

Corticotrophin-releasing hormone

The arginine vasopressin and corticotrophin-releasing hormone gene transcription responses to varied frequencies of repeated stress in rats **510**, 605, 1998

Cortisol

Dexamethasone attenuates the ACTH and cortisol responses to acute hypoxaemia in fetal sheep during late gestation **506.P**, 138*P*, 1998

The effect of cortisol on the renin-angiotensin system in fetal sheep during late gestation **507.P**, 51*P*, 1998

Developmental regulation of glucogenesis in the sheep fetus during late gestation **508**, 937, 1998

Cotransport

The human Na^+–glucose cotransporter is a molecular water pump **508**, 15, 1998

Renal actions of genistein in the rat **509.P**, 23*P*, 1998

Cytochalasin E effect on digestive-absorptive functions in rat jejunum **509.P**, 25*P*, 1998

Differential oxygen sensitivity of the K^+–Cl^- cotransporter in normal and sickle human red blood cells **511**, 225, 1998

Functional evidence that rabbit PepT1 may act as a multimer when expressed in *Xenopus laevis* oocytes **511.P**, 39*P*, 1998

Evidence for an electrogenic Na^+–HCO_3^- symport in rat cardiac myocytes **512**, 137, 1998

Response of Na^+–K^+–$2Cl^-$ cotransporter in turkey red cells to physiological stimuli: effect of 'phosphorylation clamping' **513.P**, 56*P*, 1998

O_2-dependent KCl cotransport in $[Mg^{2+}]_i$-clamped equine red cells **513.P**, 58*P*, 1998

Inhibition of Na^+–K^+–Cl^- cotransport in human red cells by chloride channel blockers **513.P**, 61*P*, 1998

Creatine kinase

Excitation–contraction coupling is affected in skeletal muscle of anaesthetized creatine kinase-deficient mice **506.P**, 60*P*, 1998

Cross-bridge

Effects of rapid shortening on rate of force regeneration and myoplasmic $[Ca^{2+}]$ in intact frog skeletal muscle fibres **511**, 171, 1998

Thiophosphorylation of myosin light chain increases rigor stiffness of rabbit smooth muscle **512**, 345, 1998

Cross-correlation

Coupling of sympathetic and somatic motor outflows from the spinal cord in a perfused preparation of adult mouse *in vitro* **508**, 907, 1998

Use of a 'blind separation' algorithm to remove electrical cross-talk from multiple EMG recordings **509.P**, 168*P*, 1998

Cyclic adenosine monophosphate, see cAMP

Cyclic guanosine monophosphate, see cGMP

Cysteine

The dependence of Ag^+ block of a potassium channel, murine Kir2.1, on a cysteine residue in the selectivity filter **511**, 15, 1998

The selectivity filter of a potassium channel, murine Kir2.1, investigated using scanning cysteine mutagenesis **511**, 25, 1998

Cystic fibrosis

Cystic fibrosis transmembrane conductance regulator mediates sulphonylurea block of the inwardly rectifying K^+ channel Kir6.1 **508**, 23, 1998

Regulation of chloride secretion across porcine endometrial epithelial cells by prostaglandin E_2 **508**, 31, 1998

Dibasic protein kinase A sites regulate bursting rate and nucleotide sensitivity of the cystic fibrosis transmembrane conductance regulator chloride channel **508**, 365, 1998

Comparison of the gating behaviour of human and murine cystic fibrosis transmembrane conductance regulator Cl^- channels expressed in mammalian cells **508**, 379, 1998

Cl^- transport by cystic fibrosis transmembrane conductance regulator (CFTR) contributes to the inhibition of epithelial Na^+ channels (ENaCs) in *Xenopus* oocytes co-expressing CFTR and ENaC **508**, 825, 1998
Importance of basolateral K^+ conductance in maintaining Cl^- secretion in murine nasal and colonic epithelia **510**, 237, 1998
Regulation of calcium-dependent chloride secretion by CFTR in murine intestine **511.P**, 32*P*, 1998
Regulation of intracellular calcium by nucleotides in human bronchial epithelial cells **511.P**, 37*P*, 1998
Non-pore lining amino acid side chains influence anion selectivity of the human CFTR Cl^- channel expressed in mammalian cell lines **512**, 1, 1998
Regulation of murine cystic fibrosis transmembrane conductance regulator Cl^- channels expressed in Chinese hamster ovary cells **512**, 751, 1998
Activation of cAMP-dependent Cl^- currents in guinea-pig Paneth cells without relevant evidence for CFTR expression **512**, 765, 1998
Evidence for amiloride-sensitive electrogenic Na^+ absorption and cAMP-activated Cl^- secretion in cultured ovine male genital duct epithelial cells **513.P**, 60*P*, 1998
Solute-induced and osmotic cell swelling responses of renal proximal tubule cells isolated from wild-type and ΔF508 cystic fibrosis mice **513.P**, 61*P*, 1998

Cytochrome
Cytochrome P450: a novel system modulating Ca^{2+} channels and contraction in mammalian heart cells **508**, 777, 1998

Cytokine
Involvement of interleukin-1, prostaglandins and mast cells in rectal distension-induced colonic water secretion in rats **506**, 245, 1998
Evidence that interleukin-6 is produced in human skeletal muscle during prolonged running **508**, 949, 1998
Intracellular calcium signalling in mouse submandibular acinar cells co-cultured with activated splenic lymphocytes **509.P**, 107*P*, 1998
Intracellular signalling events involved in the activation of microglia by bacterial cell wall components **511.P**, 14*P*, 1998
The effects of granulocyte macrophage colony stimulating factor (GM-CSF) and interleukin-10 (IL-10) on TF1 cells and Ba8.1c1 cells, respectively **511.P**, 38*P*, 1998
A trauma-like elevation of plasma cytokines in humans in response to treadmill running **513**, 889, 1998
Cytokine interactions on oligodendrocytes leading to disruption in the rat **513.P**, 68*P*, 1998

Cytoskeleton
Angiotensin-induced calcium release in smooth muscle cells is regulated by actin and microtubule networks **506.P**, 19*P*, 1998
Cytoskeletal targeting of calponin in differentiated, contractile smooth muscle cells of the ferret **508**, 187, 1998
The microtubule polymerizing agent Taxol reduces Ca^{2+} transients in isolated single rat ventricular myocytes **511.P**, 84*P*, 1998
Direct interaction between soluble forms of tubulin and the NMDA receptor channel complex **511.P**, 134*P*, 1998
The effect of extracellular matrix elements on AII-induced calcium release in vascular smooth muscle cells from normotensive and hypertensive rats **511.P**, 158*P*, 1998
Actin filaments regulate angiotensin II-induced Ca^{2+} influx in vascular smooth muscle cells from spontaneous hypertensive rats **511.P**, 173*P*, 1998
Integrin and cytoskeletal involvement in signalling cell volume changes to glutamine transport in rat skeletal muscle **512**, 481, 1998
Role of the cytoskeleton in the hypertonic induced stimulation of the Na^+–H^+ exchanger in bovine articular chondrocytes **513.P**, 55*P*, 1998

Deglutition
Sensorimotor modulation of human cortical swallowing pathways **506**, 857, 1998

Dendrite
Factors determining the efficacy of distal excitatory synapses in rat hippocampal CA1 pyramidal neurones **507**, 441, 1998
Premature bifurcation of the apical dendritic trunk of vibrissa-responding pyramidal neurones of X-irradiated rat neocortex **512**, 543, 1998

Denervation
Quantal and non-quantal acetylcholine release in mammalian endplate during motor denervation and reinnervation **511.P**, 36*S*, 1998
Dependence of the time course of miniature endplate currents on kinetic constants k_{-1} and α **511.P**, 143*P*, 1998

Dentate gyrus
Immunocytochemical changes to galanin and calretinin following unilateral entorhinal cortex lesion in the adult rat **511.P**, 137*P*, 1998
Role of protein kinase C in the induction of homosynaptic long-term depression by brief low frequency stimulation in the dentate gyrus of the rat hippocampus *in vitro* **513**, 467, 1998

Depolarization
Thapsigargin-sensitive stores act as a 'Ca^{2+} sink' during depolarization in rat cultured cerebellar granule cells **506.P**, 71*P*, 1998
Low K^+-induced hyperpolarizations trigger transient depolarizations and action potentials in rabbit ventricular myocytes **513**, 775, 1998

Desensitization
Role of receptor kinase in short-term desensitization of cardiac muscarinic K^+ channels expressed in Chinese hamster ovary cells **507**, 325, 1998
Ca^{2+} influx through voltage-gated Ca^{2+} channels regulates 5-HT_3 receptor channel desensitization in rat glioma × mouse neuroblastoma hybrid NG108-15 cells **510**, 361, 1998
Lanthanum-mediated modification of $GABA_A$ receptor deactivation, desensitization and inhibitory synaptic currents in rat cerebellar neurons **511**, 647, 1998
Role of β-arrestin in modulation of the cardiac muscarinic K^+ current **511.P**, 78*P*, 1998
Heterogeneity of homomeric GluR5 kainate receptor desensitization expressed in HEK293 cells **513**, 639, 1998
Desensitization of the exocytic machinery contributes to paired-pulse depression in the synaptic terminal of depolarizing bipolar cells **513.P**, 31*P*, 1998

Development
Increased contribution of NR2A subunit to synaptic NMDA receptors in developing rat cortical neurons **507**, 13, 1998
Developmental changes in expression of ion currents accompany maturation of locomotor pattern in frog tadpoles **507**, 257, 1998
Glycine-activated currents are changed by coincident membrane depolarization in developing rat auditory brainstem neurones **507**, 783, 1998
Synapse elimination in organ cultures of Wld^s mouse skeletal muscle **507.P**, 30*P*, 1998
Developmental changes in the expression of low-voltage-activated Ca^{2+} channels in rat visual cortical neurones **509**, 385, 1998
Developmental changes in calcium channel types mediating synaptic transmission in rat auditory brainstem **509**, 419, 1998
Chemoafferent degeneration and carotid body hypoplasia following chronic hyperoxia in newborn rats **509**, 519, 1998
Potentiation of GABAergic synaptic transmission by AMPA receptors in mouse cerebellar stellate cells: changes during development **509**, 817, 1998
Postnatal changes in responses of rat dorsal horn cells to afferent stimulation: a fibre-induced sensitization **509**, 859, 1998
Mucosal surface area in the guinea-pig small intestine during development **509.P**, 24*P*, 1998
Properties of the hyperpolarization-activated cation current, I_h, in neonatal and adult rat intracardiac neurones *in vitro* **509.P**, 65*P*, 1998
Local mechanisms underlying synchronized activity in developing hippocampus **509.P**, 68*P*, 1998
Neurotensin expression in the rat anterior pituitary during postnatal development of the rat: its relation to sex steroid hormone levels **509.P**, 93*P*, 1998
Effects of angiotensin II on neurones in nucleus of the solitary tract (NTS) of the developing rat *in vitro* **509.P**, 128*P*, 1998
Spatial and dynamic characteristics of otolith neurons in vestibular nuclei during postnatal development of the rat **509.P**, 169*P*, 1998
Cholinergic and voltage-activated currents expressed in a cochlear cell line derived from the Immortomouse™ **509.P**, 189*P*, 1998
Brain-derived neurotrophic factor is required for normal development of the central respiratory rhythm in mice **510**, 527, 1998
Basic fibroblast growth factor induction of neuronal ion channel expression in ascidian ectodermal blastomeres **511**, 347, 1998
Slow recovery of impaired phrenic responses to hypoxia following perinatal hyperoxia in rats **511**, 599, 1998
Ion channel activity drives ion channel expression **511**, 645, 1998
Spontaneous activity regulates calcium-dependent K^+ current expression in developing ascidian muscle **511**, 683, 1998
Developmental changes in EPSC quantal size and quantal content at a central glutamatergic synapse in rat **511**, 861, 1998

Changes in muscle fibre composition of motor units during development of mammalian skeletal muscle **511.P**, 38*S*, 1998
Hypobaric hypoxia and the brain during development **511.P**, 131*P*, 1998
Co-contraction of antagonistic muscles of the upper limb during development and in children with cerebral palsy **511.P**, 136*P*, 1998
Postnatal factors related to final development of neuronal circuits **511.P**, 138*P*, 1998
Differential regulation of potassium currents by FGF-1 and FGF-2 in embryonic *Xenopus laevis* myocytes **512**, 109, 1998
Regulated anion secretion in cultured epithelia from Sertoli cells of immature rats **512**, 471, 1998
Persistent depolarizing action of GABA in rat Cajal–Retzius cells **512**, 809, 1998
Two types of parasympathetic preganglionic neurones in the superior salivatory nucleus characterized electrophysiologically in slice preparations of neonatal rats **513**, 157, 1998
Electrocortical activity in fetal sheep in the last seven days of gestation **513**, 273, 1998
Expression of NMDA R1 receptor subunit mRNA during development **513.P**, 18*P*, 1998
Inwardly rectifying K^+ current $I_{K(IR)}$ is present in juvenile but not in neonatal rat intracardiac ganglia neurones *in vitro* **513.P**, 22*P*, 1998
Differential effects of high and low doses of fibroblast growth factor-2 (FGF-2) on oligodendrocytes in the rat **513.P**, 69*P*, 1998
Effect of maternal diet on embryonic development and fetal programming **513.P**, 88*P*, 1998

Diabetes

Expression of β-endorphin and its receptor in spinal cord in non-insulin-dependent diabetes mellitus in the mouse **506.P**, 93*P*, 1998
Type I and II models of diabetes produce different modifications of K^+ currents in rat heart: role of insulin **507**, 485, 1998
cAMP regulates SGLT-mediated glucose transport across isolated rat renal brush-border membrane **507.P**, 38*P*, 1998
Calcium signalling in sensory neurones of diabetic mice **509.P**, 66*P*, 1998
Increased generation of reactive oxygen species in non-insulin-dependent diabetes mellitus **509.P**, 196*P*, 1998
K^+ currents in insulin-resistant rat models of diabetes **511.P**, 148*P*, 1998
Advanced glycation end products impair endothelium-mediated vasorelaxation in rabbit aortae **511.P**, 167*P*, 1998
Sensitivity to isoprenaline and diltiazem of renin release from rat kidney cells in three models of diabetes mellitus **513.P**, 42*P*, 1998
Impaired vascular response to nitric oxide in rats with genetically determined diabetes mellitus **513.P**, 45*P*, 1998

Diadenosine polyphosphate

Cardiac electrophysiological and haemodynamic effects of diadenosine polyphosphates in the isolated perfused guinea-pig heart **509.P**, 150*P*, 1998
Nutrient-induced increase of intracellular diadenosine polyphosphates and its role in the stimulus–secretion coupling **509.P**, 196*P*, 1998
Metabolic activation of K_{ATP} channels and inhibition of K_{ACh} channels in guinea-pig atrial myocytes by diadenosine polyphosphates: evidence against an A_1-agonistic action **511.P**, 77*P*, 1998
Non-receptor-mediated activation of $I_{K(ATP)}$ and inhibition of $I_{K(ACh)}$ by diadenosine polyphosphates in guinea-pig atrial myocytes **512**, 407, 1998

Diaphragm

Perfused and nerve-stimulated rabbit diaphragm – a novel preparation for studying respiratory muscle fatigue *in vitro* **506.P**, 120*P*, 1998
Effects of a progressive resistive breathing training programme on exercise capacity and diaphragm function in patients with ischaemic heart disease **509.P**, 119*P*, 1998
The influence of caffeine on the fatigue of isolated diaphragm muscle from control and streptozotocin-diabetic rats **511.P**, 161*P*, 1998

Diet

Chronic stress by food restriction attenuates symptoms of adjuvant arthritis in rats **511.P**, 54*P*, 1998

Diffusion

Constraints on the extracellular diffusion of molecules **511.P**, 8*S*, 1998
Diffusion barriers evoked by cell swelling, astrogliosis and pathological states in the CNS **511.P**, 9*S*, 1998
The fate of glutamate molecules escaping from the synaptic cleft in the hippocampus: evidence for non-local activation of NMDA receptors **511.P**, 12*S*, 1998
Injury-evoked reactive gliosis produces diffusion barriers in the rat cortex **511.P**, 17*P*, 1998
Anisotropic diffusion in the rat hippocampus **511.P**, 19*P*, 1998
Transepithelial electrochemical gradients in the proximal convoluted tubule during potassium depletion in the rat **513**, 551, 1998
Diffusion of zinc–histidine complexes in an anionic gel **513.P**, 116*P*, 1998

Dihydropyridine

Dihydropyridines reduce the efflux of LDL from the vasculature of the mouse mesentery through nitric oxide effects **506.P**, 27*P*, 1998
Regulation of arterial diameter and wall $[Ca^{2+}]$ in cerebral arteries of rat by membrane potential and intravascular pressure **508**, 199, 1998

Diving

NMDA and $GABA_A$ receptors in the rat Kölliker–Fuse area control cardiorespiratory responses evoked by trigeminal ethmoidal nerve stimulation **510**, 793, 1998

Dopamine

Evidence for enhancement of gap junctional coupling between rat island of Calleja granule cells *in vitro* by the activation of dopamine D_3 receptors **506**, 175, 1998
Dopamine receptor subtype on rat target specified sympathetic preganglionic neurones: a histoautoradiographic study **506.P**, 135*P*, 1998
Interaction between dopamine receptors and group II mGluRs for LTD induction in rat prefrontal cortex **507.P**, 26*P*, 1998
Role of domain I of neuronal Ca^{2+} channel $\alpha 1$ subunits in G protein modulation **509**, 163, 1998
Ionotropic and metabotropic activation of a neuronal chloride channel by serotonin and dopamine in the leech *Hirudo medicinalis* **509**, 211, 1998
Multiple modulatory effects of dopamine on calcium channel kinetics in adult rat sensory neurons **509**, 395, 1998
In vivo release of dopamine and its metabolites from rat striatum in response to domoic acid **509.P**, 70*P*, 1998
A cross-talk role for intracellular calcium between angiotensin II and dopamine receptor activation in primary culture of human proximal tubule cells **511.P**, 35*P*, 1998
Methylene Blue inhibits oestrogen-induced anterior pituitary growth: role of NO synthase and the dopaminergic systems **511.P**, 50*P*, 1998
Sodium pump evokes high density pump currents in rat midbrain dopamine neurons **512**, 449, 1998
The effect of dopamine on lung liquid production by *in vitro* lungs from fetal guinea-pigs **513**, 283, 1998
Presynaptic inhibition by dopamine of a discrete component of GABA release in rat substantia nigra pars reticulata **513**, 805, 1998
Immunocytochemical localization of tyrosine hydroxylase and progesterone receptors in the anterior hypothalamus of the ring dove (*Streptopelia risoria*) **513.P**, 8*P*, 1998
Dopamine elicits calcium signals in rat cortical astrocytes **513.P**, 14*P*, 1998

Dorsal horn

The effect of bicuculline on the frequency response of neurones in the rat dorsal horn **506.P**, 153*P*, 1998
Glycine and $GABA_A$ receptor-mediated synaptic transmission in rat substantia gelatinosa: inhibition by μ-opioid and $GABA_B$ agonists **507**, 473, 1998
Muscarinic facilitation of GABA release in substantia gelatinosa of the rat spinal dorsal horn **508**, 83, 1998
Postnatal changes in responses of rat dorsal horn cells to afferent stimulation: a fibre-induced sensitization **509**, 859, 1998
The activation of descending inhibition of multireceptive dorsal horn cells in the rat **509.P**, 164*P*, 1998

Dorsal root ganglion

Leukemia inhibitory factor induces sympathetic sprouting in intact dorsal root ganglia in the adult rat *in vivo* **506**, 809, 1998
Noxious heat-activated currents in rat dorsal root ganglion neurons **506.P**, 153*P*, 1998
Platypus (*Ornithorhynchus anatinus*) venom activates a Ca^{2+}-dependent inward current in rat dorsal root ganglion neurones **506.P**, 154*P*, 1998
Noxious heat-activated microscopic currents in rat dorsal root ganglion neurones **507.P**, 29*P*, 1998
Effect of nerve growth factor on gap junctional communication between embryonic rat dorsal root ganglion neurones **507.P**, 30*P*, 1998
Properties of a rat, sensory neurone-specific, proton-gated ion channel **509.P**, 34*P*, 1998
Multiple forms of Na^+ channel gating behaviour underlie late and persistent Na^+ current in adult rat large sensory neurones in culture **509.P**, 38*P*, 1998
Evidence for developmental changes in the role of nitric oxide (NO) in dorsal root ganglion (DRG) neurones in the rat **509.P**, 182*P*, 1998

Na^+-activated K^+ channels in small dorsal root ganglion neurones of rat **510**, 743, 1998
Electrophysiological properties of sodium current subtypes in small cells from adult rat dorsal root ganglia **511**, 771, 1998
Heterologous expression of the sensory neurone-specific sodium channel (SNS) α-subunit in rat sympathetic neurones **511.P**, 124*P*, 1998
Association of somatic action potential shape with sensory receptive properties in guinea-pig dorsal root ganglion neurones **513**, 857, 1998
Vanilloid receptor antagonists do not block heat responses of rat primary dorsal root ganglion neurones in culture **513.P**, 133*P*, 1998

Drinking
Failure of subcutaneous injection of 3,4-methylenedioxymethamphetamine (MDMA) to stimulate drinking in rat **506.P**, 143*P*, 1998

Elasticity
Elastic structures: their importance for human locomotion **506.P**, 5*S*, 1998
The interaction and importance of contractile and elastic elements in human muscles **506.P**, 7*S*, 1998

Electrical coupling
Low-conductance intercellular coupling between mouse chromaffin cells *in situ* **506**, 195, 1998

Electrical stimulation
Proto-oncogene expression in rabbit skeletal muscle after different electrical stimulation regimes **506.P**, 61*P*, 1998
Contractile performance following chronic electrical stimulation of human lower leg muscles **506.P**, 107*P*, 1998
Function of sural nerve reflexes during human walking **507**, 305, 1998
Energy metabolism of the gastrocnemius and soleus muscles during isometric voluntary and electrically induced contractions in man **507**, 593, 1998
Suppression of normal human voiding reflexes by electrical stimulation of the dorsal penile nerve **507.P**, 19*P*, 1998
Fast to slow transformation of denervated and electrically stimulated rat muscle **510**, 623, 1998

Electrocorticogram
Electrocortical activity in fetal sheep in the last seven days of gestation **513**, 273, 1998

Electroencephalogram
Correlation between EEG and motor output during voluntary contractions in man **506.P**, 82*P*, 1998
Intracellular recordings in thalamic neurones during spontaneous spike and wave discharges in rats with absence epilepsy **509**, 449, 1998
Coherent cortical and muscle discharge in patients with cortical myoclonus **509.P**, 176*P*, 1998
Bicuculline-induced rhythmic EEG episodes in adult male rats: effects of adolescent bicuculline priming **511.P**, 70*P*, 1998

Electromyogram
Correlation between EEG and motor output during voluntary contractions in man **506.P**, 82*P*, 1998
Use of a 'blind separation' algorithm to remove electrical cross-talk from multiple EMG recordings **509.P**, 168*P*, 1998
15–30 Hz coherence between rectified EMGs from human hand muscles has task-dependent modulation **509.P**, 175*P*, 1998
Inter-muscle coherence during co-contraction of finger and wrist muscles in man **509.P**, 175*P*, 1998
Coherent cortical and muscle discharge in patients with cortical myoclonus **509.P**, 176*P*, 1998
Different effects of neonatal nerve injury on motor activity patterns of postural and phasic muscles of the rat **511.P**, 38*S*, 1998
Electromyographic responses to tibial displacement of antagonist muscles acting at the human knee **511.P**, 61*P*, 1998
Motor unit synchronization in hand muscles of patients with incomplete spinal cord injury **511.P**, 66*P*, 1998
Recovery of the biceps brachii following fatiguing contractions: an investigation using surface EMG **511.P**, 160*P*, 1998
Muscle shortening induced by tenotomy does not reduce activity levels in rat soleus **512**, 251, 1998
Changes in single motor unit behaviour contribute to the increase in contraction speed after dynamic training in humans **513**, 295, 1998

Electrophysiology
A system for simultaneous multi-channel extracellular electrophysiological recordings from central neurones *in vivo*, dissociated cell culture or brain slice preparations **506.P**, 9*P*, 1998
NMDA receptor NR2 subunits contain amino acids involved in glutamate binding **506.P**, 76*P*, 1998
Changes in uterine electrical activity associated with onset of labour in human pregnancy **507.P**, 68*P*, 1998
Focal cortical epileptogenesis and c-fos expression in the *cortex cerebri* of the anaesthetized rat **509.P**, 59*P*, 1998
Effects of oestradiol-17β on the firing characteristics of presumed 5-hydroxytryptamine (5-HT) neurones in rat dorsal raphe nucleus **509.P**, 91*P*, 1998
Effects of halocin H7 on A-V nodal conduction and heart rate in isolated rabbit heart **509.P**, 148*P*, 1998
Cardiac electrophysiological and haemodynamic effects of diadenosine polyphosphates in the isolated perfused guinea-pig heart **509.P**, 150*P*, 1998
K^+ currents in rat pulmonary arteries and analysis of their mRNA expression **509.P**, 152*P*, 1998
Spatial and dynamic characteristics of otolith neurons in vestibular nuclei during postnatal development of the rat **509.P**, 169*P*, 1998
Mathematical model of vertebrate gap junctions derived from electrical measurements on homotypic and heterotypic channels **510**, 177, 1998
Control of motility patterns in the human colonic circular muscle layer by pacemaker activity **510**, 309, 1998
Chemosensitivity of rat medullary raphe neurones in primary tissue culture **511**, 433, 1998
Mechanisms of sound motion processing in the inferior colliculus **511.P**, 24*S*, 1998
Computational investigation of the effect of mechano-electrical feedback on the vulnerability to re-entrant excitation in cardiac tissue **511.P**, 75*P*, 1998
Comparison of basic metabolic and electrophysiological parameters in the compact and spongious layer of the carp ventricular myocardium **511.P**, 76*P*, 1998
Firing properties of parvalbumin-immunoreactive neurons in the rat medial septum–diagonal band complex *in vitro* **511.P**, 120*P*, 1998
An *in vitro* study of the properties of vagal afferent fibres innervating the ferret oesophagus and stomach **512**, 907, 1998
Heterogeneity of homomeric GluR5 kainate receptor desensitization expressed in HEK293 cells **513**, 639, 1998
Neuronal heterogeneity in the guinea-pig red nucleus *in vitro* **513.P**, 24*P*, 1998
The effects of amyloid β protein (1–40) on K^+ channel currents in cultures of rat cerebellar granule and cortical neurones **513.P**, 128*P*, 1998
Cloning and expression of the human brain type VI voltage-gated Na^+ channel in a mammalian cell line **513.P**, 130*P*, 1998
Characterization of $P2X_7$ receptors in human cultured dendritic cells **513.P**, 131*P*, 1998
Electrophysiological analysis of the human brain type I voltage-gated Na^+ channel in *Xenopus* oocytes and mammalian cells **513.P**, 141*P*, 1998

Electroretinogram
Responses of human rod and cone photoreceptors measured from the *a*-wave of the electroretinogram **506.P**, 2*P*, 1998
Dark adaptation recovery of human rod photoreceptors following partial bleaches **506.P**, 87*P*, 1998

Embryo
Basic fibroblast growth factor induction of neuronal ion channel expression in ascidian ectodermal blastomeres **511**, 347, 1998
Expression of occludin in mouse preimplantation embryos **513.P**, 65*P*, 1998

Endocytosis
Two forms of triggered endocytosis in regulated secretory cells **506**, 589, 1998
Compensatory and excess retrieval: two types of endocytosis following single step depolarizations in bovine adrenal chromaffin cells **506**, 591, 1998
Barium triggers rapid endocytosis in calf adrenal chromaffin cells **508**, 483, 1998

Endometrium
IGF-I and paracellular permeability in endometrial epithelial cells **507.P**, 8*P*, 1998
Regulation of chloride secretion across porcine endometrial epithelial cells by prostaglandin E_2 **508**, 31, 1998
Absorptive apical amiloride-sensitive Na^+ conductance in human endometrial epithelium **513**, 443, 1998

Endopeptidase
The effect of chronic inhibition of neutral endopeptidase on proximal tubular function in the rat: a micropuncture study **507.P**, 39*P*, 1998

Neutral endopeptidase activity in rat urine increases following anaesthesia and surgery **507.P**, 42*P*, 1998

Endoplasmic reticulum

Functional measurements of $[Ca^{2+}]$ in the endoplasmic reticulum of a variety of cell types using targeted aequorin delivered with a Herpes virus **509.P**, 10*S*, 1998

Endorphin

Expression of β-endorphin and its receptor in spinal cord in non-insulin-dependent diabetes mellitus in the mouse **506.P**, 93*P*, 1998

Endothelial cell

Elevated D-glucose induces insulin insensitivity in human umbilical endothelial cells isolated from gestational diabetic pregnancies **506**, 219, 1998

Activation of adenylate cyclase and PKA can mediate Ca^{2+} release in cultured ECV304 endothelial cells derived from the human umbilical vein **506.P**, 19*P*, 1998

Cyclic GMP inhibits calcium extrusion from ECV304 endothelial cells derived from the human umbilical vein **506.P**, 20*P*, 1998

Intracellular mechanisms shaping capacitative Ca^{2+} entry signals in single calf pulmonary artery endothelial cells **506.P**, 20*P*, 1998

Intracellular Ca^{2+} measurements in endothelial cells transiently transfected with a bicistronic Green Fluorescent Protein expression vector **506.P**, 22*P*, 1998

A comparison of the purinoceptor populations of primary human umbilical vein endothelial cells and the derived cell line ECV304 **506.P**, 33*P*, 1998

Arachidonic acid induces membrane hyperpolarization in cultured bovine aortic endothelial cells **507.P**, 12*P*, 1998

The responsiveness of isolated human hand vein endothelial cells in normal pregnancy and in pre-eclampsia **508**, 609, 1998

Expression of ICAM-1 on endothelial cells in an *in vitro* model of the blood–brain barrier **509.P**, 73*P*, 1998

Blockade by 18β-glycyrrhetinic acid of intercellular electrical coupling in guinea-pig arterioles **511**, 501, 1998

Bovine serum albumin stimulates arachidonic acid release and decreases membrane fluidity in vascular smooth muscle and endothelial cells **511.P**, 165*P*, 1998

Divalent ion block of inward rectifier current in human capillary endothelial cells and effects on resting membrane potential **512**, 119, 1998

Differential modulation of the phases of a Ca^{2+} spike by the store Ca^{2+}-ATPase in human umbilical vein endothelial cells **513**, 83, 1998

An intercellular regenerative calcium wave in porcine coronary artery endothelial cells in primary culture **513**, 103, 1998

Membrane capacitance changes induced by thrombin and calcium in single endothelial cells cultured from human umbilical vein **513**, 845, 1998

Effects of genotypically different strains of *Helicobacter pylori* on microvascular endothelial cell viability *in vitro* **513.P**, 151*P*, 1998

Characterization of hypoxanthine transporters in human umbilical vein endothelial cells **513.P**, 152*P*, 1998

Endothelin

Endothelin-induced Ca^{2+} transients in freshly isolated microvessels from rat retina **506.P**, 23*P*, 1998

Endothelin-1 (ET-1) and its receptors in porcine coronary artery: effect of balloon angioplasty **507.P**, 72*P*, 1998

The role of endothelin-A receptors in cardiovascular responses to acute hypoxaemia in the late gestation sheep fetus **509**, 297, 1998

Digital imaging of the Ca^{2+} response to endothelin-1 in arterioles from rabbit cerebral cortex **509.P**, 31*P*, 1998

Long-term induction of a unique Cl^- current by endothelin-1 in an epithelial cell line from rat lung: evidence for regulation of cytoplasmic calcium **511**, 55, 1998

Role of endogenous endothelin in the regulation of basal coronary tone in the rat **511**, 549, 1998

Effect of endothelin 1 on bicarbonate reabsorption in the loop of Henle of anaesthetized rats **513.P**, 43*P*, 1998

Electrophysiological actions of endothelin-1 in rat renal arterial myocytes **513.P**, 118*P*, 1998

Endothelium

Activation of volume-regulated chloride currents by reduction of intracellular ionic strength in bovine endothelial cells **506**, 353, 1998

Effects of shear stress and changes in osmolarity on endothelium of rat aorta **506.P**, 17*P*, 1998

Angiotensin II exposure up-regulates NADH/NADPH oxidase-mediated superoxide anion production by guinea-pig coronary microvascular endothelial cells in culture **506.P**, 18*P*, 1998

Endothelial calcium changes in response to activated leucocytes and bradykinin in cultures of rat brain endothelial cells **506.P**, 21*P*, 1998

Differing effects of vascular endothelial growth factor (VEGF) on the ultrastructure of microvascular endothelium of mesenteric microvessels of frog and rat **506.P**, 24*P*, 1998

β-Adrenoceptor-mediated vasorelaxation is largely mediated through the L-arginine/nitric oxide system in human umbilical vein **506.P**, 30*P*, 1998

β-Adrenoceptor stimulation activates the L-arginine/nitric oxide synthase system in human umbilical vein endothelial cells **506.P**, 31*P*, 1998

Modulation of glucose transport in human fetal vein endothelial cells **506.P**, 34*P*, 1998

Nitric oxide lowers the calcium sensitivity of tension in the rat tail artery **507**, 163, 1998

Central role of heterocellular gap junctional communication in endothelium-dependent relaxations of rabbit arteries **508**, 561, 1998

Investigation of possible mechanisms underlying the relaxation of isolated rat mesenteric arteries to hypoxia **509.P**, 129*P*, 1998

Chloride-sensitive nature of the histamine-induced Ca^{2+} entry in cultured human aortic endothelial cells **511**, 837, 1998

The chronic effect of vascular endothelial growth factor on individually perfused frog mesenteric microvessels **513**, 225, 1998

Dependence of β-adrenoceptor-mediated vasorelaxation on exogenous L-arginine in isolated pulmonary arteries of the rat **513.P**, 91*P*, 1998

Gadolinium raises the pressure required to induce openings in the endothelium of single frog microvessels **513.P**, 149*P*, 1998

Effects of pre-eclampsia on intracellular calcium levels in human fetal endothelial and smooth muscle cells **513.P**, 150*P*, 1998

Adenosine transport is reduced by elevated D-glucose and ATP in human umbilical vein endothelial cells **513.P**, 152*P*, 1998

Estimation of NO production in endothelial cells using a real-time fluorometric technique **513.P**, 155*P*, 1998

Neuronal modulation of intracellular Ca^{2+} concentration in rabbit cardiac valve endothelial cells **513.P**, 156*P*, 1998

Vasorelaxation response to noradrenaline in isolated femoral arteries of rat pups **513.P**, 157*P*, 1998

Endotoxin

Circulating IL-6 is derived from the site of inflammation in response to a localized injection of lipopolysaccharide in the rat **513.P**, 146*P*, 1998

Endplate

The action of adrenergic compounds on synchronization of the evoked release of quanta in frog endplate **511.P**, 142*P*, 1998

Dependence of the time course of miniature endplate currents on kinetic constants k_{-1} and α **511.P**, 143*P*, 1998

Energy

A fundamental measure of the metabolic cost of neural information in the retina of the blowfly, *Calliphora vicina* **506.P**, 92*P*, 1998

A comparison of the energy turnover detected by heat production and by P_i assay in dogfish isolated muscle fibres **509.P**, 42*P*, 1998

Enteric nervous system

Polarized enteric submucosal circuits involved in secretory responses of the guinea-pig proximal colon **506**, 539, 1998

Intracellular recording from myenteric neurons of the guinea-pig ileum that respond to stretch **506**, 827, 1998

Dissociation between electrical and mechanical responses to nitrergic stimulation in the canine gastric fundus **509**, 437, 1998

Functional interactions between nicotinic and P2X channels in short-term cultures of guinea-pig submucosal neurons **513**, 671, 1998

Non-additive interaction between nicotinic cholinergic and P2X purine receptors in guinea-pig enteric neurons in culture **513**, 685, 1998

Enterocyte

Developmental regulation of lactase gene expression in pig jejunal villus-attached enterocytes **509.P**, 12*P*, 1998

Entorhinal cortex

Serotonin reduces synaptic excitation in the superficial medial entorhinal cortex of the rat via a presynaptic mechanism **508**, 119, 1998

Laminar organization of epileptiform discharges in the rat entorhinal cortex *in vitro* **509**, 785, 1998

Properties of γ-frequency oscillations initiated by propagating population bursts in retrohippocampal regions of rat brain slices **510**, 191, 1998

Phenytoin modifies spontaneous transmitter release at glutamate terminals in rat medial entorhinal cortex **511.P**, 126*P*, 1998

Enzyme

Pancreatic enzyme content in hypercholesterolaemic rabbits: the influence of recovery diets that differ in the type of dietary fat **509.P**, 14*P*, 1998

Metabolism of corticosterone is different in avian and mammalian intestine **511.P**, 51*P*, 1998

Creatine kinase activity detection in myofibrils from rat psoas muscle **511.P**, 154*P*, 1998

Eosinophil

Inwardly rectifying whole cell potassium current in human blood eosinophils **506**, 303, 1998

Differential regulation of exocytotic fusion and granule–granule fusion in eosinophils **506.P**, 72*P*, 1998

Epilepsy

Electrophysiological characterization of Na^+ currents in acutely isolated human hippocampal dentate granule cells **509**, 139, 1998

Intracellular recordings in thalamic neurones during spontaneous spike and wave discharges in rats with absence epilepsy **509**, 449, 1998

The laminar distribution of c-fos expression in the *cortex cerebri* of the anaesthetized rat in focal cortical epileptogenesis **509.P**, 2*P*, 1998

Focal cortical epileptogenesis and c-fos expression in the *cortex cerebri* of the anaesthetized rat **509.P**, 59*P*, 1998

Vigabatrin in a model of simple partial seizures in young rats **511.P**, 71*P*, 1998

Two mutations linked to nocturnal frontal lobe epilepsy cause use-dependent potentiation of the nicotinic ACh response **513**, 655, 1998

Selective depression of excitatory synaptic transmission in rat hippocampal slices by nociceptin **513.P**, 30*P*, 1998

Epithelial cell

Substrate upregulation of the human small intestinal peptide transporter, hPepT1 **507**, 697, 1998

PGE_2 release from unstimulated epithelial cells of the mouse descending colon is an autocrine regulator of cellular cAMP **507.P**, 3*P*, 1998

IGF-I and paracellular permeability in endometrial epithelial cells **507.P**, 8*P*, 1998

Extracellular ATP directly gates a cation-selective channel in rabbit airway ciliated epithelial cells **508**, 703, 1998

The role of Ca^{2+} in volume regulation induced by Na^+-coupled alanine uptake in single proximal tubule cells isolated from frog kidney **510**, 145, 1998

Aldosterone increases intracellular calcium in cultured human sweat gland epithelial cells by a non-genomic mechanism of action **511.P**, 36*P*, 1998

Activation of bovine tracheal chloride channels by amino group-specific reagents **512**, 129, 1998

Protein kinase C regulation of basolateral glycine transport by GLYT1 in human intestinal Caco-2 epithelial cells **513.P**, 51*P*, 1998

Re-evaluation of the Na^+ conductance of adult rat alveolar epithelial cells: inhibition by Zn^{2+} **513.P**, 59*P*, 1998

Epithelial transport

Simultaneous measurement of short-circuit current (I_{SC}) and $[Ca^{2+}]_i$ in equine cultured epithelia **506.P**, 126*P*, 1998

Kinetic evidence that neutral and anionic peptides bind to different conformations of the recombinant epithelial peptide transporter PepT1 **506.P**, 131*P*, 1998

Barium reduces electrogenic responses of human ileal mucosa to *Escherichia coli* heat-stable enterotoxin and D-glucose **507.P**, 8*P*, 1998

Regulation of Na^+ channels by luminal Na^+ in rat cortical collecting tubule **509**, 151, 1998

The regulation of lung liquid absorption by endogenous cAMP in postnatal sheep lungs perfused *in situ* **511**, 587, 1998

4-Aminomethylbenzoic acid is a non-translocated competitive inhibitor of the epithelial peptide transporter PepT1 **512**, 629, 1998

Evidence for amiloride-sensitive electrogenic Na^+ absorption and cAMP-activated Cl^- secretion in cultured ovine male genital duct epithelial cells **513.P**, 60*P*, 1998

Epithelium

Inwardly rectifying K^+ currents of freshly isolated fetal guinea-pig alveolar type II pneumocytes are regulated by phosphorylation **507.P**, 6*P*, 1998

The human Na^+–glucose cotransporter is a molecular water pump **508**, 15, 1998

Defective nucleoside triphosphate synthesis in plasma membranes derived from the tracheal epithelium of CFTR null (−/−) mice **509.P**, 81*P*, 1998

Osmosensitive Cl^- currents and their relevance to regulatory volume decrease in human intestinal T_{84} cells: outwardly *vs.* inwardly rectifying currents **511**, 45, 1998

Long-term induction of a unique Cl^- current by endothelin-1 in an epithelial cell line from rat lung: evidence for regulation of cytoplasmic calcium **511**, 55, 1998

Asymmetric localization of EGF receptor and co-localization with actin may underlie directional migration of bovine corneal epithelial cells in physiological electric fields **511.P**, 39*P*, 1998

L-Alanine activates an outwardly rectifying DIDS-sensitive conductance in single proximal tubule cells isolated from frog kidney **513.P**, 56*P*, 1998

The delayed rectifier K^+ channel in rat choroid plexus epithelium is inhibited by margatoxin **513.P**, 64*P*, 1998

EPSP

Synaptic interactions between smooth and spiny neurones in layer 4 of cat visual cortex *in vitro* **508**, 351, 1998

Presynaptic calcium channels mediating synaptic transmission in submucosal neurones of the guinea-pig caecum **509**, 425, 1998

The role of 5-HT_3 receptors in the modulation of somatosensory processes in the rat spinal cord dorsal horn *in vitro* **509.P**, 164*P*, 1998

Potentiation of recurrent excitatory postsynaptic potentials is positively correlated with a gamma/beta frequency shift during hippocampal fast oscillations **513.P**, 12*P*, 1998

Erythrocyte

Transport mechanisms for iron and other transition metals in rat and rabbit erythroid cells **508**, 837, 1998

The effects of heavy metals on histidine-stimulated ^{65}Zn uptake in human erythrocytes **511.P**, 38*P*, 1998

Histidine stimulated metal uptake into human erythrocytes **513.P**, 50*P*, 1998

Ethanol

Comparative effects of zinc intestinal absorption through different intestinal segments in offspring rats: effects of ethanol **509.P**, 21*P*, 1998

Effect of chronic ethanol ingestion on zinc duodenal absorption and zinc serum levels during pregnancy or lactation in rats **509.P**, 22*P*, 1998

Effect of ethanol on exocrine pancreatic function in newborn rats at 21 days postpartum **509.P**, 22*P*, 1998

Ethanol raises intracellular calcium concentration in cultured molluscan neurones **513.P**, 110*P*, 1998

Ethanol and butanol have different effects on the input resistance of an identified neurone of *Lymnaea stagnalis* **513.P**, 110*P*, 1998

Excitability

Selective depression of excitatory synaptic transmission in rat hippocampal slices by nociceptin **513.P**, 30*P*, 1998

Excitation

Effect of sodium perturbations on rat chemoreceptor spike generation: implications for a Poisson model **511**, 301, 1998

Excitation–contraction coupling

The influence of perchlorate ions on complex charging transients in amphibian striated muscle **506**, 699, 1998

Excitation–contraction coupling is affected in skeletal muscle of anaesthetized creatine kinase-deficient mice **506.P**, 60*P*, 1998

Calcium cycling and contractile activation in intact mouse cardiac muscle **507**, 175, 1998

Cytosolic and mitochondrial Ca^{2+} signals in patch clamped mammalian ventricular myocytes **507**, 379, 1998

Termination of Ca^{2+} release during Ca^{2+} sparks in rat ventricular myocytes **507**, 667, 1998

The importance of agonist concentration in determining the mechanism of excitation–contraction coupling in human detrusor smooth muscle **507.P**, 76*P*, 1998

Voltage change-induced gating transitions of the rabbit skeletal muscle Ca^{2+} release channel **509**, 29, 1998

A slow calcium-dependent component of charge movement in *Rana temporaria* cut twitch fibres **509**, 869, 1998

Ca^{2+} release from the sarcoplasmic reticulum elicited by membrane depolarization, with Ca^{2+} entry pathways inhibited, in the absence of external Na^+ and with subsarcolemmal Na^+ levels depleted, in guinea-pig ventricular myocytes at 37 °C **509.P**, 157*P*, 1998

Fast voltage gating of Ca^{2+} release in frog skeletal muscle revealed by supercharging pulses **511**, 509, 1998

Age and gender differences in excitation–contraction coupling of the rat ventricle **511**, 533, 1998

Might membrane repolarization turn off Ca^{2+} release from the sarcoplasmic reticulum, in guinea-pig cardiac cells at 37 °C dialysed with 100 μM cAMP? **511.P**, 82*P*, 1998

Effects of tetraethylammonium and strontium on excitation–contraction coupling in rabbit papillary muscles **511.P**, 87*P*, 1998

Contribution of SR Ca^{2+} store loading to differences in the amplitude of contractions accompanying action potentials or voltage-clamp depolarizations from −40 to 0 mV in guinea-pig ventricular myocytes **511.P**, 93*P*, 1998

Local calcium release in mammalian skeletal muscle **512**, 377, 1998

Na^+–Ca^{2+} exchange and sarcoplasmic reticular Ca^{2+} regulation in ventricular myocytes from transgenic mice overexpressing the Na^+–Ca^{2+} exchanger **512**, 651, 1998

Direct measurement of SR release flux by tracking 'Ca^{2+} spikes' in rat cardiac myocytes **512**, 677, 1998

The influence of caffeine on intramembrane charge movements in intact frog striated muscle **512**, 707, 1998

Another trigger for the heartbeat **513**, 1, 1998

Role of cAMP-dependent protein kinase A in activation of a voltage-sensitive release mechanism for cardiac contraction in guinea-pig myocytes **513**, 185, 1998

Excitatory amino acid

Laminar organization of epileptiform discharges in the rat entorhinal cortex *in vitro* **509**, 785, 1998

Longitudinal distribution of components of excitatory synaptic input to motoneurones during swimming in young *Xenopus* tadpoles: experiments with antagonists **511**, 887, 1998

The distribution of neurones within the nucleus ambiguus of the juvenile rat that express ionotropic excitatory amino acid receptors **513.P**, 84*P*, 1998

Excitatory postsynaptic current

Increased contribution of NR2A subunit to synaptic NMDA receptors in developing rat cortical neurons **507**, 13, 1998

Presynaptic inhibition by 5-HT_{1B} receptors of glutamatergic synaptic inputs onto serotonergic caudal raphe neurones in rat **510**, 121, 1998

Locus of frequency-dependent depression identified with multiple-probability fluctuation analysis at rat climbing fibre–Purkinje cell synapses **510**, 881, 1998

Developmental changes in EPSC quantal size and quantal content at a central glutamatergic synapse in rat **511**, 861, 1998

Excitatory postsynaptic potential

Asymmetries in sensory pathways from skin to motoneurons on each side of the body determine the direction of an avoidance response in hatchling *Xenopus* tadpoles **506**, 471, 1998

Synaptic interactions between smooth and spiny neurones in layer 4 of cat visual cortex *in vitro* **508**, 351, 1998

Presynaptic calcium channels mediating synaptic transmission in submucosal neurones of the guinea-pig caecum **509**, 425, 1998

The role of 5-HT_3 receptors in the modulation of somatosensory processes in the rat spinal cord dorsal horn *in vitro* **509.P**, 164*P*, 1998

Characterization of sensory and corticothalamic excitatory inputs to rat thalamocortical neurones *in vitro* **510**, 829, 1998

Non-linear summation of excitatory synaptic inputs to small neurones: a case study in spinal motoneurones of the young *Xenopus* tadpole **511**, 871, 1998

Longitudinal distribution of components of excitatory synaptic input to motoneurones during swimming in young *Xenopus* tadpoles: experiments with antagonists **511**, 887, 1998

Potentiation of recurrent excitatory postsynaptic potentials is positively correlated with a gamma/beta frequency shift during hippocampal fast oscillations **513.P**, 12*P*, 1998

Excitatory synaptic transmission

Serotonin reduces synaptic excitation in the superficial medial entorhinal cortex of the rat via a presynaptic mechanism **508**, 119, 1998

Exercise

Regulation of energy metabolism in working muscle fibres **506.P**, 3*S*, 1998

Dynamic muscle exercise increases gene expression of vascular endothelial growth factor (VEGF) in healthy males **506.P**, 25*P*, 1998

Simultaneous determination of intramuscular high-energy phosphate and pulmonary oxygen uptake kinetics for quadriceps exercise during whole-body ^{31}P-NMR spectroscopy **506.P**, 97*P*, 1998

Sympathetic modulation of blood flow affects exercise performance and muscle bioenergetics in humans **506.P**, 98*P*, 1998

Detection of the change point in V_{CO_2} during an incremental exercise test in humans: relationship to the lactate threshold and blood acid–base status **506.P**, 99*P*, 1998

Effects of pyruvate, dichloroacetate and adrenaline infusion on pyruvate dehydrogenase complex activation and tricarboxylic acid cycle intermediates in human skeletal muscle **506.P**, 102*P*, 1998

The effect of insulin on muscle creatine accumulation in man **506.P**, 103*P*, 1998

Effects of water or no water on performance and physiological responses to prolonged, intermittent, high-intensity running in ~30 and ~15 °C **506.P**, 104*P*, 1998

The influence of low glycogen availability and cold stress on the physiological responses to prolonged intermittent walking exercise in man **506.P**, 104*P*, 1998

The effects of low-frequency electrical stimulation on myosin heavy chain isoform expression and contractile characteristics of the tibialis anterior in spinal cord injured males **506.P**, 108*P*, 1998

Effects of cold water immersion on the symptoms of exercise-induced muscle damage **506.P**, 116*P*, 1998

ATP metabolism during sprint exercise in subjects with different genotype for AMP deaminase in skeletal muscle **506.P**, 117*P*, 1998

Effect of exercise intensity and duration on plasma glutamine responses following exercise and the time course of recovery in physically active men **506.P**, 118*P*, 1998

Exercise-induced arterial hypoxaemia in healthy young women **507**, 619, 1998

Effect of exercise-induced metabolic acidaemia on pulmonary V_{O_2} kinetics during heavy exercise **507.P**, 64*P*, 1998

Is exercised-induced pulmonary haemorrhage (EIPH) in horses caused by locomotory impact-induced trauma? **507.P**, 65*P*, 1998

Synchronization of somato-sympathetic outflows during exercise: role for a spinal rhythm generator **508**, 646, 1998

Evidence that interleukin-6 is produced in human skeletal muscle during prolonged running **508**, 949, 1998

The mechanics of running in children **509**, 927, 1998

The effects of strength training on muscle size and force production in elderly people aged 85–97 years **509.P**, 42*P*, 1998

Functional and biochemical changes in indices of muscle damage, lipid peroxidation and lysosomal enzyme release, following eccentric exercise in humans **509.P**, 46*P*, 1998

Eccentric one-leg exercise in rats induces interleukin-6 mRNA production in the exercised muscles **509.P**, 47*P*, 1998

Potassium-induced chemoexcitation in the *in vitro* rat carotid body is Ca^{2+} dependent **509.P**, 114*P*, 1998

Blood lactate as an outcome indicator for deep-water running in the male elderly **509.P**, 119*P*, 1998

Regional hypertrophy of left ventricular myocytes induced by voluntary exercise in female rats **509.P**, 151*P*, 1998

Plasma amino acid measurement in exercise-related chronic fatigue syndrome **509.P**, 206*P*, 1998

Intracellular and extracellular skeletal muscle triglyceride metabolism during alternating intensity exercise in humans **510**, 615, 1998

The J Reflex **511**, 2, 1998

Oxygen uptake–power output relationship during incremental exercise tests in humans **511.P**, 8*P*, 1998

Effect of muscle fibre type and cardiorespiratory fitness on the oxygen uptake/work rate slope during incremental exercise in humans **511.P**, 9*P*, 1998

Modulation of leucine oxidation and transamination by variation in dietary protein and glucose supplementation in humans **511.P**, 10*P*, 1998

Effects of exercise intensity on the parameters of $\dot{V}_{O_2}$ kinetics in humans **511.P**, 12*P*, 1998

Potassium and pH during exercise: interactions at the carotid chemoreceptor **511.P**, 44*S*, 1998

Damage to human muscle from eccentric exercise after training with concentric exercise **512**, 615, 1998

A trauma-like elevation of plasma cytokines in humans in response to treadmill running **513**, 889, 1998

Mesenteric, coeliac and splanchnic blood flow in humans during exercise **513**, 907, 1998

Repeatability of the gas exchange threshold; relative contribution of method and biological variability **513.P**, 75*P*, 1998

Exocytosis

Differential regulation of exocytotic fusion and granule–granule fusion in eosinophils **506.P**, 72*P*, 1998

Two types of exocytosis observed in single, rat pancreatic acinar cells **509.P**, 10*P*, 1998

Properties of amperometric spikes studied by patch amperometry Monte Carlo simulation in rat chromaffin cells **509.P**, 60*P*, 1998

Dynamics of exocytosis of rat chromaffin granules **509.P**, 71*P*, 1998

Modulation of the unitary exocytic event amplitude by cAMP in rat melanotrophs **511**, 851, 1998

Potentiation of transmitter release by protein kinase C in goldfish retinal bipolar cells **512**, 219, 1998

Desensitization of the exocytic machinery contributes to paired-pulse depression in the synaptic terminal of depolarizing bipolar cells **513.P**, 31*P*, 1998

Eye

Torsional eye movements induced by galvanic vestibular stimulation in man **506.P**, 110*P*, 1998

Anticipatory hand and smooth eye movements during oculo-manual tracking in humans **506.P**, 112*P*, 1998

Spatial inaccuracy of memory guided saccades induced by transcranial magnetic stimulation of the prefrontal cortex in man: the effect of induced current direction **509.P**, 178*P*, 1998

Predictive smooth pursuit eye movements while identifying moving acuity targets **509.P**, 178*P*, 1998

Monocularly programmed human saccades during vergence changes? **512**, 235, 1998

Facilitation

What is excited by near-threshold twin magnetic stimuli over human cerebral cortex? **506.P**, 122*P*, 1998

Facilitating pyramid to horizontal oriens–alveus interneurone inputs: dual intracellular recordings in slices of rat hippocampus **507**, 185, 1998

Short-term facilitation evoked during brief afferent tetani is not altered by long-term potentiation in the guinea-pig hippocampal CA1 region **508**, 503, 1998

Facilitation of rabbit α_{1B} calcium channels: involvement of endogenous $G\beta\gamma$ subunits **509**, 15, 1998

Fatigue

Regulation of energy metabolism in working muscle fibres **506.P**, 3*S*, 1998

The effects of asparagine infusion on ischaemic contractile function in canine skeletal muscle **506.P**, 41*P*, 1998

An evaluation of electrically evoked maximal and submaximal fatigue tests in the human triceps surae **506.P**, 116*P*, 1998

No evidence for a change in the voluntary or electrically evoked contractile characteristics of the triceps surae during the human menstrual cycle **506.P**, 119*P*, 1998

Perfused and nerve-stimulated rabbit diaphragm – a novel preparation for studying respiratory muscle fatigue *in vitro* **506.P**, 120*P*, 1998

Depression of responses to transmastoid stimulation in human elbow flexor muscles after fatiguing voluntary contractions **511.P**, 65*P*, 1998

The influence of caffeine on the fatigue of isolated diaphragm muscle from control and streptozotocin-diabetic rats **511.P**, 161*P*, 1998

Mechanisms underlying phosphate-induced failure of Ca^{2+} release in single skinned skeletal muscle fibres of the rat **512**, 97, 1998

Voluntary activation of human elbow flexor muscles during maximal concentric contractions **512**, 595, 1998

The contribution of pH-dependent mechanisms to fatigue at different intensities in mammalian single muscle fibres **512**, 831, 1998

Fatty acid

The effect of fatty acid composition on polyunsaturated fatty acid transport across the perfused human placenta **507.P**, 48*P*, 1998

Ficus carica fractions improve fatty acid metabolism **509.P**, 23*P*, 1998

The role of monocarboxylate transporter (MCT1) in colonic short chain fatty acid (SCFA) transport; MCT1 expression in the healthy and diseased colon **509.P**, 79*P*, 1998

Fatty acids induce the immediate-early response genes *c-fos* and *nur-77* in the pancreatic β-cell line INS-1 **509.P**, 197*P*, 1998

Fatty acids stimulate cholecystokinin secretion via an acyl chain length-specific, Ca^{2+}-dependent mechanism in the enteroendocrine cell line STC-1 **513**, 11, 1998

Validation of the [1,2-^{13}C]acetate recovery factor for correction of [U-^{13}C]palmitate oxidation rates in humans **513**, 215, 1998

Arachidonic acid and all-*trans* retinal suppress L-type Ca^{2+} current in vertebrate rods **513.P**, 126*P*, 1998

Ferret

Responses of neurons in the visual cortex of anaesthetized ferrets to natural visual scenes **509.P**, 50*P*, 1998

Fetus

Developmental changes in the hypotensive response to angiotensin II type 1 receptor antagonism in fetal sheep near term **506.P**, 138*P*, 1998

Angiotensin II and cardiovascular chemoreflex responses to acute hypoxia in late gestation fetal sheep **507**, 857, 1998

Pancreatic α-cell function in the fetal foal during late gestation **507.P**, 49*P*, 1998

Effect of maternal nutrient restriction in early gestation on hypothalamic pituitary adrenal axis responses during acute hypoxaemia in late gestation fetal sheep **507.P**, 50*P*, 1998

The effect of cortisol on the renin-angiotensin system in fetal sheep during late gestation **507.P**, 51*P*, 1998

Cardiovascular redistribution and tissue oxygenation measured by near-infrared (NIR) spectroscopy in unanaesthetized fetal sheep **507.P**, 52*P*, 1998

Right and left ventricles show essential physiological differences during normal human fetal development **507.P**, 53*P*, 1998

Regulation of glucose transporter (GLUT) 4 gene expression in ovine skeletal muscle during fetal development **507.P**, 53*P*, 1998

The role of endothelin-A receptors in cardiovascular responses to acute hypoxaemia in the late gestation sheep fetus **509**, 297, 1998

Can *in utero* exposure to environmental oestrogenic chemicals suppress FSH synthesis and secretion in both the male and female fetus? **509.P**, 90*P*, 1998

Impact of maternal nutrient restriction in early to mid-gestation on prolactin receptor abundance in brown adipose and hepatic tissue in the late gestation ovine fetus **511.P**, 96*P*, 1998

The effect of repeated acute hypoxaemia on fetal cardiovascular development in the sheep **512**, 295, 1998

The effect of dopamine on lung liquid production by *in vitro* lungs from fetal guinea-pigs **513**, 283, 1998

Fetal sheep hypothalamic pituitary adrenal axis control mechanisms following modest maternal nutrient restriction in early gestation **513.P**, 7*P*, 1998

The effect of eicosa-5,8,11,14-tetraynoic acid (ETYA) on fetal sheep lung liquid secretion *in vivo* **513.P**, 65*P*, 1998

Effect of maternal diet on embryonic development and fetal programming **513.P**, 88*P*, 1998

Fever

Antidiuretic hormone and angiotensin II plasma concentrations in febrile Pekin ducks **511**, 605, 1998

Fish

Axonal conduction velocities of functionally characterized retinal ganglion cells in goldfish **506**, 207, 1998

The effect of stimulation frequency on cell shortening and Ca^{2+} transients in isolated single rainbow trout ventricular myocytes **511.P**, 87*P*, 1998

Characterization of a potassium conductance in the apical membrane of seawater fish gill in primary culture **513.P**, 136*P*, 1998

Fluid reabsorption

Estimating rat renal medullary interstitial oncotic pressures and the driving force for fluid uptake into ascending vasa recta **506**, 529, 1998

Neural influences on proximal tubular fluid reabsorption in normotensive and hypertensive anaesthetized rats **513.P**, 39*P*, 1998

Fluid transport

Fluid secretion in interlobular ducts isolated from guinea-pig pancreas **511**, 407, 1998

Fluorescence

Intracellular pH measurements in *Helix* neurones using 8-hydroxypyrene-1,3,6-trisulphonic acid (HPTS) **506.P**, 5*P*, 1998

Intracellular Ca^{2+} measurements in endothelial cells transiently transfected with a bicistronic Green Fluorescent Protein expression vector **506.P**, 22*P*, 1998

Cardiac output distribution in response to hypoxia in the chick embryo in the second half of the incubation time **508**, 281, 1998

A characterization of muscarinic receptor-mediated intracellular Ca^{2+} mobilization in cultured rat hippocampal neurones **511**, 747, 1998

Follicle-stimulating hormone

Can *in utero* exposure to environmental oestrogenic chemicals suppress FSH synthesis and secretion in both the male and female fetus? **509.P**, 90*P*, 1998

RU486 does not prevent the surge of LH and FSH induced by male urinary pheromones in ageing persistent oestrus female rats **509.P**, 93*P*, 1998

Force

Changes in force and cytosolic Ca^{2+} concentration after length changes in isolated rat ventricular trabeculae **506**, 431, 1998

Calcium cycling and contractile activation in intact mouse cardiac muscle **507**, 175, 1998

Simultaneous measurements of electrical activity, intracellular $[Ca^{2+}]$ and contraction in smooth muscle **509.P**, 2*P*, 1998

The relationship between force and transducer current in the isolated frog muscle spindle during very small stretches **509.P**, 50*P*, 1998

Effects of rapid shortening on rate of force regeneration and myoplasmic $[Ca^{2+}]$ in intact frog skeletal muscle fibres **511**, 171, 1998

Relation between systolic cardiac force and maximal skeletal muscle force **511.P**, 159*P*, 1998

Forskolin

GnRH content in an immortalized cell line derived from the mouse septal region **509.P**, 98*P*, 1998

Free radical

Fluorescence imaging of the mitochondrial permeability transition in rat cortical astrocytes in culture **506.P**, 75*P*, 1998

Arachidonic acid increases cerebral microvascular permeability by free radicals in single pial microvessels of the anaesthetized rat **507**, 541, 1998

Frog

Four novel myosin heavy chain transcripts define a molecular basis for muscle fibre types in *Rana pipiens* **508**, 667, 1998

Dilution potentials in the frog nerve sheath: evidence for ionic selectivity of the perineurial blood–nerve barrier **509.P**, 75*P*, 1998

Bi-ionic diffusion potentials in the frog nerve sheath: ionic selectivity of the perineurium **509.P**, 75*P*, 1998

Extracellular space diffusion parameters in the frog spinal cord and filium terminale: effect of elevated potassium and hypotonic stress **511.P**, 15*P*, 1998

Effect of serosal hypertonicity on water flux across *Rana temporaria* urinary bladder **511.P**, 35*P*, 1998

Fusimotor

Short latency reflex inhibition of γ-motoneurones during locomotion in the decerebrate cat **511.P**, 64*P*, 1998

Background and reflex activity of γ-motoneurones supplying caudal muscles in anaesthetized rats **511.P**, 64*P*, 1998

Dynamic response of human muscle spindle afferents to stretch during voluntary contraction **513**, 621, 1998

G protein

On the role of endogenous G-protein $\beta\gamma$ subunits in N-type Ca^{2+} current inhibition by neurotransmitters in rat sympathetic neurones **506**, 319, 1998

Regulation of a swelling-activated chloride current in bovine endothelium by protein tyrosine phosphorylation and G proteins **506**, 341, 1998

Novel mechanism for non-genomic action of 17β-oestradiol on kainate-induced currents in isolated rat CA1 hippocampal neurones **506**, 745, 1998

Differential regulation of exocytotic fusion and granule–granule fusion in eosinophils **506.P**, 72*P*, 1998

Modulation of reconstituted ATP-sensitive K^+ channels by GTP-binding proteins in a mammalian cell line **507**, 315, 1998

Facilitation of rabbit α_{1B} calcium channels: involvement of endogenous G$\beta\gamma$ subunits **509**, 15, 1998

Role of domain I of neuronal Ca^{2+} channel α1 subunits in G protein modulation **509**, 163, 1998

Metabotropic glutamate group II receptors activate a G protein-coupled inwardly rectifying K^+ current in neurones of the rat cerebellum **509**, 347, 1998

$P2Y_2$ nucleotide receptors heterologously expressed in rat sympathetic neurones inhibit both Ca^{2+} and K^+ currents via different G proteins **509.P**, 64*P*, 1998

Muscarinic control of cationic channel opening in smooth muscle **511.P**, 3*S*, 1998

Heterologous expression and coupling of G protein-gated inwardly rectifying K^+ channels in adult rat sympathetic neurons **513**, 761, 1998

Modulation by monoamines of ACh responses recorded from an identified cockroach (*Periplaneta americana*) motoneurone **513.P**, 102*P*, 1998

The role of Gα_o in the effects of 5-hydroxytryptamine and octopamine on pharyngeal action potentials of the nematode, *Caenorhabditis elegans* **513.P**, 106*P*, 1998

GABA

Zn^{2+} inhibition of recombinant $GABA_A$ receptors: an allosteric, state-dependent mechanism determined by the γ-subunit **506**, 609, 1998

The effects of intravenous midazolam on cardiac vagal tone in man **506.P**, 109*P*, 1998

Bilateral GABA-mediated synaptic inputs to rat sympathetic preganglionic neurons *in vitro* **506.P**, 154*P*, 1998

Gramicidin-perforated patch revealed depolarizing effect of GABA in cultured frog melanotrophs **507**, 55, 1998

Muscarinic facilitation of GABA release in substantia gelatinosa of the rat spinal dorsal horn **508**, 83, 1998

The role of GABAergic inputs for coincidence detection in the neurones of nucleus laminaris of the chick **508**, 851, 1998

Non-NMDA receptor activation is essential for generating giant depolarizing potentials (GDPs) in neonatal rat hippocampal slices **509.P**, 69*P*, 1998

Immunohistochemical study of glycine and GABA transporters in rat nucleus tractus solitarii **509.P**, 126*P*, 1998

The dynamics of synchronized neurotransmitter release determined from compound spontaneous IPSCs in rat dentate granule neurones *in vitro* **510**, 477, 1998

Medial prefrontal cortex GABA regulates local and striatal dopamine and GABA release, as studied by dual probe microdialysis in the conscious rat **511.P**, 69*P*, 1998

Vigabatrin in a model of simple partial seizures in young rats **511.P**, 71*P*, 1998

Firing properties of parvalbumin-immunoreactive neurons in the rat medial septum–diagonal band complex *in vitro* **511.P**, 120*P*, 1998

The role of GABA uptake in governing the decay of inhibitory postsynaptic currents in rat substantia nigra pars reticulata **511.P**, 121*P*, 1998

N- and L-type calcium channel involvement in depolarization-induced suppression of inhibition in rat hippocampal CA1 cells **512**, 61, 1998

Laminar difference in GABA uptake and GAT-1 expression in rat CA1 **512**, 643, 1998

Persistent depolarizing action of GABA in rat Cajal–Retzius cells **512**, 809, 1998

Oleamide, an endogenous sleep modulator: cellular actions and molecular specificity *in vitro* **513.P**, 2*S*, 1998

$GABA_B$ receptor modulation of spontaneous Ca^{2+} activity in the isolated developing chick retina **513.P**, 19*P*, 1998

Further evidence for a GABAergic influence on cardiac vagal tone in man **513.P**, 82*P*, 1998

Stereospecific modulation of $GABA_A$ receptors and spontaneous synaptic currents by *cis*- and *trans*-9, 10-octadecenoamide **513.P**, 134*P*, 1998

GABA receptor

Voltage-dependent deactivation and desensitization of GABA responses in cultured murine cerebellar granule cells **506**, 377, 1998

$GABA_A$ receptor-mediated currents in interneurons and pyramidal cells of rat visual cortex **506**, 715, 1998

Inhibitory control of plateau properties in dorsal horn neurones in the turtle spinal cord *in vitro* **506**, 795, 1998

Developmental profile and synaptic origin of early network oscillations in the CA1 region of rat neonatal hippocampus **507**, 219, 1998

Interaction of H^+ and Zn^{2+} on recombinant and native rat neuronal $GABA_A$ receptors **507**, 639, 1998

Modulation of recombinant murine $GABA_A$ receptors by cAMP-dependent protein kinase **506.P**, 44*P*, 1998

The effect of bicuculline on the frequency response of neurones in the rat dorsal horn **506.P**, 153*P*, 1998

Inhibition of N- and P/Q-type calcium channels by postsynaptic $GABA_B$ receptor activation in rat supraoptic neurones **509**, 371, 1998

$GABA_A$ and $GABA_C$ receptors in adult porcine cones: evidence from a photoreceptor–glia co-culture model **513**, 33, 1998

BIDN and fipronil affect single-channel properties of a *Drosophila* GABA receptor (RDL) stably expressed in a *Drosophila* cell line **513.P**, 134*P*, 1998

Gait

The mechanics of running in children **509**, 927, 1998

Gall bladder

Mechanisms of bradykinin-induced contraction of human gallbladder muscle *in vitro* **509.P**, 16*P*, 1998

Characterization of vanadate-induced contraction in guinea-pig gallbladder **509.P**, 16*P*, 1998

A comparison of serum cholecystokinin levels and gallbladder volume between normal individuals, gallstone patients and individuals with irritable bowel syndrome **509.P**, 17*P*, 1998
Multiple pathways involved in CCK-induced guinea-pig gallbladder contraction **509.P**, 20*P*, 1998
A study of the receptors involved in bradykinin induced contraction of human gallbladder *in vitro* **513.P**, 94*P*, 1998

Ganglion

Distribution and immunocytochemical properties of intracardiac ganglion cells in developing rat atria **511.P**, 116*P*, 1998
The morphology and behaviour of axons and microglia in 3-dimensional collagen gel cultures of isolated leech ganglia **511.P**, 139*P*, 1998

Gap junction

Evidence for enhancement of gap junctional coupling between rat island of Calleja granule cells *in vitro* by the activation of dopamine D_3 receptors **506**, 175, 1998
Actions of carbenoxolone on rat sympathetic preganglionic neurones *in vitro* **506.P**, 146*P*, 1998
Effect of nerve growth factor on gap junctional communication between embryonic rat dorsal root ganglion neurones **507.P**, 30*P*, 1998
Mathematical model of vertebrate gap junctions derived from electrical measurements on homotypic and heterotypic channels **510**, 177, 1998
Gap junctional communication and pharmacological heterogeneity in astrocytes cultured from the rat striatum **510**, 429, 1998
Blockade by 18β-glycyrrhetinic acid of intercellular electrical coupling in guinea-pig arterioles **511**, 501, 1998
Blockade of NMDA receptors during early postnatal development increases the incidence of electrotonic and dye coupling in rat motoneurones of the isolated spinal cord **511.P**, 135*P*, 1998

Gastric acid

Mediation by 5-hydroxytryptamine of the femoral vasoconstriction induced by acid challenge of the rat gastric mucosa **509**, 541, 1998

Gastric emptying

Capsaicin-sensitive vagal fibres and 5-HT_3-, gastrin releasing peptide- and cholecystokinin A-receptors are involved in mechanoreceptor-mediated inhibition of gastric emptying in the rat **509.P**, 9*P*, 1998

Gastric gland

Alkaline secretion by frog gastric glands measured with pH microelectrodes in the gland lumen **513**, 235, 1998

Gastrin

Control of enterochromaffin-like (ECL) cell function in transgenic mice expressing gastrin in pancreatic β-cells **509.P**, 10*P*, 1998
Control of progastrin cleavage by vesicular monoamine transporter type 2 in hamster insulinoma (HIT) cells **509.P**, 195*P*, 1998

Gastrointestinal motility

Co-operation between neural and myogenic mechanisms in the control of distension-induced peristalsis in the mouse small intestine **506**, 843, 1998
Dissociation between electrical and mechanical responses to nitrergic stimulation in the canine gastric fundus **509**, 437, 1998
Activation of α- and β-adrenoceptors by sympathetic nerve stimulation in the large intestine of the rat **510**, 549, 1998
Spontaneous electrical rhythmicity in cultured interstitial cells of Cajal from the murine small intestine **513**, 203, 1998

Gastrointestinal smooth muscle

Apamin- and nitric oxide-sensitive biphasic non-adrenergic non-cholinergic inhibitory junction potentials in the rat anococcygeus muscle **513**, 835, 1998

Gene expression

Renal perfusion pressure (RPP), renin release and renal renin and angiotensinogen (Ang) gene expression **507.P**, 39*P*, 1998
The laminar distribution of c-fos expression in the *cortex cerebri* of the anaesthetized rat in focal cortical epileptogenesis **509.P**, 2*P*, 1998
Developmental regulation of lactase gene expression in pig jejunal villus-attached enterocytes **509.P**, 12*P*, 1998
Focal cortical epileptogenesis and c-fos expression in the *cortex cerebri* of the anaesthetized rat **509.P**, 59*P*, 1998
Diaphragmatic loading and expression of genes corresponding to different isoforms of myosin in humans with airway obstruction **509.P**, 114*P*, 1998
Intracellular injection of antisense oligonucleotides into identifed leech neurons regenerating in 3-D cultures **509.P**, 191*P*, 1998
Characterization of the putative chloride channel xClC-5 expressed in *Xenopus laevis* oocytes and comparison with endogenous chloride currents **511**, 379, 1998
Cloning of a mammalian *elk* potassium channel gene and EAG mRNA distribution in rat sympathetic ganglia **511**, 675, 1998
Fibre type-specific gene expression activated by chronic electrical stimulation of adult mouse skeletal muscle fibres in culture **512**, 337, 1998
Complex patterns of sodium channel gene expression and their functional consequences **513.P**, 20*S*, 1998

Glial cell

Serum-induced changes in the physiology of mammalian retinal glial cells: role of lysophosphatidic acid **506**, 445, 1998
Mitochondrial Ca^{2+} uptake and release influence metabotropic and ionotropic cytosolic Ca^{2+} responses in rat oligodendrocyte progenitors **508**, 413, 1998
Gap junctional communication and pharmacological heterogeneity in astrocytes cultured from the rat striatum **510**, 429, 1998
The glial–endothelial interface at the blood–brain barrier; barrier induction and interstitial fluid dynamics **511.P**, 8*S*, 1998
Stoichiometry, and reversal in conditions mimicking ischaemia, of glial cell glutamate transporters in CHO cells and in Muller cells isolated from the tiger salamander retina **511.P**, 10*S*, 1998
Glutamate-induced signalling in cerebellar Bergmann glial cells **511.P**, 11*S*, 1998
The fate of glutamate molecules escaping from the synaptic cleft in the hippocampus: evidence for non-local activation of NMDA receptors **511.P**, 12*S*, 1998
Intracellular signalling events involved in the activation of microglia by bacterial cell wall components **511.P**, 14*P*, 1998
Differences between K^+ tail currents of astrocytes and oligodendrocytes in rat spinal cord slices **511.P**, 15*P*, 1998
Axon–glial signalling in isolated optic nerves from developing rats **513.P**, 10*S*, 1998
Axon–glial relations in the squid giant axon **513.P**, 10*S*, 1998
Functional interaction between single glial cells and neurones **513.P**, 12*S*, 1998
Membrane physiology of human gliomas **513.P**, 14*S*, 1998
The major routes of entry of NH_4^+ and K^+ into bee retinal glial cells are independent **513.P**, 15*P*, 1998
ATP modulates intracellular Ca^{2+} in isolated optic nerves of developing rats **513.P**, 68*P*, 1998

Glibenclamide

Role of endothelium in relaxation induced by glibenclamide in rat isolated mesenteric artery **506.P**, 26*P*, 1998
Lack of effect of probenecid on the natriuretic response to intravenous glibenclamide in the rat **507.P**, 40*P*, 1998
Cystic fibrosis transmembrane conductance regulator mediates sulphonylurea block of the inwardly rectifying K^+ channel Kir6.1 **508**, 23, 1998

Glucose

Intracellular glucose inhibits cyclic ADP-ribose, but not inositol trisphosphate-evoked Ca^{2+} spiking in mouse pancreatic acinar cells **506.P**, 72*P*, 1998
Blood glucose and saccadic latency **506.P**, 122*P*, 1998
Sodium pentobarbitone is a mixed inhibitor of D-glucose transport in human red cells **507.P**, 4*P*, 1998
Developmental regulation of glucogenesis in the sheep fetus during late gestation **508**, 937, 1998
Intracellular glucose controls a switch between cyclic ADPribose and inositol trisphosphate pathways involved in cholecystokinin-evoked cytosolic Ca^{2+} spiking in mouse pancreatic acinar cells **509.P**, 104*P*, 1998
The effect of glucose, glucose analogues, and pyruvate on hypoxic pulmonary vasoconstriction **511.P**, 172*P*, 1998
Adenosine transport is reduced by elevated D-glucose and ATP in human umbilical vein endothelial cells **513.P**, 152*P*, 1998

Glucose transport

Modulation of glucose transport in human fetal vein endothelial cells **506.P**, 34*P*, 1998
cAMP regulates SGLT-mediated glucose transport across isolated rat renal brush-border membrane **507.P**, 38*P*, 1998
Regulation of glucose transporter (GLUT) 4 gene expression in ovine skeletal muscle during fetal development **507.P**, 53*P*, 1998
Rapid stimulation by pancreatic glucagon of facilitated glucose transport across luminal membrane prepared from isolated rat renal cortex **513.P**, 45*P*, 1998

Glutamate

Modulation by zinc of the glutamate transporters in glial cells and cones isolated from the tiger salamander retina **506**, 363, 1998

Calcium-dependent mitochondrial depolarization specific to toxic glutamate stimulation in cultured rat hippocampal neurones **506.P**, 75*P*, 1998

Single-channel recordings of rat recombinant NR1/NR2A NMDA receptors which carry a point mutation at a putative glutamate binding residue **506.P**, 147*P*, 1998

Properties of the GLT-1 glutamate transporter expressed under control of the *Tet-On* system in a Chinese hamster ovary (CHO) cell line selected for low endogenous glutamate uptake **506.P**, 148*P*, 1998

Internal Mg^{2+} block of recombinant NMDA channels mutated within the selectivity filter and expressed in *Xenopus* oocytes **507**, 1, 1998

ATP and glutamate are released from separate neurones in the rat medial habenula nucleus: frequency dependence and adenosine-mediated inhibition of release **508**, 691, 1998

Presynaptic 5-HT_3 receptors evoke an excitatory response in dorsal vagal preganglionic neurones in anaesthetized rats **509**, 683, 1998

Functional implications of kainate receptors in the hippocampus **509.P**, 2*S*, 1998

Non-NMDA receptor activation is essential for generating giant depolarizing potentials (GDPs) in neonatal rat hippocampal slices **509.P**, 69*P*, 1998

Single-channel activations and concentration jumps: comparison of recombinant NR1a/NR2A and NR1a/NR2D NMDA receptors **510**, 1, 1998

High-affinity kainate-type ion channels in rat cerebellar granule cells **510**, 401, 1998

Metabotropic and ionotropic glutamate receptors regulate calcium channel currents in salamander retinal ganglion cells **510**, 815, 1998

Stoichiometry, and reversal in conditions mimicking ischaemia, of glial cell glutamate transporters in CHO cells and in Muller cells isolated from the tiger salamander retina **511.P**, 10*S*, 1998

Properties of glutamate receptor ion channels underlying EPSC on rat spinal cord motoneurones **511.P**, 18*S*, 1998

Release of glutamate in simulated ischaemia sensed by whole-cell clamping CA1 pyramidal cells in rat hippocampal slices, and modelling of the release process **511.P**, 19*S*, 1998

Glutamate receptor development and single-channel properties in rat spinal cord motoneurones **511.P**, 35*S*, 1998

Phenytoin modifies spontaneous transmitter release at glutamate terminals in rat medial entorhinal cortex **511.P**, 126*P*, 1998

Potentiation of transmitter release by protein kinase C in goldfish retinal bipolar cells **512**, 219, 1998

Transmitter release modulation in nerve terminals of rat neocortical pyramidal cells by intracellular calcium buffers **513**, 135, 1998

Potentiation of glutamate uptake by ammonia in isolated salamander retinal glial cells **513.P**, 16*P*, 1998

Metabotropic glutamate receptor agonists and 5-HT differentially modulate components of calcium channel currents in rat retinal ganglion cells **513.P**, 17*P*, 1998

Early neuronal death caused by simulated ischaemia in rat hippocampal slices, monitored using propidium iodide fluorescence **513.P**, 20*P*, 1998

The contribution of glutamate receptor activation to spinal c-*fos* expression in an isolated preparation of rat spinal cord **513.P**, 25*P*, 1998

The action of barbiturates and benzodiazepines at the *Caenorhabditis elegans* glutamate-gated chloride channel **513.P**, 108*P*, 1998

Glutamate receptor

Adjacent asparagines in the NR2-subunit of the NMDA receptor channel control the voltage-dependent block by extracellular Mg^{2+} **506**, 13, 1998

Intracellular Mg^{2+} interacts with structural determinants of the narrow constriction contributed by the NR1-subunit in the NMDA receptor channel **506**, 33, 1998

Activation of group I metabotropic glutamate receptors elicits a sustained calcium signal in rat cortical neurones and glia maintained in culture **506.P**, 12*S*, 1998

Inorganic ion selectivity of the sustained calcium response following activation of metabotropic glutamate receptors in cultured rat cortical neurones and glia **506.P**, 147*P*, 1998

Ca^{2+}-permeable non-NMDA glutamate receptors in rat magnocellular basal forebrain neurones **508**, 453, 1998

Metabotropic glutamate group II receptors activate a G protein-coupled inwardly rectifying K^+ current in neurones of the rat cerebellum **509**, 347, 1998

An analysis of philanthotoxin block for recombinant rat GluR6(Q) glutamate receptor channels **509**, 635, 1998

Potentiation of GABAergic synaptic transmission by AMPA receptors in mouse cerebellar stellate cells: changes during development **509**, 817, 1998

Characterization of sensory and corticothalamic excitatory inputs to rat thalamocortical neurones *in vitro* **510**, 829, 1998

Requirement of rapid Ca^{2+} entry and synaptic activation of metabotropic glutamate receptors for the induction of long-term depression in adult rat hippocampus **511**, 761, 1998

Glutamate receptor channel block by polyamines **511.P**, 16*S*, 1998

Metabotropic glutamate receptor-mediated modulation of delayed potassium currents in cultured mouse hippocampal pyramidal neurons **511.P**, 121*P*, 1998

Blockade of NMDA receptors during early postnatal development increases the incidence of electrotonic and dye coupling in rat motoneurones of the isolated spinal cord **511.P**, 135*P*, 1998

Inhibition of rat neuronal kainate receptors by *cis*-unsaturated fatty acids **513**, 331, 1998

Heterogeneity of homomeric GluR5 kainate receptor desensitization expressed in HEK293 cells **513**, 639, 1998

Effect of cervical sympathetic nerve section on AMPA receptor expression in immature rat spinal cord **513.P**, 18*P*, 1998

Glutamine

The integrin-binding peptide GRGDTP prevents osmotically induced modulation of glutamine uptake in rat skeletal muscle **509.P**, 195*P*, 1998

Glutamine transport in rat adipocytes **513.P**, 51*P*, 1998

Effects of osmotically induced swelling on glutamine transport in rat adipocytes **513.P**, 62*P*, 1998

Glutathione

Post-ischaemic reperfusion with glutamine, but not glutamate or aspartate, enhances glutathione reduction state in the isolated working rat heart **513.P**, 160*P*, 1998

Glycine

Cross-modulation of glycine-activated Cl^- channels by protein kinase C and cAMP-dependent protein kinase in the rat **506**, 331, 1998

Glycinergic synaptic inputs to bipolar cells in the salamander retina **506**, 731, 1998

Glycine-activated currents are changed by coincident membrane depolarization in developing rat auditory brainstem neurones **507**, 783, 1998

Basolateral expression of GLYT1 in human intestinal epithelia **509.P**, 13*P*, 1998

Immunohistochemical study of glycine and GABA transporters in rat nucleus tractus solitarii **509.P**, 126*P*, 1998

Protein kinase C regulation of basolateral glycine transport by GLYT1 in human intestinal Caco-2 epithelial cells **513.P**, 51*P*, 1998

Glycine receptor

Properties of human glycine receptors containing the hyperekplexia mutation α1(K276E), expressed in *Xenopus* oocytes **507**, 25, 1998

Protein kinases modulate two glycine currents in salamander retinal ganglion cells **508**, 681, 1998

Glycogen

Exercise metabolism in human skeletal muscle exposed to prior eccentric exercise **509**, 305, 1998

Glycolysis

Inhibition of lipolysis and mitochondrial lipid uptake during contraction in ischaemic skeletal muscle **506.P**, 40*P*, 1998

Granule cell

Thapsigargin-sensitive stores act as a 'Ca^{2+} sink' during depolarization in rat cultured cerebellar granule cells **506.P**, 71*P*, 1998

Inhibition of the phosphatase 2B: calcineurin does not influence the single-channel properties of NMDA receptors in outside-out patches from granule cells in slices of rat hippocampus **511.P**, 128*P*, 1998

Growth

Effect of the interaction of recombinant human growth hormone administration and age on gastrocnemius muscle growth in weaning BALB/c mice fed a medium protein diet **509.P**, 100*P*, 1998

Growth factor

Differing effects of vascular endothelial growth factor (VEGF) on the ultrastructure of microvascular endothelium of mesenteric microvessels of frog and rat **506.P**, 24*P*, 1998

The effect of bFGF on angiotensin II-induced Ca^{2+} mobilization is mediated by the MAP kinase pathway **511.P**, 168*P*, 1998

Differential regulation of potassium currents by FGF-1 and FGF-2 in embryonic *Xenopus laevis* myocytes **512**, 109, 1998

The chronic effect of vascular endothelial growth factor on individually perfused frog mesenteric microvessels **513**, 225, 1998

Growth hormone

Effects of chronic central growth hormone secretagogue infusion on the activation of arcuate nucleus neurones in the conscious male rat **506.P**, 142*P*, 1998

Pituitary hormone secretion over the natural and suppressed menstrual cycle in premenopausal women **506.P**, 142*P*, 1998

Neonatal and postpubertal sex steroid effects on the neuroendocrine hypothalamus **509.P**, 158, 1998

GH production in submaxillary gland after GHRH stimulation **509.P**, 94*P*, 1998

H reflex

Recruitment of extensor carpi radialis motor units by corticospinal and Ia afferent input in human subjects **509.P**, 174*P*, 1998

The effect of transcranial magnetic stimulation on the soleus H reflex during human walking **513**, 599, 1998

The excitability of the heteronimous trigeminal Ia-motoneurone connection: an indirect estimate of the after-hyperpolarization **513.P**, 33*P*, 1998

Haemodynamics

Short-term haemodynamic variability in the conscious areflexic rat **506**, 263, 1998

Autoregulation of renal blood flow in the conscious dog and the contribution of the tubuloglomerular feedback **506**, 275, 1998

Haemoglobin

The normal function of Hb in transporting CO in the body **513.P**, 72*P*, 1998

Hair cell

The paradox of hair cell adaptation **506**, 1, 1998

Calcium permeation of the turtle hair cell mechanotransducer channel and its relation to the composition of endolymph **506**, 159, 1998

Sugar transport in isolated outer hair cells of the guinea-pig cochlea **506.P**, 131*P*, 1998

Harmonic distortion on the basilar membrane in the basal turn of the guinea-pig cochlea **509**, 277, 1998

Cholinergic and voltage-activated currents expressed in a cochlear cell line derived from the Immortomouse™ **509.P**, 189*P*, 1998

Effects of membrane potential on the voltage dependence of motility-related charge in outer hair cells of the guinea-pig **510**, 225, 1998

Interaction between sugar transport and the mechanism of fast motility in guinea-pig outer hair cells **511.P**, 120*P*, 1998

Basilar membrane motion in the hook region of the guinea-pig cochlea: an update **513.P**, 26*P*, 1998

Hand

Anticipatory hand and smooth eye movements during oculo-manual tracking in humans **506.P**, 112*P*, 1998

Influence of motion target predictability on co-ordination of hand and eye motor systems in visuo-motor tracking tasks **509.P**, 181*P*, 1998

Effect of target dynamics on eye and hand tracking performance in pursuit of unpredictable motion stimuli **511.P**, 67*P*, 1998

Heart

Mechanisms of force inhibition by halothane and isoflurane in intact rat cardiac muscle **506**, 231, 1998

Altered regulation of natriuretic peptides in the rat heart by prenatal exposure to morphine **506**, 867, 1998

Expression and localization of the Kv1.5 K^+ channel in the guinea-pig sinoatrial node **506.P**, 54*P*, 1998

Repeated cardiac pacing prolongs protection against ischaemia-induced ventricular arrhythmias in anaesthetized dogs **506.P**, 56*P*, 1998

The effects of intravenous midazolam on cardiac vagal tone in man **506.P**, 109*P*, 1998

Role of receptor kinase in short-term desensitization of cardiac muscarinic K^+ channels expressed in Chinese hamster ovary cells **507**, 325, 1998

Age-dependent changes in myosin composition correlate with enhanced economy of contraction in guinea-pig hearts **507**, 497, 1998

The effect of tetracaine on stimulated contractions, sarcoplasmic reticulum Ca^{2+} content and membrane current in isolated rat ventricular myocytes **507**, 759, 1998

Identification and kinetic characterization of L-histidine transport in pig heart **507.P**, 6*P*, 1998

Coronary reactive hyperaemia after ischaemic preconditioning in the anaesthetized goat: no role of adenosine A_1 receptors **507.P**, 56*P*, 1998

The positive inotropic effect of angiotensin II is associated with, but not dependent on, cytosolic alkalinization in the isolated perfused rabbit heart **507.P**, 60*P*, 1998

Intracellular calcium and Na^+–Ca^{2+} exchange current in isolated toad pacemaker cells **508**, 153, 1998

Which Ca^{2+} channels control cardiac E–C coupling? **508**, 331, 1998

Interaction of the Na^+–K^+ pump and Na^+–Ca^{2+} exchange via $[Na^+]_i$ in a restricted space of guinea-pig ventricular cells **509**, 457, 1998

Out-of-equilibrium pH transients in the guinea-pig ventricular myocyte **509**, 471, 1998

In vivo observations of the intramural arterioles and venules in beating canine hearts **509**, 619, 1998

Respiratory modulation of carotid and aortic body reflex left ventricular inotropic responses in the cat **509**, 895, 1998

Nitric oxide donors enhance the heart rate response to vagal nerve stimulation in the anaesthetized rabbit and isolated guinea-pig atria preparation **509.P**, 121*P*, 1998

Nitric oxide inhibits the cardioaccelerator rate response to sympathetic stimulation in the anaesthetized ferret **509.P**, 122*P*, 1998

Single-channel analysis of ionic current changes in isolated left ventricular myocytes of the rat during the transition from cardiac hypertrophy to heart failure **509.P**, 136*P*, 1998

Functionally defined re-entry in a two-dimensional model of ventricular tissue simulating long QT syndrome **509.P**, 139*P*, 1998

Three-dimensional aspects of re-entry in two models of ventricular fibrillation **509.P**, 139*P*, 1998

Protein kinase C mediates the actions of κ-opioid receptor stimulation in rat cardiac ventricular myocytes *in vitro* **509.P**, 143*P*, 1998

Morphology of electrocardiographic waves in Iberian pigs **509.P**, 147*P*, 1998

Halocin H7 decreases infarct size and ectopic beats after myocardial reperfusion in dogs **509.P**, 148*P*, 1998

Effects of halocin H7 on A-V nodal conduction and heart rate in isolated rabbit heart **509.P**, 148*P*, 1998

Cardiac electrophysiological and haemodynamic effects of diadenosine polyphosphates in the isolated perfused guinea-pig heart **509.P**, 150*P*, 1998

Time-dependent increments in cytosolic $[Na^+]$ related to Na^+ influx through veratrine-modified Na^+ channels in guinea-pig ventricular myocytes **509.P**, 152*P*, 1998

Differences in regional distribution of K^+ current densities in rat ventricle **509.P**, 153*P*, 1998

4-Dimensional imaging of the caffeine effect on mitochondrial calcium concentration and membrane potential (isolated guinea-pig ventricular myocytes) **509.P**, 154*P*, 1998

Effect of arachidonic acid on sarcoplasmic reticulum Ca^{2+} uptake in isolated rabbit cardiac myocytes **509.P**, 157*P*, 1998

Voltage-dependent inactivation of the human K^+ channel KvLQT1 is eliminated by association with the minimal K^+ channel (minK) subunits **510**, 37, 1998

Transfer of rapid inactivation and sensitivity to the class III antiarrhythmic drug E-4031 from HERG to M-eag channels **511**, 3, 1998

Modulation of human erg K^+ channel gating by activation of a G protein-coupled receptor and protein kinase C **511**, 333, 1998

Muscarinic regulation of the heart: NO news is bad news **511.P**, 2*S*, 1998

Glutamine provides cardioprotection during reperfusion (but not during cardioplegia) after prolonged cardioplegic arrest with St Thomas's Solution in the isolated working rat heart **511.P**, 74*P*, 1998

Kinetic characterization of chloride–hydroxyl exchange in guinea-pig ventricular myocytes **511.P**, 75*P*, 1998

Comparison of basic metabolic and electrophysiological parameters in the compact and spongious layer of the carp ventricular myocardium **511.P**, 76*P*, 1998

Regional differences in the role of the rapid delayed rectifier K^+ current, $i_{K,r}$, within the rabbit sinoatrial node **511.P**, 79*P*, 1998

cGMP regulation of the L-type Ca^{2+} current in human atrial myocytes **511.P**, 80*P*, 1998

The microtubule polymerizing agent Taxol reduces Ca^{2+} transients in isolated single rat ventricular myocytes **511.P**, 84*P*, 1998

Effects of volatile general anaesthetics on Ca^{2+} content and release from the sarcoplasmic reticulum of isolated rat ventricular myocytes **511.P**, 85*P*, 1998

Monophasic action potential in frog and rat heart and its possible origin **511.P**, 86*P*, 1998

Effects of tetraethylammonium and strontium on excitation–contraction coupling in rabbit papillary muscles **511.P**, 87*P*, 1998
The effect of different concentrations of verapamil on action potentials and isometric contractions of the right ventricle papillary muscles of newborn and adult cats **511.P**, 87*P*, 1998
Effect of copper on Langendorff perfused guinea-pig heart during ischaemia and reperfusion **511.P**, 89*P*, 1998
Intracellular acidosis modulates stretch-induced changes in calcium balance, contraction force, action potentials and ANP (atrial natriuretic peptide) secretion in the rat atrium **511.P**, 90*P*, 1998
Mechanosensitive ion channels in mammalian ventricular myocytes **511.P**, 90*P*, 1998
Mechanisms of stretch-induced changes in calcium balance in rat atrial myocytes: role of increased TnC affinity and stretch-activated ion channels **511.P**, 91*P*, 1998
Experimental protection of heart grafts by pyruvate **511.P**, 114*P*, 1998
Distribution of the Kv1.5 K^+ channel in the guinea-pig sinoatrial node: correlation with electrophysiology **511.P**, 148*P*, 1998
Overexpression of nerve growth factor in the heart alters ion channel activity and β-adrenergic signalling in an adult transgenic mouse **512**, 779, 1998
Another trigger for the heartbeat **513**, 1, 1998
Nitric oxide and vago-sympathetic interactions on the heart rate of the anaesthetized ferret **513.P**, 80*P*, 1998
Further evidence for a GABAergic influence on cardiac vagal tone in man **513.P**, 82*P*, 1998
Possible nitrergic modulation of cholinergic responses in *Achatina fulica* heart **513.P**, 108*P*, 1998
Effects of β_{2a} subunit co-expression on hypoxic inhibition of recombinant human cardiac L-type calcium channel α_{1C} subunits stably expressed in HEK 293 cells **513.P**, 126*P*, 1998
The effect of external magnesium on intracellular free sodium and a DIDS-sensitive Mg^{2+} efflux pathway in isolated rat ventricular myocytes **513.P**, 163*P*, 1998

Heart rate

Physiological and pathophysiological modifications of cardiorespiratory control in mammals **509.P**, 20*S*, 1998
Effect of sodium nitroprusside and 8-bromo-cyclic GMP on the sympathetic control of heart rate and contraction in the isolated guinea-pig atria **509.P**, 120*P*, 1998
Non-respiratory-modulated vagal tone induced by intravenous morphine in the anaesthetized cat **509.P**, 130*P*, 1998
Bradycardic responses to upper airway negative pressure during hypocapnic apnoea in the decerebrate paralysed rabbit **511.P**, 106*P*, 1998
The compliance of the porcine pulmonary artery depends on pressure and heart rate **512**, 917, 1998
Reflex responses to upper airway negative pressure and their role in obstructive apnoea **513.P**, 6*S*, 1998
Effects of central A_2 receptors on aortic baroreceptor and cardiopulmonary receptor reflexes in anaesthetized rabbits **513.P**, 79*P*, 1998
Effect of antagonism of central 5-HT_{1A} receptors on baroreceptor and cardiopulmonary receptor reflexes in anaesthetized rabbits **513.P**, 85*P*, 1998

HeLa cell

Ca^{2+} puffs in HeLa cells arise from a varying number of inositol 1,4,5-trisphosphate receptors and display a continuum of Ca^{2+} release amplitudes **509.P**, 186*P*, 1998
Cytoplasmic and nucleoplasmic calibration of fluo-3 confirms the lack of nucleo-cytoplasmic Ca^{2+} gradients during stimulation of HeLa cells **509.P**, 200*P*, 1998

Hibernation

Enhanced vasoconstrictor responses in renal and femoral arteries of the golden hamster during hibernation **512**, 927, 1998

High altitude

Audiometry at high altitude (and its problems) **506.P**, 84*P*, 1998

Hippocampus

Unitary IPSPs evoked by interneurons at the stratum radiatum–stratum lacunosum-moleculare border in the CA1 area of the rat hippocampus *in vitro* **506**, 755, 1998
Inhibition by baclofen of the Ca^{2+}-independent component of spontaneous GABA release in rat hippocampal cultures **506.P**, 148*P*, 1998
CA1 pyramidal to basket and bistratified cell EPSPs: dual intracellular recordings in rat hippocampal slices **507**, 201, 1998
Developmental profile and synaptic origin of early network oscillations in the CA1 region of rat neonatal hippocampus **507**, 219, 1998
Short-term facilitation evoked during brief afferent tetani is not altered by long-term potentiation in the guinea-pig hippocampal CA1 region **508**, 503, 1998
Ca^{2+}-dependent inactivation of large conductance Ca^{2+}-activated K^+ (BK) channels in rat hippocampal neurones produced by pore block from an associated particle **508**, 721, 1998
Electrophysiological characterization of Na^+ currents in acutely isolated human hippocampal dentate granule cells **509**, 139, 1998
Kainate receptor-mediated inhibition of presynaptic Ca^{2+} influx and EPSP in area CA1 of the rat hippocampus **509**, 833, 1998
Mechanisms of synchronization in the developing hippocampus **509.P**, 30*S*, 1998
Protocols for efficient input–output analysis for the investigation of plasticities in mouse hippocampal slices **509.P**, 67*P*, 1998
The effect of diazepam on tetanically induced gamma oscillations in the rat hippocampal slice **509.P**, 67*P*, 1998
Local mechanisms underlying synchronized activity in developing hippocampus **509.P**, 68*P*, 1998
Non-NMDA receptor activation is essential for generating giant depolarizing potentials (GDPs) in neonatal rat hippocampal slices **509.P**, 69*P*, 1998
Properties of γ-frequency oscillations initiated by propagating population bursts in retrohippocampal regions of rat brain slices **510**, 191, 1998
The dynamics of synchronized neurotransmitter release determined from compound spontaneous IPSCs in rat dentate granule neurones *in vitro* **510**, 477, 1998
Kainate induces an intracellular Na^+-activated current in cultured embryonic rat hippocampal neurones **510**, 721, 1998
Inhibition of oxidative metabolism increases persistent sodium current in rat CA1 hippocampal neurons **510**, 735, 1998
pH modulation of Ca^{2+} responses and a Ca^{2+}-dependent K^+ channel in cultured rat hippocampal neurones **511**, 119, 1998
Characterization of P2X ATP receptor single-channel properties in outside-out patches from granule cells in slices of rat hippocampus **511.P**, 17*P*, 1998
Single-channel properties of NMDA receptors of interneurones in the stratum oriens sub-field of the CA1 region in slices of rat hippocampus **511.P**, 18*P*, 1998
Anisotropic diffusion in the rat hippocampus **511.P**, 19*P*, 1998
Metabotropic glutamate receptor-mediated modulation of delayed potassium currents in cultured mouse hippocampal pyramidal neurons **511.P**, 121*P*, 1998
Changes in the density of NADPH-d containing neurones in the hippocampus of cocaine-kindled rats **511.P**, 127*P*, 1998
Presynaptic adenosine modulation of muscarinic acetylcholine receptor-mediated synaptic responses in the rat hippocampus **511.P**, 129*P*, 1998
2-Deoxyglucose-induced LTP of monosynaptic inhibitory transmission in hippocampal slices from rats **511.P**, 134*P*, 1998
Immunocytochemical changes to galanin and calretinin following unilateral entorhinal cortex lesion in the adult rat **511.P**, 137*P*, 1998
Postnatal factors related to final development of neuronal circuits **511.P**, 138*P*, 1998
Multiple sites of action of neomycin, Mg^{2+} and spermine on the NMDA receptors of rat hippocampal CA1 pyramidal neurones **512**, 29, 1998
N- and L-type calcium channel involvement in depolarization-induced suppression of inhibition in rat hippocampal CA1 cells **512**, 61, 1998
Effects of noradrenaline on intracellular pH in acutely dissociated adult rat hippocampal CA1 neurones **512**, 487, 1998
Laminar difference in GABA uptake and GAT-1 expression in rat CA1 **512**, 643, 1998
Inhibition of rat neuronal kainate receptors by *cis*-unsaturated fatty acids **513**, 331, 1998
Potentiation of recurrent excitatory postsynaptic potentials is positively correlated with a gamma/beta frequency shift during hippocampal fast oscillations **513.P**, 12*P*, 1998
Early neuronal death caused by simulated ischaemia in rat hippocampal slices, monitored using propidium iodide fluorescence **513.P**, 20*P*, 1998
The involvement of voltage-dependent Ca^{2+} channels in long-term depression in the adult rat hippocampal slice **513.P**, 22*P*, 1998
Synchronous interhippocampal gamma oscillations are disrupted by the hallucinogen mescaline **513.P**, 23*P*, 1998
Selective depression of excitatory synaptic transmission in rat hippocampal slices by nociceptin **513.P**, 30*P*, 1998

Slow membrane responses to extracellular potassium in isolated hippocampal neurones **513.P**, 132*P*, 1998

Histamine

Regulation of cerebral microvascular permeability by histamine in the anaesthetized rat **507**, 909, 1998

Induction of histidine decarboxylase in skeletal muscle in mice by electrical stimulation, prolonged walking and interleukin-1 **509**, 587, 1998

Transcriptional activation of vesicular monoamine transporter 2, induced by raised intracellular calcium in EA3.123 cells **509.P**, 193*P*, 1998

The responses of the digital artery of the fallow deer, *Dama dama*, in a mild winter **511.P**, 2*P*, 1998

The sensitivity of rat cultured dorsal root ganglion neurones to histamine is augmented by prostaglandin E_2 **511.P**, 122*P*, 1998

Zinc potentiates H_1-receptor-mediated contractile effect of histamine in rabbit saphenous vein **513.P**, 117*P*, 1998

Hormone

Hormone replacement therapy increases muscle strength **506**, 105 P, 1998

Distribution and effects of islet hormones on nerve-mediated amylase secretion and calcium mobilization in the pancreas of normal and diabetic rats **511.P**, 24*P*, 1998

Horse

Separate sites for placental transport of calcium and glucose in the equine placenta **507.P**, 47*P*, 1998

Pancreatic α-cell function in the fetal foal during late gestation **507.P**, 49*P*, 1998

Is exercised-induced pulmonary haemorrhage (EIPH) in horses caused by locomotory impact-induced trauma? **507.P**, 65*P*, 1998

Locomotion characteristics in Andalusian and Anglo-Arabian horses at gallop: a comparative approach **509.P**, 100*P*, 1998

Vertical component of the stride in Andalusian and Anglo-Arabian horses at trot: its influence on the locomotor pattern **509.P**, 101*P*, 1998

Compound action potentials recorded from the trigeminal root in the horse: preliminary results **509.P**, 183*P*, 1998

Human

In vivo measurement of bulk muscle properties in humans **506.P**, 10*P*, 1998

The use of morphed images in the quantitative study of human spatial vision **506.P**, 11*P*, 1998

A wide-field simulator for studying visuo-motor interactions in locomotion **506.P**, 12*P*, 1998

Demonstration of a new stimulator for human colour vision testing **506.P**, 13*P*, 1998

Differences in microvascular parameters in the limbs of endurance-trained, strength-trained and sedentary humans **506.P**, 23*P*, 1998

Dynamic muscle exercise increases gene expression of vascular endothelial growth factor (VEGF) in healthy males **506.P**, 25*P*, 1998

Delayed rectifier potassium current in undiseased human ventricular myocytes **506.P**, 55*P*, 1998

Discrimination of changes in the slope of the amplitude spectra of complex visual images by human observers may require comparison of contrast between different spatial-frequency bands **506.P**, 86*P*, 1998

Confocal microscopy with digital image analysis of the distribution and size of keratocytes in the cornea of conscious human subjects **506.P**, 90*P*, 1998

Force is depressed following shortening in human adductor pollicis muscle **506.P**, 106*P*, 1998

Torsional eye movements induced by galvanic vestibular stimulation in man **506.P**, 110*P*, 1998

Anticipatory hand and smooth eye movements during oculo-manual tracking in humans **506.P**, 112*P*, 1998

The influence of circular translation of the visual scene on human stance **506.P**, 112*P*, 1998

Circadian rhythm of sleepiness and vigilance studied in man **506.P**, 114*P*, 1998

Lung function in human beings: its relationship to maximal oxygen uptake and lifestyle **506.P**, 115*P*, 1998

An evaluation of electrically evoked maximal and submaximal fatigue tests in the human triceps surae **506.P**, 116*P*, 1998

Comparison of muscle strength and balance in post-menopausal women between those on HRT and those who were oestrogen deplete **506.P**, 119*P*, 1998

Blood glucose and saccadic latency **506.P**, 122*P*, 1998

Pancreatic polypeptide and peptide YY responses to liquid formulas containing dietary fats of different degrees of unsaturation (olive and sunflower oil) in humans **506.P**, 128*P*, 1998

Properties of human glycine receptors containing the hyperekplexia mutation α1(K276E), expressed in *Xenopus* oocytes **507**, 25, 1998

Shortening-induced force depression in human adductor pollicis muscle **507**, 583, 1998

Infant stepping: a method to study the sensory control of human walking **507**, 927, 1998

IGF-I and paracellular permeability in endometrial epithelial cells **507.P**, 8*P*, 1998

Barium reduces electrogenic responses of human ileal mucosa to *Escherichia coli* heat-stable enterotoxin and D-glucose **507.P**, 8*P*, 1998

Responses to nitric oxide and cyclic nucleotides in isolated human detrusor smooth muscle **507.P**, 74*P*, 1998

Regional variations in nerve density in the bladder wall of patients with idiopathic and neuropathic instability: identification of three discrete areas **507.P**, 75*P*, 1998

The importance of agonist concentration in determining the mechanism of excitation–contraction coupling in human detrusor smooth muscle **507.P**, 76*P*, 1998

Muscular sense is attenuated when humans move **508**, 635, 1998

Exercise metabolism in human skeletal muscle exposed to prior eccentric exercise **509**, 305, 1998

The mechanics of running in children **509**, 927, 1998

Neutral endopeptidase enzymuria following cardiac bypass surgery **509.P**, 82*P*, 1998

Cross-correlation method for studying spinal reflexes to upper limb muscles in human babies, children and adults **509.P**, 168*P*, 1998

Comparison of responses in biceps brachii following transcranial magnetic stimulation of ipsilateral and contralateral hemispheres in normal human adults and neonates **509.P**, 169*P*, 1998

Do nociceptive reflexes of the foot follow a general flexor reflex or a withdrawal pattern in humans? **509.P**, 172*P*, 1998

Effect of antioxidant supplements on damage to human skin fibroblasts induced by ultraviolet light **509.P**, 201*P*, 1998

Electromyographic study of the contractile and electrical properties of the human triceps surae muscle in a simulated microgravity environment **510**, 287, 1998

Human sodium channel gating defects caused by missense mutations in S6 segments associated with myotonia: S804F and V1293I **510**, 685, 1998

Changes in Achilles tendon moment arm from rest to maximum isometric plantarflexion: *in vivo* observations in man **510**, 977, 1998

Human adaptability to cold **511.P**, 2*P*, 1998

Human adrenergic thermogenesis **511.P**, 3*P*, 1998

Effect of propranolol on thermoregulatory responses of cold-exposed humans **511.P**, 4*P*, 1998

Post-exercise recovery of phosphocreatine in relation to myosin heavy chain isoform expression in human muscle type II fibres **511.P**, 10*P*, 1998

Spectral characteristics of human skeletal muscle electromyograph with increasing force of contraction **511.P**, 11*P*, 1998

A cross-talk role for intracellular calcium between angiotensin II and dopamine receptor activation in primary culture of human proximal tubule cells **511.P**, 35*P*, 1998

Expression of the Na^+, K^+-ATPase α and β subunit isoforms in fetal and adult human chondrocytes **511.P**, 40*P*, 1998

Electromyographic responses to tibial displacement of antagonist muscles acting at the human knee **511.P**, 61*P*, 1998

Cardiovascular effects of positive pressure breathing with counter pressure in humans **511.P**, 106*P*, 1998

Recovery of the biceps brachii following fatiguing contractions: an investigation using surface EMG **511.P**, 160*P*, 1998

Monocularly programmed human saccades during vergence changes? **512**, 235, 1998

Evidence that a transcortical pathway contributes to stretch reflexes in the tibialis anterior muscle in man **512**, 267, 1998

Habituation of the initial responses to cold water immersion in humans: a central or peripheral mechanism? **512**, 621, 1998

The development of conduction block in single human axons following a focal nerve injury **513**, 127, 1998

Movement detection at the human big toe **513**, 307, 1998

Dynamic response of human muscle spindle afferents to stretch during voluntary contraction **513**, 621, 1998

Colour processing in the primate retina: recent progress **513**, 631, 1998

Muscle history, fusimotor activity and the human stretch reflex **513**, 927, 1998

Hyaluronan
Effect of depletion of interstitial hyaluronan on hydraulic conductance in rabbit knee synovium **509**, 695, 1998
Effect of depletion of glycosaminoglycans and non-collagenous proteins on interstitial hydraulic permeability in rabbit synovium **511**, 629, 1998
Hydrocortisone
Effect of hydrocortisone on the accumulation of LDL and fibrinogen by arterial walls and other tissues of the rat **511.P**, 114*P*, 1998
5-Hydroxytryptamine
Direct and indirect actions of 5-hydroxytryptamine on the discharge of mesenteric afferent fibres innervating the rat jejunum **506**, 551, 1998
Ion permeation and conduction in a human recombinant 5-HT_3 receptor subunit (h5-HT_{3A}) **507**, 653, 1998
Characterization of 5-HT-sensitive potassium conductances in neonatal rat facial motoneurones *in vitro* **508**, 67, 1998
Ionotropic and metabotropic activation of a neuronal chloride channel by serotonin and dopamine in the leech *Hirudo medicinalis* **509**, 211, 1998
Mediation by 5-hydroxytryptamine of the femoral vasoconstriction induced by acid challenge of the rat gastric mucosa **509**, 541, 1998
Presynaptic 5-HT_3 receptors evoke an excitatory response in dorsal vagal preganglionic neurones in anaesthetized rats **509**, 683, 1998
Sensitivity to 5-hydroxytryptamine in different afferent subpopulations within mesenteric nerves supplying the rat jejunum **509**, 717, 1998
Effects of oestradiol-17β on the firing characteristics of presumed 5-hydroxytryptamine (5-HT) neurones in rat dorsal raphe nucleus **509.P**, 91*P*, 1998
Central serotonin mechanisms affected by sex steroids; relevance for mood, mental state and memory **509.P**, 17*S*, 1998
5-Hydroxytryptamine (5-HT) induces contraction via 5-HT_2 receptors in bovine mesenteric lymph node capsular strips *in vitro* **509.P**, 21*P*, 1998
Vagal-evoked excitation of a sub-population of neurones in the nucleus of the solitary tract (NTS) involves 5-HT_3 receptors in the anaesthetized rat **509.P**, 129*P*, 1998
Inhibitory serotonergic influence on neurones in the dorsolateral periaqueductal grey matter in rats involves nitric oxide **509.P**, 160*P*, 1998
The role of 5-HT_3 receptors in the modulation of somatosensory processes in the rat spinal cord dorsal horn *in vitro* **509.P**, 164*P*, 1998
Pulmonary and systemic action of 5-HT in the Fawn Hooded rat: a model of inherited pulmonary and systemic hypertension **511.P**, 108*P*, 1998
The role of 5-HT_3 receptors in the generation of dorsal root potentials in the rat spinal cord *in vitro* **511.P**, 131*P*, 1998
The role of $G\alpha_o$ in the effects of 5-hydroxytryptamine and octopamine on pharyngeal action potentials of the nematode, *Caenorhabditis elegans* **513.P**, 106*P*, 1998
Effects and co-localization of 5-HT and the tetrapeptide FMRFamide upon the contractile properties of the pharyngeal retractor muscle and the heart of the gastropod *Helix aspersa* **513.P**, 112*P*, 1998
5-HT suppresses Ca^{2+} release from ryanodine-sensitive stores in squid chromatophore muscle **513.P**, 127*P*, 1998
Hyperaemia
The role of bradykinin in the regulation of blood flow to hindlimb muscle groups of the anaesthetized cat **510**, 643, 1998
Post-prandial mesenteric hyperaemia in man: the effect of β-adrenoceptor blockade **513.P**, 119*P*, 1998
Hypercapnia
Chronic hypercapnia inhibits hypoxic pulmonary vasoconstriction by a NO-independent mechanism in chronically hypoxic rats **511.P**, 109*P*, 1998
Effect of hypercapnia on cerebral blood flow in the anaesthetized spontaneously hypertensive rat **511.P**, 110*P*, 1998
Effects of hypercapnic acidosis on vascular smooth muscle tone in isolated rat intrapulmonary arteries **511.P**, 174*P*, 1998
Does hypercapnia modulate the haemodynamic response to neural activation in the human visual cortex assessed using functional magnetic resonance imaging (fMRI)? **513.P**, 87*P*, 1998
Hyperoxia
Induction of antioxidant enzyme activity by hyperoxia (60 % O_2) in the developing chick embryo **509**, 289, 1998
Hyperoxia does not accelerate oxygen uptake kinetics during the on-transient of moderate intensity exercise in older humans **509.P**, 118*P*, 1998
Hyperpolarization
Characterization of a hyperpolarization-activated current in dedifferentiated adult rat ventricular cells in primary culture **506**, 73, 1998
Activity-dependent hyperpolarization of human motor axons produced by natural activity **507**, 919, 1998
Characterization of 5-HT-sensitive potassium conductances in neonatal rat facial motoneurones *in vitro* **508**, 67, 1998
Properties of the hyperpolarization-activated cation current, I_h, in neonatal and adult rat intracardiac neurones *in vitro* **509.P**, 65*P*, 1998
Identification of an ATP-sensitive potassium channel current in rat striatal cholinergic interneurones **510**, 441, 1998
Potassium channels activated in the endothelium-dependent hyperpolarization in guinea-pig coronary artery **510**, 455, 1998
Separation and identification of two distinct inward currents activated by hyperpolarization in cockroach short-term cultured dorsal unpaired median neurones **513.P**, 103*P*, 1998
Hypertension
Cardiovascular actions of nitric oxide synthase inhibition in the portal hypertensive rat **506.P**, 27*P*, 1998
Effect of saline volume expansion (VE) on renal nerve activity (RNA) in anaesthetized lean and obese Zucker rats **507.P**, 42*P*, 1998
Monosaccharide transport in ileal brush-border membrane vesicles of hypertensive rats **509.P**, 25*P*, 1998
Pulmonary and systemic action of 5-HT in the Fawn Hooded rat: a model of inherited pulmonary and systemic hypertension **511.P**, 108*P*, 1998
Effect of hypercapnia on cerebral blood flow in the anaesthetized spontaneously hypertensive rat **511.P**, 110*P*, 1998
Baroreflex gain in essential hypertension: the effect of combined trandolapril (ACE inhibitor) and verapamil (Ca antagonist) therapy **511.P**, 113*P*, 1998
Peripheral vascular resistance in patients with essential hypertension treated by verapamil (Ca antagonist) and trandolapril (ACE inhibitor) combined therapy **511.P**, 115*P*, 1998
Magnetic resonance imaging analysis of left ventricular function in normal and spontaneously hypertensive rats **513**, 873, 1998
Neural influences on proximal tubular fluid reabsorption in normotensive and hypertensive anaesthetized rats **513.P**, 39*P*, 1998
Renal Na^+ transporter distribution and activity in young spontaneously hypertensive rats **513.P**, 43*P*, 1998
Isolated systemic resistance vessel function in hypertensive male rat offspring of mildly nutritionally restricted dams **513.P**, 118*P*, 1998
Hypertrophy
Single-channel analysis of ionic current changes in isolated left ventricular myocytes of the rat during the transition from cardiac hypertrophy to heart failure **509.P**, 136*P*, 1998
Overexpression of nerve growth factor in the heart alters ion channel activity and β-adrenergic signalling in an adult transgenic mouse **512**, 779, 1998
Hypocapnia
Bradycardic responses to upper airway negative pressure during hypocapnic apnoea in the decerebrate paralysed rabbit **511.P**, 106*P*, 1998
Hypothalamus
Electrophysiological and morphological heterogeneity of neurons in slices of rat suprachiasmatic nucleus **506**, 775, 1998
An improved approach for administering the retrograde tracer Fluorogold to discrete CNS nuclei using a microdialysis probe **506.P**, 7*P*, 1998
Dopamine receptor subtype on rat target specified sympathetic preganglionic neurones: a histoautoradiographic study **506.P**, 135*P*, 1998
The characterization of potassium channels present in glucose- and sulphonylurea-sensitive hypothalamic neurones in isolation and in brain slices of the mf1 mouse **506.P**, 152*P*, 1998
Synaptic inputs from the paraventricular and arcuate nuclei to the ventromedial nucleus of the rat hypothalamus *in vitro* **506.P**, 155*P*, 1998
Properties and glial origin of osmotic-dependent release of taurine from the rat supraoptic nucleus **507**, 463, 1998
Interactions between oestrogen receptors and thyroid hormone receptors as nuclear proteins in hypothalamic neurons **509.P**, 14*S*, 1998
V_{1a}- and V_2-vasopressin receptor agonist-induced $[Ca^{2+}]_i$ responses in vasopressin-sensitive neurones of the rat supraoptic nucleus **509.P**, 86*P*, 1998
Rapid non-genomic effects of oestrogen on hypothalamic neurosecretory cells **509.P**, 92*P*, 1998
Synaptic inhibition: its role in suprachiasmatic nucleus neuronal thermosensitivity and temperature compensation in the rat **512**, 793, 1998
Components of after-hyperpolarization in magnocellular neurones of the rat supraoptic nucleus *in vitro* **513**, 493, 1998

Activation of multiple intracellular transduction signals by vasopressin in vasopressin-sensitive neurones of the rat supraoptic nucleus **513**, 699, 1998
Effects of interleukin-1β on IL-1RI mRNA expression in the rat hypothalamus **513.P**, 21*P*, 1998

Hypoxia

Effects of sulphydryl modulating agents on recombinant human cardiac L-type Ca^{2+} channel α_{1C} subunits stably expressed in HEK 293 cells **506.P**, 48*P*, 1998
Effects of chronic hypoxia on K^+ currents recorded in isolated adult rat carotid body type I cells **506.P**, 51*P*, 1998
Audiometry at high altitude (and its problems) **506.P**, 84*P*, 1998
Dexamethasone attenuates the ACTH and cortisol responses to acute hypoxaemia in fetal sheep during late gestation **506.P**, 138*P*, 1998
Hypoxia activates I_h in rat thalamocortical neurones *in vitro* **506.P**, 150*P*, 1998
Exercise-induced arterial hypoxaemia in healthy young women **507**, 619, 1998
Hypoxia and cyanide induce depolarization and catecholamine release in dispersed guinea-pig chromaffin cells **507**, 807, 1998
Maternal and fetal plasma concentrations of neuropeptide Y in sheep: effects of acute hypoxaemia **507.P**, 50*P*, 1998
Carotid sinus nerve section prevents the increase in plasma cortisol, but does not affect the increase in plasma ACTH or in adrenal blood flow, during acute hypoxaemia in the llama fetus **507.P**, 52*P*, 1998
Hypoxia and smooth muscle function: key regulatory events during metabolic stress **509**, 315, 1998
The role of endothelin-A receptors in cardiovascular responses to acute hypoxaemia in the late gestation sheep fetus **509**, 297, 1998
K_{ATP} channel formation by the sulphonylurea receptors SUR1 with Kir6.2 subunits in rat dorsal vagal neurons *in situ* **509**, 339, 1998
Role of adenosine and its receptors in the vasodilatation induced in the cerebral cortex of the rat by systemic hypoxia **509**, 507, 1998
Hypoxia activates ATP-dependent potassium channels in inspiratory neurones of neonatal mice **509**, 755, 1998
Oxygen-sensing mechanisms are present in the chromaffin cells of the sheep adrenal medulla before birth **509**, 887, 1998
Regulation of ion channels by O_2 tension **509.P**, 3*S*, 1998
Hypoxic and metabolic factors controlling brainstem respiratory neurones **509.P**, 22*S*, 1998
A novel oxygen-sensitive potassium channel in neonatal rat carotid body type I cells **509.P**, 35*P*, 1998
Kvβ1 subunits can modulate the sensitivity to hypoxia of heterologously expressed voltage-gated K^+ channels in a subfamily-specific manner **509.P**, 36*P*, 1998
Does chronic hypoxia affect the functional importance of adenosine A_1 receptors in regulating the cardiovascular system of the rat? **509.P**, 120*P*, 1998
L-type Ca^{2+} channels in inspiratory neurones of neonatal mice *in vitro* and their modulation by hypoxia **509.P**, 125*P*, 1998
Investigation of possible mechanisms underlying the relaxation of isolated rat mesenteric arteries to hypoxia **509.P**, 129*P*, 1998
Hypoxia reversibly inhibits the activity of cloned human brain BK_{Ca} channels stably expressed in HEK 293 cells **509.P**, 188*P*, 1998
Repetitive hypoxia rapidly depresses arousal from active sleep in newborn lambs **510**, 651, 1998
Inhibition of oxidative metabolism increases persistent sodium current in rat CA1 hippocampal neurons **510**, 735, 1998
Slow recovery of impaired phrenic responses to hypoxia following perinatal hyperoxia in rats **511**, 599, 1998
Interactions between hypoxia and changes in metabolic rate on the control of breathing **511.P**, 43*S*, 1998
Changes in airway resistance do not contribute to the hypoxia-induced increase in end-expiratory lung volume in the rat **511.P**, 104*P*, 1998
Chronic hypercapnia inhibits hypoxic pulmonary vasoconstriction by a NO-independent mechanism in chronically hypoxic rats **511.P**, 109*P*, 1998
Immunolocalization of inducible nitric oxide synthase (iNOS) and its effects on pulmonary vasoreactivity following chronic *Pseudomonas aeruginosa* infection in the rat **511.P**, 110*P*, 1998
Hypobaric hypoxia and the brain during development **511.P**, 131*P*, 1998
Does intracellular acidification account for hypoxic relaxation in isolated rat mesenteric arteries? **511.P**, 166*P*, 1998
The effect of glucose, glucose analogues, and pyruvate on hypoxic pulmonary vasoconstriction **511.P**, 172*P*, 1998
The effect of the tyrosine kinase inhibitor, tyrphostin-23, on acute hypoxic vasoconstriction in isolated small pulmonary arteries of the rat **511.P**, 172*P*, 1998
L-type Ca^{2+} channels in inspiratory neurones of mice and their modulation by hypoxia **512**, 75, 1998
Chronic hypoxia reduces adenosine A_{2A} receptor-mediated inhibition of calcium current in rat PC12 cells via downregulation of protein kinase A **512**, 351, 1998
Inhibition of Ca^{2+}-dependent K^+ channels in rat carotid body type I cells by protein kinase C **512**, 743, 1998
Chronic hypoxia enhances quantal secretion evoked from rat pheochromocytoma (PC-12) cells by acute hypoxia **513.P**, 74*P*, 1998
The role of sympathetic nerve activity in responses evoked in the rat tail artery by systemic hypoxia: simultaneous recordings of neuronal activity and blood flow **513.P**, 82*P*, 1998
Chronic hypoxia induces angiogenesis in striated muscle of rat **513.P**, 86*P*, 1998
Effects of β_{2a} subunit co-expression on hypoxic inhibition of recombinant human cardiac L-type calcium channel α_{1C} subunits stably expressed in HEK 293 cells **513.P**, 126*P*, 1998
Pharmacological and potential molecular identification of an O_2-sensitive K^+ channel in the human neuroepithelial body-derived cell line H146 **513.P**, 128*P*, 1998

Immune response

Characterization of $P2X_7$ receptors in human cultured dendritic cells **513.P**, 131*P*, 1998

Immunoglobulin

Secretion of immunoglobulin A from the rat submandibular gland in the presence and absence of nerve stimulation **509.P**, 8*P*, 1998
The influence of nerves on the secretion of immunoglobulin A into submandibular saliva in rats **512**, 567, 1998

Inactivation

Ca^{2+}-dependent inactivation of large conductance Ca^{2+}-activated K^+ (BK) channels in rat hippocampal neurones produced by pore block from an associated particle **508**, 721, 1998
Voltage-dependent inactivation of the human K^+ channel KvLQT1 is eliminated by association with the minimal K^+ channel (minK) subunits **510**, 37, 1998
Human sodium channel gating defects caused by missense mutations in S6 segments associated with myotonia: S804F and V1293I **510**, 685, 1998
Mechanistic link between lidocaine block and inactivation probed by outer pore mutations in the rat μ1 skeletal muscle sodium channel **512**, 693, 1998
Control of L-type calcium current during the action potential of guinea-pig ventricular myocytes **513**, 425, 1998

Inflammation

The effects of L-arginine and N^{ω}-nitro-L-arginine (L-NNA) on increases in permeability induced in rat venules by histamine and serotonin **506.P**, 26*P*, 1998
Mechanical hyperalgesia is referred to the hind limb following inflammation of the urinary bladder in the rat **507.P**, 18*P*, 1998
Cutaneous vasodilatation and macrophage infiltration during prolonged electrical stimulation of the the saphenous nerve **509.P**, 163*P*, 1998
The novel anticonvulsant remacemide and its metabolite AR-R12495AA reduce carrageenan-induced mechanical hyperalgesia and oedema in the rat **511.P**, 56*P*, 1998
Circulating IL-6 is derived from the site of inflammation in response to a localized injection of lipopolysaccharide in the rat **513.P**, 146*P*, 1998
Mediator release during the allergic response in human skin *in vivo*, measured using dermal microdialysis **513.P**, 148*P*, 1998
Endothelial monocyte activating polypeptide-2 (EMAP-2) increases hydraulic conductivity of isolated perfused frog mesenteric microvessels after perfusion with whole blood **513.P**, 154*P*, 1998

Inhibition

4-Aminomethylbenzoic acid is a non-translocated competitive inhibitor of the epithelial peptide transporter PepT1 **512**, 629, 1998
Fast IPSPs generated by horizontal oriens–alveus interneurones in the distal dendrites of simultaneously recorded CA1 pyramidal cells in hippocampal slices **513.P**, 14*P*, 1998
IPSPs elicited by two morphological subclasses of basket cells in pyramidal cells in adult rat hippocampus: paired intracellular recordings and biocytin labelling in slices **513.P**, 30*P*, 1998

Inositol 1,4,5-trisphosphate

Allosteric regulation by cytoplasmic Ca^{2+} and IP_3 of the gating of IP_3 receptors in permeabilized guinea-pig vascular smooth muscle cells **506**, 407, 1998

A continuum of subcellular Ca^{2+} signals in the *Xenopus laevis* oocyte **506.P**, 70*P*, 1998

Ca^{2+}-independent inhibition by calmodulin of inositol trisphosphate binding to type 1 but not type 3 inositol trisphosphate receptors **506.P**, 73*P*, 1998

A continuum of InsP_3-mediated elementary Ca^{2+} signalling events in *Xenopus* oocytes **509**, 67, 1998

Activation and co-ordination of InsP_3-mediated elementary Ca^{2+} events during global Ca^{2+} signals in *Xenopus* oocytes **509**, 81, 1998

Evidence that the local InsP_3-induced Ca^{2+} spikes in mouse pancreatic acinar cells are due to small 'hot spots' of calcium release co-ordinated by cytosolic calcium **509.P**, 108*P*, 1998

The InsP_3 receptor isoform of rat cerebellar Purkinje neurones **509.P**, 186*P*, 1998

Ca^{2+} puffs in HeLa cells arise from a varying number of inositol 1,4,5-trisphosphate receptors and display a continuum of Ca^{2+} release amplitudes **509.P**, 186*P*, 1998

Hemispheric asymmetry of macroscopic and elementary calcium signals mediated by InsP_3 in *Xenopus* oocytes **511**, 395, 1998

ADP and inositol trisphosphate evoke oscillations of a monovalent cation conductance in rat megakaryocytes **511**, 791, 1998

InsP_3, but not novel Ca^{2+} releasers, contributes to agonist-initiated contraction in rabbit airway smooth muscle **511**, 915, 1998

cGMP inhibits IP_3-induced Ca^{2+} release in intact rat megakaryocytes via cGMP- and cAMP-dependent protein kinases **512**, 89, 1998

Inositol polyphosphate

Activation of Ca^{2+}-dependent K^+ and Cl^- channels by Ins-2,4,5-P_3 and Ins-1,3,4,5-P_4 in mouse lacrimal acinar cells maintained in primary culture **509.P**, 9*P*, 1998

Regulation of Ca^{2+}-dependent Cl^- conductance in a human colonic epithelial cell line (T_{84}): cross-talk between Ins(3,4,5,6)P_4 and protein phosphatases **510**, 661, 1998

Insect

Modulation by monoamines of ACh responses recorded from an identified cockroach (*Periplaneta americana*) motoneurone **513.P**, 102*P*, 1998

Neuritic localization of spontaneous action potentials triggering calcium spikes in isolated dorsal paired median neuron cell body from the cockroach **513.P**, 103*P*, 1998

Separation and identification of two distinct inward currents activated by hyperpolarization in cockroach short-term cultured dorsal unpaired median neurones **513.P**, 103*P*, 1998

Two components of motion adaptation in the fly **513.P**, 105*P*, 1998

Insulin

Elevated D-glucose induces insulin insensitivity in human umbilical endothelial cells isolated from gestational diabetic pregnancies **506**, 219, 1998

The role of cytoplasmic Ca^{2+} signals in β-cell disease **509.P**, 11*S*, 1998

Recovery of ATP-sensitive potassium channels in defective human insulin-secreting β-cells *in vitro* **509.P**, 35*P*, 1998

Control of insulin secretion by noradrenaline and acetylcholine in islets from malnourished rats **509.P**, 72*P*, 1998

Insulin secretion and calcium signalling in a novel human insulin-secreting cell line, NISK 9 **509.P**, 106*P*, 1998

Properties of voltage-dependent K^+ currents in isolated human pancreatic β-cells following loss of K_{ATP} channel function **509.P**, 189*P*, 1998

Control of pulsatile 5-HT/insulin secretion from single mouse pancreatic islets by intracellular calcium dynamics **510**, 135, 1998

Insulin occludes leptin activation of ATP-sensitive K^+ channels in rat CRI-G1 insulin secreting cells **511**, 695, 1998

K^+ currents in insulin-resistant rat models of diabetes **511.P**, 148*P*, 1998

Insulin-like growth factor

Role of insulin-like growth factor binding proteins in human post-nephrectomy proximal tubule cells **508**, 587, 1998

Up-regulation and alternative splicing of the IGF-1 gene in the rabbit heart following a brief pressure/volume overload **509.P**, 192*P*, 1998

Interleukin

Involvement of interleukin-1, prostaglandins and mast cells in rectal distension-induced colonic water secretion in rats **506**, 245, 1998

Evidence that interleukin-6 is produced in human skeletal muscle during prolonged running **508**, 949, 1998

Induction of histidine decarboxylase in skeletal muscle in mice by electrical stimulation, prolonged walking and interleukin-1 **509**, 587, 1998

Eccentric one-leg exercise in rats induces interleukin-6 mRNA production in the exercised muscles **509.P**, 47*P*, 1998

Biphasic modulation of $[Ca^{2+}]_i$ by interleukin-1β in rat cortical synaptosomes **509.P**, 55*P*, 1998

Interleukin-18 induces nitric oxide production in primary rat astrocyte cells **513.P**, 15*P*, 1998

Effects of interleukin-1β on IL-1RI mRNA expression in the rat hypothalamus **513.P**, 21*P*, 1998

Circulating IL-6 is derived from the site of inflammation in response to a localized injection of lipopolysaccharide in the rat **513.P**, 146*P*, 1998

Interneurone

$GABA_A$ receptor-mediated currents in interneurons and pyramidal cells of rat visual cortex **506**, 715, 1998

Unitary IPSPs evoked by interneurons at the stratum radiatum–stratum lacunosum-moleculare border in the CA1 area of the rat hippocampus *in vitro* **506**, 755, 1998

Facilitating pyramid to horizontal oriens–alveus interneurone inputs: dual intracellular recordings in slices of rat hippocampus **507**, 185, 1998

CA1 pyramidal to basket and bistratified cell EPSPs: dual intracellular recordings in rat hippocampal slices **507**, 201, 1998

Role of spinal premotoneurones in mediating corticospinal input to forearm motoneurones in man **508**, 301, 1998

Autaptic inhibitory currents recorded from interneurones in rat cerebellar slices **509**, 777, 1998

Morphology and projections of thoracic interneurones **509.P**, 170*P*, 1998

A confocal and electron microscopic examination of the terminals of midlumbar premotor interneurones in the feline spinal cord **509.P**, 171*P*, 1998

A leu-enkephalin depresses transmission from muscle and skin non-nociceptors to first-order feline spinal neurones **510**, 513, 1998

Submillisecond kinetics and low efficacy of parallel fibre–Golgi cell synaptic currents in the rat cerebellum **510**, 845, 1998

Single-channel properties of NMDA receptors of interneurones in the stratum oriens sub-field of the CA1 region in slices of rat hippocampus **511.P**, 18*P*, 1998

The contribution of pre-motor interneurones to the control of muscle tone and tension **511.P**, 29*S*, 1998

Laminar difference in GABA uptake and GAT-1 expression in rat CA1 **512**, 643, 1998

Fast IPSPs generated by horizontal oriens–alveus interneurones in the distal dendrites of simultaneously recorded CA1 pyramidal cells in hippocampal slices **513.P**, 14*P*, 1998

Synchronous interhippocampal gamma oscillations are disrupted by the hallucinogen mescaline **513.P**, 23*P*, 1998

Tachykinins increase [^{3}H]acetylcholine release in mouse striatum through multiple receptor subtypes **513.P**, 24*P*, 1998

IPSPs elicited by two morphological subclasses of basket cells in pyramidal cells in adult rat hippocampus: paired intracellular recordings and biocytin labelling in slices **513.P**, 30*P*, 1998

Spiking local interneurones process gustatory signals from chemoreceptors on the legs of the locust **513.P**, 104*P*, 1998

Identified interneurones in the escape generating network of crayfish receive excitatory proprioceptive inputs **513.P**, 104*P*, 1998

Taste coding by spiking local interneurones in the metathoracic ganglion of the locust **513.P**, 105*P*, 1998

Interstitial fluid

Direct evidence for the partial reflection of hyaluronan molecules by the lining of rabbit knee joints during trans-synovial flow **508**, 619, 1998

Intestine

Modulation of gut perception in humans by spatial summation phenomena **506**, 579, 1998

Polarized expression of the Na^+–H^+ exchangers NHE1 and NHE3 in Caco-2 cell monolayers **506.P**, 129*P*, 1998

Substrate upregulation of the human small intestinal peptide transporter, hPepT1 **507**, 697, 1998

Apical and basolateral hexose transport in the intestine of chickens adapted to low NaCl intake **507.P**, 7*P*, 1998

Effects of isoprostanes and prostanoids on the short-circuit current in porcine small intestine *in vitro* **507.P**, 9*P*, 1998

Localization of the mRNAs for several aquaporins along the gastrointestinal tract of rats **509.P**, 13*P*, 1998

Basolateral expression of GLYT1 in human intestinal epithelia **509.P**, 13*P*, 1998
Mucosal surface area in the guinea-pig small intestine during development **509.P**, 24*P*, 1998
Expression of functional $GABA_A$ receptors in cholecystokinin-secreting gut neuroendocrine murine STC-1 cells **510**, 805, 1998
Regulation of intracellular pH during H^+-coupled oligopeptide absorption in enterocytes from guinea-pig ileum **511**, 573, 1998
Iron uptake by Caco-2 cells is dependent on extracellular pH and intracellular iron concentration **511.P**, 26*P*, 1998
Acetylcholine mobilizes intracellular calcium and inhibits proliferation in human adenocarcinoma HT29 cells **511.P**, 28*P*, 1998
P-glycoprotein and the secretion of MPP^+ across Caco-2 intestinal cell monolayers **511.P**, 28*P*, 1998
Metabolism of corticosterone is different in avian and mammalian intestine **511.P**, 51*P*, 1998

Intracellular calcium

Mechanisms of force inhibition by halothane and isoflurane in intact rat cardiac muscle **506**, 231, 1998
Contribution of superoxide to agonist-induced membrane hyperpolarization in macrophages: evidence for involvement of Ca^{2+}-dependent K^+ channels **506.P**, 77*P*, 1998
The effects of extracellular and intracellular pH on intracellular Ca^{2+} regulation in guinea-pig detrusor smooth muscle **508**, 131, 1998
The responsiveness of isolated human hand vein endothelial cells in normal pregnancy and in pre-eclampsia **508**, 609, 1998
Activation of Ca^{2+}-activated K^+ channels by an increase in intracellular Ca^{2+} induced by depolarization of mouse skeletal muscle fibres **509**, 93, 1998
Vanadate increases cytosolic calcium from thapsigargin-sensitive intracellular stores in rat pancreatic acinar cells **509.P**, 19*P*, 1998
The thiol reagent phenylarsine oxide (PAO) evokes intracellular Ca^{2+} increases in rat pancreatic acinar cells **509.P**, 20*P*, 1998
Biphasic modulation of $[Ca^{2+}]_i$ by interleukin-1β in rat cortical synaptosomes **509.P**, 55*P*, 1998
Control of resting submembrane Ca^{2+} in rat sympathetic neurones studied using K^+ channels as Ca^{2+} detectors **509.P**, 64*P*, 1998
Calcium signalling in sensory neurones of diabetic mice **509.P**, 66*P*, 1998
Light stimulates an increase in intracellular Ca^{2+} in carp retinal On-bipolar cells **509.P**, 66*P*, 1998
Activation of multiple intracellular transduction signals by vasopressin (AVP) in AVP-sensitive neurones of the rat supraoptic nucleus **509.P**, 86*P*, 1998
Dual role of Ap_4A in the regulation of isolated pancreatic β-cell function **509.P**, 89*P*, 1998
Regulation of isolated pancreatic β-cell signalling system by 17β-oestradiol **509.P**, 90*P*, 1998
Detection of submembrane cytosolic Ca^{2+} gradients by the laser spot confocal technique in pancreatic islet cells stimulated by nutrient secretagogues **509.P**, 105*P*, 1998
Cytosolic free calcium measurements in adipocytes of rat **509.P**, 106*P*, 1998
Transcriptional activation of vesicular monoamine transporter 2, induced by raised intracellular calcium in EA3.123 cells **509.P**, 193*P*, 1998
Ca^{2+}-inhibited non-inactivating K^+ channels in cultured rat hippocampal pyramidal neurones **510**, 71, 1998
Properties of voltage-activated $[Ca^{2+}]_i$ transients in single smooth muscle cells isolated from pregnant rat uterus **511**, 803, 1998
Effects of mitochondrial uncouplers on intracellular calcium, pH and membrane potential in rat carotid body type I cells **513**, 819, 1998
The action of hyposmolar solutions on intracellular $[Ca^{2+}]$ in guinea-pig detrusor smooth muscle myocytes **513.P**, 97*P*, 1998
Ethanol raises intracellular calcium concentration in cultured molluscan neurones **513.P**, 110*P*, 1998
Vasomotion and intracellular calcium oscillations in precapillary arterioles from rabbit cerebral cortex **513.P**, 123*P*, 1998
Neuronal modulation of intracellular Ca^{2+} concentration in rabbit cardiac valve endothelial cells **513.P**, 156*P*, 1998

Intracellular pH

Influence of cytosolic pH on Ca^{2+} wave propagation in isolated mouse pancreatic acinar cells **506.P**, 126*P*, 1998
Regulation of acetylcholine release by intracellular acidification of developing motoneurons in *Xenopus* cell cultures **507**, 41, 1998
The effects of extracellular and intracellular pH on intracellular Ca^{2+} regulation in guinea-pig detrusor smooth muscle **508**, 131, 1998
Out-of-equilibrium pH transients in the guinea-pig ventricular myocyte **509**, 471, 1998
Sarcolemmal mechanisms for pH_i recovery from alkalosis in the guinea-pig ventricular myocyte **509**, 487, 1998
Regulation of intracellular pH during H^+-coupled oligopeptide absorption in enterocytes from guinea-pig ileum **511**, 573, 1998
Acid/base transport across the leech giant glial cell membrane at low external bicarbonate concentration **512**, 459, 1998

Inward rectification

Hypoxia activates I_h in rat thalamocortical neurones *in vitro* **506.P**, 150*P*, 1998
Two mechanisms for inward rectification of current flow through the purinoceptor $P2X_2$ class of ATP-gated channels **507**, 353, 1998
K_{ATP} channel formation by the sulphonylurea receptors SUR1 with Kir6.2 subunits in rat dorsal vagal neurons *in situ* **509**, 339, 1998
The erg inwardly rectifying K^+ current and its modulation by thyrotrophin-releasing hormone in giant clonal rat anterior pituitary cells **510**, 63, 1998
Neutralization of aspartate residues in the murine inwardly rectifying K^+ channel IRK1 affects the substate behaviour in Mg^{2+} block **510**, 675, 1998
A repolarization-induced transient increase in the outward current of the inward rectifier K^+ channel in guinea-pig cardiac myocytes **510**, 755, 1998
Blockage of inward rectifier potassium channels (murine Kir2.1) by Ba^{2+} is influenced by an aspartate residue (D172) **511.P**, 146*P*, 1998
Divalent ion block of inward rectifier current in human capillary endothelial cells and effects on resting membrane potential **512**, 119, 1998
Spontaneous electrical rhythmicity in cultured interstitial cells of Cajal from the murine small intestine **513**, 203, 1998
Depolarizing potassium current sets resting potential in rabbit cerebral cortex arterioles **513.P**, 127*P*, 1998
A novel inward rectifying proton channel in the chemoreceptor cell of the rat carotid body **513.P**, 132*P*, 1998
Bombesin receptors inhibit G protein-coupled inwardly rectifying K^+ channels expressed in *Xenopus* oocytes through a PKC-dependent pathway **513.P**, 138*P*, 1998

Ion channel

Serum-induced changes in the physiology of mammalian retinal glial cells: role of lysophosphatidic acid **506**, 445, 1998
Expression and localization of the Kv1.5 K^+ channel in the guinea-pig sinoatrial node **506.P**, 54*P*, 1998
Properties of human glycine receptors containing the hyperekplexia mutation α1(K276E), expressed in *Xenopus* oocytes **507**, 25, 1998
Alcohols potentiate the function of 5-HT_3 receptor-channels on NCB-20 neuroblastoma cells by favouring and stabilizing the open channel state **507**, 335, 1998
Termination of Ca^{2+} release during Ca^{2+} sparks in rat ventricular myocytes **507**, 667, 1998
The effect of hypotonically induced stretch on the ion channel activity of cultured human articular chondrocytes **507.P**, 12*P*, 1998
Arachidonic acid induces membrane hyperpolarization in cultured bovine aortic endothelial cells **507.P**, 12*P*, 1998
Dibasic protein kinase A sites regulate bursting rate and nucleotide sensitivity of the cystic fibrosis transmembrane conductance regulator chloride channel **508**, 365, 1998
Direct and indirect regulation of a single ion channel **509**, 1, 1998
The antagonist trinitrophenyl-ATP reveals co-existence of distinct P2X receptor channels in rat nodose neurones **509**, 411, 1998
An analysis of philanthotoxin block for recombinant rat GluR6(Q) glutamate receptor channels **509**, 635, 1998
Regulation of ion channels by O_2 tension **509.P**, 3*S*, 1998
Properties of a rat, sensory neurone-specific, proton-gated ion channel **509.P**, 34*P*, 1998
Methylglyoxal causes swelling and induces inward currents in rat pancreatic β-cells **509.P**, 34*P*, 1998
Recovery of ATP-sensitive potassium channels in defective human insulin-secreting β-cells *in vitro* **509.P**, 35*P*, 1998
Properties of voltage-dependent K^+ currents in isolated human pancreatic β-cells following loss of K_{ATP} channel function **509.P**, 189*P*, 1998
Properties of heteromultimeric Kv1 channels expressed in *Xenopus* oocytes **509.P**, 199*P*, 1998
Single-channel activations and concentration jumps: comparison of recombinant NR1a/NR2A and NR1a/NR2D NMDA receptors **510**, 1, 1998
Chloride and non-selective cation channels in unstimulated trout red blood cells **511**, 213, 1998

Basic fibroblast growth factor induction of neuronal ion channel expression in ascidian ectodermal blastomeres **511**, 347, 1998
Ion channel activity drives ion channel expression **511**, 645, 1998
Potassium channel density increases selectively in the endfoot of retinal glial cells during bullfrog development **511.P**, 15*P*, 1998
Mechanosensitive ion channels in mammalian ventricular myocytes **511.P**, 90*P*, 1998
Distribution of the Kv1.5 K^+ channel in the guinea-pig sinoatrial node: correlation with electrophysiology **511.P**, 148*P*, 1998
Are ion channels involved in volume regulation in trout red blood cells following osmotic shock? **511.P**, 150*P*, 1998
The first peptide-gated ion channel: a neuronal, amiloride-sensitive, Na^+ channel **513.P**, 16*S*, 1998
Complex patterns of sodium channel gene expression and their functional consequences **513.P**, 20*S*, 1998
Ca^{2+}-dependent ion currents induced by caffeine and bradykinin in fresh and cultured human bronchial smooth muscle cells **513.P**, 91*P*, 1998
The effects of amyloid β protein (1–40) on K^+ channel currents in cultures of rat cerebellar granule and cortical neurones **513.P**, 128*P*, 1998
Expression and functional analysis of recombinant rat sensory neuron-specific Na^+ channels in a mammalian cell line **513.P**, 141*P*, 1998

Ion current

$P2Y_2$ nucleotide receptors heterologously expressed in rat sympathetic neurones inhibit both Ca^{2+} and K^+ currents via different G proteins **509.P**, 64*P*, 1998
Single-channel analysis of ionic current changes in isolated left ventricular myocytes of the rat during the transition from cardiac hypertrophy to heart failure **509.P**, 136*P*, 1998

Ion selectivity

Influence of a phenylalanine/glycine switch in motif *III* on single-channel conductance and ion selectivity in voltage-gated Ca^{2+} channels **506.P**, 48*P*, 1998
Ion permeation and conduction in a human recombinant 5-HT_3 receptor subunit (h5-HT_{3A}) **507**, 653, 1998
The ion selectivity of a membrane conductance inactivated by extracellular calcium in *Xenopus* oocytes **508**, 763, 1998
Dilution potentials in the frog nerve sheath: evidence for ionic selectivity of the perineurial blood–nerve barrier **509.P**, 75*P*, 1998
Bi-ionic diffusion potentials in the frog nerve sheath: ionic selectivity of the perineurium **509.P**, 75*P*, 1998
Non-pore lining amino acid side chains influence anion selectivity of the human CFTR Cl^- channel expressed in mammalian cell lines **512**, 1, 1998

Ion transport

Renal actions of genistein in the rat **509.P**, 23*P*, 1998
Ion transport pathways involved in the response to isoprostanes and prostaglandins in the porcine small intestine **511.P**, 30*P*, 1998
Absorptive apical amiloride-sensitive Na^+ conductance in human endometrial epithelium **513**, 443, 1998

IPSC

Glycine and $GABA_A$ receptor-mediated synaptic transmission in rat substantia gelatinosa: inhibition by μ-opioid and $GABA_B$ agonists **507**, 473, 1998
Differential effects of noradrenaline on evoked, spontaneous and miniature IPSCs in rat cerebellar stellate cells **509**, 233, 1998
The role of GABA uptake in governing the decay of inhibitory postsynaptic currents in rat substantia nigra pars reticulata **511.P**, 121*P*, 1998
Presynaptic inhibition by dopamine of a discrete component of GABA release in rat substantia nigra pars reticulata **513**, 805, 1998

IPSP

Asymmetries in sensory pathways from skin to motoneurons on each side of the body determine the direction of an avoidance response in hatchling *Xenopus* tadpoles **506**, 471, 1998
Synaptic interactions between smooth and spiny neurones in layer 4 of cat visual cortex *in vitro* **508**, 351, 1998
Presynaptic calcium channels mediating synaptic transmission in submucosal neurones of the guinea-pig caecum **509**, 425, 1998
2-Deoxyglucose-induced LTP of monosynaptic inhibitory transmission in hippocampal slices from rats **511.P**, 134*P*, 1998
Cholinergic activation and tonic excitation induce persistent gamma oscillations in mouse somatosensory cortex *in vitro* **513**, 117, 1998

Iron

Iron uptake by Caco-2 cells is dependent on extracellular pH and intracellular iron concentration **511.P**, 26*P*, 1998

Irritant

Stimulation of pulmonary rapidly adapting receptors by inhaled wood smoke in rats **508**, 597, 1998

Ischaemia

Hemin – an inducer of heme oxygense-1 in rat skeletal myoblast cells **506.P**, 16*P*, 1998
Repeated cardiac pacing prolongs protection against ischaemia-induced ventricular arrhythmias in anaesthetized dogs **506.P**, 56*P*, 1998
Supracoeliac aortic cross-clamping causes systemic activation of fibrinolysis in humans **506.P**, 108*P*, 1998
The role of endothelium-derived vasoactive mediators in the post-ischaemic kidney of the rat **507.P**, 41*P*, 1998
Coronary reactive hyperaemia after ischaemic preconditioning in the anaesthetized goat: no role of adenosine A_1 receptors **507.P**, 56*P*, 1998
Preferential regulation of rabbit cardiac L-type Ca^{2+} current by glycolytic derived ATP via a direct allosteric pathway **511**, 67, 1998
Routes of Ca^{2+} influx during ischaemia in rat neonatal white matter astrocytes *in situ* **511.P**, 14*P*, 1998
Release of glutamate in simulated ischaemia sensed by whole-cell clamping CA1 pyramidal cells in rat hippocampal slices, and modelling of the release process **511.P**, 19*S*, 1998
Glutamine provides cardioprotection during reperfusion (but not during cardioplegia) after prolonged cardioplegic arrest with St Thomas's Solution in the isolated working rat heart **511.P**, 74*P*, 1998
Intermittent antegrade hyperkalaemic warm blood cardioplegia supplemented with magnesium prevents myocardial substrate derangement in patients undergoing coronary artery bypass surgery **511.P**, 74*P*, 1998
Effect of copper on Langendorff perfused guinea-pig heart during ischaemia and reperfusion **511.P**, 89*P*, 1998
Stimulation of nucleus raphe magnus is cardioprotective against ischaemic changes evoked by stimulation of the periaqueductal grey matter in anaesthetized rats **511.P**, 112*P*, 1998
The neuroprotective agent 619C89 inhibits voltage-operated calcium channels in rat cortical neurones **511.P**, 124*P*, 1998
Early neuronal death caused by simulated ischaemia in rat hippocampal slices, monitored using propidium iodide fluorescence **513.P**, 20*P*, 1998
Post-ischaemic reperfusion with glutamine, but not glutamate or aspartate, enhances glutathione reduction state in the isolated working rat heart **513.P**, 160*P*, 1998
Comparison of ischaemic preconditioning and α_{-1} induced preconditioning on the isolated rabbit papillary muscle **513.P**, 160*P*, 1998

Isoprenaline

Rat striated muscles damaged by isoprenaline **511.P**, 157*P*, 1998

Jejunum

Direct and indirect actions of 5-hydroxytryptamine on the discharge of mesenteric afferent fibres innervating the rat jejunum **506**, 551, 1998
Multiple pathways for L-methionine transport in brush-border membrane vesicles from chicken jejunum **509**, 527, 1998
Cytochalasin E effect on digestive-absorptive functions in rat jejunum **509.P**, 25*P*, 1998
Electrical characteristics and responses to jejunal distension of neurons in Remak's juxta-jejunal ganglia of the domestic fowl **510**, 563, 1998

Joint

Activation patterns of mono- and bi-articular arm muscles as a function of force and movement direction of the wrist in humans **508**, 313, 1998
Direct evidence for the partial reflection of hyaluronan molecules by the lining of rabbit knee joints during trans-synovial flow **508**, 619, 1998
Joint afferents subserve human proprioception that is interhemispherically transferred **509.P**, 162*P*, 1998
Adenosine excites nociceptive afferents of the rat knee joint via adenosine A_1 receptors **509.P**, 162*P*, 1998
Central projection of proprioceptive information from the wrist joint via a forearm 'muscle' nerve in the cat **510**, 261, 1998

Kainate

Novel mechanism for non-genomic action of 17β-oestradiol on kainate-induced currents in isolated rat CA1 hippocampal neurones **506**, 745, 1998
Kainate receptor-mediated inhibition of presynaptic Ca^{2+} influx and EPSP in area CA1 of the rat hippocampus **509**, 833, 1998
Functional implications of kainate receptors in the hippocampus **509.P**, 2*S*, 1998
High-affinity kainate-type ion channels in rat cerebellar granule cells **510**, 401, 1998

Kainate induces an intracellular Na^+-activated current in cultured embryonic rat hippocampal neurones **510**, 721, 1998

Kidney

Autoregulation of renal blood flow in the conscious dog and the contribution of the tubuloglomerular feedback **506**, 275, 1998

Estimating rat renal medullary interstitial oncotic pressures and the driving force for fluid uptake into ascending vasa recta **506**, 529, 1998

Does the effect of oxytocin on glomerular filtration rate in the conscious rat change during pregnancy and lactation? **506.P**, 143*P*, 1998

Comparison of renal perfusion pressure (RPP) reduction to 30 and 60 mmHg on plasma renin activity (PRA) and renal renin mRNA in the anaesthetized rat **507.P**, 38*P*, 1998

cAMP regulates SGLT-mediated glucose transport across isolated rat renal brush-border membrane **507.P**, 38*P*, 1998

Renal perfusion pressure (RPP), renin release and renal renin and angiotensinogen (Ang) gene expression **507.P**, 39*P*, 1998

The role of endothelium-derived vasoactive mediators in the post-ischaemic kidney of the rat **507.P**, 41*P*, 1998

Nitric oxide in the vascular response to prolonged ureteric obstruction in the rat **507.P**, 41*P*, 1998

Role of insulin-like growth factor binding proteins in human post-nephrectomy proximal tubule cells **508**, 587, 1998

Osmotic hypertonicity of the renal medulla during changes in renal perfusion pressure in the rat **508**, 929, 1998

Regulation of Na^+ channels by luminal Na^+ in rat cortical collecting tubule **509**, 151, 1998

Antioxidant–oxidant balance in the glomerulus and proximal tubule of the rat kidney **509**, 599, 1998

Regulation of distal nephron K^+ channels (ROMK) mRNA expression by aldosterone in rat kidney **509**, 629, 1998

Renal actions of genistein in the rat **509.P**, 23*P*, 1998

Neutral endopeptidase enzymuria following cardiac bypass surgery **509.P**, 82*P*, 1998

Changes in glomerular filtration rate produced by vasopressin infusion during pregnancy and lactation in the conscious rat **509.P**, 88*P*, 1998

Immunohistochemical localization of sulphonylurea receptors SUR 1 and SUR 2A in the rat kidney **509.P**, 203*P*, 1998

Novel splicing of ROMK K^+ channel RNA generates new isoforms in rat kidney **511.P**, 29*P*, 1998

Covalent incorporation of TNP-8N3-[α^{32}P]-ADP into distinct catalytic and regulatory ATP-binding sequences of pig kidney Na^+, K^+-ATPase **511.P**, 29*P*, 1998

Basolateral membrane potential (V_{bl}) and partial conductance for potassium (t_K) in flush preserved rabbit kidney proximal tubules **511.P**, 34*P*, 1998

A digital method to measure cell volume in isolated, perfused rabbit renal proximal tubules **513.P**, 3*P*, 1998

Effect of metabolic acidosis on renal 11β-hydroxysteroid dehydrogenase activities in rat kidney **513.P**, 38*P*, 1998

Inhibition of renal 11β-hydroxysteroid dehydrogenase: effect on electrolyte transport in the distal tubule **513.P**, 38*P*, 1998

Effect of endothelin 1 on bicarbonate reabsorption in the loop of Henle of anaesthetized rats **513.P**, 43*P*, 1998

Rapid stimulation by pancreatic glucagon of facilitated glucose transport across luminal membrane prepared from isolated rat renal cortex **513.P**, 45*P*, 1998

Expression of rat renal organic cation–proton antiport in *Xenopus laevis* oocytes **513.P**, 52*P*, 1998

Solute-induced and osmotic cell swelling responses of renal proximal tubule cells isolated from wild-type and ΔF508 cystic fibrosis mice **513.P**, 61*P*, 1998

Kinase

Role of p38 mitogen-activated kinase in induction of nitric oxide synthase in smooth muscle cells **506.P**, 29*P*, 1998

Creatine kinase activity detection in myofibrils from rat psoas muscle **511.P**, 154*P*, 1998

Kinetics

The channel opening rate of adult- and fetal-type mouse muscle nicotinic receptors activated by acetylcholine **506**, 53, 1998

A continuum of subcellular Ca^{2+} signals in the *Xenopus laevis* oocyte **506.P**, 70*P*, 1998

Kinetic evidence that neutral and anionic peptides bind to different conformations of the recombinant epithelial peptide transporter PepT1 **506.P**, 131*P*, 1998

Alcohols potentiate the function of 5-HT_3 receptor-channels on NCB-20 neuroblastoma cells by favouring and stabilizing the open channel state **507**, 335, 1998

Effect of exercise-induced metabolic acidaemia on pulmonary V_{O_2} kinetics during heavy exercise **507.P**, 64*P*, 1998

Pore mutations alter closing and opening kinetics in *Shaker* K^+ channels **509**, 327, 1998

Activation profile and modulation of rodent Kv1.2 channels expressed in mammalian cell lines **509.P**, 71*P*, 1998

Hyperoxia does not accelerate oxygen uptake kinetics during the on-transient of moderate intensity exercise in older humans **509.P**, 118*P*, 1998

Effects of exercise intensity on the parameters of $\dot{V}_{O_2}$ kinetics in humans **511.P**, 12*P*, 1998

Ca_i^{2+} extrusion via Na^+–Ca^{2+} exchange is accelerated by internal dialysis with cAMP, in guinea-pig cardiac myocytes at 37 °C **511.P**, 91*P*, 1998

Lacrimal gland

Acetylcholine-evoked oscillations of Ca^{2+}-dependent ion currents in mouse lacrimal acinar cells maintained in culture **506.P**, 69*P*, 1998

Activation of Ca^{2+}-dependent K^+ and Cl^- channels by Ins-2,4,5-P_3 and Ins-1,3,4,5-P_4 in mouse lacrimal acinar cells maintained in primary culture **509.P**, 9*P*, 1998

Effect of age on rat lacrimal and submandibular glands: morphological and physiological studies **511.P**, 22*P*, 1998

Evidence to suggest re-differentiation of rat lacrimal gland acini with age **513.P**, 48*P*, 1998

Lactate

Blood lactate as an outcome indicator for deep-water running in the male elderly **509.P**, 119*P*, 1998

Identification and characterization of a monocarboxylate transporter (MCT1) in pig and human colon: its potential to transport L-lactate as well as butyrate **513**, 719, 1998

Lactation

Does the effect of oxytocin on glomerular filtration rate in the conscious rat change during pregnancy and lactation? **506.P**, 143*P*, 1998

The renal responses to vasopressin in the lactating rat **507.P**, 43*P*, 1998

Changes in glomerular filtration rate produced by vasopressin infusion during pregnancy and lactation in the conscious rat **509.P**, 88*P*, 1998

Lanthanum

Lanthanum-mediated modification of $GABA_A$ receptor deactivation, desensitization and inhibitory synaptic currents in rat cerebellar neurons **511**, 647, 1998

Lateral geniculate nucleus

The influence of corticofugal feedback on the temporal structure of visual responses of cat thalamic relay cells **509**, 797, 1998

Presynaptic mechanisms are responsible for the response of thalamocortical neurones to hypoxia **513.P**, 32*P*, 1998

Learning

Long-term modulation of P_{a,CO_2} regulation during exercise following associative conditioning with inspiratory resistive loading in humans **506.P**, 96*P*, 1998

Long-term modulation of the exercise breathing pattern after associative conditioning with inspiratory resistive loading in humans **506.P**, 96*P*, 1998

Leech

The morphology and behaviour of axons and microglia in 3-dimensional collagen gel cultures of isolated leech ganglia **511.P**, 139*P*, 1998

Leptin

Role of tyrosine phosphorylation in leptin activation of ATP-sensitive K^+ channels in the rat insulinoma cell line CRI-G1 **510**, 47, 1998

Insulin occludes leptin activation of ATP-sensitive K^+ channels in rat CRI-G1 insulin secreting cells **511**, 695, 1998

Leucocyte

Endothelial calcium changes in response to activated leucocytes and bradykinin in cultures of rat brain endothelial cells **506.P**, 21*P*, 1998

Effects of exposure to the cold on flow resistance of individual human neutrophils **506.P**, 39*P*, 1998

Rates of glutamine and glucose utilization by quiescent and stimulated human neutrophils *in vitro* **506.P**, 121*P*, 1998

Leydig cells

The effect of extracellularly applied divalent cations on cytosolic Ca^{2+} in murine Leydig cells: evidence for a Ca^{2+}-sensing receptor **513**, 399, 1998

Lidocaine

Mechanistic link between lidocaine block and inactivation probed by outer pore mutations in the rat μ1 skeletal muscle sodium channel **512**, 693, 1998

Lipopolysaccharide
Neutralization of pyrogen-induced tumour necrosis factor by its type 1 soluble receptor in guinea-pigs: effects on fever and interleukin-6 release **509**, 267, 1998

Lipoprotein
Dihydropyridines reduce the efflux of LDL from the vasculature of the mouse mesentery through nitric oxide effects **506.P**, 27*P*, 1998
Influence of nitric oxide on the uptake of low-density lipoprotein into human endothelial cells *in vitro* **506.P**, 28*P*, 1998

Liver
Role of Na^+ conductance, Na^+–H^+ exchange, and Na^+–K^+–$2Cl^-$ symport in the regulatory volume increase of rat hepatocytes **506**, 127, 1998
ATP-activated cation currents in single guinea-pig hepatocytes **507**, 795, 1998
Changes in physiological function, body composition and psychology following operations for pancreatic or hepatic diseases **509.P**, 17*P*, 1998

Locomotion
Elastic structures: their importance for human locomotion **506.P**, 5*S*, 1998
A wide-field simulator for studying visuo-motor interactions in locomotion **506.P**, 12*P*, 1998
The role of optic flow in visuo-motor calibration during running **506.P**, 111*P*, 1998
Adaptive modulation of the motion after-effect by walking **506.P**, 111*P*, 1998
Models of ensemble firing of muscle spindle afferents recorded during normal locomotion in cats **507**, 277, 1998
Ensemble firing of muscle afferents recorded during normal locomotion in cats **507**, 293, 1998
Infant stepping: a method to study the sensory control of human walking **507**, 927, 1998
Locomotion characteristics in Andalusian and Anglo-Arabian horses at gallop: a comparative approach **509.P**, 100*P*, 1998
Vertical component of the stride in Andalusian and Anglo-Arabian horses at trot: its influence on the locomotor pattern **509.P**, 101*P*, 1998
Short latency reflex inhibition of γ-motoneurones during locomotion in the decerebrate cat **511.P**, 64*P*, 1998
A possible role of serotonin release for evoking fictive spinal locomotion in the cat **511.P**, 65*P*, 1998
The effect of transcranial magnetic stimulation on the soleus H reflex during human walking **513**, 599, 1998

Locus coeruleus
α_2-Adrenoceptor-mediated potassium currents in acutely dissociated rat locus coeruleus neurones **508**, 57, 1998
Respiration-modulated membrane potential and chemosensitivity of locus coeruleus neurones in the *in vitro* brainstem–spinal cord of the neonatal rat **513**, 381, 1998

Long-term depression
Long-term synaptic plasticity between pairs of individual CA3 pyramidal cells in rat hippocampal slice cultures **507**, 237, 1998
Long-term depression in rat cerebellar slices lacks input specificity **509.P**, 57*P*, 1998
The incidence of input-specific long-term depression in rat cerebellar slices: an extracellular study **509.P**, 57*P*, 1998
Requirement of rapid Ca^{2+} entry and synaptic activation of metabotropic glutamate receptors for the induction of long-term depression in adult rat hippocampus **511**, 761, 1998
Role of protein kinase C in the induction of homosynaptic long-term depression by brief low frequency stimulation in the dentate gyrus of the rat hippocampus *in vitro* **513**, 467, 1998

Long-term potentiation
Long-term synaptic plasticity between pairs of individual CA3 pyramidal cells in rat hippocampal slice cultures **507**, 237, 1998
Short-term facilitation evoked during brief afferent tetani is not altered by long-term potentiation in the guinea-pig hippocampal CA1 region **508**, 503, 1998
2-Deoxyglucose-induced LTP of monosynaptic inhibitory transmission in hippocampal slices from rats **511.P**, 134*P*, 1998
A comparison of plasticities at CA1 synapses in C57BL/6 and DBA/2 mouse hippocampal slices **511.P**, 138*P*, 1998
Layer-specific NO dependence of long-term potentiation and biased NO release in layer V in the rat auditory cortex **513**, 71, 1998

Loop of Henle
Bumetanide-induced potassium secretion in perfused loops of Henle in anaesthetized rats: effect of barium **507.P**, 40*P*, 1998
Contribution of Na^+–H^+ exchange to sodium reabsorption in the loop of Henle: a microperfusion study in rats **513**, 243, 1998
P2-purinoceptors in the rat thin descending limb of Henle **513.P**, 39*P*, 1998

Lung
The effect of overnight nasal anaesthesia with cocaine and adrenaline on lung volume **506.P**, 98*P*, 1998
Lung function in human beings: its relationship to maximal oxygen uptake and lifestyle **506.P**, 115*P*, 1998
Is exercised-induced pulmonary haemorrhage (EIPH) in horses caused by locomotory impact-induced trauma? **507.P**, 65*P*, 1998
Stimulation of pulmonary rapidly adapting receptors by inhaled wood smoke in rats **508**, 597, 1998
Effect of chronic mitral valve damage on activity of pulmonary rapidly adapting receptors in the rabbit **511**, 79, 1998
The regulation of lung liquid absorption by endogenous cAMP in postnatal sheep lungs perfused *in situ* **511**, 587, 1998
Lung liquid: the last uncharted water? **511.P**, 42*S*, 1998
Changes in airway resistance do not contribute to the hypoxia-induced increase in end-expiratory lung volume in the rat **511.P**, 104*P*, 1998
The effect of dopamine on lung liquid production by *in vitro* lungs from fetal guinea-pigs **513**, 283, 1998

Luteinizing hormone
Effects of the anti-oestrogen LY117018-HCl on the female rat reproductive system. A tool to investigate oestrogen-dependent phenomena in the whole animal **505.P**, 92*P*, 1998
RU486 does not prevent the surge of LH and FSH induced by male urinary pheromones in ageing persistent oestrus female rats **509.P**, 93*P*, 1998

Lymphocyte
Elevation of intracellular Ca^{2+} in the physiologically relevant range does not inhibit voltage-gated K^+ channels in human T lymphocytes **508**, 167, 1998
Neuropeptide Y effects on murine lymphocyte functions **509.P**, 73*P*, 1998
Changes in system y^+ activity in ovine lymphocytes challenged with endotoxin **511.P**, 27*P*, 1998

Macrophage
Differences in the L-arginine supply of NO synthases in cultured macrophages and endothelial cell lines **506.P**, 29*P*, 1998
Relationship between exploratory activity and macrophage function in ageing mice **509.P**, 72*P*, 1998
Cutaneous vasodilatation and macrophage infiltration during prolonged electrical stimulation of the the saphenous nerve **509.P**, 163*P*, 1998
Changes in murine peritoneal macrophage functions and mortality with endotoxic shock in two strains of mice **509.P**, 203*P*, 1998
Activation of L-arginine transport by protein kinase C in rabbit, rat and mouse alveolar macrophages **511**, 813, 1998

Magnesium
Adjacent asparagines in the NR2-subunit of the NMDA receptor channel control the voltage-dependent block by extracellular Mg^{2+} **506**, 13, 1998
Intracellular Mg^{2+} interacts with structural determinants of the narrow constriction contributed by the NR1-subunit in the NMDA receptor channel **506**, 33, 1998
Internal Mg^{2+} block of recombinant NMDA channels mutated within the selectivity filter and expressed in *Xenopus* oocytes **507**, 1, 1998
Effects of cytosolic free Mg^{2+} on Ca^{2+} current density in guinea-pig heart muscle cells **509.P**, 141*P*, 1998
Neutralization of aspartate residues in the murine inwardly rectifying K^+ channel IRK1 affects the substate behaviour in Mg^{2+} block **510**, 675, 1998
A repolarization-induced transient increase in the outward current of the inward rectifier K^+ channel in guinea-pig cardiac myocytes **510**, 755, 1998
An allosteric interaction between the NMDA receptor polyamine and ifenprodil sites in rat cultured cortical neurones **512**, 17, 1998
O_2-dependent KCl cotransport in $[Mg^{2+}]_i$-clamped equine red cells **513.P**, 58*P*, 1998
The effect of external magnesium on intracellular free sodium and a DIDS-sensitive Mg^{2+} efflux pathway in isolated rat ventricular myocytes **513.P**, 163*P*, 1998

Magnetic resonance imaging
Effect of nicotine transdermal patch on femoral artery wavespeed in healthy human subjects measured by MRI **506.P**, 16*P*, 1998
Changes in Achilles tendon moment arm from rest to maximum isometric plantarflexion: *in vivo* observations in man **510**, 977, 1998

Glycolysis is independent of oxygenation state in stimulated human skeletal muscle *in vivo* **511**, 935, 1998
Magnetic resonance imaging analysis of left ventricular function in normal and spontaneously hypertensive rats **513**, 873, 1998

Magnetic stimulation
Sensorimotor modulation of human cortical swallowing pathways **506**, 857, 1998
Time-varying changes in corticospinal excitability accompanying the triphasic EMG pattern **506.P**, 114*P*, 1998
What is excited by near-threshold twin magnetic stimuli over human cerebral cortex? **506.P**, 122*P*, 1998
Are magnetic stimulations of the sacral roots useful to assess the efferent neuronal pathways of the lower urinary tract in SCI patients and to produce active detrusor contraction? **507.P**, 20*P*, 1998
Paired-pulse magnetic stimulation of the human motor cortex: differences among I waves **509**, 607, 1998
Joint afferents subserve human proprioception that is interhemispherically transferred **509.P**, 162*P*, 1998
Spatial inaccuracy of memory guided saccades induced by transcranial magnetic stimulation of the prefrontal cortex in man: the effect of induced current direction **509.P**, 178*P*, 1998
Inhibitory influence of the ipsilateral motor cortex on responses to stimulation of the human cortex and pyramidal tract **510**, 249, 1998
Variability in the size of compound motor evoked potentials elicited by transcranial magnetic stimulation in severe brain damage **511.P**, 67*P*, 1998
Evidence that a transcortical pathway contributes to stretch reflexes in the tibialis anterior muscle in man **512**, 267, 1998
Influence of pulse sequence, polarity and amplitude on magnetic stimulation of human and porcine peripheral nerve **513**, 571, 1998
The effect of transcranial magnetic stimulation on the soleus H reflex during human walking **513**, 599, 1998
Repetitive transcranial magnetic stimulation (rTMS) of the motor cortex elicits opposite excitability changes at cortical and subcortical level in man **513.P**, 34*P*, 1998

Mechanical environment
Excursion is important in regulating sarcomere number in the growing rabbit tibialis anterior **508**, 267, 1998

Mechano-electrical transduction
Computational investigation of the effect of mechano-electrical feedback on the vulnerability to re-entrant excitation in cardiac tissue **511.P**, 75*P*, 1998

Mechanoreceptor
Modulation of gut perception in humans by spatial summation phenomena **506**, 579, 1998
Intracellular recording from myenteric neurons of the guinea-pig ileum that respond to stretch **506**, 827, 1998
Regulation of mechanoreceptor numbers in embryonic chick–quail chimeras **511.P**, 140*P*, 1998

Mechanosensitivity
Opposite modulation of NMDA receptors by lysophospholipids and arachidonic acid: common features with mechanosensitivity **513**, 317, 1998

Megakaryocyte
Voltage-dependent $[Ca^{2+}]_i$ changes during purinoceptor activation in the rat megakaryocyte **506.P**, 69*P*, 1998
ADP and inositol trisphosphate evoke oscillations of a monovalent cation conductance in rat megakaryocytes **511**, 791, 1998
cGMP inhibits IP_3-induced Ca^{2+} release in intact rat megakaryocytes via cGMP- and cAMP-dependent protein kinases **512**, 89, 1998

Melatonin
Melatonin enhances tamoxifen ability to prevent decreases in microsomal membrane fluidity modulated by lipid peroxidation **509.P**, 95*P*, 1998
Myeloperoxidase activity in ring dove heterophils after latex bead ingestion. Effect of melatonin **509.P**, 95*P*, 1998
Circadian rhythm of melatonin and its relationship with phagocytosis and superoxide anion levels in ring dove heterophils **509.P**, 96*P*, 1998
Plasma vasopressin concentrations and Fos protein production in the supraoptic nucleus during haemorrhage in the pinealectomized rat **513.P**, 6*P*, 1998
The effect of melatonin administration on vasopressin release in women **513.P**, 6*P*, 1998

Membrane
Melatonin enhances tamoxifen ability to prevent decreases in microsomal membrane fluidity modulated by lipid peroxidation **509.P**, 95*P*, 1998
Basilar membrane motion in the hook region of the guinea-pig cochlea: an update **513.P**, 26*P*, 1998

Membrane capacitance
Modulation of the unitary exocytic event amplitude by cAMP in rat melanotrophs **511**, 851, 1998
Membrane capacitance changes induced by thrombin and calcium in single endothelial cells cultured from human umbilical vein **513**, 845, 1998

Membrane current
Changes in $[Ca^{2+}]_i$ and membrane currents during impaired mitochondrial metabolism in dissociated rat hippocampal neurons **507**, 131, 1998
Membrane current noise in dark-adapted and light-adapted isolated retinal rods of the larval tiger salamander **511**, 903, 1998
The effects of algogens on membrane currents induced by noxious heat in sensory neurones from newborn rats **511.P**, 125*P*, 1998

Membrane potential
Contribution of superoxide to agonist-induced membrane hyperpolarization in macrophages: evidence for involvement of Ca^{2+}-dependent K^+ channels **506.P**, 77*P*, 1998
Ryanodine receptors regulate arterial diameter and wall $[Ca^{2+}]$ in cerebral arteries of rat via Ca^{2+}-dependent K^+ channels **508**, 211, 1998
K^+ channels determining resting potential in arterioles from rabbit cerebral cortex **509.P**, 35*P*, 1998
Effects of membrane potential on the voltage dependence of motility-related charge in outer hair cells of the guinea-pig **510**, 225, 1998
Role of an inward rectifier K^+ current and of hyperpolarization in human myoblast fusion **510**, 467, 1998
Na^+-activated K^+ channels in small dorsal root ganglion neurones of rat **510**, 743, 1998
Functions of large conductance Ca^{2+}-activated (BK_{Ca}), delayed rectifier (K_V) and background K^+ channels in the control of membrane potential in rabbit renal arcuate artery **511**, 159, 1998
Basolateral membrane potential (V_{bl}) and partial conductance for potassium (t_K) in flush preserved rabbit kidney proximal tubules **511.P**, 34*P*, 1998
Effects of chloride current inhibitors on vascular tone in rat isolated small coronary arteries **511.P**, 170*P*, 1998
Activation of a chloride current by hypotonic swelling of rabbit vascular myocytes **511.P**, 171*P*, 1998
Divalent ion block of inward rectifier current in human capillary endothelial cells and effects on resting membrane potential **512**, 119, 1998
Membrane potential oscillations in semi-isolated spinal neurones of *Xenopus* embryos **513.P**, 100*P*, 1998
Depolarizing potassium current sets resting potential in rabbit cerebral cortex arterioles **513.P**, 127*P*, 1998

Membrane transport
Transport mechanisms for iron and other transition metals in rat and rabbit erythroid cells **508**, 837, 1998
Integrin and cytoskeletal involvement in signalling cell volume changes to glutamine transport in rat skeletal muscle **512**, 481, 1998
Inhibition of Na^+–K^+–Cl^- cotransport in human red cells by chloride channel blockers **513.P**, 61*P*, 1998

Memory
Long-term modulation of the exercise breathing pattern after associative conditioning with inspiratory resistive loading in humans **506.P**, 96*P*, 1998
Long-term modulation of P_{a,CO_2} regulation during exercise following associative conditioning with inspiratory resistive loading in humans **506.P**, 96*P*, 1998
Some morphological and functional characteristics of cerebellar degeneration – animal model (Lurcher mutant mice) **511.P**, 72*P*, 1998

Menstrual cycle
No evidence for a change in the voluntary or electrically evoked contractile characteristics of the triceps surae during the human menstrual cycle **506.P**, 119*P*, 1998
Pituitary hormone secretion over the natural and suppressed menstrual cycle in premenopausal women **506.P**, 142*P*, 1998

Metabolism
Regulation of energy metabolism in working muscle fibres **506.P**, 3*S*, 1998
Activity-related and metabolic modulation of intracellular calcium and pH in spontaneously active dorsal vagal neurons *in situ* **506.P**, 13*S*, 1998
The effects of asparagine infusion on ischaemic contractile function in canine skeletal muscle **506.P**, 41*P*, 1998
A fundamental measure of the metabolic cost of neural information in the retina of the blowfly, *Calliphora vicina* **506.P**, 92*P*, 1998

Dual effect of carbohydrate feeding on skeletal muscle substrate utilization during exercise in man **506.P**, 101*P*, 1998
The effect of insulin on muscle creatine accumulation in man **506.P**, 103*P*, 1998
Ficus carica fractions improve fatty acid metabolism **509.P**, 23*P*, 1998
Mitochondrial oxidative function in human saponin-skinned muscle fibres: effects of prolonged exercise **510**, 279, 1998
Renal haemodynamic responses to exogenous and endogenous adenosine in conscious dogs **510**, 321, 1998
Glycolysis is independent of oxygenation state in stimulated human skeletal muscle *in vivo* **511**, 935, 1998
Modulation of leucine oxidation and transamination by variation in dietary protein and glucose supplementation in humans **511.P**, 10*P*, 1998
Comparison of basic metabolic and electrophysiological parameters in the compact and spongious layer of the carp ventricular myocardium **511.P**, 76*P*, 1998

Microcirculation

Effects of exposure to the cold on flow resistance of individual human neutrophils **506.P**, 39*P*, 1998
Human calf precapillary resistance decreases in response to small cumulative increases in venous congestion pressure **507**, 611, 1998
In vivo observations of the intramural arterioles and venules in beating canine hearts **509**, 619, 1998
Relationship between cerebral microvessels, pyramidal layer neurones and a nitric oxide synthase-containing nerve network in rat hippocampus: a morphological basis for flow-metabolism coupling in the brain? **511.P**, 115*P*, 1998
Gadolinium raises the pressure required to induce openings in the endothelium of single frog microvessels **513.P**, 149*P*, 1998

Microdialysis

Mediator release during the allergic response in human skin *in vivo*, measured using dermal microdialysis **513.P**, 148*P*, 1998
Relationship between nitric oxide, cyclic GMP and vasodilatation in human skin *in vivo* **513.P**, 153*P*, 1998

Microscopy

Confocal microscopy with digital image analysis of the distribution and size of keratocytes in the cornea of conscious human subjects **506.P**, 90*P*, 1998
In vivo observations of the intramural arterioles and venules in beating canine hearts **509**, 619, 1998

Micturition

Suppression of normal human voiding reflexes by electrical stimulation of the dorsal penile nerve **507.P**, 19*P*, 1998

Mitochondria

Modulation of calcium signalling in cultured rat dorsal root ganglion neurones **506.P**, 10*S*, 1998
Role of mitochondria in calcium regulation of spontaneously contracting cardiac muscle cells **506.P**, 74*P*, 1998
Calcium-dependent mitochondrial depolarization specific to toxic glutamate stimulation in cultured rat hippocampal neurones **506.P**, 75*P*, 1998
Fluorescence imaging of the mitochondrial permeability transition in rat cortical astrocytes in culture **506.P**, 75*P*, 1998
Changes in $[Ca^{2+}]_i$ and membrane currents during impaired mitochondrial metabolism in dissociated rat hippocampal neurons **507**, 131, 1998
Cytosolic and mitochondrial Ca^{2+} signals in patch clamped mammalian ventricular myocytes **507**, 379, 1998
Mitochondrial Ca^{2+} uptake and release influence metabotropic and ionotropic cytosolic Ca^{2+} responses in rat oligodendrocyte progenitors **508**, 413, 1998
The revival of the role of the mitochondrion in regulation of transmitter release **509**, 2, 1998
Evidence that mitochondria buffer physiological Ca^{2+} loads in lizard motor nerve terminals **509**, 59, 1998
The role of intracellular Na^+ and mitochondria in buffering of kainate-induced intracellular free Ca^{2+} changes in rat forebrain neurones **509**, 103, 1998
Mitochondrial regulation of the cytosolic calcium concentration in guinea-pig colonic smooth muscle **509.P**, 28*P*, 1998
Mitochondria contribute to Ca^{2+} removal in rabbit aorta smooth muscle cells **509.P**, 29*P*, 1998
Mitochondria surround the secretory granule region in mouse pancreatic acinar cells, and accumulate Ca^{2+} released during local spiking events **509.P**, 104*P*, 1998
4-Dimensional imaging of the caffeine effect on mitochondrial calcium concentration and membrane potential (isolated guinea-pig ventricular myocytes) **509.P**, 154*P*, 1998
Intracellular calcium clearance in Purkinje cell somata from rat cerebellar slices **510**, 499, 1998
Nitric oxide contributes to glutamate-induced mitochondrial dysfunction in rat hippocampal neurons in culture **511.P**, 122*P*, 1998
Relations between intracellular Ca^{2+} stores and store-operated Ca^{2+} entry in primary cultured human glioblastoma cells **513**, 411, 1998
Mitochondrial calcium during the contractile cycle of isolated rat and guinea-pig cardiomyocytes **513.P**, 161*P*, 1998

Mitogenesis

K^+ channel block-induced mammalian neuroblastoma cell swelling: a possible mechanism to influence proliferation **510**, 93, 1998

Modelling

Phase resetting of the respiratory oscillator by carotid sinus nerve stimulation in cats **506**, 515, 1998
A simple physical model to illustrate Guyton's venous return curves **506.P**, 7*P*, 1998
Influence of non-planar geometry on flow separation **513.P**, 2*P*, 1998
Repeatability of the gas exchange threshold; relative contribution of method and biological variability **513.P**, 75*P*, 1998

Mollusc

Intracellular pH measurements in *Helix* neurones using 8-hydroxypyrene-1,3,6-trisulphonic acid (HPTS) **506.P**, 5*P*, 1998
Seasonal variability of synaptic connections associated with respiration in the pond snail *Lymnaea stagnalis* (L.) **507.P**, 31*P*, 1998
Cholinergic and peptidergic responses of respiratory pattern generator and associated cells from *Lymnaea stagnalis* **513.P**, 107*P*, 1998
Ethanol raises intracellular calcium concentration in cultured molluscan neurones **513.P**, 110*P*, 1998
Ethanol and butanol have different effects on the input resistance of an identified neurone of *Lymnaea stagnalis* **513.P**, 110*P*, 1998
Structure–activity relationships of the *Helix* neuropeptide, SEPYLRFamide, and its four N-terminally modified analogues on identified *Helix lucorum* neurones **513.P**, 112*P*, 1998
Effects and co-localization of 5-HT and the tetrapeptide FMRFamide upon the contractile properties of the pharyngeal retractor muscle and the heart of the gastropod *Helix aspersa* **513.P**, 112*P*, 1998

Monkey

Does a C3–C4 propriospinal system transmit corticospinal excitation in the primate? An investigation in the macaque monkey **511**, 191, 1998
Non-monotonic recovery of 600 Hz sensory evoked potentials in a conscious monkey **511.P**, 56*P*, 1998

Monoamine

Modulation of responses of feline γ-motoneurones by noradrenaline, tizanidine and clonidine **512**, 521, 1998

Morphine

Altered regulation of natriuretic peptides in the rat heart by prenatal exposure to morphine **506**, 867, 1998
Interruption of central noradrenergic pathways and morphine withdrawal excitation of oxytocin neurones in the rat **507**, 831, 1998

Motoneurone

Discharge properties of brainstem motoneurons involved in the generation of unconditioned and conditioned eye blinks in the alert cat **509.P**, 28*S*, 1998
Differential expression of the muscarinic acetylcholine m2 receptor by large and small motoneurons of the rat lumbar spinal cord **509.P**, 179*P*, 1998
Endogenous calcium buffering in motoneurones of the nucleus hypoglossus from mouse **511**, 105, 1998
Does a C3–C4 propriospinal system transmit corticospinal excitation in the primate? An investigation in the macaque monkey **511**, 191, 1998
Motoneuronal pre-compensation for the low-pass filter characteristics of muscle. A quantitative appraisal in cat muscle units **511**, 611, 1998
Properties of glutamate receptor ion channels underlying EPSC on rat spinal cord motoneurones **511.P**, 18*S*, 1998
Motoneurone cell death after axotomy: facts and fiction **511.P**, 34*S*, 1998
Glutamate receptor development and single-channel properties in rat spinal cord motoneurones **511.P**, 35*S*, 1998
Mechanisms of motoneurone death after target deprivation **511.P**, 35*S*, 1998
Depression of responses to transmastoid stimulation in human elbow flexor muscles after fatiguing voluntary contractions **511.P**, 65*P*, 1998

Blockade of NMDA receptors during early postnatal development increases the incidence of electrotonic and dye coupling in rat motoneurones of the isolated spinal cord **511.P**, 135*P*, 1998
New observations on coupling between group II muscle afferents and feline γ-motoneurones **512**, 507, 1998
Modulation of responses of feline γ-motoneurones by noradrenaline, tizanidine and clonidine **512**, 521, 1998

Motor control

Neuronal activity in the lateral cerebellum of the cat related to visual stimuli at rest, visually guided step modification, and saccadic eye movements **506**, 489, 1998
Function of sural nerve reflexes during human walking **507**, 305, 1998
Role of spinal premotoneurones in mediating corticospinal input to forearm motoneurones in man **508**, 301, 1998
Activation patterns of mono- and bi-articular arm muscles as a function of force and movement direction of the wrist in humans **508**, 313, 1998
Procedures for the identification of task-dependent frequency components of movement-related signals during a simple motor task **509.P**, 6*P*, 1998
Rhythmicity and synchronization in neural systems and its relation to human motor control **509.P**, 31*S*, 1998
Inter-muscle coherence during co-contraction of finger and wrist muscles in man **509.P**, 175*P*, 1998
15–30 Hz coherence between rectified EMGs from human hand muscles has task-dependent modulation **509.P**, 175*P*, 1998
Coherent cortical and muscle discharge in patients with cortical myoclonus **509.P**, 176*P*, 1998
The effect of target location on pro-point and anti-point movements in patients with Parkinson's disease **509.P**, 177*P*, 1998
Predictive smooth pursuit eye movements while identifying moving acuity targets **509.P**, 178*P*, 1998
Inhibitory influence of the ipsilateral motor cortex on responses to stimulation of the human cortex and pyramidal tract **510**, 249, 1998
The contribution of pre-motor interneurones to the control of muscle tone and tension **511.P**, 29*S*, 1998
Co-contraction of antagonistic muscles of the upper limb during development and in children with cerebral palsy **511.P**, 136*P*, 1998

Motor cortex

Reciprocal inhibition in co-contracting forearm muscles during suppression of motor cortical output: evidence suggesting that the central command for decreased reciprocal inhibition is uncoupled from motor cortical activity **507.P**, 34*P*, 1998
The cortical correlate of the Piper rhythm in man **507.P**, 34*P*, 1998
Effects of voluntary contraction on descending volleys evoked by transcranial stimulation in conscious humans **508**, 625, 1998
Rhythmicity, synchronization and binding in human and primate motor systems **509**, 3, 1998
Paired-pulse magnetic stimulation of the human motor cortex: differences among I waves **509**, 607, 1998
Demonstration of facilitatory I wave interaction in the human motor cortex by paired transcranial magnetic stimulation **511**, 181, 1998
Absence of viscerosomatic inhibition with injections of lobeline designed to activate human pulmonary C fibres **511**, 289, 1998
Inhibitory action of forearm flexor muscle afferents on corticospinal outputs to antagonist muscles in humans **511**, 947, 1998
Variability in the size of compound motor evoked potentials elicited by transcranial magnetic stimulation in severe brain damage **511.P**, 67*P*, 1998
Multimodal output mapping of human central motor representation on different spatial scales **512**, 163, 1998
Repetitive transcranial magnetic stimulation (rTMS) of the motor cortex elicits opposite excitability changes at cortical and subcortical level in man **513.P**, 34*P*, 1998
Induction of Fos protein in bulbar neurones is probably connected to sympathetic preganglionic neurones following electrical stimulation of motor cortex **513.P**, 84*P*, 1998

Motor unit

Incomplete rematching of nerve and muscle properties in motor units after extensive nerve injuries in cat hindlimb muscle **509**, 909, 1998
Motoneuronal pre-compensation for the low-pass filter characteristics of muscle. A quantitative appraisal in cat muscle units **511**, 611, 1998
Changes in muscle fibre composition of motor units during development of mammalian skeletal muscle **511.P**, 38*S*, 1998
Changes in single motor unit behaviour contribute to the increase in contraction speed after dynamic training in humans **513**, 295, 1998

Mouse

The open duration of fetal ACh receptor-channel changes during mouse muscle development **508**, 393, 1998
Effect of the interaction of recombinant human growth hormone administration and age on gastrocnemius muscle growth in weaning BALB/c mice fed a medium protein diet **509.P**, 100*P*, 1998
Changes in murine peritoneal macrophage functions and mortality with endotoxic shock in two strains of mice **509.P**, 203*P*, 1998
Regulation of calcium-dependent chloride secretion by CFTR in murine intestine **511.P**, 32*P*, 1998
A comparison of plasticities at CA1 synapses in C57BL/6 and DBA/2 mouse hippocampal slices **511.P**, 138*P*, 1998
Targeted disruption in mouse of a voltage-gated potassium channel gene that is expressed predominantly in the thalamocortical system **511.P**, 147*P*, 1998
Fluid secretion by isolated murine pancreatic ducts in the presence and absence of extracellular bicarbonate **513.P**, 53*P*, 1998

Movement

Detection and discrimination of apparent sound movement by human listeners **506.P**, 85*P*, 1998
Functional imaging of human sound-movement perception in response to interaural phase and amplitude cues **506.P**, 85*P*, 1998
Coherent motion between non-adjacent fields of a random-dot kinematogram **506.P**, 86*P*, 1998
Detection of movements of the human forearm during and after co-contractions of muscles acting at the elbow joint **508**, 325, 1998
Muscular sense is attenuated when humans move **508**, 635, 1998
Predictive smooth pursuit eye movements while identifying moving acuity targets **509.P**, 178*P*, 1998
EEG changes preceding and accompanying proximal and distal movements **511.P**, 68*P*, 1998

Mucus

Lung liquid: the last uncharted water? **511.P**, 42*S*, 1998

Muscarinic receptor

The role of calcium stores in the action of muscarinic agonists on mammalian urinary bladder smooth muscle **507.P**, 21*P*, 1998
Muscarinic facilitation of GABA release in substantia gelatinosa of the rat spinal dorsal horn **508**, 83, 1998
Characteristics of nitric oxide-mediated cholinergic modulation of calcium current in rabbit sino-atrial node **509**, 741, 1998
Differential expression of the muscarinic acetylcholine m2 receptor by large and small motoneurons of the rat lumbar spinal cord **509.P**, 179*P*, 1998
Ca^{2+}-inhibited non-inactivating K^+ channels in cultured rat hippocampal pyramidal neurones **510**, 71, 1998
Carbachol-induced oscillations in membrane potential and $[Ca^{2+}]_i$ in guinea-pig ileal smooth muscle cells **511**, 559, 1998
A characterization of muscarinic receptor-mediated intracellular Ca^{2+} mobilization in cultured rat hippocampal neurones **511**, 747, 1998
Muscarinic control of cationic channel opening in smooth muscle **511.P**, 3*S*, 1998
Muscarinic receptor control of airway function **511.P**, 4*S*, 1998
Subtype-selective action of truxillic acid esters on muscarinic receptors in genetically modified CHO cells **511.P**, 129*P*, 1998
Presynaptic adenosine modulation of muscarinic acetylcholine receptor-mediated synaptic responses in the rat hippocampus **511.P**, 129*P*, 1998

Muscle

Postural after-contractions in man attributed to muscle spindle thixotropy **506**, 875, 1998
The interaction and importance of contractile and elastic elements in human muscles **506.P**, 7*S*, 1998
Long-term plasticity of motor unit properties and its application in man **506.P**, 7*S*, 1998
In vivo measurement of bulk muscle properties in humans **506.P**, 10*P*, 1998
Hemin – an inducer of heme oxygense-1 in rat skeletal myoblast cells **506.P**, 16*P*, 1998
Use of fluorescent microspheres to determine regional blood flow in small tissue samples **506.P**, 38*P*, 1998
Excitation–contraction coupling is affected in skeletal muscle of anaesthetized creatine kinase-deficient mice **506.P**, 60*P*, 1998
Sympathetic modulation of blood flow affects exercise performance and muscle bioenergetics in humans **506.P**, 98*P*, 1998
Dual effect of carbohydrate feeding on skeletal muscle substrate utilization during exercise in man **506.P**, 101*P*, 1998

Muscle fatigue is not essential in strength training **506.P**, 102*P*, 1998
Agonist and antagonist activity during isokinetic contractions of the human quadriceps **506.P**, 106*P*, 1998
Contractile performance following chronic electrical stimulation of human lower leg muscles **506.P**, 107*P*, 1998
The effects of low-frequency electrical stimulation on myosin heavy chain isoform expression and contractile characteristics of the tibialis anterior in spinal cord injured males **506.P**, 108*P*, 1998
An evaluation of electrically evoked maximal and submaximal fatigue tests in the human triceps surae **506.P**, 116*P*, 1998
ATP metabolism during sprint exercise in subjects with different genotype for AMP deaminase in skeletal muscle **506.P**, 117*P*, 1998
No evidence for a change in the voluntary or electrically evoked contractile characteristics of the triceps surae during the human menstrual cycle **506.P**, 119*P*, 1998
Time course of changes in the myosin heavy chain isoform content of the triceps brachii muscle during resistance training **506.P**, 120*P*, 1998
Reciprocal inhibition in co-contracting forearm muscles during suppression of motor cortical output: evidence suggesting that the central command for decreased reciprocal inhibition is uncoupled from motor cortical activity **507.P**, 34*P*, 1998
Skeletal muscles are equipped to sense vascular distension through group III and IV afferent fibres in cat **507.P**, 64*P*, 1998
Excursion is important in regulating sarcomere number in the growing rabbit tibialis anterior **508**, 267, 1998
Activation patterns of mono- and bi-articular arm muscles as a function of force and movement direction of the wrist in humans **508**, 313, 1998
Detection of movements of the human forearm during and after co-contractions of muscles acting at the elbow joint **508**, 325, 1998
The open duration of fetal ACh receptor–channel changes during mouse muscle development **508**, 393, 1998
Muscular sense is attenuated when humans move **508**, 635, 1998
Four novel myosin heavy chain transcripts define a molecular basis for muscle fibre types in *Rana pipiens* **508**, 667, 1998
The canine phrenic-to-intercostal reflex **508**, 919, 1998
The effects of strength training on muscle size and force production in elderly people aged 85–97 years **509.P**, 42*P*, 1998
A comparison of the energy turnover detected by heat production and by P_i assay in dogfish isolated muscle fibres **509.P**, 42*P*, 1998
Functional and biochemical changes in indices of muscle damage, lipid peroxidation and lysosomal enzyme release, following eccentric exercise in humans **509.P**, 46*P*, 1998
Effect of the interaction of recombinant human growth hormone administration and age on gastrocnemius muscle growth in weaning BALB/c mice fed a medium protein diet **509.P**, 100*P*, 1998
Axo-axonic synaptic arrangements on terminals of identified group II muscle afferents in the cat spinal cord **509.P**, 171*P*, 1998
Electromyographic study of the contractile and electrical properties of the human triceps surae muscle in a simulated microgravity environment **510**, 287, 1998
A cross-bridge mechanism can explain the thixotropic short-range elastic component of relaxed frog skeletal muscle **510**, 941, 1998
Intracellular and extracellular skeletal muscle triglyceride metabolism during alternating intensity exercise in humans **510**, 615, 1998
Motoneuronal pre-compensation for the low-pass filter characteristics of muscle. A quantitative appraisal in cat muscle units **511**, 611, 1998
Spontaneous activity regulates calcium-dependent K^+ current expression in developing ascidian muscle **511**, 683, 1998
Effect of muscle fibre type and cardiorespiratory fitness on the oxygen uptake/work rate slope during incremental exercise in humans **511.P**, 9*P*, 1998
Myogenic and neurogenic muscle tone **511.P**, 28*S*, 1998
The contribution of pre-motor interneurones to the control of muscle tone and tension **511.P**, 29*S*, 1998
Resting tension and passive stiffness of skeletal muscle **511.P**, 30*S*, 1998
Muscle tone, tension and thixotropy **511.P**, 31*S*, 1998
Different effects of neonatal nerve injury on motor activity patterns of postural and phasic muscles of the rat **511.P**, 38*S*, 1998
Changes in muscle fibre composition of motor units during development of mammalian skeletal muscle **511.P**, 38*S*, 1998
Creatine kinase activity detection in myofibrils from rat psoas muscle **511.P**, 154*P*, 1998
Power of a muscle isometric contraction **511.P**, 155*P*, 1998
The effects of prolonged cold exposure on angiogenesis in skeletal and cardiac muscle of hamsters **511.P**, 160*P*, 1998
Muscle shortening induced by tenotomy does not reduce activity levels in rat soleus **512**, 251, 1998
Muscle geometry **512**, 315, 1998
Fibre type-specific gene expression activated by chronic electrical stimulation of adult mouse skeletal muscle fibres in culture **512**, 337, 1998
Voluntary activation of human elbow flexor muscles during maximal concentric contractions **512**, 595, 1998
In vivo measurements of the triceps surae complex architecture in man: implications for muscle function **512**, 603, 1998
Damage to human muscle from eccentric exercise after training with concentric exercise **512**, 615, 1998
Movement detection at the human big toe **513**, 307, 1998
A trauma-like elevation of plasma cytokines in humans in response to treadmill running **513**, 889, 1998
Chronic hypoxia induces angiogenesis in striated muscle of rat **513.P**, 86*P*, 1998
Comparison of ischaemic preconditioning and α_{-1} induced preconditioning on the isolated rabbit papillary muscle **513.P**, 160*P*, 1998

Muscle afferent

Ensemble firing of muscle afferents recorded during normal locomotion in cats **507**, 293, 1998
Inhibitory action of forearm flexor muscle afferents on corticospinal outputs to antagonist muscles in humans **511**, 947, 1998

Muscle contraction

Nitric oxide mediates contraction-induced attenuation of sympathetic vasoconstriction in rat skeletal muscle **506**, 817, 1998
Postural after-contractions in man attributed to muscle spindle thixotropy **506**, 875, 1998
Meridional X-ray diffraction by intact fibre bundles from tibialis anterior muscle of *Rana temporaria* **506.P**, 62*P*, 1998
Changes in the equatorial X-ray diffraction pattern from skinned sartorius muscle fibres of *Rana temporaria* upon photolytic release of calcium from the chelator *o*-nitrophenyl EGTA (NP-EGTA) **506.P**, 62*P*, 1998
Force is depressed following shortening in human adductor pollicis muscle **506.P**, 106*P*, 1998
Time-varying changes in corticospinal excitability accompanying the triphasic EMG pattern **506.P**, 114*P*, 1998
Energy metabolism of the gastrocnemius and soleus muscles during isometric voluntary and electrically induced contractions in man **507**, 593, 1998
The effect of length on the relationship between tension and intracellular $[Ca^{2+}]$ in intact frog skeletal muscle fibres **508**, 179, 1998
Effect of hydrogen peroxide and dithiothreitol on contractile function of single skeletal muscle fibres from the mouse **509**, 565, 1998
Effect of nitric oxide on single skeletal muscle fibres from the mouse **509**, 577, 1998
Eccentric one-leg exercise in rats induces interleukin-6 mRNA production in the exercised muscles **509.P**, 47*P*, 1998
Mechanisms underlying reduced maximum shortening velocity during fatigue of intact, single fibres of mouse muscle **510**, 269, 1998
Effects of rapid shortening on rate of force regeneration and myoplasmic $[Ca^{2+}]$ in intact frog skeletal muscle fibres **511**, 171, 1998
Depression of responses to transmastoid stimulation in human elbow flexor muscles after fatiguing voluntary contractions **511.P**, 65*P*, 1998
Effect of reducing sarcomere shortening on twitch contraction characteristics in mammalian (rat) fast and slow muscle fibres **511.P**, 155*P*, 1998
Lattice spacing changes in response to rapid stretch in skinned sartorius muscle fibres of *Rana temporaria* **511.P**, 156*P*, 1998
High time resolution meridional intensity changes from bundles of intact muscle fibres accompanying release–restretch cycling **511.P**, 157*P*, 1998
Changes in human tibialis anterior moment arm from rest to maximum isometric dorsiflexion **513.P**, 34*P*, 1998

Muscle damage

Effects of cold water immersion on the symptoms of exercise-induced muscle damage **506.P**, 116*P*, 1998
Exercise metabolism in human skeletal muscle exposed to prior eccentric exercise **509**, 305, 1998
A model of experimental damage to mouse skeletal muscle myotubes in culture **509.P**, 192*P*, 1998
Rat striated muscles damaged by isoprenaline **511.P**, 157*P*, 1998

Muscle fatigue
Quadriceps femoris strength and fatiguability in patients after recent brain injury **509.P**, 44*P*, 1998
Mechanisms underlying reduced maximum shortening velocity during fatigue of intact, single fibres of mouse muscle **510**, 269, 1998
Recovery of the biceps brachii following fatiguing contractions: an investigation using surface EMG **511.P**, 160*P*, 1998

Muscle fibre
Changes in human skeletal muscle architecture induced by disuse-atrophy **506.P**, 59*P*, 1998
Changes in the maximum speed of shortening of frog muscle fibres early in a tetanic contraction and during relaxation **507**, 511, 1998
Temperature-dependent changes in the viscoelasticity of intact resting mammalian (rat) fast- and slow-twitch muscle fibres **508**, 253, 1998
Slow *versus* fast muscle fibres differ in total RNA content: a study in single fibres **509.P**, 44*P*, 1998
Rapid cooling contractures in rat soleus muscle are sensitive to heparin **509.P**, 47*P*, 1998
Fast to slow transformation of denervated and electrically stimulated rat muscle **510**, 623, 1998
Post-exercise recovery of phosphocreatine in relation to myosin heavy chain isoform expression in human muscle type II fibres **511.P**, 10*P*, 1998
Lattice spacing changes in response to rapid stretch in skinned sartorius muscle fibres of *Rana temporaria* **511.P**, 156*P*, 1998
Rat striated muscles damaged by isoprenaline **511.P**, 157*P*, 1998

Muscle mechanics
Changes in the maximum speed of shortening of frog muscle fibres early in a tetanic contraction and during relaxation **507**, 511, 1998
Shortening-induced force depression in human adductor pollicis muscle **507**, 583, 1998
The effect of length on the relationship between tension and intracellular $[Ca^{2+}]$ in intact frog skeletal muscle fibres **508**, 179, 1998
A cross-bridge mechanism can explain the thixotropic short-range elastic component of relaxed frog skeletal muscle **510**, 941, 1998
Effect of reducing sarcomere shortening on twitch contraction characteristics in mammalian (rat) fast and slow muscle fibres **511.P**, 155*P*, 1998

Muscle spindle
Postural after-contractions in man attributed to muscle spindle thixotropy **506**, 875, 1998
Components of the current activated by stretch at the isolated muscle spindle of the frog **506.P**, 82*P*, 1998
Models of ensemble firing of muscle spindle afferents recorded during normal locomotion in cats **507**, 277, 1998
The relationship between force and transducer current in the isolated frog muscle spindle during very small stretches **509.P**, 50*P*, 1998
Signalling of static and dynamic features of muscle spindle input by cuneate neurones in the cat **510**, 923, 1998
Background and reflex activity of γ-motoneurones supplying caudal muscles in anaesthetized rats **511.P**, 64*P*, 1998
On the number of spindles in mammalian muscles **511.P**, 69*P*, 1998
Regulation of mechanoreceptor numbers in embryonic chick–quail chimeras **511.P**, 140*P*, 1998
New observations on coupling between group II muscle afferents and feline γ-motoneurones **512**, 507, 1998
Modulation of responses of feline γ-motoneurones by noradrenaline, tizanidine and clonidine **512**, 521, 1998
Dynamic response of human muscle spindle afferents to stretch during voluntary contraction **513**, 621, 1998
Muscle history, fusimotor activity and the human stretch reflex **513**, 927, 1998

Muscle strength
Hormone replacement therapy increases muscle strength **506**, 105 P, 1998
Comparison of muscle strength and balance in post-menopausal women between those on HRT and those who were oestrogen deplete **506.P**, 119*P*, 1998
Quadriceps femoris strength and fatiguability in patients after recent brain injury **509.P**, 44*P*, 1998

Myelin
The mathematics of the myelin sheath and its implications **506.P**, 152*P*, 1998
Progesterone is synthesized in the nervous system and promotes myelination **509.P**, 14*S*, 1998
Diffusion barriers evoked by cell swelling, astrogliosis and pathological states in the CNS **511.P**, 9*S*, 1998

Myenteric plexus
Intracellular recording from myenteric neurons of the guinea-pig ileum that respond to stretch **506**, 827, 1998
Extrinsic neural control of nitric oxide synthase expression in the myenteric plexus of rat jejunum **507**, 549, 1998

Myoblast
Role of an inward rectifier K^+ current and of hyperpolarization in human myoblast fusion **510**, 467, 1998
An *ether-à-go-go* K^+ current, $I_{h\text{-}eag}$, contributes to the hyperpolarization of human fusion-competent myoblasts **512**, 317, 1998

Myocardium
Pulse pressure-enhanced coronary flow in dogs: does it alter energetics or flow distribution, and is it modulated by contractility? **507.P**, 56*P*, 1998
Halocin H7 decreases infarct size and ectopic beats after myocardial reperfusion in dogs **509.P**, 148*P*, 1998
Up-regulation and alternative splicing of the IGF-1 gene in the rabbit heart following a brief pressure/volume overload **509.P**, 192*P*, 1998

Myocyte
Release of acetylcholine from embryonic myocytes in *Xenopus* cell cultures **509**, 497, 1998
Differential properties of Ca^{2+} stores and Ca^{2+}-dependent ionic conductances in conduit and resistance pulmonary arterial myocytes **509.P**, 115*P*, 1998
K^+ currents in rat pulmonary arteries and analysis of their mRNA expression **509.P**, 152*P*, 1998
Na^+–Ca^{2+} exchanger current measured in isolated rabbit ventricular myocytes compared using voltage ramp and step protocols **509.P**, 155*P*, 1998
Inhibition of the L-type Ca^{2+} channel by external nickel in guinea-pig ventricular myocytes dialysed with cAMP-free and cAMP-containing solutions **511.P**, 80*P*, 1998
Inhibition of Na^+–Ca^{2+} exchange by external nickel ions in guinea-pig ventricular myocytes at 37 °C, dialysed internally with cAMP-free and cAMP-containing solutions **511.P**, 81*P*, 1998
Efflux of amino acids from isolated rat cardiac myocytes **511.P**, 89*P*, 1998
Electrophysiological actions of endothelin-1 in rat renal arterial myocytes **513.P**, 118*P*, 1998
Mitochondrial calcium during the contractile cycle of isolated rat and guinea-pig cardiomyocytes **513.P**, 161*P*, 1998

Myometrium
Mg^{2+},ATP-dependent Ca^{2+} transport in endoplasmic reticulum of myometrial cells **506.P**, 68*P*, 1998
Oxytocin increases the sensitivity *in vitro* of the contractile apparatus to Ca^{2+} in human pregnant myometrium **506.P**, 144*P*, 1998
Inhibition by nimesulide of spontaneous contractions and the voltage-gated Ca^{2+} current in human myometrium **507.P**, 69*P*, 1998
Expression of corticotrophin releasing hormone receptor subtype 1 mRNA during labour in human myometrium measured by competitive PCR **507.P**, 70*P*, 1998
The human myometrial oxytocin receptor is down-regulated during labour **507.P**, 70*P*, 1998

Myosin
Clostridium difficile toxin B inhibits carbachol-induced force and myosin light chain phosphorylation in guinea-pig smooth muscle: role of Rho proteins **506**, 83, 1998
Time course of changes in the myosin heavy chain isoform content of the triceps brachii muscle during resistance training **506.P**, 120*P*, 1998
Age-dependent changes in myosin composition correlate with enhanced economy of contraction in guinea-pig hearts **507**, 497, 1998
Four novel myosin heavy chain transcripts define a molecular basis for muscle fibre types in *Rana pipiens* **508**, 667, 1998
Diaphragmatic loading and expression of genes corresponding to different isoforms of myosin in humans with airway obstruction **509.P**, 114*P*, 1998
Fast to slow transformation of denervated and electrically stimulated rat muscle **510**, 623, 1998
Fibre type-specific gene expression activated by chronic electrical stimulation of adult mouse skeletal muscle fibres in culture **512**, 337, 1998
Role of myosin heavy chain composition in kinetics of force development and relaxation in rat myocardium **513**, 171, 1998

***N*-methyl-D-aspartate**, see NMDA

Natriuresis
Lack of effect of probenecid on the natriuretic response to intravenous glibenclamide in the rat **507.P**, 40*P*, 1998

Natriuretic peptide
Altered regulation of natriuretic peptides in the rat heart by prenatal exposure to morphine **506**, 867, 1998
Interaction of platelet-activating factor, spleen and atrial natriuretic peptide in plasma volume regulation during endotoxaemia in rats **512**, 227, 1998

Nematode
FMRFamide-related neuropeptides in the nematode *Caenorhabditis elegans* **513.P**, 17*S*, 1998
The role of $G\alpha_o$ in the effects of 5-hydroxytryptamine and octopamine on pharyngeal action potentials of the nematode, *Caenorhabditis elegans* **513.P**, 106*P*, 1998
The action of barbiturates and benzodiazepines at the *Caenorhabditis elegans* glutamate-gated chloride channel **513.P**, 108*P*, 1998
The effect of classical transmitters on the pharyngeal musculature of the nematode roundworm *Ascaris suum* **513.P**, 109*P*, 1998
The effect of tamoxifen on the somatic muscle of the nematode *Ascaris suum* **513.P**, 109*P*, 1998

Neocortex
Pharmacological and kinetic properties of low-voltage-activated Ca^{2+} channels in rat sensorimotor cortex **506.P**, 77*P*, 1998
Difference in expression of low-voltage-operated Ca^{2+} channels in visual and sensorimotor rat cortical neurones during early postnatal development **506.P**, 77*P*, 1998
Anemone toxin (ATX II)-induced increase in persistent sodium current: effects on the firing properties of rat neocortical pyramidal neurones **507**, 105, 1998
Premature bifurcation of the apical dendritic trunk of vibrissa-responding pyramidal neurones of X-irradiated rat neocortex **512**, 543, 1998
Cholinergic activation and tonic excitation induce persistent gamma oscillations in mouse somatosensory cortex *in vitro* **513**, 117, 1998
Transmitter release modulation in nerve terminals of rat neocortical pyramidal cells by intracellular calcium buffers **513**, 135, 1998

Neonate
Repetitive hypoxia rapidly depresses arousal from active sleep in newborn lambs **510**, 651, 1998

Nerve
Phase resetting of the respiratory oscillator by carotid sinus nerve stimulation in cats **506**, 515, 1998
Neuroeffector transmission in arterioles of the guinea-pig choroid **510**, 209, 1998
Bladder motility and efferent nerve activity during isotonic and isovolumic recording in the cat **510**, 297, 1998
Encoding properties induced by a persistent voltage-gated muscarinic sodium current in rabbit sympathetic neurones **510**, 387, 1998
Distribution and effects of islet hormones on nerve-mediated amylase secretion and calcium mobilization in the pancreas of normal and diabetic rats **511.P**, 24*P*, 1998
Modification of activity-dependent increases of cerebral blood flow by excitatory synaptic activity and spikes in rat cerebellar cortex **512**, 555, 1998
Enhancement of spontaneous transmitter release at neonatal mouse neuromuscular junctions by the glial cell line-derived neurotrophic factor (GDNF) **512**, 635, 1998
Influence of pulse sequence, polarity and amplitude on magnetic stimulation of human and porcine peripheral nerve **513**, 571, 1998
Mode switching characterizes the activity of large conductance potassium channels recorded from rat cortical fused nerve terminals **513**, 733, 1998
Aortic chemoreceptors of the rat **513.P**, 85*P*, 1998

Nerve growth factor
Effect of nerve growth factor on gap junctional communication between embryonic rat dorsal root ganglion neurones **507.P**, 30*P*, 1998
Evidence for developmental changes in the role of nitric oxide (NO) in dorsal root ganglion (DRG) neurones in the rat **509.P**, 182*P*, 1998
Overexpression of nerve growth factor in the heart alters ion channel activity and β-adrenergic signalling in an adult transgenic mouse **512**, 779, 1998

Nerve injury
Leukemia inhibitory factor induces sympathetic sprouting in intact dorsal root ganglia in the adult rat *in vivo* **506**, 809, 1998
Electrophysiological characterization of spinal neuronal response properties in anaesthetized rats after ligation of spinal nerves L5–L6 **507**, 881, 1998
Different effects of neonatal nerve injury on motor activity patterns of postural and phasic muscles of the rat **511.P**, 38*S*, 1998
The development of conduction block in single human axons following a focal nerve injury **513**, 127, 1998

Neural network
Selective lesioning of the cat pre-Bötzinger complex *in vivo* eliminates breathing but not gasping **507**, 895, 1998

Neuroendocrinology
Properties and glial origin of osmotic-dependent release of taurine from the rat supraoptic nucleus **507**, 463, 1998
Experimental arthritis decreases IGF-I serum levels and increases serum IGFBPs in rats. Effect of cyclosporine treatment **509.P**, 97*P*, 1998

Neurohypophysis
ATP-evoked increases in $[Ca^{2+}]_i$ and peptide release from rat isolated neurohypophysial terminals via a P_{2X2} purinoceptor **511**, 89, 1998

Neurokinin
Tachykinins increase [^{3}H]acetylcholine release in mouse striatum through multiple receptor subtypes **513.P**, 24*P*, 1998

Neuromodulation
Hypoxic and metabolic factors controlling brainstem respiratory neurones **509.P**, 22*S*, 1998

Neuromuscular junction
Calcitonin gene-related peptide acts presynaptically to increase quantal size and output at frog neuromuscular junctions **507**, 689, 1998
Synapse elimination in organ cultures of Wld^s mouse skeletal muscle **507.P**, 30*P*, 1998
Lambert–Eaton syndrome antibodies inhibit acetylcholine release and P/Q-type Ca^{2+} channels in electric ray nerve endings **508**, 427, 1998
Evidence that mitochondria buffer physiological Ca^{2+} loads in lizard motor nerve terminals **509**, 59, 1998
Prejunctional effects of the nicotinic ACh receptor agonist dimethylphenylpiperazinium at the rat neuromuscular junction **511**, 451, 1998
Quantal content at neuromuscular junctions that lack postsynaptic folds **511.P**, 142*P*, 1998
Single channel currents at six microsecond resolution elicited by acetylcholine in mouse myoballs **512**, 181, 1998
Endogenous peptidergic modulation of perisynaptic Schwann cells at the frog neuromuscular junction **512**, 197, 1998
Enhancement of spontaneous transmitter release at neonatal mouse neuromuscular junctions by the glial cell line-derived neurotrophic factor (GDNF) **512**, 635, 1998

Neurone
Intracellular pH measurements in *Helix* neurones using 8-hydroxypyrene-1,3,6-trisulphonic acid (HPTS) **506.P**, 5*P*, 1998
Activation of group I metabotropic glutamate receptors elicits a sustained calcium signal in rat cortical neurones and glia maintained in culture **506.P**, 12*S*, 1998
Inorganic ion selectivity of the sustained calcium response following activation of metabotropic glutamate receptors in cultured rat cortical neurones and glia **506.P**, 147*P*, 1998
Transient and persistent sodium currents in rat thalamocortical neurones *in vitro* **506.P**, 150*P*, 1998
Localization of preganglionic vagal neurones in the brainstem of the anaesthetized tufted duck, *Aythya fuligula* **506.P**, 156*P*, 1998
A neuronal C5a receptor and an associated apoptotic signal transduction pathway **507**, 679, 1998
A re-evaluation of the role of Na^+–Ca^{2+} exchange in regulation of Ca^{2+} homeostasis in mammalian central neurons **509.P**, 56*P*, 1998
Properties of the hyperpolarization-activated cation current, I_h, in neonatal and adult rat intracardiac neurones *in vitro* **509.P**, 65*P*, 1998
The effect of diazepam on tetanically induced gamma oscillations in the rat hippocampal slice **509.P**, 67*P*, 1998
The InsP_3 receptor isoform of rat cerebellar Purkinje neurones **509.P**, 186*P*, 1998
Effect of chronic mitral valve damage on activity of pulmonary rapidly adapting receptors in the rabbit **511**, 79, 1998
Effects of EIPA (5-[*N*-ethyl-*N*-isopropyl]-amiloride) on intracellular pH regulation in snail neurones **511.P**, 42*P*, 1998
Intracellular calcium, caffeine and store refilling in snail neurones **511.P**, 42*P*, 1998

Sodium pump evokes high density pump currents in rat midbrain dopamine neurons **512**, 449, 1998
Reappearance of activity in the vestibular neurones of labyrinthectomized guinea-pigs is not delayed by cycloheximide **512**, 533, 1998
Efferent projection from the preoptic area for the control of non-shivering thermogenesis in rats **512**, 883, 1998
Influence of the hypothalamic paraventricular nucleus on cardiovascular neurones in the rostral ventrolateral medulla of the rat **513**, 521, 1998
Functional interaction between single glial cells and neurones **513.P**, 12*S*, 1998
Complex patterns of sodium channel gene expression and their functional consequences **513.P**, 20*S*, 1998
Inwardly rectifying K^+ current $I_{K(IR)}$ is present in juvenile but not in neonatal rat intracardiac ganglia neurones *in vitro* **513.P**, 22*P*, 1998
Structure–activity relationships of the *Helix* neuropeptide, SEPYLRFamide, and its four N-terminally modified analogues on identified *Helix lucorum* neurones **513.P**, 112*P*, 1998
L-type calcium channels exist in squid giant fibre lobe neurons **513.P**, 135*P*, 1998

Neuropeptide

The effects of ATP on intracellular Ca^{2+} and vasopressin release from isolated rat neurohypophysial terminals **506.P**, 66*P*, 1998
Neuropeptide Y effects on murine lymphocyte functions **509.P**, 73*P*, 1998
V_{1a}- and V_2-vasopressin receptor agonist-induced $[Ca^{2+}]_i$ responses in vasopressin-sensitive neurones of the rat supraoptic nucleus **509.P**, 86*P*, 1998
Activation of multiple intracellular transduction signals by vasopressin (AVP) in AVP-sensitive neurones of the rat supraoptic nucleus **509.P**, 86*P*, 1998
Involvement of the autonomic nervous system on the cardiovascular effects of galanin peptides **509.P**, 132*P*, 1998
Cholinergic and peptidergic responses of respiratory pattern generator and associated cells from *Lymnaea stagnalis* **513.P**, 107*P*, 1998
Structure–activity relationships of the *Helix* neuropeptide, SEPYLRFamide, and its four N-terminally modified analogues on identified *Helix lucorum* neurones **513.P**, 112*P*, 1998
Effects and co-localization of 5-HT and the tetrapeptide FMRFamide upon the contractile properties of the pharyngeal retractor muscle and the heart of the gastropod *Helix aspersa* **513.P**, 112*P*, 1998
Bombesin receptors inhibit G protein-coupled inwardly rectifying K^+ channels expressed in *Xenopus* oocytes through a PKC-dependent pathway **513.P**, 138*P*, 1998
FMRFamide-related peptides: their expression, their receptors and their role in mammals **513.P**, 16*S*, 1998
FMRFamide-related neuropeptides in the nematode *Caenorhabditis elegans* **513.P**, 17*S*, 1998

Neurosecretion

Properties of amperometric spikes studied by patch amperometry Monte Carlo simulation in rat chromaffin cells **509.P**, 60*P*, 1998
Separation and identification of two distinct inward currents activated by hyperpolarization in cockroach short-term cultured dorsal unpaired median neurones **513.P**, 103*P*, 1998
Neuritic localization of spontaneous action potentials triggering calcium spikes in isolated dorsal paired median neuron cell body from the cockroach **513.P**, 103*P*, 1998

Neurotensin

Neurotensin expression in the rat anterior pituitary during postnatal development of the rat: its relation to sex steroid hormone levels **509.P**, 93*P*, 1998

Neurotransmission

Slow synaptic potentials in rat sympathetic preganglionic neurones *in vitro* **506.P**, 146*P*, 1998
Bilateral GABA-mediated synaptic inputs to rat sympathetic preganglionic neurons *in vitro* **506.P**, 154*P*, 1998
Dynamics of exocytosis of rat chromaffin granules **509.P**, 71*P*, 1998

Neurotransmitter

Refilling of the rapidly releasable pool of vesicles in retinal bipolar cells **506.P**, 93*P*, 1998
Control of insulin secretion by noradrenaline and acetylcholine in islets from malnourished rats **509.P**, 72*P*, 1998
Apamin- and nitric oxide-sensitive biphasic non-adrenergic non-cholinergic inhibitory junction potentials in the rat anococcygeus muscle **513**, 835, 1998
Presynaptic inhibition of neurotransmitter release by ATP in rat parasympathetic ganglia **513.P**, 31*P*, 1998
The effect of classical transmitters on the pharyngeal musculature of the nematode roundworm *Ascaris suum* **513.P**, 109*P*, 1998

Neutrophil

Rates of glutamine and glucose utilization by quiescent and stimulated human neutrophils *in vitro* **506.P**, 121*P*, 1998
Involvement of tyrosine kinases, Ca^{2+} and PKC in activation of mitogen-activated protein (MAP) kinase in human polymorphonuclear neutrophils **513**, 359, 1998

Nickel

Inhibition of the L-type Ca^{2+} channel by external nickel in guinea-pig ventricular myocytes dialysed with cAMP-free and cAMP-containing solutions **511.P**, 80*P*, 1998
Inhibition of Na^+–Ca^{2+} exchange by external nickel ions in guinea-pig ventricular myocytes at 37 °C, dialysed internally with cAMP-free and cAMP-containing solutions **511.P**, 81*P*, 1998

Nicotine

Effect of nicotine transdermal patch on femoral artery wavespeed in healthy human subjects measured by MRI **506.P**, 16*P*, 1998

Nicotinic receptor

Functional contribution of the **α7** subunit to multiple subtypes of nicotinic receptors in embryonic chick sympathetic neurones **509**, 651, 1998
Functional contribution of the **α5** subunit to neuronal nicotinic channels expressed by chick sympathetic ganglion neurones **509**, 667, 1998
Two mutations linked to nocturnal frontal lobe epilepsy cause use-dependent potentiation of the nicotinic ACh response **513**, 655, 1998
Functional interactions between nicotinic and P2X channels in short-term cultures of guinea-pig submucosal neurons **513**, 671, 1998
Non-additive interaction between nicotinic cholinergic and P2X purine receptors in guinea-pig enteric neurons in culture **513**, 685, 1998
The effect of tamoxifen on the somatic muscle of the nematode *Ascaris suum* **513.P**, 109*P*, 1998

Nitric oxide

Elevated D-glucose induces insulin insensitivity in human umbilical endothelial cells isolated from gestational diabetic pregnancies **506**, 219, 1998
Modulation of guinea-pig cardiac L-type calcium current by nitric oxide synthase inhibitors **506**, 639, 1998
Role of the NO–cGMP pathway in the muscarinic regulation of the L-type Ca^{2+} current in human atrial myocytes **506**, 653, 1998
Nitric oxide mediates contraction-induced attenuation of sympathetic vasoconstriction in rat skeletal muscle **506**, 817, 1998
Cardiovascular actions of nitric oxide synthase inhibition in the portal hypertensive rat **506.P**, 27*P*, 1998
Dihydropyridines reduce the efflux of LDL from the vasculature of the mouse mesentery through nitric oxide effects **506.P**, 27*P*, 1998
Influence of nitric oxide on the uptake of low-density lipoprotein into human endothelial cells *in vitro* **506.P**, 28*P*, 1998
Role of p38 mitogen-activated kinase in induction of nitric oxide synthase in smooth muscle cells **506.P**, 29*P*, 1998
β-Adrenoceptor-mediated vasorelaxation is largely mediated through the L-arginine/nitric oxide system in human umbilical vein **506.P**, 30*P*, 1998
β-Adrenoceptor stimulation activates the L-arginine/nitric oxide synthase system in human umbilical vein endothelial cells **506.P**, 31*P*, 1998
Inhibition of vasodilator responses to acetylcholine by N^G-monomethyl-L-arginine in human forearm vasculature depends strongly on acetylcholine dose **506.P**, 32*P*, 1998
Involvement of protein tyrosine kinases in stimulation by adenosine of the L-arginine–nitric oxide signalling pathway in human umbilical vein endothelial cells **506.P**, 32*P*, 1998
Nitric oxide and carbon monoxide-induced smooth muscle relaxation is enhanced by hydrogen peroxide in the rabbit lower urinary tract **507.P**, 23*P*, 1998
Nitric oxide synthase (eNOS) is localized to the vascular endothelium of myometrium from pregnant women at term **507.P**, 69*P*, 1998
Responses to nitric oxide and cyclic nucleotides in isolated human detrusor smooth muscle **507.P**, 74*P*, 1998
Central role of heterocellular gap junctional communication in endothelium-dependent relaxations of rabbit arteries **508**, 561, 1998
Dissociation between electrical and mechanical responses to nitrergic stimulation in the canine gastric fundus **509**, 437, 1998

Effect of nitric oxide on single skeletal muscle fibres from the mouse **509**, 577, 1998
Imaging cGMP in cerebellar Purkinje cells **509.P**, 60*P*, 1998
Nitric oxide inhibits predominantly low-voltage-activated calcium currents in mouse primary sensory neurones **509.P**, 62*P*, 1998
Reduction in endothelial cell energy resources and monolayer integrity by nitric oxide in an *in vitro* model blood–brain barrier **509.P**, 74*P*, 1998
Nitric oxide dynamics during penile erection. Effects of androgens **509.P**, 91*P*, 1998
Effect of sodium nitroprusside and 8-bromo-cyclic GMP on the sympathetic control of heart rate and contraction in the isolated guinea-pig atria **509.P**, 120*P*, 1998
Nitric oxide donors enhance the heart rate response to vagal nerve stimulation in the anaesthetized rabbit and isolated guinea-pig atria preparation **509.P**, 121*P*, 1998
Nitric oxide inhibits the cardioaccelerator rate response to sympathetic stimulation in the anaesthetized ferret **509.P**, 122*P*, 1998
Inhibitory serotonergic influence on neurones in the dorsolateral periaqueductal grey matter in rats involves nitric oxide **509.P**, 160*P*, 1998
Evidence for developmental changes in the role of nitric oxide (NO) in dorsal root ganglion (DRG) neurones in the rat **509.P**, 182*P*, 1998
Neuroeffector transmission in arterioles of the guinea-pig choroid **510**, 209, 1998
Altered respiratory responses to hypoxia in mutant mice deficient in neuronal nitric oxide synthase **511**, 273, 1998
Cyclic GMP-dependent but G-kinase-independent inhibition of Ca^{2+}-dependent Cl^- currents by NO donors in cat tracheal smooth muscle **511**, 719, 1998
The responses of the digital artery of the fallow deer, *Dama dama*, in a mild winter **511.P**, 2*P*, 1998
Nitrergic nervous control of amylase secretion and calcium mobilization in the isolated rat pancreas **511.P**, 24*P*, 1998
Methylene Blue inhibits oestrogen-induced anterior pituitary growth: role of NO synthase and the dopaminergic systems **511.P**, 50*P*, 1998
Chronic hypercapnia inhibits hypoxic pulmonary vasoconstriction by a NO-independent mechanism in chronically hypoxic rats **511.P**, 109*P*, 1998
Involvement of nitric oxide (NO) in the excitatory vagal afferent input to nucleus tractus solitarii (NTS) neurones in anaesthetized rats **511.P**, 112*P*, 1998
Relationship between cerebral microvessels, pyramidal layer neurones and a nitric oxide synthase-containing nerve network in rat hippocampus: a morphological basis for flow-metabolism coupling in the brain? **511.P**, 115*P*, 1998
Nitric oxide contributes to glutamate-induced mitochondrial dysfunction in rat hippocampal neurons in culture **511.P**, 122*P*, 1998
Changes in the density of NADPH-d containing neurones in the hippocampus of cocaine-kindled rats **511.P**, 127*P*, 1998
Muscarinic regulation of the heart: NO news is bad news **511.P**, 2*S*, 1998
Nitric oxide modulates cholinergic reflex pathways to the longitudinal and circular muscle in the isolated guinea-pig distal colon **512**, 893, 1998
Layer-specific NO dependence of long-term potentiation and biased NO release in layer V in the rat auditory cortex **513**, 71, 1998
Interleukin-18 induces nitric oxide production in primary rat astrocyte cells **513.P**, 15*P*, 1998
Leptin induces nitric oxide production from rat astrocyte primary cultures **513.P**, 21*P*, 1998
Impaired vascular response to nitric oxide in rats with genetically determined diabetes mellitus **513.P**, 45*P*, 1998
Nitric oxide and vago-sympathetic interactions on the heart rate of the anaesthetized ferret **513.P**, 80*P*, 1998
Dependence of β-adrenoceptor-mediated vasorelaxation on exogenous L-arginine in isolated pulmonary arteries of the rat **513.P**, 91*P*, 1998
Possible nitrergic modulation of cholinergic responses in *Achatina fulica* heart **513.P**, 108*P*, 1998
Relationship between nitric oxide, cyclic GMP and vasodilatation in human skin *in vivo* **513.P**, 153*P*, 1998
Estimation of NO production in endothelial cells using a real-time fluorometric technique **513.P**, 155*P*, 1998
Hydrogen sulphide, nitric oxide and platelet function **513.P**, 155*P*, 1998

Nitric oxide synthase

Differences in the L-arginine supply of NO synthases in cultured macrophages and endothelial cell lines **506.P**, 29*P*, 1998
Extrinsic neural control of nitric oxide synthase expression in the myenteric plexus of rat jejunum **507**, 549, 1998
Immunolocalization of inducible nitric oxide synthase (iNOS) and its effects on pulmonary vasoreactivity following chronic *Pseudomonas aeruginosa* infection in the rat **511.P**, 110*P*, 1998
Stealth ryanodine-sensitive Ca^{2+} release contributes to activity of capacitative Ca^{2+} entry and nitric oxide synthase in bovine endothelial cells **513**, 369, 1998

Nitrous oxide

The carotid–cardiac baroreflex in man operates with unaffected mode in the mild to moderate narcotic situation as experienced with 39% nitrous oxide (N_2O) **511.P**, 117*P*, 1998

NMDA

Potentiation of neuronal and recombinant NMDA receptors by activation of the thrombin receptor (PAR1) in *Xenopus* oocytes and rat hippocampal slices **507.P**, 26*P*, 1998
Identification of NMDA channel subtypes in cerebellar Golgi cells of the rat **507.P**, 27*P*, 1998
Coupling of sympathetic and somatic motor outflows from the spinal cord in a perfused preparation of adult mouse *in vitro* **508**, 907, 1998
Differential roles for NMDA and non-NMDA receptor subtypes in baroreceptor afferent integration in the nucleus of the solitary tract of the rat **511**, 733, 1998
Single-channel properties of NMDA receptors of interneurones in the stratum oriens sub-field of the CA1 region in slices of rat hippocampus **511.P**, 18*P*, 1998
Properties of glutamate receptor ion channels underlying EPSC on rat spinal cord motoneurones **511.P**, 18*S*, 1998
Glutamate receptor development and single-channel properties in rat spinal cord motoneurones **511.P**, 35*S*, 1998
Multiple sites of action of neomycin, Mg^{2+} and spermine on the NMDA receptors of rat hippocampal CA1 pyramidal neurones **512**, 29, 1998
Interaction of memantine and amantadine with agonist-unbound NMDA-receptor channels in acutely isolated rat hippocampal neurons **512**, 47, 1998
Membrane potential oscillations in semi-isolated spinal neurones of *Xenopus* embryos **513.P**, 100*P*, 1998

NMDA receptor

Adjacent asparagines in the NR2-subunit of the NMDA receptor channel control the voltage-dependent block by extracellular Mg^{2+} **506**, 13, 1998
Intracellular Mg^{2+} interacts with structural determinants of the narrow constriction contributed by the NR1-subunit in the NMDA receptor channel **506**, 33, 1998
NMDA receptor NR2 subunits contain amino acids involved in glutamate binding **506.P**, 76*P*, 1998
Single-channel recordings of rat recombinant NR1/NR2A NMDA receptors which carry a point mutation at a putative glutamate binding residue **506.P**, 147*P*, 1998
Internal Mg^{2+} block of recombinant NMDA channels mutated within the selectivity filter and expressed in *Xenopus* oocytes **507**, 1, 1998
Increased contribution of NR2A subunit to synaptic NMDA receptors in developing rat cortical neurons **507**, 13, 1998
Regulation of kinetic and pharmacological properties of synaptic NMDA receptors depends on presynaptic exocytosis in rat hippocampal neurones **508**, 495, 1998
Synaptic potentials in respiratory neurones during evoked phase switching after NMDA receptor blockade in the cat **508**, 549, 1998
Bilaterally evoked monosynaptic EPSPs, NMDA receptors and potentiation in rat sympathetic preganglionic neurones *in vitro* **509**, 195, 1998
Two functionally distinct families of native NMDA receptors **509.P**, 2*S*, 1998
Ca^{2+} transients in dendritic spines of layer 5 neocortical pyramidal neurons evoked by APs and EPSPs **509.P**, 55*P*, 1998
Modulation by protein kinases and phosphatases of currents from cloned mouse and rat NMDA receptors expressed in *Xenopus* oocytes **509.P**, 190*P*, 1998
The cerebellum as a model system for examining functional properties of native NMDA channel subtypes **511.P**, 17*S*, 1998
Inhibition of the phosphatase 2B: calcineurin does not influence the single-channel properties of NMDA receptors in outside-out patches from granule cells in slices of rat hippocampus **511.P**, 128*P*, 1998
Direct interaction between soluble forms of tubulin and the NMDA receptor channel complex **511.P**, 134*P*, 1998
An allosteric interaction between the NMDA receptor polyamine and ifenprodil sites in rat cultured cortical neurones **512**, 17, 1998

Opposite modulation of NMDA receptors by lysophospholipids and arachidonic acid: common features with mechanosensitivity **513**, 317, 1998
Expression of NMDA R1 receptor subunit mRNA during development **513.P**, 18*P*, 1998

Nociception
Supraspinal inhibition of nociceptive dorsal horn neurones in the anaesthetized rat: tonic or dynamic? **506**, 459, 1998
Inhibitory control of plateau properties in dorsal horn neurones in the turtle spinal cord *in vitro* **506**, 795, 1998
Electrophysiological characterization of spinal neuronal response properties in anaesthetized rats after ligation of spinal nerves L5–L6 **507**, 881, 1998
Role of 5-HT_3 receptors in activation of abdominal sympathetic C fibre afferents during ischaemia in cats **509**, 729, 1998
Adenosine excites nociceptive afferents of the rat knee joint via adenosine A_1 receptors **509.P**, 162*P*, 1998
The activation of descending inhibition of multireceptive dorsal horn cells in the rat **509.P**, 164*P*, 1998
Do nociceptive reflexes of the foot follow a general flexor reflex or a withdrawal pattern in humans? **509.P**, 172*P*, 1998
Endogenous bradykinin activates ischaemically sensitive cardiac visceral afferents through kinin B_2 receptors in cats **510**, 633, 1998
The novel anticonvulsant remacemide and its metabolite AR-R12495AA reduce carrageenan-induced mechanical hyperalgesia and oedema in the rat **511.P**, 56*P*, 1998
Extracellular potassium resting level in thalamic nuclei and tail-flick latency after deafferentation in rats **511.P**, 57*P*, 1998
The effects of algogens on membrane currents induced by noxious heat in sensory neurones from newborn rats **511.P**, 125*P*, 1998
Tetrodotoxin-resistant impulses in single nociceptor nerve terminals in guinea-pig cornea **512**, 211, 1998
Association of somatic action potential shape with sensory receptive properties in guinea-pig dorsal root ganglion neurones **513**, 857, 1998
Vanilloid receptor antagonists do not block heat responses of rat primary dorsal root ganglion neurones in culture **513.P**, 133*P*, 1998

Non-adrenergic non-cholinergic (NANC) relaxation
Extrinsic neural control of nitric oxide synthase expression in the myenteric plexus of rat jejunum **507**, 549, 1998

Noradrenaline
The effect of $[Ca^{2+}]_o$ on the properties of the noradrenaline-activated non-selective cation current (I_{cat}) in rabbit portal vein smooth muscle cells **506.P**, 45*P*, 1998
Interruption of central noradrenergic pathways and morphine withdrawal excitation of oxytocin neurones in the rat **507**, 831, 1998
α-Adrenergic effects on Na^+–K^+ pump current in guinea-pig ventricular myocytes **509**, 117, 1998
Differential effects of noradrenaline on evoked, spontaneous and miniature IPSCs in rat cerebellar stellate cells **509**, 233, 1998
Activation of α- and β-adrenoceptors by sympathetic nerve stimulation in the large intestine of the rat **510**, 549, 1998
Mechanisms of Ca^{2+} sensitization of force production by noradrenaline in rat mesenteric small arteries **510**, 577, 1998
The action of adrenergic compounds on synchronization of the evoked release of quanta in frog endplate **511.P**, 142*P*, 1998
α-Adrenergic stimulation of cytosolic Ca^{2+} oscillations and exocytosis in identified rat corticotrophs **512**, 385, 1998
Effects of noradrenaline on intracellular pH in acutely dissociated adult rat hippocampal CA1 neurones **512**, 487, 1998
Facilitatory effect of Ca^{2+} on the noradrenaline-evoked cation current in rabbit portal vein smooth muscle cells **512**, 731, 1998
Vasorelaxation response to noradrenaline in isolated femoral arteries of rat pups **513.P**, 157*P*, 1998

Nose
The effect of overnight nasal anaesthesia with cocaine and adrenaline on lung volume **506.P**, 98*P*, 1998

Nuclear magnetic resonance
Energy metabolism of the gastrocnemius and soleus muscles during isometric voluntary and electrically induced contractions in man **507**, 593, 1998

Nucleotide
Defective nucleoside triphosphate synthesis in plasma membranes derived from the tracheal epithelium of CFTR null (−/−) mice **509.P**, 81*P*, 1998
Regulation of calcium-dependent chloride secretion by CFTR in murine intestine **511.P**, 32*P*, 1998

Nucleus tractus solitarii
Interactions between chemosensory inputs in the nucleus tractus solitarii **509.P**, 23*S*, 1998
Immunohistochemical study of glycine and GABA transporters in rat nucleus tractus solitarii **509.P**, 126*P*, 1998
Effects of angiotensin II on neurones in nucleus of the solitary tract (NTS) of the developing rat *in vitro* **509.P**, 128*P*, 1998
Vagal-evoked excitation of a sub-population of neurones in the nucleus of the solitary tract (NTS) involves 5-HT_3 receptors in the anaesthetized rat **509.P**, 129*P*, 1998
Differential roles for NMDA and non-NMDA receptor subtypes in baroreceptor afferent integration in the nucleus of the solitary tract of the rat **511**, 733, 1998
Vagally evoked synaptic currents in the immature rat nucleus tractus solitarii in an intact *in vitro* preparation **512**, 149, 1998
Presynaptic NK_2 receptors increase the frequency of spontaneous glutamate-mediated excitatory events in rat nucleus tractus solitarii neurones *in vitro* **513.P**, 17*P*, 1998
Activation of 5-HT_{1B} and 5-HT_{1D} receptors modulates the excitatory vagal afferent input to nucleus tractus solitarius (NTS) neurones in anaesthetized rats **513.P**, 78*P*, 1998
Morphology of neurones in the nucleus tractus solitarii (NTS) in the working heart–brainstem preparation (WHBP) of the rat receiving afferent input from baroreceptors **513.P**, 83*P*, 1998

Nutrition
The effect of insulin on muscle creatine accumulation in man **506.P**, 103*P*, 1998
The influence of low glycogen availability and cold stress on the physiological responses to prolonged intermittent walking exercise in man **506.P**, 104*P*, 1998
Effect of maternal diet on embryonic development and fetal programming **513.P**, 88*P*, 1998
Isolated systemic resistance vessel function in hypertensive male rat offspring of mildly nutritionally restricted dams **513.P**, 118*P*, 1998

Obesity
Effect of saline volume expansion (VE) on renal nerve activity (RNA) in anaesthetized lean and obese Zucker rats **507.P**, 42*P*, 1998
Impaired β-adrenergically mediated thermogenic and lipolytic responses in obesity **511.P**, 3*P*, 1998
Renal responses to saline volume expansion in anaesthetized high-fat-fed Wistar rats **513.P**, 41*P*, 1998

Octopus
Mapping of evoked field potentials from a brain slice preparation of the octopus optic lobe **513.P**, 101*P*, 1998
Effects of acetylcholine on L-type calcium currents in dissociated statocyst sensory hair cells of octopus, *Eledone cirrhosa* **513.P**, 111*P*, 1998

Oesophagus
An *in vitro* study of the properties of vagal afferent fibres innervating the ferret oesophagus and stomach **512**, 907, 1998

Oestrogen
Comparison of muscle strength and balance in post-menopausal women between those on HRT and those who were oestrogen deplete **506.P**, 119*P*, 1998
Non-genomic inhibition of human $P2X_7$ purinoceptor by 17β-oestradiol **508**, 659, 1998
Interactions between oestrogen receptors and thyroid hormone receptors as nuclear proteins in hypothalamic neurons **509.P**, 14*S*, 1998
Oestrogen modulation of adrenergic transmission. A model for cross-talk between neurotransmitter and hormone-activated receptors **509.P**, 16*S*, 1998
Effects of oestradiol-17β on the firing characteristics of presumed 5-hydroxytryptamine (5-HT) neurones in rat dorsal raphe nucleus **509.P**, 91*P*, 1998
Rapid non-genomic effects of oestrogen on hypothalamic neurosecretory cells **509.P**, 92*P*, 1998
Effects of the anti-oestrogen LY117018-HCl on the female rat reproductive system. A tool to investigate oestrogen-dependent phenomena in the whole animal **509.P**, 92*P*, 1998
GnRH content in an immortalized cell line derived from the mouse septal region **509.P**, 98*P*, 1998
Oestrogen deficiency impairs intestinal calcium absorption in the rat **511**, 313, 1998
17β-Oestradiol stimulates whole-cell potassium currents in T84 cells **511.P**, 30*P*, 1998

Rapid non-genomic effects of 17β-oestradiol on cAMP-dependent protein kinase activity in rat distal colon **511.P**, 32*P*, 1998
Mechanisms of oestrogen-induced vasodilatation in isolated rat small arteries **511.P**, 171*P*, 1998

Oestrous cycle

μ-Opioid receptor changes in the rat brain during the oestrous cycle **509.P**, 94*P*, 1998

Olfaction

Adaptation of odour-induced responses in frog olfactory receptor cells **506.P**, 83*P*, 1998

Oligodendrocyte

Differential effects of high and low doses of fibroblast growth factor-2 (FGF-2) on oligodendrocytes in the rat **513.P**, 69*P*, 1998

Oocyte

Mutation of the putative nucleotide-binding site of pI_{Cln} does not alter the nucleotide sensitivity and Ca^{2+} dependence of the chloride current I_{Cln} after expression in *Xenopus* oocytes **506.P**, 47*P*, 1998
The Na^+–phosphate cotransport system (NaP_i-II) with a cleaved protein backbone: implications on function and membrane insertion **508**, 341, 1998
A mutation in the pore region of HERG K^+ channels expressed in *Xenopus* oocytes reduces rectification by shifting the voltage dependence of inactivation **509**, 129, 1998
Modulation by protein kinases and phosphatases of currents from cloned mouse and rat NMDA receptors expressed in *Xenopus* oocytes **509.P**, 190*P*, 1998
Properties of the neutral amino acid transporter ASCT1 expressed in *Xenopus laevis* oocytes **509.P**, 202*P*, 1998
Hemispheric asymmetry of macroscopic and elementary calcium signals mediated by $InsP_3$ in *Xenopus* oocytes **511**, 395, 1998
Cloning and expression of a Kv4.2 K^+ channel from the rabbit sinoatrial node **511.P**, 149*P*, 1998

Opioid receptor

Endomorphins inhibit high-threshold Ca^{2+} channel currents in rodent NG108-15 cells overexpressing μ-opioid receptors **507**, 71, 1998
Glycine and $GABA_A$ receptor-mediated synaptic transmission in rat substantia gelatinosa: inhibition by μ-opioid and $GABA_B$ agonists **507**, 473, 1998
Modulation of Ca^{2+} channel currents of acutely dissociated rat periaqueductal grey neurons **509**, 47, 1998
μ-Opioid receptor changes in the rat brain during the oestrous cycle **509.P**, 94*P*, 1998
Protein kinase C mediates the actions of κ-opioid receptor stimulation in rat cardiac ventricular myocytes *in vitro* **509.P**, 143*P*, 1998
The effects of kelatorphan, an enkephalinase inhibitor, on tonic and stimulus-evoked opioid-mediated inhibition of a spinal reflex in the decerebrated and spinalized rabbit **509.P**, 165*P*, 1998
A leu-enkephalin depresses transmission from muscle and skin non-nociceptors to first-order feline spinal neurones **510**, 513, 1998
μ-Opioid receptor activation inhibits N- and P-type Ca^{2+} channel currents in magnocellular neurones of the rat supraoptic nucleus **513**, 787, 1998
The involvement of OP_1 (δ) and OP_3 (μ) opioid receptors in stimulus-evoked, opioid-mediated inhibition of a spinal reflex in the decerebrated and spinalized rabbit **513.P**, 33*P*, 1998

Optic nerve

Axon–glial signalling in isolated optic nerves from developing rats **513.P**, 10*S*, 1998

Orientation

Bimodal orientation and motion sensitivity in striate cortical neurons of anaesthetized cat **509.P**, 58*P*, 1998

Osmolarity

The action of hyposmolar solutions on intracelluar $[Ca^{2+}]$ in guinea-pig detrusor smooth muscle myocytes **513.P**, 97*P*, 1998

Osmosis

Properties and glial origin of osmotic-dependent release of taurine from the rat supraoptic nucleus **507**, 463, 1998

Ovariectomy

Oestrogen deficiency impairs intestinal calcium absorption in the rat **511**, 313, 1998

Oxidative stress

Near-visible ultraviolet light induces a novel ubiquitous calcium-permeable cation current in mammalian cell lines **507**, 365, 1998
Effect of hydrogen peroxide and dithiothreitol on contractile function of single skeletal muscle fibres from the mouse **509**, 565, 1998

Oxygen

Oxygen-dependent K^+ fluxes in sheep red cells **506**, 679, 1998
Simultaneous determination of intramuscular high-energy phosphate and pulmonary oxygen uptake kinetics for quadriceps exercise during whole-body ^{31}P-NMR spectroscopy **506.P**, 97*P*, 1998
Detection of the change point in V_{CO_2} during an incremental exercise test in humans: relationship to the lactate threshold and blood acid–base status **506.P**, 99*P*, 1998
The influence of anaerobic capacity on maximum oxygen uptake and power output during ramp tests to exhaustion **506.P**, 100*P*, 1998
Exercise-induced arterial hypoxaemia in healthy young women **507**, 619, 1998
Regulation of ion channels by O_2 tension **509.P**, 3*S*, 1998
Hyperoxia does not accelerate oxygen uptake kinetics during the on-transient of moderate intensity exercise in older humans **509.P**, 118*P*, 1998
Increased generation of reactive oxygen species in non-insulin-dependent diabetes mellitus **509.P**, 196*P*, 1998
Differential oxygen sensitivity of the K^+–Cl^- cotransporter in normal and sickle human red blood cells **511**, 225, 1998
Oxygen uptake–power output relationship during incremental exercise tests in humans **511.P**, 8*P*, 1998
Effect of muscle fibre type and cardiorespiratory fitness on the oxygen uptake/work rate slope during incremental exercise in humans **511.P**, 9*P*, 1998
Effects of exercise intensity on the parameters of $\dot{V}_{O_2}$ kinetics in humans **511.P**, 12*P*, 1998
Chronic moderate hyperoxia does not result in pulmonary hypertension in rats **511.P**, 117*P*, 1998
Inhibition by hypoxia of oxygen-sensitive K^+ channels in a neuroepithelial body-derived cell line causes depolarization **511.P**, 146*P*, 1998
Anoxia differentially modulates multiple K^+ currents and depolarizes neonatal rat adrenal chromaffin cells **512**, 421, 1998
O_2-dependent KCl cotransport in $[Mg^{2+}]_i$-clamped equine red cells **513.P**, 58*P*, 1998

Oxygen consumption

Mitochondrial oxidative function in human saponin-skinned muscle fibres: effects of prolonged exercise **510**, 279, 1998
Metabolic effects of increasing the perfusion flow rate in rat isolated skeletal muscle **511.P**, 158*P*, 1998
Muscle blood flow is reduced with dehydration during prolonged exercise in humans **513**, 895, 1998

Oxytocin

Does the effect of oxytocin on glomerular filtration rate in the conscious rat change during pregnancy and lactation? **506.P**, 143*P*, 1998
Neurohypophysial function following cardiothoracic surgery in man **507.P**, 58*P*, 1998
The human myometrial oxytocin receptor is down-regulated during labour **507.P**, 70*P*, 1998
Caesium blocks depolarizing after-potentials and phasic firing in rat supraoptic neurones **510**, 165, 1998
Density of transient K^+ current influences excitability in acutely isolated vasopressin and oxytocin neurones of rat hypothalamus **511**, 423, 1998
Pinealectomy affects the day/night variation in the firing of vasopressin and oxytocin cells in the rat **511.P**, 48*P*, 1998

Pacemaker

Characterization of A-type potassium channels in identified mouse dopaminergic substantia nigra neurons *in vitro* **507.P**, 28*P*, 1998
Intracellular calcium and Na^+–Ca^{2+} exchange current in isolated toad pacemaker cells **508**, 153, 1998
Endogenous pacemaker activity of rat tumour somatotrophs **508**, 883, 1998
Blockade of synaptic inhibition within the pre-Bötzinger complex in the cat suppresses respiratory rhythm generation *in vivo* **509**, 245, 1998
Control of motility patterns in the human colonic circular muscle layer by pacemaker activity **510**, 309, 1998

Pain

Noxious heat-activated currents in rat dorsal root ganglion neurons **506.P**, 153*P*, 1998
A CB2 cannabinoid receptor agonist attenuates the viscero-visceral hyper-reflexia associated with a rat model of persistent visceral pain **507.P**, 18*P*, 1998
Mechanical hyperalgesia is referred to the hind limb following inflammation of the urinary bladder in the rat **507.P**, 18*P*, 1998

Noxious heat-activated microscopic currents in rat dorsal root ganglion neurones **507.P**, 29*P*, 1998
Chronic stress by food restriction attenuates symptoms of adjuvant arthritis in rats **511.P**, 54*P*, 1998
Nucleus reticularis gigantocellularis pars alpha-mediated descending inhibition of multireceptive dorsal horn cells: pre- or postsynaptic in the rat? **511.P**, 55*P*, 1998
Sensory neuron voltage-gated sodium channels and nociception **513.P**, 20*S*, 1998

Paired pulse
Facilitating pyramid to horizontal oriens–alveus interneurone inputs: dual intracellular recordings in slices of rat hippocampus **507**, 185, 1998

Pancreas
Modulation of calcium signals by intracellular pH in isolated rat pancreatic acinar cells **506**, 415, 1998
Influence of cytosolic pH on Ca^{2+} wave propagation in isolated mouse pancreatic acinar cells **506.P**, 126*P*, 1998
Differential involvement of the small GTP-binding protein Rho in amylase secretion evoked by the occupation of CCK_A and M_3 muscarinic receptors in rat pancreatic acinar cells **506.P**, 127*P*, 1998
Interaction between bFGF and CCK-8 on amylase release and calcium mobilization in rat pancreatic acinar cells **506.P**, 127*P*, 1998
Pancreatic polypeptide and peptide YY responses to liquid formulas containing dietary fats of different degrees of unsaturation (olive and sunflower oil) in humans **506.P**, 128*P*, 1998
Cholecystokinin (CCK) causes tyrosine phosphorylation of PYK2/CAKβ in pancreatic acinar cells by both calcium-dependent and -independent pathways **509.P**, 11*P*, 1998
Role of proton gradients and a vacuolar proton pump in the refilling of intracellular calcium pools in pancreatic acinar cells **509.P**, 12*P*, 1998
Pancreatic enzyme content in hypercholesterolaemic rabbits: the influence of recovery diets that differ in the type of dietary fat **509.P**, 14*P*, 1998
Changes in physiological function, body composition and psychology following operations for pancreatic or hepatic diseases **509.P**, 17*P*, 1998
Changes in physiological function, body composition, and psychological state in patients with predicted severe acute pancreatitis **509.P**, 18*P*, 1998
Lanthanum and PK-C modulate capacitative Ca^{2+} entry in mouse pancreatic acinar cells **509.P**, 18*P*, 1998
Effect of ethanol on exocrine pancreatic function in newborn rats at 21 days postpartum **509.P**, 22*P*, 1998
Mitochondria surround the secretory granule region in mouse pancreatic acinar cells, and accumulate Ca^{2+} released during local spiking events **509.P**, 104*P*, 1998
Intracellular glucose controls a switch between cyclic ADPribose and inositol trisphosphate pathways involved in cholecystokinin-evoked cytosolic Ca^{2+} spiking in mouse pancreatic acinar cells **509.P**, 104*P*, 1998
Detection of submembrane cytosolic Ca^{2+} gradients by the laser spot confocal technique in pancreatic islet cells stimulated by nutrient secretagogues **509.P**, 105*P*, 1998
Competitive effects of alien intracellular calcium chelators with the receptor molecule that triggers insulin release **509.P**, 202*P*, 1998
Control of pulsatile 5-HT/insulin secretion from single mouse pancreatic islets by intracellular calcium dynamics **510**, 135, 1998
Nitrergic nervous control of amylase secretion and calcium mobilization in the isolated rat pancreas **511.P**, 24*P*, 1998
Distribution and effects of islet hormones on nerve-mediated amylase secretion and calcium mobilization in the pancreas of normal and diabetic rats **511.P**, 24*P*, 1998
Characterization of cell volume-sensitive chloride currents in freshly prepared and cultured pancreatic acinar cells from early postnatal rats **513**, 453, 1998
Identification of an extracellular calcium-sensing receptor in rat pancreatic acinar cells **513.P**, 50*P*, 1998

Pancreatic acinar cell
Combined patch clamp and confocal microscopy studies of the loading and distribution of fluorescent forms of calmodulin in the cytoplasm of mouse pancreatic acinar cells **509.P**, 3*P*, 1998
Two types of exocytosis observed in single, rat pancreatic acinar cells **509.P**, 10*P*, 1998
Vanadate increases cytosolic calcium from thapsigargin-sensitive intracellular stores in rat pancreatic acinar cells **509.P**, 19*P*, 1998
The thiol reagent phenylarsine oxide (PAO) evokes intracellular Ca^{2+} increases in rat pancreatic acinar cells **509.P**, 20*P*, 1998

Pancreatic β-cell
Modulation of reconstituted ATP-sensitive K^+ channels by GTP-binding proteins in a mammalian cell line **507**, 315, 1998
Origin of slow and fast oscillations of Ca^{2+} in mouse pancreatic islets **508**, 471, 1998
Characterization of a Ca^{2+}-activated K^+ current in insulin-secreting murine βTC-3 cells **509**, 355, 1998
Methylglyoxal causes swelling and induces inward currents in rat pancreatic β-cells **509.P**, 34*P*, 1998
Regulation of isolated pancreatic β-cell signalling system by 17β-oestradiol **509.P**, 90*P*, 1998
Properties of voltage-dependent K^+ currents in isolated human pancreatic β-cells following loss of K_{ATP} channel function **509.P**, 189*P*, 1998
Fatty acids induce the immediate-early response genes *c-fos* and *nur-77* in the pancreatic β-cell line INS-1 **509.P**, 197*P*, 1998
ATP dependence of the volume-sensitive anion channel in rat pancreatic β-cells **511.P**, 22*P*, 1998

Pancreatic duct
Measurement of secretory rate in isolated pancreatic duct segments by digital videomicroscopy **509.P**, 3*P*, 1998
Fluid secretion in interlobular ducts isolated from guinea-pig pancreas **511**, 407, 1998
Regulation of HCO_3^- and fluid secretion in isolated guinea-pig pancreatic ducts **511.P**, 23*P*, 1998
Fluid secretion by isolated murine pancreatic ducts in the presence and absence of extracellular bicarbonate **513.P**, 53*P*, 1998
Effects of extracellular ATP on HCO_3^- secretion in interlobular ducts isolated from guinea-pig pancreas **513.P**, 54*P*, 1998

Paramyotonia congenita
Functional expression of the Ile693Thr Na^+ channel mutation associated with paramyotonia congenita in a human cell line **507**, 721, 1998

Paraventricular nucleus
Co-operative interaction between glutamate and vasopressin in the excitation of RVL neurones by stimulation of paraventricular neurones in hypertensive and normotensive anaesthetized rats **509.P**, 131*P*, 1998
Influence of the hypothalamic paraventricular nucleus on cardiovascular neurones in the rostral ventrolateral medulla of the rat **513**, 521, 1998

Parkinson's disease
Evoked potentials from subthalamic nucleus, internal pallidum and thalamic stimulation in parkinsonian and postural tremor patients **509.P**, 176*P*, 1998
The effect of target location on pro-point and anti-point movements in patients with Parkinson's disease **509.P**, 177*P*, 1998
Impairment of discrimination of bilateral differences in the loci of tactile stimuli in Parkinson's disease **509.P**, 180*P*, 1998
Muscarinic IPSPs in rat striatal cholinergic interneurones **510**, 421, 1998

Patch clamp
The channel opening rate of adult- and fetal-type mouse muscle nicotinic receptors activated by acetylcholine **506**, 53, 1998
Acetylcholine-evoked oscillations of Ca^{2+}-dependent ion currents in mouse lacrimal acinar cells maintained in culture **506.P**, 69*P*, 1998
Pharmacological and kinetic properties of low-voltage-activated Ca^{2+} channels in rat sensorimotor cortex **506.P**, 77*P*, 1998
Difference in expression of low-voltage-operated Ca^{2+} channels in visual and sensorimotor rat cortical neurones during early postnatal development **506.P**, 77*P*, 1998
Gramicidin-perforated patch revealed depolarizing effect of GABA in cultured frog melanotrophs **507**, 55, 1998
A neuronal C5a receptor and an associated apoptotic signal transduction pathway **507**, 679, 1998
Characterization of an eag-like potassium channel in human neuroblastoma cells **508**, 49, 1998
Characterization of a Ca^{2+}-activated K^+ current in insulin-secreting murine βTC-3 cells **509**, 355, 1998
Two functionally distinct families of native NMDA receptors **509.P**, 2*S*, 1998
Functional and ionic effects of adenosine in rabbit atrioventricular nodal and atrial isolated myocytes **509.P**, 149*P*, 1998
Single-channel activations and concentration jumps: comparison of recombinant NR1a/NR2A and NR1a/NR2D NMDA receptors **510**, 1, 1998
High-affinity kainate-type ion channels in rat cerebellar granule cells **510**, 401, 1998
Differences between K^+ tail currents of astrocytes and oligodendrocytes in rat spinal cord slices **511.P**, 15*P*, 1998

Interaction of memantine and amantadine with agonist-unbound NMDA-receptor channels in acutely isolated rat hippocampal neurons **512**, 47, 1998
Single-channel currents of a peptide-gated sodium channel expressed in *Xenopus* oocytes **513**, 19, 1998
Cloning and expression of the human brain type VI voltage-gated Na^+ channel in a mammalian cell line **513.P**, 130*P*, 1998
Comparison of turn 4 and turn 1 *in situ* outer hair cells of the guinea-pig cochlea **513.P**, 133*P*, 1998
Characterization of a potassium conductance in the apical membrane of seawater fish gill in primary culture **513.P**, 136*P*, 1998
Cardiotoxic effects of fenfluramine hydrochloride on isolated guinea-pig ventricular myocytes **513.P**, 162*P*, 1998

Peptide

Kinetic evidence that neutral and anionic peptides bind to different conformations of the recombinant epithelial peptide transporter PepT1 **506.P**, 131*P*, 1998
Substrate upregulation of the human small intestinal peptide transporter, hPepT1 **507**, 697, 1998
Neutralization of pyrogen-induced tumour necrosis factor by its type 1 soluble receptor in guinea-pigs: effects on fever and interleukin-6 release **509**, 267, 1998
4-Aminomethylbenzoic acid is a non-translocated competitive inhibitor of the epithelial peptide transporter PepT1 **512**, 629, 1998
Single-channel currents of a peptide-gated sodium channel expressed in *Xenopus* oocytes **513**, 19, 1998
The proinsulin-derived C-peptide does not produce vasorelaxation in rat or guinea-pig mesenteric arteries **513.P**, 157*P*, 1998

Perception

Detection and discrimination of apparent sound movement by human listeners **506.P**, 85*P*, 1998
Coherent motion between non-adjacent fields of a random-dot kinematogram **506.P**, 86*P*, 1998

Periaqueductal grey matter

Modulation of Ca^{2+} channel currents of acutely dissociated rat periaqueductal grey neurons **509**, 47, 1998
Inhibitory serotonergic influence on neurones in the dorsolateral periaqueductal grey matter in rats involves nitric oxide **509.P**, 160*P*, 1998
Stimulation of nucleus raphe magnus is cardioprotective against ischaemic changes evoked by stimulation of the periaqueductal grey matter in anaesthetized rats **511.P**, 112*P*, 1998

Permeability

Evidence that bradykinin increases cerebral microvascular permeability via cGMP generated independently from soluble guanylate cyclase in the anaesthetized rat **506.P**, 22*P*, 1998
Differing effects of vascular endothelial growth factor (VEGF) on the ultrastructure of microvascular endothelium of mesenteric microvessels of frog and rat **506.P**, 24*P*, 1998
The intracellular cAMP level may modulate the flow dependence of potassium permeability in single perfused mesenteric microvessels of pithed frogs **506.P**, 25*P*, 1998
The effects of L-arginine and N^{ω}-nitro-L-arginine (L-NNA) on increases in permeability induced in rat venules by histamine and serotonin **506.P**, 26*P*, 1998
Effect of depletion of glycosaminoglycans and non-collagenous proteins on interstitial hydraulic permeability in rabbit synovium **511**, 629, 1998
Horseradish peroxidase leakage quantified following experimental cerebral ischaemia in anaesthetized rats **513.P**, 148*P*, 1998
Endothelial monocyte activating polypeptide-2 (EMAP-2) increases hydraulic conductivity of isolated perfused frog mesenteric microvessels after perfusion with whole blood **513.P**, 154*P*, 1998

Perspectives

The paradox of hair cell adaptation **506**, 1, 1998
Two forms of triggered endocytosis in regulated secretory cells **506**, 589, 1998
Bayliss, myogenic tone and volume-regulated chloride channels in arterial smooth muscle **507**, 631, 1998
Which Ca^{2+} channels control cardiac E–C coupling? **508**, 331, 1998
Ca^{2+}-induced Ca^{2+} release: physiological experiments on a new level **508**, 645, 1998
Synchronization of somato-sympathetic outflows during exercise: role for a spinal rhythm generator **508**, 646, 1998
Direct and indirect regulation of a single ion channel **509**, 1, 1998
The revival of the role of the mitochondrion in regulation of transmitter release **509**, 2, 1998
Learning to cope with repeated stress **510**, 331, 1998
K^+–Cl^- cotransport: 'to be or not to be' oxygen sensitive **511**, 1, 1998
The J Reflex **511**, 2, 1998
A short-term mechanism of plasticity for interneurones? **511**, 331, 1998
Ion channel activity drives ion channel expression **511**, 645, 1998
Muscle geometry **512**, 315, 1998
The generation of directionally selective responses in the retina **512**, 316, 1998
Another trigger for the heartbeat **513**, 1, 1998
The continuing debate about CNS control of proprioception **513**, 315, 1998
Cross-talk between apparently independent receptors **513**, 629, 1998

P-glycoprotein

Protein kinase C phosphorylation disengages human and mouse-1a P-glycoproteins from influencing the rate of activation of swelling-activated chloride currents **508**, 333, 1998
The effect of anion channel blockers on hyposmotically stimulated [^{3}H]taurine efflux from cytotrophoblast cells and a choriocarcinoma cell line (BeWo) **509.P**, 78*P*, 1998
Antisense to MDR1 mRNA reduces P-glycoprotein expression, swelling-activated Cl^- current and volume regulation in bovine ciliary epithelial cells **511**, 33, 1998
P-glycoprotein and the secretion of MPP^+ across Caco-2 intestinal cell monolayers **511.P**, 28*P*, 1998

pH

Regulation of mammalian *Shaker*-related K^+ channels: evidence for non-conducting closed and non-conducting inactivated states **506**, 291, 1998
Modulation of calcium signals by intracellular pH in isolated rat pancreatic acinar cells **506**, 415, 1998
Intracellular pH measurements in *Helix* neurones using 8-hydroxypyrene-1,3,6-trisulphonic acid (HPTS) **506.P**, 5*P*, 1998
A double patch-pipette technique to investigate activity-dependent intracellular calcium and pH transients in isolated snail neurones **506.P**, 6*P*, 1998
Interaction of H^+ and Zn^{2+} on recombinant and native rat neuronal $GABA_A$ receptors **507**, 639, 1998
The positive inotropic effect of angiotensin II is associated with, but not dependent on, cytosolic alkalinization in the isolated perfused rabbit heart **507.P**, 60*P*, 1998
Release of acetylcholine from embryonic myocytes in *Xenopus* cell cultures **509**, 497, 1998
In vivo metabolite and pH changes during the contraction cycle in uterine smooth muscle **509.P**, 29*P*, 1998
Properties of a rat, sensory neurone-specific, proton-gated ion channel **509.P**, 34*P*, 1998
Investigation of possible mechanisms underlying the relaxation of isolated rat mesenteric arteries to hypoxia **509.P**, 129*P*, 1998
pH modulation of Ca^{2+} responses and a Ca^{2+}-dependent K^+ channel in cultured rat hippocampal neurones **511**, 119, 1998
ATP is a potent stimulator of the activation and formation of rodent osteoclasts **511**, 495, 1998
Modulation of transient outward current by extracellular protons and Cd^{2+} in rat and human ventricular myocytes **511**, 827, 1998
Iron uptake by Caco-2 cells is dependent on extracellular pH and intracellular iron concentration **511.P**, 26*P*, 1998
Effects of EIPA (5-[*N*-ethyl-*N*-isopropyl]-amiloride) on intracellular pH regulation in snail neurones **511.P**, 42*P*, 1998
Potassium and pH during exercise: interactions at the carotid chemoreceptor **511.P**, 44*S*, 1998
Kinetic characterization of chloride–hydroxyl exchange in guinea-pig ventricular myocytes **511.P**, 75*P*, 1998
Membrane microviscosity and cytosolic pH in salt hypertension: the relationship to plasma lipids **511.P**, 165*P*, 1998
Does intracellular acidification account for hypoxic relaxation in isolated rat mesenteric arteries? **511.P**, 166*P*, 1998
Regulation of intracellular pH (pH_i) in vascular smooth muscle and the effect of pH on contraction **511.P**, 166*P*, 1998
A comparison of pH regulation rates from an acid load in non-pregnant and late pregnant Wistar rats **511.P**, 169*P*, 1998
An amiloride-insensitive, bicarbonate- and Cl^--independent mechanism of regulation from an acid load in rat gastric smooth muscle **511.P**, 170*P*, 1998

Effects of noradrenaline on intracellular pH in acutely dissociated adult rat hippocampal CA1 neurones **512**, 487, 1998
The contribution of pH-dependent mechanisms to fatigue at different intensities in mammalian single muscle fibres **512**, 831, 1998
Alkaline secretion by frog gastric glands measured with pH microelectrodes in the gland lumen **513**, 235, 1998
The characterization of mechanisms regulating intracellular pH in a transformed human articular chondrocyte cell line C-20/A4 **513.P**, 54*P*, 1998
Characterization of intracellular pH regulation of isolated cells from the nucleus pulposus of bovine intervertebral disc **513.P**, 58*P*, 1998
pH affects the affinity and apparent co-operativity of the interaction between capsaicin and the vanilloid receptor in adult rat isolated DRG neurons **513.P**, 129*P*, 1998

Phosphatase
Calcineurin involvement in the regulation of high-threshold Ca^{2+} channels in NG108-15 (rodent neuroblastoma × glioma hybrid) cells **510**, 371, 1998

Phosphate
Simultaneous determination of intramuscular high-energy phosphate and pulmonary oxygen uptake kinetics for quadriceps exercise during whole-body ^{31}P-NMR spectroscopy **506.P**, 97*P*, 1998
The Na^+–phosphate cotransport system (NaP_i-II) with a cleaved protein backbone: implications on function and membrane insertion **508**, 341, 1998
Mechanisms underlying phosphate-induced failure of Ca^{2+} release in single skinned skeletal muscle fibres of the rat **512**, 97, 1998

Phosphoarginine
Differential up-regulation of Na^+–Ca^{2+} exchange by phosphoarginine and ATP in dialysed squid axons **507**, 737, 1998

Phospholipid
Opposite modulation of NMDA receptors by lysophospholipids and arachidonic acid: common features with mechanosensitivity **513**, 317, 1998

Phosphorylation
Regulation of a swelling-activated chloride current in bovine endothelium by protein tyrosine phosphorylation and G proteins **506**, 341, 1998
Novel mechanism for non-genomic action of 17β-oestradiol on kainate-induced currents in isolated rat CA1 hippocampal neurones **506**, 745, 1998
Na^+ and K^+ differentially regulate nucleoside diphosphate kinase in human respiratory epithelium *in vitro* **507.P**, 3*P*, 1998
Inwardly rectifying K^+ currents of freshly isolated fetal guinea-pig alveolar type II pneumocytes are regulated by phosphorylation **507.P**, 6*P*, 1998
Effects of 2,3-butanedione monoxime (BDM) on calcium channels expressed in *Xenopus* oocytes **508**, 1, 1998
Dibasic protein kinase A sites regulate bursting rate and nucleotide sensitivity of the cystic fibrosis transmembrane conductance regulator chloride channel **508**, 365, 1998
AMPA receptor activation and phosphatase inhibition affect neonatal rat respiratory rhythm generation **509**, 255, 1998
Cholecystokinin (CCK) causes tyrosine phosphorylation of PYK2/CAKβ in pancreatic acinar cells by both calcium-dependent and -independent pathways **509.P**, 11*P*, 1998
Anti-L antibody and the regulatory phosphorylation cascade of LK sheep red blood cells **509.P**, 80*P*, 1998
[Na^+] regulates nucleoside diphosphate kinase in human respiratory epithelium *in vitro* when ATP (but not GTP) is the kinase substrate **509.P**, 81*P*, 1998
Defective nucleoside triphosphate synthesis in plasma membranes derived from the tracheal epithelium of CFTR null (−/−) mice **509.P**, 81*P*, 1998
The chloride-dependent phosphorylated protein in apical membranes from ovine airway is annexin I **509.P**, 82*P*, 1998
Modulation by protein kinases and phosphatases of currents from cloned mouse and rat NMDA receptors expressed in *Xenopus* oocytes **509.P**, 190*P*, 1998
Role of tyrosine phosphorylation in leptin activation of ATP-sensitive K^+ channels in the rat insulinoma cell line CRI-G1 **510**, 47, 1998
Regulation of Ca^{2+}-dependent Cl^- conductance in a human colonic epithelial cell line (T_{84}): cross-talk between Ins(3,4,5,6)P_4 and protein phosphatases **510**, 661, 1998
Changes in plasma membrane proteins upon store depletion in dimethyl-BAPTA-loaded human platelets **511.P**, 37*P*, 1998
Thiophosphorylation of myosin light chain increases rigor stiffness of rabbit smooth muscle **512**, 345, 1998

Photoreceptor
Responses of human rod and cone photoreceptors measured from the *a*-wave of the electroretinogram **506.P**, 2*P*, 1998
A laser spot confocal technique for the measurement of bleach-induced changes in Ca_i^{2+} from rod and cone photoreceptors isolated from the tiger salamander **506.P**, 3*P*, 1998
The effect of hydroxylamine on recovery of flash sensitivity and kinetics following small bleaches, in rod photoreceptors isolated from the toad, *Bufo marinus* **506.P**, 87*P*, 1998
Towards a molecular description of human dark adaptation **506.P**, 88*P*, 1998
Temporal development of amplitude histograms for dim flash stimuli in isolated toad rods **506.P**, 89*P*, 1998
Simultaneous measurement of Ca_i^{2+} and photocurrent from cone photoreceptors isolated from the tiger salamander **506.P**, 89*P*, 1998
Field sensitivity action spectra of cone photoreceptors in the turtle retina **511**, 479, 1998
Membrane current noise in dark-adapted and light-adapted isolated retinal rods of the larval tiger salamander **511**, 903, 1998
Arachidonic acid and all-*trans* retinal suppress L-type Ca^{2+} current in vertebrate rods **513.P**, 126*P*, 1998

Pig
Comparative study of sodium, chloride and calcium plasma concentrations in Iberian and Duroc pigs **509.P**, 102*P*, 1998
Morphology of electrocardiographic waves in Iberian pigs **509.P**, 147*P*, 1998

Pituitary
Gramicidin-perforated patch revealed depolarizing effect of GABA in cultured frog melanotrophs **507**, 55, 1998

Pituitary gland
Neurotensin expression in the rat anterior pituitary during postnatal development of the rat: its relation to sex steroid hormone levels **509.P**, 93*P*, 1998

Placenta
Separate sites for placental transport of calcium and glucose in the equine placenta **507.P**, 47*P*, 1998
The effect of fatty acid composition on polyunsaturated fatty acid transport across the perfused human placenta **507.P**, 48*P*, 1998
Transport of unconjugated bilirubin (UCB) across the basal membrane of human term trophoblast **509.P**, 26*P*, 1998
The effect of anion channel blockers on hyposmotically stimulated [^{3}H]taurine efflux from cytotrophoblast cells and a choriocarcinoma cell line (BeWo) **509.P**, 78*P*, 1998

Plasticity
Long-term plasticity of motor unit properties and its application in man **506.P**, 7*S*, 1998
Activity-dependent regulation of 'on' and 'off' responses in cat visual cortical receptive fields **508**, 523, 1998
Incomplete rematching of nerve and muscle properties in motor units after extensive nerve injuries in cat hindlimb muscle **509**, 909, 1998
Protocols for efficient input–output analysis for the investigation of plasticities in mouse hippocampal slices **509.P**, 67*P*, 1998
A short-term mechanism of plasticity for interneurones? **511**, 331, 1998
Acquisition of a new motor skill is accompanied by changes in cutaneomuscular reflexes recorded from finger muscles in man **511.P**, 135*P*, 1998
Presynaptic adrenergic facilitation of parasympathetic neurotransmission in sympathectomized rat smooth muscle **512**, 841, 1998

Platelet
ADP-evoked Ca^{2+} signalling in single human platelets in plasma and in whole blood under flow conditions **506.P**, 67*P*, 1998
Properties of the human platelet ADP receptor which releases calcium from intracellular stores **506.P**, 68*P*, 1998
Reversible and irreversible Ca_i^{2+} spiking in single human platelets **506.P**, 71*P*, 1998
Changes in plasma membrane proteins upon store depletion in dimethyl-BAPTA-loaded human platelets **511.P**, 37*P*, 1998
Interaction of platelet-activating factor, spleen and atrial natriuretic peptide in plasma volume regulation during endotoxaemia in rats **512**, 227, 1998
Hydrogen sulphide, nitric oxide and platelet function **513.P**, 155*P*, 1998

Plethysmography
Human calf precapillary resistance decreases in response to small cumulative increases in venous congestion pressure **507**, 611, 1998

Polyamine

The effect of polyamines on K_{ATP} channels in guinea-pig ventricular myocytes **508**, 401, 1998

Facilitation of currents through rat Ca^{2+}-permeable AMPA receptor channels by activity-dependent relief from polyamine block **511**, 361, 1998

Glutamate receptor channel block by polyamines **511.P**, 16*S*, 1998

An allosteric interaction between the NMDA receptor polyamine and ifenprodil sites in rat cultured cortical neurones **512**, 17, 1998

Multiple sites of action of neomycin, Mg^{2+} and spermine on the NMDA receptors of rat hippocampal CA1 pyramidal neurones **512**, 29, 1998

Potassium

Oxygen-dependent K^+ fluxes in sheep red cells **506**, 679, 1998

Localization of cAMP- and aldosterone-induced K^+ secretion in rat distal colon by conductance scanning **507**, 561, 1998

Bumetanide-induced potassium secretion in perfused loops of Henle in anaesthetized rats: effect of barium **507.P**, 40*P*, 1998

Potassium-induced chemoexcitation in the *in vitro* rat carotid body is Ca^{2+} dependent **509.P**, 114*P*, 1998

K^+–Cl^- cotransport: 'to be or not to be' oxygen sensitive **511**, 1, 1998

The effects of flow on the transport of potassium ions through the walls of single perfused frog mesenteric capillaries **511**, 707, 1998

Potassium and pH during exercise: interactions at the carotid chemoreceptor **511.P**, 44*S*, 1998

Extracellular potassium resting level in thalamic nuclei and tail-flick latency after deafferentation in rats **511.P**, 57*P*, 1998

Effects of Ca^{2+} channel antagonists upon K^+-induced chemoexcitation in the *in vitro* rat carotid body **511.P**, 100*P*, 1998

Transepithelial electrochemical gradients in the proximal convoluted tubule during potassium depletion in the rat **513**, 551, 1998

Low K^+-induced hyperpolarizations trigger transient depolarizations and action potentials in rabbit ventricular myocytes **513**, 775, 1998

The major routes of entry of NH_4^+ and K^+ into bee retinal glial cells are independent **513.P**, 15*P*, 1998

Inhibition of renal 11β-hydroxysteroid dehydrogenase: effect on electrolyte transport in the distal tubule **513.P**, 38*P*, 1998

Potassium channel

Regulation of mammalian *Shaker*-related K^+ channels: evidence for non-conducting closed and non-conducting inactivated states **506**, 291, 1998

Membrane organization of Kir4.1 by proteins possessing PDZ domains **506.P**, 49*P*, 1998

Protein kinase C activation causes inhibition of maxi-K channels in isolated rat carotid body type I cells **506.P**, 50*P*, 1998

Effects of chronic hypoxia on K^+ currents recorded in isolated adult rat carotid body type I cells **506.P**, 51*P*, 1998

The characterization of potassium channels present in glucose- and sulphonylurea-sensitive hypothalamic neurones in isolation and in brain slices of the mf1 mouse **506.P**, 152*P*, 1998

ATP-sensitive K^+ channel activation by calcitonin gene-related peptide and protein kinase A in pig coronary arterial smooth muscle **507**, 117, 1998

Modulation of reconstituted ATP-sensitive K^+ channels by GTP-binding proteins in a mammalian cell line **507**, 315, 1998

Voltage-dependent blockade of HERG channels expressed in *Xenopus* oocytes by external Ca^{2+} and Mg^{2+} **507**, 631, 1998

Inwardly rectifying K^+ currents of freshly isolated fetal guinea-pig alveolar type II pneumocytes are regulated by phosphorylation **507.P**, 6*P*, 1998

Barium reduces electrogenic responses of human ileal mucosa to *Escherichia coli* heat-stable enterotoxin and D-glucose **507.P**, 8*P*, 1998

Characterization of A-type potassium channels in identified mouse dopaminergic substantia nigra neurons *in vitro* **507.P**, 28*P*, 1998

Inhibition of the delayed rectifier K^+ current by 5-lipoxygenase (5-LO) inhibitors in rat pulmonary arterial myocytes **507.P**, 72*P*, 1998

Cystic fibrosis transmembrane conductance regulator mediates sulphonylurea block of the inwardly rectifying K^+ channel Kir6.1 **508**, 23, 1998

Characterization of an eag-like potassium channel in human neuroblastoma cells **508**, 49, 1998

Characterization of 5-HT-sensitive potassium conductances in neonatal rat facial motoneurones *in vitro* **508**, 67, 1998

Elevation of intracellular Ca^{2+} in the physiologically relevant range does not inhibit voltage-gated K^+ channels in human T lymphocytes **508**, 167, 1998

The effect of polyamines on K_{ATP} channels in guinea-pig ventricular myocytes **508**, 401, 1998

A mutation in the pore region of HERG K^+ channels expressed in *Xenopus* oocytes reduces rectification by shifting the voltage dependence of inactivation **509**, 129, 1998

The transient outward current in mice lacking the potassium channel gene Kv1.4 **509**, 171, 1998

Contribution of the Kv3.1 potassium channel to high-frequency firing in mouse auditory neurones **509**, 183, 1998

Pore mutations alter closing and opening kinetics in *Shaker* K^+ channels **509**, 327, 1998

Regulation of distal nephron K^+ channels (ROMK) mRNA expression by aldosterone in rat kidney **509**, 629, 1998

Hypoxia activates ATP-dependent potassium channels in inspiratory neurones of neonatal mice **509**, 755, 1998

Uneven distribution of K^+ channels in soma, axon and dendrites of rat spinal neurones: functional role of the soma in generation of action potentials **509**, 767, 1998

Cell cycle modulation of rat *eag* potassium channels **509.P**, 4*S*, 1998

Diversification of potassium channel function by regulatory α subunits **509.P**, 6*S*, 1998

The role of cytoplasmic Ca^{2+} signals in β-cell disease **509.P**, 11*S*, 1998

Mechanisms of peripheral chemoreception **509.P**, 20*S*, 1998

A novel oxygen-sensitive potassium channel in neonatal rat carotid body type I cells **509.P**, 35*P*, 1998

K^+ channels determining resting potential in arterioles from rabbit cerebral cortex **509.P**, 35*P*, 1998

The N-terminus of Kir6.2 functionally couples to SUR1 in the K_{ATP} channel **509.P**, 36*P*, 1998

Kvβ1 subunits can modulate the sensitivity to hypoxia of heterologously expressed voltage-gated K^+ channels in a subfamily-specific manner **509.P**, 36*P*, 1998

The M2 transmembrane domain of Kir6.2 controls ATP sensitivity of cloned K_{ATP} channels **509.P**, 37*P*, 1998

A cysteine residue (C166) in Kir6.2 is responsible for Cd^{2+} inhibition of cloned K_{ATP} channels **509.P**, 37*P*, 1998

Alkaline phosphatase irreversibly abolishes modal activity of large-conductance Ca^{2+}-activated K^+ channels in rat cortical fused nerve terminals **509.P**, 63*P*, 1998

Inhibition of Kv2.2 expressed in *Xenopus laevis* oocytes by angiotensin II and PKC **509.P**, 63*P*, 1998

Control of resting submembrane Ca^{2+} in rat sympathetic neurones studied using K^+ channels as Ca^{2+} detectors **509.P**, 64*P*, 1998

Activation profile and modulation of rodent Kv1.2 channels expressed in mammalian cell lines **509.P**, 71*P*, 1998

Dual role of Ap_4A in the regulation of isolated pancreatic β-cell function **509.P**, 89*P*, 1998

Regulation of isolated pancreatic β-cell signalling system by 17β-oestradiol **509.P**, 90*P*, 1998

Properties of heteromultimeric Kv1 channels expressed in *Xenopus* oocytes **509.P**, 199*P*, 1998

Voltage-dependent inactivation of the human K^+ channel KvLQT1 is eliminated by association with the minimal K^+ channel (minK) subunits **510**, 37, 1998

Ca^{2+}-inhibited non-inactivating K^+ channels in cultured rat hippocampal pyramidal neurones **510**, 71, 1998

K^+ channel block-induced mammalian neuroblastoma cell swelling: a possible mechanism to influence proliferation **510**, 93, 1998

Importance of basolateral K^+ conductance in maintaining Cl^- secretion in murine nasal and colonic epithelia **510**, 237, 1998

The sulphonylurea receptor SUR1 regulates ATP-sensitive mouse Kir6.2 K^+ channels linked to the green fluorescent protein in human embryonic kidney cells (HEK 293) **510**, 333, 1998

Potassium channels activated in the endothelium-dependent hyperpolarization in guinea-pig coronary artery **510**, 455, 1998

Neutralization of aspartate residues in the murine inwardly rectifying K^+ channel IRK1 affects the substate behaviour in Mg^{2+} block **510**, 675, 1998

Na^+-activated K^+ channels in small dorsal root ganglion neurones of rat **510**, 743, 1998

Transfer of rapid inactivation and sensitivity to the class III antiarrhythmic drug E-4031 from HERG to M-eag channels **511**, 3, 1998

The dependence of Ag^+ block of a potassium channel, murine Kir2.1, on a cysteine residue in the selectivity filter **511**, 15, 1998

The selectivity filter of a potassium channel, murine Kir2.1, investigated using scanning cysteine mutagenesis **511**, 25, 1998

pH modulation of Ca^{2+} responses and a Ca^{2+}-dependent K^+ channel in cultured rat hippocampal neurones **511**, 119, 1998
Functions of large conductance Ca^{2+}-activated (BK_{Ca}), delayed rectifier (K_V) and background K^+ channels in the control of membrane potential in rabbit renal arcuate artery **511**, 159, 1998
Modulation of human erg K^+ channel gating by activation of a G protein-coupled receptor and protein kinase C **511**, 333, 1998
Intracellular nucleotide-mediated gating of SUR/Kir6.0 complex potassium channels expressed in a mammalian cell line and its modification by pinacidil **511**, 663, 1998
Cloning of a mammalian *elk* potassium channel gene and EAG mRNA distribution in rat sympathetic ganglia **511**, 675, 1998
Novel splicing of ROMK K^+ channel RNA generates new isoforms in rat kidney **511.P**, 29*P*, 1998
Role of β-arrestin in modulation of the cardiac muscarinic K^+ current **511.P**, 78*P*, 1998
Regional differences in the role of the rapid delayed rectifier K^+ current, $i_{K,r}$, within the rabbit sinoatrial node **511.P**, 79*P*, 1998
Blockage of inward rectifier potassium channels (murine Kir2.1) by Ba^{2+} is influenced by an aspartate residue (D172) **511.P**, 146*P*, 1998
Inhibition by hypoxia of oxygen-sensitive K^+ channels in a neuroepithelial body-derived cell line causes depolarization **511.P**, 146*P*, 1998
Isoform-specific modulation of rat Kv3 potassium channel splice variants **511.P**, 147*P*, 1998
Targeted disruption in mouse of a voltage-gated potassium channel gene that is expressed predominantly in the thalamocortical system **511.P**, 147*P*, 1998
K^+ currents in insulin-resistant rat models of diabetes **511.P**, 148*P*, 1998
Cloning and expression of a Kv4.2 K^+ channel from the rabbit sinoatrial node **511.P**, 149*P*, 1998
Propafenone inhibits HERG-encoded K^+ channels transiently expressed in CHO cells **511.P**, 151*P*, 1998
Separable effects of human Kvβ1.2 N- and C-termini on inactivation and expression of human Kv1.4 **512**, 325, 1998
Cytoplasmic terminus domains of Kir6.x confer different nucleotide-dependent gating on the ATP-sensitive K^+ channel **512**, 395, 1998
Multiple ionic mechanisms mediate inhibition of rat motoneurones by inhalation anaesthetics **512**, 851, 1998
Components of after-hyperpolarization in magnocellular neurones of the rat supraoptic nucleus *in vitro* **513**, 493, 1998
Cloning and functional expression of rat *ether-à-go-go*-like K^+ channel genes **513**, 647, 1999
Mode switching characterizes the activity of large conductance potassium channels recorded from rat cortical fused nerve terminals **513**, 733, 1998
Heterologous expression and coupling of G protein-gated inwardly rectifying K^+ channels in adult rat sympathetic neurons **513**, 761, 1998
Effect of protein kinase A (PKA) and phorbol 12-myristate, 13-acetate (PMA) on delayed rectifier K^+ currents in epithelial cells of rat choroid plexus **513.P**, 63*P*, 1998
The delayed rectifier K^+ channel in rat choroid plexus epithelium is inhibited by margatoxin **513.P**, 64*P*, 1998
Adenosine decreases a 4-AP-sensitive current in rat carotid body type I cells **513.P**, 73*P*, 1998
Electrophysiological actions of endothelin-1 in rat renal arterial myocytes **513.P**, 118*P*, 1998
Pharmacological and potential molecular identification of an O_2-sensitive K^+ channel in the human neuroepithelial body-derived cell line H146 **513.P**, 128*P*, 1998
Comparison of turn 4 and turn 1 *in situ* outer hair cells of the guinea-pig cochlea **513.P**, 133*P*, 1998
Characterization of a potassium conductance in the apical membrane of seawater fish gill in primary culture **513.P**, 136*P*, 1998
An approach to examining the interaction between the sulphonylurea receptor (SUR1) and Kir 6.2 **513.P**, 137*P*, 1998
Bombesin receptors inhibit G protein-coupled inwardly rectifying K^+ channels expressed in *Xenopus* oocytes through a PKC-dependent pathway **513.P**, 138*P*, 1998

Potassium current

Inwardly rectifying whole cell potassium current in human blood eosinophils **506**, 303, 1998
Immunohistochemical staining of minK in rabbit sino-atrial node cells **506.P**, 39*P*, 1998
Delayed rectifier potassium current in undiseased human ventricular myocytes **506.P**, 55*P*, 1998
Developmental changes in expression of ion currents accompany maturation of locomotor pattern in frog tadpoles **507**, 257, 1998
Type I and II models of diabetes produce different modifications of K^+ currents in rat heart: role of insulin **507**, 485, 1998
Pharmacological dissection of K^+ currents in cultured neurones of *Lymnaea stagnalis* (L.) **507.P**, 13*P*, 1998
Cinnamoyl-dihydroxynardol (CDN) interacts with various states of the channels underlying the voltage-dependent K^+ current of the NG108-15 cell line **507.P**, 15*P*, 1998
α_2-Adrenoceptor-mediated potassium currents in acutely dissociated rat locus coeruleus neurones **508**, 57, 1998
Adenosine modulates hypoxia-induced responses in rat PC12 cells via the A_{2A} receptor **508**, 95, 1998
Repolarizing K^+ currents in rabbit heart Purkinje cells **508**, 811, 1998
The transient outward current in mice lacking the potassium channel gene Kv1.4 **509**, 171, 1998
Metabotropic glutamate group II receptors activate a G protein-coupled inwardly rectifying K^+ current in neurones of the rat cerebellum **509**, 347, 1998
Oxygen-sensing mechanisms are present in the chromaffin cells of the sheep adrenal medulla before birth **509**, 887, 1998
Differences in regional distribution of K^+ current densities in rat ventricle **509.P**, 153*P*, 1998
The erg inwardly rectifying K^+ current and its modulation by thyrotrophin-releasing hormone in giant clonal rat anterior pituitary cells **510**, 63, 1998
Role of an inward rectifier K^+ current and of hyperpolarization in human myoblast fusion **510**, 467, 1998
Kainate induces an intracellular Na^+-activated current in cultured embryonic rat hippocampal neurones **510**, 721, 1998
Density of transient K^+ current influences excitability in acutely isolated vasopressin and oxytocin neurones of rat hypothalamus **511**, 423, 1998
Modulation of transient outward current by extracellular protons and Cd^{2+} in rat and human ventricular myocytes **511**, 827, 1998
17β-Oestradiol stimulates whole-cell potassium currents in T84 cells **511.P**, 30*P*, 1998
Metabolic activation of K_{ATP} channels and inhibition of K_{ACh} channels in guinea-pig atrial myocytes by diadenosine polyphosphates: evidence against an A_1-agonistic action **511.P**, 77*P*, 1998
Metabotropic glutamate receptor-mediated modulation of delayed potassium currents in cultured mouse hippocampal pyramidal neurons **511.P**, 121*P*, 1998
Isoform-specific modulation of rat Kv3 potassium channel splice variants **511.P**, 147*P*, 1998
Differential regulation of potassium currents by FGF-1 and FGF-2 in embryonic *Xenopus laevis* myocytes **512**, 109, 1998
An *ether-à-go-go* K^+ current, $I_{h\text{-}erg}$, contributes to the hyperpolarization of human fusion-competent myoblasts **512**, 317, 1998
Non-receptor-mediated activation of $I_{K(ATP)}$ and inhibition of $I_{K(ACh)}$ by diadenosine polyphosphates in guinea-pig atrial myocytes **512**, 407, 1998
Anoxia differentially modulates multiple K^+ currents and depolarizes neonatal rat adrenal chromaffin cells **512**, 421, 1998
Inhibition of Ca^{2+}-dependent K^+ channels in rat carotid body type I cells by protein kinase C **512**, 743, 1998
Inwardly rectifying K^+ current $I_{K(IR)}$ is present in juvenile but not in neonatal rat intracardiac ganglia neurones *in vitro* **513.P**, 22*P*, 1998
Slow membrane responses to extracellular potassium in isolated hippocampal neurones **513.P**, 132*P*, 1998

Power output

Force–velocity and power–load curves in rat skinned cardiac myocytes **511**, 519, 1998
Power of a muscle isometric contraction **511.P**, 155*P*, 1998

Pregnancy

Changes in uterine electrical activity associated with onset of labour in human pregnancy **507.P**, 68*P*, 1998
Nitric oxide synthase (eNOS) is localized to the vascular endothelium of myometrium from pregnant women at term **507.P**, 69*P*, 1998
The human myometrial oxytocin receptor is down-regulated during labour **507.P**, 70*P*, 1998
Expression of corticotrophin releasing hormone receptor subtype 1 mRNA during labour in human myometrium measured by competitive PCR **507.P**, 70*P*, 1998
The responsiveness of isolated human hand vein endothelial cells in normal pregnancy and in pre-eclampsia **508**, 609, 1998

The effect of human pregnancy on peripheral sympathetic discharge **511.P**, 11*P*, 1998
Electrocortical activity in fetal sheep in the last seven days of gestation **513**, 273, 1998

Preoptic area
Heterogeneous presynaptic Ca^{2+} channel types triggering GABA release onto medial preoptic neurons from rat **507**, 77, 1998
Efferent projection from the preoptic area for the control of non-shivering thermogenesis in rats **512**, 883, 1998

Pressure
Estimating rat renal medullary interstitial oncotic pressures and the driving force for fluid uptake into ascending vasa recta **506**, 529, 1998
The modulation of Na^+–H^+ exchange by hydrostatic pressure in bovine articular chondrocytes **506.P**, 129*P*, 1998
Acute hypoxic ventilatory and pulmonary responses of two strains of rat considered resistant and susceptible to development of pulmonary hypertension **511.P**, 107*P*, 1998
Gadolinium raises the pressure required to induce openings in the endothelium of single frog microvessels **513.P**, 149*P*, 1998

Presynaptic exocytosis
Regulation of kinetic and pharmacological properties of synaptic NMDA receptors depends on presynaptic exocytosis in rat hippocampal neurones **508**, 495, 1998

Presynaptic inhibition
Reciprocal inhibition between ankle muscles in man: how many processes are there? **509.P**, 173*P*, 1998
Presynaptic inhibition by 5-HT_{1B} receptors of glutamatergic synaptic inputs onto serotonergic caudal raphe neurones in rat **510**, 121, 1998
Modulation of transmitter release from a locust (*Locusta migratoria*) sensory afferent by muscarinic and GABA receptors **513.P**, 101*P*, 1998

Presynaptic terminal
Calcium current during a single action potential in a large presynaptic terminal of the rat brainstem **506**, 143, 1998

Progesterone
Progesterone is synthesized in the nervous system and promotes myelination **509.P**, 14*S*, 1998
RU486 does not prevent the surge of LH and FSH induced by male urinary pheromones in ageing persistent oestrus female rats **509.P**, 93*P*, 1998
Immunocytochemical localization of tyrosine hydroxylase and progesterone receptors in the anterior hypothalamus of the ring dove (*Streptopelia risoria*) **513.P**, 8*P*, 1998

Prolactin
Impact of maternal nutrient restriction in early to mid-gestation on prolactin receptor abundance in brown adipose and hepatic tissue in the late gestation ovine fetus **511.P**, 96*P*, 1998

Proprioception
Detection of movements of the human forearm during and after co-contractions of muscles acting at the elbow joint **508**, 325, 1998
Joint afferents subserve human proprioception that is interhemispherically transferred **509.P**, 162*P*, 1998
Central projection of proprioceptive information from the wrist joint via a forearm 'muscle' nerve in the cat **510**, 261, 1998
Hyperpolarization-activated cationic currents (I_h) in neurones of the trigeminal mesencephalic nucleus of the rat **510**, 695, 1998
Movement detection at the human big toe **513**, 307, 1998
The continuing debate about CNS control of proprioception **513**, 315, 1998
Identified interneurones in the escape generating network of crayfish receive excitatory proprioceptive inputs **513.P**, 104*P*, 1998

Prostaglandin
PGE_2 release from unstimulated epithelial cells of the mouse descending colon is an autocrine regulator of cellular cAMP **507.P**, 3*P*, 1998
Prostaglandins hyperpolarize and suppress spontaneous contractions in human uterine smooth muscle **507.P**, 68*P*, 1998
Endogenous bradykinin activates ischaemically sensitive cardiac visceral afferents through kinin B_2 receptors in cats **510**, 633, 1998
Ion transport pathways involved in the response to isoprostanes and prostaglandins in the porcine small intestine **511.P**, 30*P*, 1998
The sensitivity of rat cultured dorsal root ganglion neurones to histamine is augmented by prostaglandin E_2 **511.P**, 122*P*, 1998

Protein
Membrane organization of Kir4.1 by proteins possessing PDZ domains **506.P**, 49*P*, 1998
Modulation of leucine oxidation and transamination by variation in dietary protein and glucose supplementation in humans **511.P**, 10*P*, 1998
Effect of age on rat lacrimal and submandibular glands: morphological and physiological studies **511.P**, 22*P*, 1998
Advanced glycation end products impair endothelium-mediated vasorelaxation in rabbit aortae **511.P**, 167*P*, 1998

Protein kinase
Effects of 2,3-butanedione monoxime (BDM) on calcium channels expressed in *Xenopus* oocytes **508**, 1, 1998
Protein kinases modulate two glycine currents in salamander retinal ganglion cells **508**, 681, 1998

Protein kinase A
Adenosine modulates hypoxia-induced responses in rat PC12 cells via the A_{2A} receptor **508**, 95, 1998
Cytochrome P450: a novel system modulating Ca^{2+} channels and contraction in mammalian heart cells **508**, 777, 1998
Rapid non-genomic effects of 17β-oestradiol on cAMP-dependent protein kinase activity in rat distal colon **511.P**, 32*P*, 1998
Chronic hypoxia reduces adenosine A_{2A} receptor-mediated inhibition of calcium current in rat PC12 cells via downregulation of protein kinase A **512**, 351, 1998
Effect of protein kinase A (PKA) and phorbol 12-myristate, 13-acetate (PMA) on delayed rectifier K^+ currents in epithelial cells of rat choroid plexus **513.P**, 63*P*, 1998

Protein kinase C
Cross-modulation of glycine-activated Cl^- channels by protein kinase C and cAMP-dependent protein kinase in the rat **506**, 331, 1998
Protein kinase C activation causes inhibition of maxi-K channels in isolated rat carotid body type I cells **506.P**, 50*P*, 1998
Protein kinase C inhibits anion channels in epithelial cells of the choroid plexus isolated from rat **507.P**, 2*P*, 1998
Protein kinase C phosphorylation disengages human and mouse-1a P-glycoproteins from influencing the rate of activation of swelling-activated chloride currents **508**, 333, 1998
Possible involvement of the novel CPI-17 protein in protein kinase C signal transduction of rabbit arterial smooth muscle **508**, 871, 1998
Control of Ca^{2+} wave propagation in mouse pancreatic acinar cells **509.P**, 9*S*, 1998
Protein kinase C mediates the actions of κ-opioid receptor stimulation in rat cardiac ventricular myocytes *in vitro* **509.P**, 143*P*, 1998
Activation of L-arginine transport by protein kinase C in rabbit, rat and mouse alveolar macrophages **511**, 813, 1998
Potentiation of transmitter release by protein kinase C in goldfish retinal bipolar cells **512**, 219, 1998
Involvement of PKC-α in regulatory volume decrease responses and activation of volume-sensitive chloride channels in human cervical cancer HT-3 cells **512**, 435, 1998
Involvement of tyrosine kinases, Ca^{2+} and PKC in activation of mitogen-activated protein (MAP) kinase in human polymorphonuclear neutrophils **513**, 359, 1998
Role of protein kinase C in the induction of homosynaptic long-term depression by brief low frequency stimulation in the dentate gyrus of the rat hippocampus *in vitro* **513**, 467, 1998
Activation of the rat vas deferens in calcium-free media **513.P**, 97*P*, 1998

Proximal convoluted tubule
The effect of chronic inhibition of neutral endopeptidase on proximal tubular function in the rat: a micropuncture study **507.P**, 39*P*, 1998
Protein kinase A induces recruitment of active Na^+,K^+-ATPase units to the plasma membrane of rat proximal convoluted tubule cells **511**, 235, 1998
A cross-talk role for intracellular calcium between angiotensin II and dopamine receptor activation in primary culture of human proximal tubule cells **511.P**, 35*P*, 1998
Transepithelial electrochemical gradients in the proximal convoluted tubule during potassium depletion in the rat **513**, 551, 1998
A digital method to measure cell volume in isolated, perfused rabbit renal proximal tubules **513.P**, 3*P*, 1998

Pulmonary artery
Inhibition of the delayed rectifier K^+ current by 5-lipoxygenase (5-LO) inhibitors in rat pulmonary arterial myocytes **507.P**, 72*P*, 1998
ET-1-induced constriction is largely independent of Ca^{2+} influx through the L-type Ca^{2+} channel in rat small pulmonary arteries **509.P**, 107*P*, 1998
Differential properties of Ca^{2+} stores and Ca^{2+}-dependent ionic conductances in conduit and resistance pulmonary arterial myocytes **509.P**, 115*P*, 1998

Acute hypoxic ventilatory and pulmonary responses of two strains of rat considered resistant and susceptible to development of pulmonary hypertension **511.P**, 107*P*, 1998
The effect of the tyrosine kinase inhibitor, tyrphostin-23, on acute hypoxic vasoconstriction in isolated small pulmonary arteries of the rat **511.P**, 172*P*, 1998
Effects of hypercapnic acidosis on vascular smooth muscle tone in isolated rat intrapulmonary arteries **511.P**, 174*P*, 1998
The compliance of the porcine pulmonary artery depends on pressure and heart rate **512**, 917, 1998
Dependence of β-adrenoceptor-mediated vasorelaxation on exogenous L-arginine in isolated pulmonary arteries of the rat **513.P**, 91*P*, 1998

Pulmonary circulation
Dilator control of the pulmonary circulation in isolated perfused lungs of normal and chronically hypoxic Wistar and Fawn Hooded rats **511.P**, 109*P*, 1998
The appetite suppressant, fenfluramine, causes contraction of precontracted, small pulmonary arteries of the rat *in vitro* **511.P**, 116*P*, 1998
Chronic moderate hyperoxia does not result in pulmonary hypertension in rats **511.P**, 117*P*, 1998

Pulmonary reflex
Activity of C fibre cardiac vagal efferents in anaesthetized cats and rats **507**, 869, 1998
The J Reflex **511**, 2, 1998
Absence of viscerosomatic inhibition with injections of lobeline designed to activate human pulmonary C fibres **511**, 289, 1998
Ondansetron does not modify the cardiorespiratory response to primary thoracic injury in the anaesthetized rat **511.P**, 111*P*, 1998

Purinoceptor
A comparison of the purinoceptor populations of primary human umbilical vein endothelial cells and the derived cell line ECV304 **506.P**, 33*P*, 1998
The rat $P2X_7$ receptor: characterization of pore formation **506.P**, 45*P*, 1998
Properties of the human platelet ADP receptor which releases calcium from intracellular stores **506.P**, 68*P*, 1998
Voltage-dependent $[Ca^{2+}]_i$ changes during purinoceptor activation in the rat megakaryocyte **506.P**, 69*P*, 1998
Two mechanisms for inward rectification of current flow through the purinoceptor $P2X_2$ class of ATP-gated channels **507**, 353, 1998
ATP-activated cation currents in single guinea-pig hepatocytes **507**, 795, 1998
Non-genomic inhibition of human $P2X_7$ purinoceptor by 17β-oestradiol **508**, 659, 1998
ATP and glutamate are released from separate neurones in the rat medial habenula nucleus: frequency dependence and adenosine-mediated inhibition of release **508**, 691, 1998
Extracellular ATP directly gates a cation-selective channel in rabbit airway ciliated epithelial cells **508**, 703, 1998
The antagonist trinitrophenyl-ATP reveals co-existence of distinct P2X receptor channels in rat nodose neurones **509**, 411, 1998
Modulation of ATP-gated non-selective cation channel ($P2X_1$ receptor) activation and desensitization by the actin cytoskeleton **510**, 19, 1998
Calcium permeability and block at homomeric and heteromeric $P2X_2$ and $P2X_3$ receptors, and P2X receptors in rat nodose neurones **510**, 27, 1998
Mutual occlusion of P2X ATP receptors and nicotinic receptors on sympathetic neurons of the guinea-pig **510**, 783, 1998
ATP-evoked increases in $[Ca^{2+}]_i$ and peptide release from rat isolated neurohypophysial terminals via a P_{2X2} purinoceptor **511**, 89, 1998
Characterization of P2X ATP receptor single-channel properties in outside-out patches from granule cells in slices of rat hippocampus **511.P**, 17*P*, 1998
Membrane-limited expression and regulation of Na^+–H^+ exchanger isoforms by P_2 receptors in the rat submandibular gland duct **513**, 341, 1998
Functional interactions between nicotinic and P2X channels in short-term cultures of guinea-pig submucosal neurons **513**, 671, 1998
Non-additive interaction between nicotinic cholinergic and P2X purine receptors in guinea-pig enteric neurons in culture **513**, 685, 1998
P2-purinoceptors in the rat thin descending limb of Henle **513.P**, 39*P*, 1998
Effects of extracellular ATP on HCO_3^- secretion in interlobular ducts isolated from guinea-pig pancreas **513.P**, 54*P*, 1998
Characterization of $P2X_7$ receptors in human cultured dendritic cells **513.P**, 131*P*, 1998

Purkinje cell
Presynaptic origin of paired-pulse depression at climbing fibre–Purkinje cell synapses in the rat cerebellum **506**, 391, 1998
Repolarizing K^+ currents in rabbit heart Purkinje cells **508**, 811, 1998
Intracellular calcium clearance in Purkinje cell somata from rat cerebellar slices **510**, 499, 1998

Pyramidal neurone
Factors determining the efficacy of distal excitatory synapses in rat hippocampal CA1 pyramidal neurones **507**, 441, 1998
Muscarinic agonists depress excitatory synaptic transmission to the pyramidal neurons in the basolateral amygdaloid complex **509.P**, 69*P*, 1998
Premature bifurcation of the apical dendritic trunk of vibrissa-responding pyramidal neurones of X-irradiated rat neocortex **512**, 543, 1998

Quantal release
The dynamics of synchronized neurotransmitter release determined from compound spontaneous IPSCs in rat dentate granule neurones *in vitro* **510**, 477, 1998
Developmental changes in EPSC quantal size and quantal content at a central glutamatergic synapse in rat **511**, 861, 1998

Rabbit
Necessity of acetylcholine for retinal directionally selective responses to drifting gratings in rabbit **512**, 575, 1998

Rat
Effects of shear stress and changes in osmolarity on endothelium of rat aorta **506.P**, 17*P*, 1998
The effects of L-arginine and N^{ω}-nitro-L-arginine (L-NNA) on increases in permeability induced in rat venules by histamine and serotonin **506.P**, 26*P*, 1998
L-Arginine–nitric oxide pathway in a rat model of uraemia **506.P**, 33*P*, 1998
Use of fluorescent microspheres to determine regional blood flow in small tissue samples **506.P**, 38*P*, 1998
Rhythmic sympathetic activity recorded from the ventral collector nerve (VCN) innervating the rat tail **506.P**, 134*P*, 1998
Failure of subcutaneous injection of 3,4-methylenedioxymethamphetamine (MDMA) to stimulate drinking in rat **506.P**, 143*P*, 1998
Distribution of photon absorption rates across the rat retina **508**, 515, 1998
Effect of transverse-tubular chloride conductance on excitability in skinned skeletal muscle fibres of rat and toad **509**, 551, 1998
Antioxidant–oxidant balance in the glomerulus and proximal tubule of the rat kidney **509**, 599, 1998
Cholecystokinin (CCK) causes tyrosine phosphorylation of PYK2/CAKβ in pancreatic acinar cells by both calcium-dependent and -independent pathways **509.P**, 11*P*, 1998
Effect of ethanol on exocrine pancreatic function in newborn rats at 21 days postpartum **509.P**, 22*P*, 1998
Cytochalasin E effect on digestive-absorptive functions in rat jejunum **509.P**, 25*P*, 1998
In vivo release of dopamine and its metabolites from rat striatum in response to domoic acid **509.P**, 70*P*, 1998
Effects of the anti-oestrogen LY117018-HCl on the female rat reproductive system. A tool to investigate oestrogen-dependent phenomena in the whole animal **509.P**, 92*P*, 1998
ET-1-induced constriction is largely independent of Ca^{2+} influx through the L-type Ca^{2+} channel in rat small pulmonary arteries **509.P**, 107*P*, 1998
Synchronous and asynchronous rhythmical discharges of postganglionic sympathetic neurones innervating an identified blood vessel in the rat **509.P**, 123*P*, 1998
Interactions of A5 region and medial parabrachial and Kölliker Fuse nuclei in respiratory and cardiovascular control in the anaesthetized rat **509.P**, 126*P*, 1998
Diffusion of large polymers in rat cortical slices measured by integrative optical imaging **511.P**, 16*P*, 1998
Injury-evoked reactive gliosis produces diffusion barriers in the rat cortex **511.P**, 17*P*, 1998
Anisotropic diffusion in the rat hippocampus **511.P**, 19*P*, 1998
Gap detection thresholds in young and old adult pigmented rats **511.P**, 45*P*, 1998
Neuroendocrine and behavioural deviations in adult rats after neonatal indomethacine or dexamethazone administration **511.P**, 50*P*, 1998
The role of preconditioning on the stress response in two inbred rat strains **511.P**, 58*P*, 1998
Medial prefrontal cortex GABA regulates local and striatal dopamine and GABA release, as studied by dual probe microdialysis in the conscious rat **511.P**, 69*P*, 1998

Bicuculline-induced rhythmic EEG episodes in adult male rats: effects of adolescent bicuculline priming **511.P**, 70*P*, 1998
Effects of prenatal administration of methotrexate in young rats **511.P**, 70*P*, 1998
Pulmonary and systemic action of 5-HT in the Fawn Hooded rat: a model of inherited pulmonary and systemic hypertension **511.P**, 108*P*, 1998
Dilator control of the pulmonary circulation in isolated perfused lungs of normal and chronically hypoxic Wistar and Fawn Hooded rats **511.P**, 109*P*, 1998
Distribution and immunocytochemical properties of intracardiac ganglion cells in developing rat atria **511.P**, 116*P*, 1998
Changes in the density of NADPH-d containing neurones in the hippocampus of cocaine-kindled rats **511.P**, 127*P*, 1998
Postnatal factors related to final development of neuronal circuits **511.P**, 138*P*, 1998
Contribution of Na^+–H^+ exchange to sodium reabsorption in the loop of Henle: a microperfusion study in rats **513**, 243, 1998
Magnetic resonance imaging analysis of left ventricular function in normal and spontaneously hypertensive rats **513**, 873, 1998
The distribution of neurones within the nucleus ambiguus of the juvenile rat that express ionotropic receptors **513.P**, 84*P*, 1998

Receptive field

Spatio-temporal receptive fields in carp retinal horizontal cells **508**, 223, 1998
Cutaneous receptive fields and topography of mossy fibres and climbing fibres projecting to cat cerebellar C3 zone **512**, 277, 1998

Receptor

Zn^{2+} inhibition of recombinant $GABA_A$ receptors: an allosteric, state-dependent mechanism determined by the γ-subunit **506**, 609, 1998
Activation of P2X receptors for adenosine triphosphate evokes cardiorespiratory reflexes in anaesthetized rats **507**, 843, 1998
Neutralization of pyrogen-induced tumour necrosis factor by its type 1 soluble receptor in guinea-pigs: effects on fever and interleukin-6 release **509**, 267, 1998
K_{ATP} channel formation by the sulphonylurea receptors SUR1 with Kir6.2 subunits in rat dorsal vagal neurons *in situ* **509**, 339, 1998
Functional implications of kainate receptors in the hippocampus **509.P**, 2*S*, 1998
Inhibition of Kv2.2 expressed in *Xenopus laevis* oocytes by angiotensin II and PKC **509.P**, 63*P*, 1998
$P2Y_2$ nucleotide receptors heterologously expressed in rat sympathetic neurones inhibit both Ca^{2+} and K^+ currents via different G proteins **509.P**, 64*P*, 1998
The magnocellular vasopressin neurones of the rat hypothalamus express V_{1a} and V_{1b} but not V_2 vasopressin receptor mRNAs **509.P**, 87*P*, 1998
μ-Opioid receptor changes in the rat brain during the oestrous cycle **509.P**, 94*P*, 1998
Vagal-evoked excitation of a sub-population of neurones in the nucleus of the solitary tract (NTS) involves $5\text{-}HT_3$ receptors in the anaesthetized rat **509.P**, 129*P*, 1998
Cross-talk between apparently independent receptors **513**, 629, 1998
Immunocytochemical localization of tyrosine hydroxylase and progesterone receptors in the anterior hypothalamus of the ring dove (*Streptopelia risoria*) **513.P**, 8*P*, 1998
Effects of interleukin-1β on IL-1RI mRNA expression in the rat hypothalamus **513.P**, 21*P*, 1998
Identification of an extracellular calcium-sensing receptor in rat pancreatic acinar cells **513.P**, 50*P*, 1998

Red blood cell

Oxygen-dependent K^+ fluxes in sheep red cells **506**, 679, 1998
Sodium pentobarbitone is a mixed inhibitor of D-glucose transport in human red cells **507.P**, 4*P*, 1998
Anti-L antibody and the regulatory phosphorylation cascade of LK sheep red blood cells **509.P**, 80*P*, 1998
Chloride and non-selective cation channels in unstimulated trout red blood cells **511**, 213, 1998
Differential oxygen sensitivity of the K^+–Cl^- cotransporter in normal and sickle human red blood cells **511**, 225, 1998
Response of Na^+–K^+–$2Cl^-$ cotransporter in turkey red cells to physiological stimuli: effect of 'phosphorylation clamping' **513.P**, 56*P*, 1998

Reflex

Function of sural nerve reflexes during human walking **507**, 305, 1998
A signal cancellation technique for the study of the transient pupillary light reflex **507.P**, 35*P*, 1998
Cross-correlation method for studying spinal reflexes to upper limb muscles in human babies, children and adults **509.P**, 168*P*, 1998
A confocal and electron microscopic examination of the terminals of midlumbar premotor interneurones in the feline spinal cord **509.P**, 171*P*, 1998
Do nociceptive reflexes of the foot follow a general flexor reflex or a withdrawal pattern in humans? **509.P**, 172*P*, 1998
Electromyographic responses to tibial displacement of antagonist muscles acting at the human knee **511.P**, 61*P*, 1998
Short latency reflex inhibition of γ-motoneurones during locomotion in the decerebrate cat **511.P**, 64*P*, 1998
The C fibre reflex of the cat urinary bladder **513**, 531, 1998
Vestibulocollic reflexes evoked by short-duration galvanic stimulation in man **513**, 587, 1998
Upper airway control awake and asleep **513.P**, 5*S*, 1998

Regeneration

Incomplete rematching of nerve and muscle properties in motor units after extensive nerve injuries in cat hindlimb muscle **509**, 909, 1998

Renal function

NH_4^+ as a substrate for apical and basolateral Na^+–H^+ exchangers of thick ascending limbs of rat kidney: evidence from isolated membranes **506**, 689, 1998
Effect of renal perfusion pressure (RPP) reduction and anaesthetics on renal function and the renin-angiotensin system in rats **509.P**, 123*P*, 1998
The role of Ca^{2+} in volume regulation induced by Na^+-coupled alanine uptake in single proximal tubule cells isolated from frog kidney **510**, 145, 1998
Inhibition of renal 11β-hydroxysteroid dehydrogenase: effect on electrolyte transport in the distal tubule **513.P**, 38*P*, 1998
Inhibition of renal membrane-anchored carbonic anhydrase activity by chloride ions **513.P**, 44*P*, 1998

Renal nerve

Neural influences on proximal tubular fluid reabsorption in normotensive and hypertensive anaesthetized rats **513.P**, 39*P*, 1998
Renal responses to saline volume expansion in anaesthetized high-fat-fed Wistar rats **513.P**, 41*P*, 1998
Evidence for brain angiotensin II in mediating reflex renal nerve-dependent antinatriuresis in the anaesthetized rat **513.P**, 42*P*, 1998

Renin

Comparison of renal perfusion pressure (RPP) reduction to 30 and 60 mmHg on plasma renin activity (PRA) and renal renin mRNA in the anaesthetized rat **507.P**, 38*P*, 1998
Renal perfusion pressure (RPP), renin release and renal renin and angiotensinogen (Ang) gene expression **507.P**, 39*P*, 1998
Effect of renal perfusion pressure (RPP) reduction and anaesthetics on renal function and the renin-angiotensin system in rats **509.P**, 123*P*, 1998
Renal haemodynamic responses to exogenous and endogenous adenosine in conscious dogs **510**, 321, 1998
Buffering of blood pressure variability by the renin-angiotensin system in the conscious dog **512**, 583, 1998
Sensitivity to isoprenaline and diltiazem of renin release from rat kidney cells in three models of diabetes mellitus **513.P**, 42*P*, 1998

Resistance

Effect of adenosine on rat cerebral and mesenteric resistance arteries **509.P**, 111*P*, 1998

Respiration

Selective lesioning of the cat pre-Bötzinger complex *in vivo* eliminates breathing but not gasping **507**, 895, 1998
Seasonal variability of synaptic connections associated with respiration in the pond snail *Lymnaea stagnalis* (L.) **507.P**, 31*P*, 1998
Non-respiratory-modulated vagal tone induced by intravenous morphine in the anaesthetized cat **509.P**, 130*P*, 1998
The J Reflex **511**, 2, 1998
Altered respiratory responses to hypoxia in mutant mice deficient in neuronal nitric oxide synthase **511**, 273, 1998
Chemosensitivity of rat medullary raphe neurones in primary tissue culture **511**, 433, 1998
Epiglottic movements during breathing in humans **512**, 307, 1998
Respiration-modulated membrane potential and chemosensitivity of locus coeruleus neurones in the *in vitro* brainstem–spinal cord of the neonatal rat **513**, 381, 1998

Protein oxidation in asthma **513.P**, 74*P*, 1998

Respiratory control

Long-term modulation of P_{a,CO_2} regulation during exercise following associative conditioning with inspiratory resistive loading in humans **506.P**, 96*P*, 1998

Long-term modulation of the exercise breathing pattern after associative conditioning with inspiratory resistive loading in humans **506.P**, 96*P*, 1998

Rhythmic sympathetic activity recorded from the ventral collector nerve (VCN) innervating the rat tail **506.P**, 134*P*, 1998

Activation of P2X receptors for adenosine triphosphate evokes cardiorespiratory reflexes in anaesthetized rats **507**, 843, 1998

Synaptic potentials in respiratory neurones during evoked phase switching after NMDA receptor blockade in the cat **508**, 549, 1998

Chemoafferent degeneration and carotid body hypoplasia following chronic hyperoxia in newborn rats **509**, 519, 1998

Physiological and pathophysiological modifications of cardiorespiratory control in mammals **509.P**, 20*S*, 1998

Brain-derived neurotrophic factor is required for normal development of the central respiratory rhythm in mice **510**, 527, 1998

NMDA and $GABA_A$ receptors in the rat Kölliker–Fuse area control cardiorespiratory responses evoked by trigeminal ethmoidal nerve stimulation **510**, 793, 1998

Slow recovery of impaired phrenic responses to hypoxia following perinatal hyperoxia in rats **511**, 599, 1998

Control of end-expiratory lung volume: a component of the control of breathing **511.P**, 42*S*, 1998

Changes in airway resistance do not contribute to the hypoxia-induced increase in end-expiratory lung volume in the rat **511.P**, 104*P*, 1998

Respiratory muscle

Mechanical advantage of the human parasternal intercostal and triangularis sterni muscles **513**, 915, 1998

Respiratory neurone

Synaptic potentials in respiratory neurones during evoked phase switching after NMDA receptor blockade in the cat **508**, 549, 1998

Hypoxia activates ATP-dependent potassium channels in inspiratory neurones of neonatal mice **509**, 755, 1998

L-type Ca^{2+} channels in inspiratory neurones of neonatal mice *in vitro* and their modulation by hypoxia **509.P**, 125*P*, 1998

Morphology and projections of thoracic interneurones **509.P**, 170*P*, 1998

L-type Ca^{2+} channels in inspiratory neurones of mice and their modulation by hypoxia **512**, 75, 1998

Respiratory rhythm

Phase resetting of the respiratory oscillator by carotid sinus nerve stimulation in cats **506**, 515, 1998

The hypoxic response of neurones within the *in vitro* mammalian respiratory network **507**, 571, 1998

Blockade of synaptic inhibition within the pre-Bötzinger complex in the cat suppresses respiratory rhythm generation *in vivo* **509**, 245, 1998

Effects of inhibitory synaptic transmission blockade and pontomedullary transection on phrenic motor outflow in arterially perfused adult mice **509.P**, 124*P*, 1998

Analysis of the periodicity of synaptic events in neurones in the superior cervical ganglion of anaesthetized rats **511**, 461, 1998

Retina

Axonal conduction velocities of functionally characterized retinal ganglion cells in goldfish **506**, 207, 1998

Glycinergic synaptic inputs to bipolar cells in the salamander retina **506**, 731, 1998

Endothelin-induced Ca^{2+} transients in freshly isolated microvessels from rat retina **506.P**, 23*P*, 1998

Simultaneous measurement of Ca_i^{2+} and photocurrent from cone photoreceptors isolated from the tiger salamander **506.P**, 89*P*, 1998

A fundamental measure of the metabolic cost of neural information in the retina of the blowfly, *Calliphora vicina* **506.P**, 92*P*, 1998

Refilling of the rapidly releasable pool of vesicles in retinal bipolar cells **506.P**, 93*P*, 1998

Spatio-temporal receptive fields in carp retinal horizontal cells **508**, 223, 1998

Distribution of photon absorption rates across the rat retina **508**, 515, 1998

Protein kinases modulate two glycine currents in salamander retinal ganglion cells **508**, 681, 1998

A rise in intracellular Ca^{2+} underlies light adaptation in dogfish retinal On-bipolar cells **509.P**, 54*P*, 1998

Light stimulates an increase in intracellular Ca^{2+} in carp retinal On-bipolar cells **509.P**, 66*P*, 1998

Metabotropic and ionotropic glutamate receptors regulate calcium channel currents in salamander retinal ganglion cells **510**, 815, 1998

Field sensitivity action spectra of cone photoreceptors in the turtle retina **511**, 479, 1998

The generation of directionally selective responses in the retina **512**, 316, 1998

Necessity of acetylcholine for retinal directionally selective responses to drifting gratings in rabbit **512**, 575, 1998

$GABA_A$ and $GABA_C$ receptors in adult porcine cones: evidence from a photoreceptor–glia co-culture model **513**, 33, 1998

Colour processing in the primate retina: recent progress **513**, 631, 1998

$GABA_B$ receptor modulation of spontaneous Ca^{2+} activity in the isolated developing chick retina **513.P**, 19*P*, 1998

Rhodopsin

Distribution of photon absorption rates across the rat retina **508**, 515, 1998

Ryanodine

Stealth ryanodine-sensitive Ca^{2+} release contributes to activity of capacitative Ca^{2+} entry and nitric oxide synthase in bovine endothelial cells **513**, 369, 1998

5-HT suppresses Ca^{2+} release from ryanodine-sensitive stores in squid chromatophore muscle **513.P**, 127*P*, 1998

Ryanodine receptor

The influence of perchlorate ions on complex charging transients in amphibian striated muscle **506**, 699, 1998

Cyclic ADP-ribose and calcium-induced calcium release regulate neurotransmitter release at a cholinergic synapse of *Aplysia* **507**, 405, 1998

Ryanodine receptors regulate arterial diameter and wall $[Ca^{2+}]$ in cerebral arteries of rat via Ca^{2+}-dependent K^+ channels **508**, 211, 1998

Voltage change-induced gating transitions of the rabbit skeletal muscle Ca^{2+} release channel **509**, 29, 1998

A continuum of $InsP_3$-mediated elementary Ca^{2+} signalling events in *Xenopus* oocytes **509**, 67, 1998

Activation and co-ordination of $InsP_3$-mediated elementary Ca^{2+} events during global Ca^{2+} signals in *Xenopus* oocytes **509**, 81, 1998

The effects of AMP on the gating of the sheep cardiac ryanodine receptor **509.P**, 144*P*, 1998

Correlation between Ca^{2+} waves, Ca^{2+} sparks and the loading state of the sarcoplasmic reticulum in rat ventricular cardiomyocytes **509.P**, 155*P*, 1998

Detection and functional characterization of ryanodine receptors from sea urchin eggs **510**, 155, 1998

The influence of caffeine on intramembrane charge movements in intact frog striated muscle **512**, 707, 1998

Voltage-controlled Ca^{2+} release in normal and ryanodine receptor type 3 (RyR3)-deficient mouse myotubes **513**, 3, 1998

Saliva

A putative osmoreceptive site in the forebrain inhibiting parotid secretion in sheep **509.P**, 8*P*, 1998

Secretion of immunoglobulin A from the rat submandibular gland in the presence and absence of nerve stimulation **509.P**, 8*P*, 1998

The influence of nerves on the secretion of immunoglobulin A into submandibular saliva in rats **512**, 567, 1998

Two types of parasympathetic preganglionic neurones in the superior salivatory nucleus characterized electrophysiologically in slice preparations of neonatal rats **513**, 157, 1998

Sarcolemmal vesicle

Identification and kinetic characterization of L-histidine transport in pig heart **507.P**, 6*P*, 1998

Sarcomere

Excursion is important in regulating sarcomere number in the growing rabbit tibialis anterior **508**, 267, 1998

Sarcoplasmic reticulum

Superoxide reduces sarcoplasmic reticulum Ca^{2+} release in saponin permeabilized rabbit diaphragm fibres **506.P**, 58*P*, 1998

Termination of Ca^{2+} release during Ca^{2+} sparks in rat ventricular myocytes **507**, 667, 1998

Intrasarcomere $[Ca^{2+}]$ gradients and their spatio-temporal relation to Ca^{2+} sparks in rat cardiomyocytes **508**, 145, 1998

T-type Ca^{2+} current as a trigger for Ca^{2+} release from the sarcoplasmic reticulum in guinea-pig ventricular myocytes **508**, 439, 1998

Fundamental calcium release events revealed by two-photon excitation photolysis of caged calcium in guinea-pig cardiac myocytes **508**, 801, 1998

The effects of AMP on the gating of the sheep cardiac ryanodine receptor **509.P**, 144*P*, 1998
The use of spontaneous rather than stimulated sarcoplasmic reticulum Ca^{2+} release to identify agents that modulate Ca^{2+}-induced Ca^{2+} release in cardiac muscle **509.P**, 146*P*, 1998
Ca^{2+} handling in cardiac myocytes isolated from transgenic mice overexpressing the Na^+–Ca^{2+} exchanger **509.P**, 154*P*, 1998
Correlation between Ca^{2+} waves, Ca^{2+} sparks and the loading state of the sarcoplasmic reticulum in rat ventricular cardiomyocytes **509.P**, 155*P*, 1998
Effect of arachidonic acid on sarcoplasmic reticulum Ca^{2+} uptake in isolated rabbit cardiac myocytes **509.P**, 157*P*, 1998
Ca^{2+} release from the sarcoplasmic reticulum elicited by membrane depolarization, with Ca^{2+} entry pathways inhibited, in the absence of external Na^+ and with subsarcolemmal Na^+ levels depleted, in guinea-pig ventricular myocytes at 37 °C **509.P**, 157*P*, 1998
Contribution of sarcoplasmic reticular calcium to smooth muscle contractile activation: gestational dependence in isolated rat uterus **511**, 133, 1998
Local calcium release in mammalian skeletal muscle **512**, 377, 1998
Na^+–Ca^{2+} exchange and sarcoplasmic reticular Ca^{2+} regulation in ventricular myocytes from transgenic mice overexpressing the Na^+–Ca^{2+} exchanger **512**, 651, 1998
Intercellular Ca^{2+} waves in rat heart muscle **512**, 669, 1998
Direct measurement of SR release flux by tracking 'Ca^{2+} spikes' in rat cardiac myocytes **512**, 677, 1998
Effects of caffeine and adenine nucleotides on Ca^{2+} release by the sarcoplasmic reticulum in saponin-permeabilized frog skeletal muscle fibres **513**, 43, 1998
The buffer barrier hypothesis, $[Ca^{2+}]_i$ homogeneity, and sarcoplasmic reticulum function in swine carotid artery **513**, 477, 1998

Schwann cell

Progesterone is synthesized in the nervous system and promotes myelination **509.P**, 14*S*, 1998
Endogenous peptidergic modulation of perisynaptic Schwann cells at the frog neuromuscular junction **512**, 197, 1998

Second messenger

Activation of multiple intracellular transduction signals by vasopressin (AVP) in AVP-sensitive neurones of the rat supraoptic nucleus **509.P**, 86*P*, 1998

Secretion

Co-existence of Cl^- and Na^+ channels in the apical membrane of exocrine gland acini from frog skin (*Rana esculenta*) **507.P**, 2*P*, 1998
Measurement of secretory rate in isolated pancreatic duct segments by digital videomicroscopy **509.P**, 3*P*, 1998
A putative osmoreceptive site in the forebrain inhibiting parotid secretion in sheep **509.P**, 8*P*, 1998
Secretion of immunoglobulin A from the rat submandibular gland in the presence and absence of nerve stimulation **509.P**, 8*P*, 1998
Two types of exocytosis observed in single, rat pancreatic acinar cells **509.P**, 10*P*, 1998
The thiol reagent phenylarsine oxide (PAO) evokes intracellular Ca^{2+} increases in rat pancreatic acinar cells **509.P**, 20*P*, 1998
Control of insulin secretion by noradrenaline and acetylcholine in islets from malnourished rats **509.P**, 72*P*, 1998
The role of different types of calcium channels in secretion from bovine chromaffin cells **509.P**, 106*P*, 1998
Insulin secretion and calcium signalling in a novel human insulin-secreting cell line, NISK 9 **509.P**, 106*P*, 1998
Regulation of HCO_3^- and fluid secretion in isolated guinea-pig pancreatic ducts **511.P**, 23*P*, 1998
Fatty acids stimulate cholecystokinin secretion from STC-1 enteroendocrine cells by Ca^{2+} influx through L-type Ca^{2+} channels **511.P**, 25*P*, 1998
P-glycoprotein and the secretion of MPP^+ across Caco-2 intestinal cell monolayers **511.P**, 28*P*, 1998
The influence of nerves on the secretion of immunoglobulin A into submandibular saliva in rats **512**, 567, 1998
Alkaline secretion by frog gastric glands measured with pH microelectrodes in the gland lumen **513**, 235, 1998
Evidence to suggest re-differentiation of rat lacrimal gland acini with age **513.P**, 48*P*, 1998
Fluid secretion by isolated murine pancreatic ducts in the presence and absence of extracellular bicarbonate **513.P**, 53*P*, 1998

Seizure

Laminar organization of epileptiform discharges in the rat entorhinal cortex *in vitro* **509**, 785, 1998

Sensorimotor control

Rhythmicity, synchronization and binding in human and primate motor systems **509**, 3, 1998
Cross-correlation method for studying spinal reflexes to upper limb muscles in human babies, children and adults **509.P**, 168*P*, 1998
Comparison of responses in biceps brachii following transcranial magnetic stimulation of ipsilateral and contralateral hemispheres in normal human adults and neonates **509.P**, 169*P*, 1998
Recruitment of extensor carpi radialis motor units by corticospinal and Ia afferent input in human subjects **509.P**, 174*P*, 1998
Intracellular evidence of cortico-cuneate synchronization during evoked spike-and-wave cortical seizure activity **509.P**, 180*P*, 1998
Effects of site of delivery of an electrical cutaneous metronome on the magnitude of the synchronization error during human temporal tracking **509.P**, 181*P*, 1998
Acquisition of a new motor skill is accompanied by changes in cutaneomuscular reflexes recorded from finger muscles in man **511.P**, 135*P*, 1998
Frequency-dependent synaptic depression modifies postsynaptic firing probability in cats **512**, 189, 1998
Cutaneous receptive fields and topography of mossy fibres and climbing fibres projecting to cat cerebellar C3 zone **512**, 277, 1998

Sensory input

Infant stepping: a method to study the sensory control of human walking **507**, 927, 1998

Sensory neurone

Multiple modulatory effects of dopamine on calcium channel kinetics in adult rat sensory neurons **509**, 395, 1998
Multiple forms of Na^+ channel gating behaviour underlie late and persistent Na^+ current in adult rat large sensory neurones in culture **509.P**, 38*P*, 1998
Hyperpolarization-activated cationic currents (I_h) in neurones of the trigeminal mesencephalic nucleus of the rat **510**, 695, 1998
Expression of *c-fos* following single or multisensory stimulation in the superior colliculus **511.P**, 44*P*, 1998
The sensitivity of rat cultured dorsal root ganglion neurones to histamine is augmented by prostaglandin E_2 **511.P**, 122*P*, 1998
Selective block of persistent Na^+ current by lidocaine in cultured rat sensory neurones **511.P**, 123*P*, 1998
The effects of algogens on membrane currents induced by noxious heat in sensory neurones from newborn rats **511.P**, 125*P*, 1998
Properties and functions of calcium-activated K^+ channels in small neurones of rat dorsal root ganglion studied in a thin slice preparation **513**, 55, 1998

Serotonin

Serotonin reduces synaptic excitation in the superficial medial entorhinal cortex of the rat via a presynaptic mechanism **508**, 119, 1998
Dorsal medullary 5-HT_3 receptors and sympathetic premotor neurones in the rat **508**, 747, 1998
Role of 5-HT_3 receptors in activation of abdominal sympathetic C fibre afferents during ischaemia in cats **509**, 729, 1998
Differential inhibition of N and P/Q Ca^{2+} currents by 5-HT_{1A} and 5-HT_{1D} receptors in spinal neurons of *Xenopus* larvae **510**, 103, 1998
Presynaptic inhibition by 5-HT_{1B} receptors of glutamatergic synaptic inputs onto serotonergic caudal raphe neurones in rat **510**, 121, 1998
Ca^{2+} influx through voltage-gated Ca^{2+} channels regulates 5-HT_3 receptor channel desensitization in rat glioma × mouse neuroblastoma hybrid NG108-15 cells **510**, 361, 1998
Mechanistic analyses of ion dependences in a high-affinity human serotonin transport system in transfected murine fibroblast cells **510**, 903, 1998
A possible role of serotonin release for evoking fictive spinal locomotion in the cat **511.P**, 65*P*, 1998
Metabotropic glutamate receptor agonists and 5-HT differentially modulate components of calcium channel currents in rat retinal ganglion cells **513.P**, 17*P*, 1998
Activation of 5-HT_{1B} and 5-HT_{1D} receptors modulates the excitatory vagal afferent input to nucleus tractus solitarius (NTS) neurones in anaesthetized rats **513.P**, 78*P*, 1998
Effect of antagonism of central 5-HT_{1A} receptors on baroreceptor and cardiopulmonary receptor reflexes in anaesthetized rabbits **513.P**, 85*P*, 1998

Sertoli cell
Regulated anion secretion in cultured epithelia from Sertoli cells of immature rats **512**, 471, 1998

Sheep
Umbilical vein injection of thryotrophin-releasing hormone (TRH) promotes thyroid status and brown adipose tissue function in near-term Caesarean section-delivered lambs **507.P**, 48*P*, 1998
Effect of maternal nutrient restriction in early gestation on hypothalamic pituitary adrenal axis responses during acute hypoxaemia in late gestation fetal sheep **507.P**, 50*P*, 1998
Cardiovascular redistribution and tissue oxygenation measured by near-infrared (NIR) spectroscopy in unanaesthetized fetal sheep **507.P**, 52*P*, 1998
Anti-L antibody and the regulatory phosphorylation cascade of LK sheep red blood cells **509.P**, 80*P*, 1998
Repetitive hypoxia rapidly depresses arousal from active sleep in newborn lambs **510**, 651, 1998
The reticulum and the rumen contracted separately to brainstem stimulation in sheep **511.P**, 54*P*, 1998
Impact of maternal nutrient restriction in early to mid-gestation on prolactin receptor abundance in brown adipose and hepatic tissue in the late gestation ovine fetus **511.P**, 96*P*, 1998
Fetal sheep hypothalamic pituitary adrenal axis control mechanisms following modest maternal nutrient restriction in early gestation **513.P**, 7*P*, 1998

Shortening velocity
Mechanisms underlying reduced maximum shortening velocity during fatigue of intact, single fibres of mouse muscle **510**, 269, 1998

Sino-atrial node
Immunohistochemical staining of minK in rabbit sino-atrial node cells **506.P**, 39*P*, 1998
Expression and localization of the Kv1.5 K^+ channel in the guinea-pig sinoatrial node **506.P**, 54*P*, 1998
Characteristics of nitric oxide-mediated cholinergic modulation of calcium current in rabbit sino-atrial node **509**, 741, 1998
A hypothesis to explain the decline of sinoatrial node function with age **511.P**, 76*P*, 1998
Regional differences in the role of the rapid delayed rectifier K^+ current, $i_{K,r}$, within the rabbit sinoatrial node **511.P**, 79*P*, 1998
Distribution of the Kv1.5 K^+ channel in the guinea-pig sinoatrial node: correlation with electrophysiology **511.P**, 148*P*, 1998
Cloning and expression of a Kv4.2 K^+ channel from the rabbit sinoatrial node **511.P**, 149*P*, 1998

Skeletal muscle
A defect in skeletal muscle sodium channel deactivation exacerbates hyperexcitability in human paramyotonia congenita **506**, 627, 1998
Changes in human skeletal muscle architecture induced by disuse-atrophy **506.P**, 59*P*, 1998
Effect of the organic Ca^{2+} channel blocker diltiazem on excitation–contraction coupling in frog isolated skeletal muscle fibres and in rabbit isolated sarcoplasmic reticulum **506.P**, 59*P*, 1998
The effect of high-frequency initial pulses on power output of skeletal muscle in the anaesthetized rat **506.P**, 60*P*, 1998
Proto-oncogene expression in rabbit skeletal muscle after different electrical stimulation regimes **506.P**, 61*P*, 1998
Effects of pyruvate, dichloroacetate and adrenaline infusion on pyruvate dehydrogenase complex activation and tricarboxylic acid cycle intermediates in human skeletal muscle **506.P**, 102*P*, 1998
M-wave properties associated with twitch and tetanic contraction in isolated rat soleus muscle **506.P**, 156*P*, 1998
Shortening-induced force depression in human adductor pollicis muscle **507**, 583, 1998
Regulation of glucose transporter (GLUT) 4 gene expression in ovine skeletal muscle during fetal development **507.P**, 53*P*, 1998
The effect of length on the relationship between tension and intracellular $[Ca^{2+}]$ in intact frog skeletal muscle fibres **508**, 179, 1998
Activation of Ca^{2+}-activated K^+ channels by an increase in intracellular Ca^{2+} induced by depolarization of mouse skeletal muscle fibres **509**, 93, 1998
Effect of transverse-tubular chloride conductance on excitability in skinned skeletal muscle fibres of rat and toad **509**, 551, 1998
Induction of histidine decarboxylase in skeletal muscle in mice by electrical stimulation, prolonged walking and interleukin-1 **509**, 587, 1998
A slow calcium-dependent component of charge movement in *Rana temporaria* cut twitch fibres **509**, 869, 1998
Slow *versus* fast muscle fibres differ in total RNA content: a study in single fibres **509.P**, 44*P*, 1998
A model of experimental damage to mouse skeletal muscle myotubes in culture **509.P**, 192*P*, 1998
The integrin-binding peptide GRGDTP prevents osmotically induced modulation of glutamine uptake in rat skeletal muscle **509.P**, 195*P*, 1998
Modification of Cl^- transport in skeletal muscle of *Rana temporaria* with the arginine-binding reagent phenylglyoxal **510**, 591, 1998
The role of bradykinin in the regulation of blood flow to hindlimb muscle groups of the anaesthetized cat **510**, 643, 1998
Human sodium channel gating defects caused by missense mutations in S6 segments associated with myotonia: S804F and V1293I **510**, 685, 1998
Glycolysis is independent of oxygenation state in stimulated human skeletal muscle *in vivo* **511**, 935, 1998
Post-exercise recovery of phosphocreatine in relation to myosin heavy chain isoform expression in human muscle type II fibres **511.P**, 10*P*, 1998
Spectral characteristics of human skeletal muscle electromyograph with increasing force of contraction **511.P**, 11*P*, 1998
Passive stretch-induced expression of proto-oncogenes in the rabbit latissimus dorsi muscle **511.P**, 154*P*, 1998
Growth and regression of capillaries in rabbit and rat skeletal muscles **511.P**, 158*P*, 1998
Metabolic effects of increasing the perfusion flow rate in rat isolated skeletal muscle **511.P**, 158*P*, 1998
Relation between systolic cardiac force and maximal skeletal muscle force **511.P**, 159*P*, 1998
Mechanisms underlying phosphate-induced failure of Ca^{2+} release in single skinned skeletal muscle fibres of the rat **512**, 97, 1998
Excitation-induced force recovery in potassium-inhibited rat soleus muscle **512**, 819, 1998
The contribution of pH-dependent mechanisms to fatigue at different intensities in mammalian single muscle fibres **512**, 831, 1998
Voltage-controlled Ca^{2+} release in normal and ryanodine receptor type 3 (RyR3)-deficient mouse myotubes **513**, 3, 1998
Changes in single motor unit behaviour contribute to the increase in contraction speed after dynamic training in humans **513**, 295, 1998

Skin
Effect of antioxidant supplements on damage to human skin fibroblasts induced by ultraviolet light **509.P**, 201*P*, 1998
Two neural mechanisms for respiration-induced cutaneous vasodilatation in humans? **513**, 559, 1998
Mediator release during the allergic response in human skin *in vivo*, measured using dermal microdialysis **513.P**, 148*P*, 1998
Relationship between nitric oxide, cyclic GMP and vasodilatation in human skin *in vivo* **513.P**, 153*P*, 1998

Sleep
Circadian rhythm of sleepiness and vigilance studied in man **506.P**, 114*P*, 1998
Behavioural sleep and environmental factors in reptiles (*Gallotia galloti*) **509.P**, 89*P*, 1998
Repetitive hypoxia rapidly depresses arousal from active sleep in newborn lambs **510**, 651, 1998
The effect of rapid eye movement (REM) sleep on upper airway mechanics in normal human subjects **510**, 963, 1998
Neural mechanisms of apnoea **513.P**, 2*S*, 1998
Oleamide, an endogenous sleep modulator: cellular actions and molecular specificity *in vitro* **513.P**, 2*S*, 1998
Excitatory drive to the respiratory system in REM sleep **513.P**, 3*S*, 1998
Sleep-related changes in human respiratory chemosensitivity **513.P**, 4*S*, 1998
Upper airway control awake and asleep **513.P**, 5*S*, 1998
The effects of sleep on pharyngeal patency in humans **513.P**, 5*S*, 1998
Stereospecific modulation of $GABA_A$ receptors and spontaneous synaptic currents by *cis*- and *trans*-9, 10-octadecenoamide **513.P**, 134*P*, 1998

Small intestine
Co-operation between neural and myogenic mechanisms in the control of distension-induced peristalsis in the mouse small intestine **506**, 843, 1998
Ion transport pathways involved in the response to isoprostanes and prostaglandins in the porcine small intestine **511.P**, 30*P*, 1998

Smooth muscle

Clostridium difficile toxin B inhibits carbachol-induced force and myosin light chain phosphorylation in guinea-pig smooth muscle: role of Rho proteins **506**, 83, 1998

Calcium–calmodulin-dependent mechanisms accelerate calcium decay in gastric myocytes from *Bufo marinus* **506**, 95, 1998

Co-operation between neural and myogenic mechanisms in the control of distension-induced peristalsis in the mouse small intestine **506**, 843, 1998

Vitamin C attenuates induction of heme oxygenase-1 by oxidized LDL in human smooth muscle cells **506.P**, 37*P*, 1998

Characterization of a vasopressin-activated Ca^{2+} influx pathway in rat A7r5 vascular smooth muscle cells **506.P**, 66*P*, 1998

Oxytocin increases the sensitivity *in vitro* of the contractile apparatus to Ca^{2+} in human pregnant myometrium **506.P**, 144*P*, 1998

ATP-sensitive K^+ channel activation by calcitonin gene-related peptide and protein kinase A in pig coronary arterial smooth muscle **507**, 117, 1998

Bayliss, myogenic tone and volume-regulated chloride channels in arterial smooth muscle **507**, 631, 1998

Variability in spontaneous subcellular calcium release in guinea-pig ileum smooth muscle cells **507**, 707, 1998

Functional and molecular expression of volume-regulated chloride channels in canine vascular smooth muscle cells **507**, 729, 1998

The role of calcium stores in the action of muscarinic agonists on mammalian urinary bladder smooth muscle **507.P**, 21*P*, 1998

Membrane inward currents and action potentials of cultured smooth muscle cells from the guinea-pig bladder **507.P**, 22*P*, 1998

The role of the membrane potential in refilling functional intracellular Ca^{2+} stores in guinea-pig detrusor smooth muscle **507.P**, 22*P*, 1998

The effect of angiotensin II on stable and unstable human detrusor smooth muscle **507.P**, 23*P*, 1998

Nitric oxide and carbon monoxide-induced smooth muscle relaxation is enhanced by hydrogen peroxide in the rabbit lower urinary tract **507.P**, 23*P*, 1998

Prostaglandins hyperpolarize and suppress spontaneous contractions in human uterine smooth muscle **507.P**, 68*P*, 1998

Nitric oxide synthase (eNOS) is localized to the vascular endothelium of myometrium from pregnant women at term **507.P**, 69*P*, 1998

The regulation of human prostate smooth muscle contraction **507.P**, 73*P*, 1998

Vasopressin-activated Ca^{2+} extrusion from rat A7r5 vascular smooth muscle cells **507.P**, 74*P*, 1998

Responses to nitric oxide and cyclic nucleotides in isolated human detrusor smooth muscle **507.P**, 74*P*, 1998

Regional variations in nerve density in the bladder wall of patients with idiopathic and neuropathic instability: identification of three discrete areas **507.P**, 75*P*, 1998

The importance of agonist concentration in determining the mechanism of excitation–contraction coupling in human detrusor smooth muscle **507.P**, 76*P*, 1998

An *in vitro* investigation into the active and passive components of visco-elastic relaxation in human bladder **507.P**, 77*P*, 1998

The effects of extracellular and intracellular pH on intracellular Ca^{2+} regulation in guinea-pig detrusor smooth muscle **508**, 131, 1998

Cytoskeletal targeting of calponin in differentiated, contractile smooth muscle cells of the ferret **508**, 187, 1998

Possible involvement of the novel CPI-17 protein in protein kinase C signal transduction of rabbit arterial smooth muscle **508**, 871, 1998

Hypoxia and smooth muscle function: key regulatory events during metabolic stress **509**, 315, 1998

Simultaneous measurements of electrical activity, intracellular $[Ca^{2+}]$ and contraction in smooth muscle **509.P**, 2*P*, 1998

5-Hydroxytryptamine (5-HT) induces contraction via 5-HT_2 receptors in bovine mesenteric lymph node capsular strips *in vitro* **509.P**, 21*P*, 1998

Mitochondrial regulation of the cytosolic calcium concentration in guinea-pig colonic smooth muscle **509.P**, 28*P*, 1998

Synergistic relationship between α- and β-adrenoceptor-mediated pathways in isolated pulmonary artery of the rat **509.P**, 31*P*, 1998

ET-1-induced constriction is largely independent of Ca^{2+} influx through the L-type Ca^{2+} channel in rat small pulmonary arteries **509.P**, 107*P*, 1998

Control of motility patterns in the human colonic circular muscle layer by pacemaker activity **510**, 309, 1998

Mechanisms of Ca^{2+} sensitization of force production by noradrenaline in rat mesenteric small arteries **510**, 577, 1998

Ca^{2+} images and K^+ current during depolarization in smooth muscle cells of the guinea-pig vas deferens and urinary bladder **510**, 705, 1998

Contribution of sarcoplasmic reticular calcium to smooth muscle contractile activation: gestational dependence in isolated rat uterus **511**, 133, 1998

Blockade by 18β-glycyrrhetinic acid of intercellular electrical coupling in guinea-pig arterioles **511**, 501, 1998

Carbachol-induced oscillations in membrane potential and $[Ca^{2+}]_i$ in guinea-pig ileal smooth muscle cells **511**, 559, 1998

Cyclic GMP-dependent but G-kinase-independent inhibition of Ca^{2+}-dependent Cl^- currents by NO donors in cat tracheal smooth muscle **511**, 719, 1998

InsP_3, but not novel Ca^{2+} releasers, contributes to agonist-initiated contraction in rabbit airway smooth muscle **511**, 915, 1998

Regulation of intracellular pH (pH_i) in vascular smooth muscle and the effect of pH on contraction **511.P**, 166*P*, 1998

Effects of chloride current inhibitors on vascular tone in rat isolated small coronary arteries **511.P**, 170*P*, 1998

An amiloride-insensitive, bicarbonate- and Cl^--independent mechanism of regulation from an acid load in rat gastric smooth muscle **511.P**, 170*P*, 1998

Thiophosphorylation of myosin light chain increases rigor stiffness of rabbit smooth muscle **512**, 345, 1998

Presynaptic adrenergic facilitation of parasympathetic neurotransmission in sympathectomized rat smooth muscle **512**, 841, 1998

Nitric oxide modulates cholinergic reflex pathways to the longitudinal and circular muscle in the isolated guinea-pig distal colon **512**, 893, 1998

The buffer barrier hypothesis, $[Ca^{2+}]_i$ homogeneity, and sarcoplasmic reticulum function in swine carotid artery **513**, 477, 1998

Ca^{2+} sparks activate K^+ and Cl^- channels, resulting in spontaneous transient currents in guinea-pig tracheal myocytes **513**, 711, 1998

Ca^{2+} influx through carbachol-activated non-selective cation channels in guinea-pig gastric myocytes **513**, 749, 1998

Compliance and contractility of human small bronchioles in response to prolonged culture **513.P**, 90*P*, 1998

Contractile response to leukotriene D_4 in human small isolated bronchioles **513.P**, 90*P*, 1998

Ca^{2+}-dependent ion currents induced by caffeine and bradykinin in fresh and cultured human bronchial smooth muscle cells **513.P**, 91*P*, 1998

Evidence for a T-type current in guinea-pig detrusor smooth muscle **513.P**, 96*P*, 1998

The action of hyposmolar solutions on intracelluar $[Ca^{2+}]$ in guinea-pig detrusor smooth muscle myocytes **513.P**, 97*P*, 1998

Determination of a reliable normalization procedure for the study of isolated rat mesenteric resistance arteries on the pressure myograph **513.P**, 122*P*, 1998

Ascorbic acid attenuates oxidized LDL-induced apoptosis in cultured human vascular smooth muscle cells **513.P**, 149*P*, 1998

Effects of pre-eclampsia on intracellular calcium levels in human fetal endothelial and smooth muscle cells **513.P**, 150*P*, 1998

Snail

Pharmacological dissection of K^+ currents in cultured neurones of *Lymnaea stagnalis* (L.) **507.P**, 13*P*, 1998

A novel enkephalinergic excitatory response induced by halothane **507.P**, 28*P*, 1998

Seasonal variability of synaptic connections associated with respiration in the pond snail *Lymnaea stagnalis* (L.) **507.P**, 31*P*, 1998

Ethanol and butanol have different effects on the input resistance of an identified neurone of *Lymnaea stagnalis* **513.P**, 110*P*, 1998

Ethanol raises intracellular calcium concentration in cultured molluscan neurones **513.P**, 110*P*, 1998

Sodium

$[Na^+]$ regulates nucleoside diphosphate kinase in human respiratory epithelium *in vitro* when ATP (but not GTP) is the kinase substrate **509.P**, 81*P*, 1998

Comparative study of sodium, chloride and calcium plasma concentrations in Iberian and Duroc pigs **509.P**, 102*P*, 1998

Time-dependent increments in cytosolic $[Na^+]$ related to Na^+ influx through veratrine-modified Na^+ channels in guinea-pig ventricular myocytes **509.P**, 152*P*, 1998

Mechanosensitive cation channels mediate afferent arteriolar myogenic constriction in the isolated rat kidney **511**, 245, 1998

Non-genomic action of the mineralocorticoid aldosterone on cytosolic sodium in cultured kidney cells **511**, 255, 1998

Renal responses to saline volume expansion in anaesthetized high-fat-fed Wistar rats **513.P**, 41*P*, 1998
Evidence for brain angiotensin II in mediating reflex renal nerve-dependent antinatriuresis in the anaesthetized rat **513.P**, 42*P*, 1998

Sodium–calcium exchange

Submaximal stimulation of porcine endothelial cells causes focal Ca^{2+} elevation beneath the cell membrane **506**, 109, 1998
Intracellular Ca^{2+} regulation by the leech giant glial cell **507**, 147, 1998
Differential up-regulation of Na^+–Ca^{2+} exchange by phosphoarginine and ATP in dialysed squid axons **507**, 737, 1998
Intracellular calcium and Na^+–Ca^{2+} exchange current in isolated toad pacemaker cells **508**, 153, 1998
The role of intracellular Na^+ and mitochondria in buffering of kainate-induced intracellular free Ca^{2+} changes in rat forebrain neurones **509**, 103, 1998
Interaction of the Na^+–K^+ pump and Na^+–Ca^{2+} exchange via $[Na^+]_i$ in a restricted space of guinea-pig ventricular cells **509**, 457, 1998
A re-evaluation of the role of Na^+–Ca^{2+} exchange in regulation of Ca^{2+} homeostasis in mammalian central neurons **509.P**, 56*P*, 1998
Ca^{2+} handling in cardiac myocytes isolated from transgenic mice overexpressing the Na^+–Ca^{2+} exchanger **509.P**, 154*P*, 1998
Na^+–Ca^{2+} exchanger current measured in isolated rabbit ventricular myocytes compared using voltage ramp and step protocols **509.P**, 155*P*, 1998
Intracellular calcium clearance in Purkinje cell somata from rat cerebellar slices **510**, 499, 1998
Inhibition of Na^+–Ca^{2+} exchange by external nickel ions in guinea-pig ventricular myocytes at 37 °C, dialysed internally with cAMP-free and cAMP-containing solutions **511.P**, 81*P*, 1998
Na^+–Ca^{2+} exchange current in ventricular and atrioventricular nodal myocytes measured using 'action potential clamp' **511.P**, 93*P*, 1998
Na^+–Ca^{2+} exchange and sarcoplasmic reticular Ca^{2+} regulation in ventricular myocytes from transgenic mice overexpressing the Na^+–Ca^{2+} exchanger **512**, 651, 1998
Characterization of Na^+–Ca^{2+} exchange in plasmalemmal vesicles from zona fasciculata cells of the bovine adrenal gland **513.P**, 53*P*, 1998

Sodium channel

A defect in skeletal muscle sodium channel deactivation exacerbates hyperexcitability in human paramyotonia congenita **506**, 627, 1998
Functional expression of the Ile693Thr Na^+ channel mutation associated with paramyotonia congenita in a human cell line **507**, 721, 1998
Co-existence of Cl^- and Na^+ channels in the apical membrane of exocrine gland acini from frog skin (*Rana esculenta*) **507.P**, 2*P*, 1998
Structure and function of voltage-gated sodium channels **508**, 647, 1998
Electrophysiological characterization of Na^+ currents in acutely isolated human hippocampal dentate granule cells **509**, 139, 1998
Regulation of Na^+ channels by luminal Na^+ in rat cortical collecting tubule **509**, 151, 1998
Multiple forms of Na^+ channel gating behaviour underlie late and persistent Na^+ current in adult rat large sensory neurones in culture **509.P**, 38*P*, 1998
Inhibition of oxidative metabolism increases persistent sodium current in rat CA1 hippocampal neurons **510**, 735, 1998
Selective block of persistent Na^+ current by lidocaine in cultured rat sensory neurones **511.P**, 123*P*, 1998
Heterologous expression of the sensory neurone-specific sodium channel (SNS) α-subunit in rat sympathetic neurones **511.P**, 124*P*, 1998
Tetrodotoxin-resistant impulses in single nociceptor nerve terminals in guinea-pig cornea **512**, 211, 1998
Mechanistic link between lidocaine block and inactivation probed by outer pore mutations in the rat μ1 skeletal muscle sodium channel **512**, 693, 1998
Oleamide, an endogenous sleep modulator: cellular actions and molecular specificity *in vitro* **513.P**, 2*S*, 1998
Sensory neuron voltage-gated sodium channels and nociception **513.P**, 20*S*, 1998
Voltage-gated sodium channel activity and metastasis: a novel approach to understanding the pathophysiology of prostate cancer **513.P**, 21*S*, 1998
Structure, function and molecular pharmacology of Na^+ channels **513.P**, 22*S*, 1998
Protein kinase C regulates human renal sodium channels expressed in *Xenopus* oocytes **513.P**, 59*P*, 1998
Re-evaluation of the Na^+ conductance of adult rat alveolar epithelial cells: inhibition by Zn^{2+} **513.P**, 59*P*, 1998
Evidence for amiloride-sensitive electrogenic Na^+ absorption and cAMP-activated Cl^- secretion in cultured ovine male genital duct epithelial cells **513.P**, 60*P*, 1998
The effect of eicosa-5,8,11,14-tetraynoic acid (ETYA) on fetal sheep lung liquid secretion *in vivo* **513.P**, 65*P*, 1998
Characterization and comparison of human brain type III with type IIA Na^+ channels stably expressed in Chinese hamster ovary cells **513.P**, 129*P*, 1998
Cloning and expression of the human brain type VI voltage-gated Na^+ channel in a mammalian cell line **513.P**, 130*P*, 1998
Voltage-gated Na^+ channel activity contributes to rodent prostate cancer cell migration *in vitro* **513.P**, 131*P*, 1998
Electrophysiological characterization of voltage-gated Na^+ channels in the dorsal root ganglion cell line ND7-23 **513.P**, 140*P*, 1998
Expression and functional analysis of recombinant rat sensory neuron-specific Na^+ channels in a mammalian cell line **513.P**, 141*P*, 1998
Electrophysiological analysis of the human brain type I voltage-gated Na^+ channel in *Xenopus* oocytes and mammalian cells **513.P**, 141*P*, 1998
Cardiotoxic effects of fenfluramine hydrochloride on isolated guinea-pig ventricular myocytes **513.P**, 162*P*, 1998

Sodium current

Transient and persistent sodium currents in rat thalamocortical neurones *in vitro* **506.P**, 150*P*, 1998
Anemone toxin (ATX II)-induced increase in persistent sodium current: effects on the firing properties of rat neocortical pyramidal neurones **507**, 105, 1998
Electrophysiological properties of sodium current subtypes in small cells from adult rat dorsal root ganglia **511**, 771, 1998
Multiple ionic mechanisms mediate inhibition of rat motoneurones by inhalation anaesthetics **512**, 851, 1998
Electrophysiological characterization of voltage-gated Na^+ channels in the dorsal root ganglion cell line ND7-23 **513.P**, 140*P*, 1998
Inhibition of the tetrodotoxin-resistant sodium current of acutely dissociated rat dorsal root ganglion (DRG) neurons by WIN17317-3 **513.P**, 140*P*, 1998

Sodium–hydrogen exchange

NH_4^+ as a substrate for apical and basolateral Na^+–H^+ exchangers of thick ascending limbs of rat kidney: evidence from isolated membranes **506**, 689, 1998
Polarized expression of the Na^+–H^+ exchangers NHE1 and NHE3 in Caco-2 cell monolayers **506.P**, 129*P*, 1998
The modulation of Na^+–H^+ exchange by hydrostatic pressure in bovine articular chondrocytes **506.P**, 129*P*, 1998
Role of insulin-like growth factor binding proteins in human post-nephrectomy proximal tubule cells **508**, 587, 1998
Effects of halocin H7 on A-V nodal conduction and heart rate in isolated rabbit heart **509.P**, 148*P*, 1998
Halocin H7 decreases infarct size and ectopic beats after myocardial reperfusion in dogs **509.P**, 148*P*, 1998
Effects of EIPA (5-[*N*-ethyl-*N*-isopropyl]-amiloride) on intracellular pH regulation in snail neurones **511.P**, 42*P*, 1998
Na^+–H^+ exchanger phenotypes in proximal tubule cell lines from hypertensive and normotensive rats **511.P**, 167*P*, 1998
Contribution of Na^+–H^+ exchange to sodium reabsorption in the loop of Henle: a microperfusion study in rats **513**, 243, 1998
Membrane-limited expression and regulation of Na^+–H^+ exchanger isoforms by P_2 receptors in the rat submandibular gland duct **513**, 341, 1998
Role of the cytoskeleton in the hypertonic induced stimulation of the Na^+–H^+ exchanger in bovine articular chondrocytes **513.P**, 55*P*, 1998
Reciprocal co-ordination of opposing volume regulatory effectors in flounder red cells **513.P**, 57*P*, 1998

Sodium–potassium ATPase

Expression of Na^+,K^+-ATPase in rabbit left ventricle **509.P**, 138*P*, 1998
Protein kinase A induces recruitment of active Na^+,K^+-ATPase units to the plasma membrane of rat proximal convoluted tubule cells **511**, 235, 1998
Covalent incorporation of TNP-8N3-[α^{32}P]-ADP into distinct catalytic and regulatory ATP-binding sequences of pig kidney Na^+, K^+-ATPase **511.P**, 29*P*, 1998
Expression of the Na^+, K^+-ATPase α and β subunit isoforms in fetal and adult human chondrocytes **511.P**, 40*P*, 1998
Sodium pump evokes high density pump currents in rat midbrain dopamine neurons **512**, 449, 1998

Sodium–potassium pump

Na^+–K^+ pump cycle during β-adrenergic stimulation of adult rat cardiac myocytes **507**, 527, 1998

α-Adrenergic effects on Na^+–K^+ pump current in guinea-pig ventricular myocytes **509**, 117, 1998

Interaction of the Na^+–K^+ pump and Na^+–Ca^{2+} exchange via $[Na^+]_i$ in a restricted space of guinea-pig ventricular cells **509**, 457, 1998

Excitation-induced force recovery in potassium-inhibited rat soleus muscle **512**, 819, 1998

Renal Na^+ transporter distribution and activity in young spontaneously hypertensive rats **513.P**, 43*P*, 1998

Sodium transport

Role of Na^+ conductance, Na^+–H^+ exchange, and Na^+–K^+–$2Cl^-$ symport in the regulatory volume increase of rat hepatocytes **506**, 127, 1998

Soleus muscle

Rapid cooling contractures in rat soleus muscle are sensitive to heparin **509.P**, 47*P*, 1998

Muscle shortening induced by tenotomy does not reduce activity levels in rat soleus **512**, 251, 1998

Somatosensory system

Corticofugal effects on somatosensory ascendant transmission in the cuneate nucleus of chloralose-anaesthetized cats **509.P**, 31*S*, 1998

Intracortical synaptic connections in the 'barrel field' of rat somatosensory cortex **509.P**, 161*P*, 1998

Effects of site of delivery of an electrical cutaneous metronome on the magnitude of the synchronization error during human temporal tracking **509.P**, 181*P*, 1998

Non-monotonic recovery of 600 Hz sensory evoked potentials in a conscious monkey **511.P**, 56*P*, 1998

Somatostatin

Neonatal and postpubertal sex steroid effects on the neuroendocrine hypothalamus **509.P**, 15*S*, 1998

The effects of chronic central growth hormone secretagogue infusion on the expression of mRNA for neuropeptide Y, somatostatin and growth hormone-releasing hormone in the hypothalamus of the rat **511.P**, 49*P*, 1998

Spinal cord

Supraspinal inhibition of nociceptive dorsal horn neurones in the anaesthetized rat: tonic or dynamic? **506**, 459, 1998

Expression of β-endorphin and its receptor in spinal cord in non-insulin-dependent diabetes mellitus in the mouse **506.P**, 93*P*, 1998

Developmental changes in expression of ion currents accompany maturation of locomotor pattern in frog tadpoles **507**, 257, 1998

Electrophysiological characterization of spinal neuronal response properties in anaesthetized rats after ligation of spinal nerves L5–L6 **507**, 881, 1998

Coupling of sympathetic and somatic motor outflows from the spinal cord in a perfused preparation of adult mouse *in vitro* **508**, 907, 1998

Uneven distribution of K^+ channels in soma, axon and dendrites of rat spinal neurones: functional role of the soma in generation of action potentials **509**, 767, 1998

The activation of descending inhibition of multireceptive dorsal horn cells in the rat **509.P**, 164*P*, 1998

The role of 5-HT_3 receptors in the modulation of somatosensory processes in the rat spinal cord dorsal horn *in vitro* **509.P**, 164*P*, 1998

The effects of kelatorphan, an enkephalinase inhibitor, on tonic and stimulus-evoked opioid-mediated inhibition of a spinal reflex in the decerebrated and spinalized rabbit **509.P**, 165*P*, 1998

Morphology and projections of thoracic interneurones **509.P**, 170*P*, 1998

Axo-axonic synaptic arrangements on terminals of identified group II muscle afferents in the cat spinal cord **509.P**, 171*P*, 1998

A confocal and electron microscopic examination of the terminals of midlumbar premotor interneurones in the feline spinal cord **509.P**, 171*P*, 1998

Differential expression of the muscarinic acetylcholine m2 receptor by large and small motoneurons of the rat lumbar spinal cord **509.P**, 179*P*, 1998

Delayed production of adenosine underlies temporal modulation of swimming in frog embryo **511**, 265, 1998

Extracellular space diffusion parameters in the frog spinal cord and filium terminale: effect of elevated potassium and hypotonic stress **511.P**, 15*P*, 1998

Differences between K^+ tail currents of astrocytes and oligodendrocytes in rat spinal cord slices **511.P**, 15*P*, 1998

Nucleus reticularis gigantocellularis pars alpha-mediated descending inhibition of multireceptive dorsal horn cells: pre- or postsynaptic in the rat? **511.P**, 55*P*, 1998

Distribution of Renshaw cell terminals in the thoracic spinal cord **511.P**, 61*P*, 1998

The role of 5-HT_3 receptors in the generation of dorsal root potentials in the rat spinal cord *in vitro* **511.P**, 131*P*, 1998

Frequency-dependent synaptic depression modifies postsynaptic firing probability in cats **512**, 189, 1998

Effect of cervical sympathetic nerve section on AMPA receptor expression in immature rat spinal cord **513.P**, 18*P*, 1998

The contribution of glutamate receptor activation to spinal c-*fos* expression in an isolated preparation of rat spinal cord **513.P**, 25*P*, 1998

The involvement of OP_1 (δ) and OP_3 (μ) opioid receptors in stimulus-evoked, opioid-mediated inhibition of a spinal reflex in the decerebrated and spinalized rabbit **513.P**, 33*P*, 1998

Spinal injury

Motor unit synchronization in hand muscles of patients with incomplete spinal cord injury **511.P**, 66*P*, 1998

Spinal reflex

A leu-enkephalin depresses transmission from muscle and skin non-nociceptors to first-order feline spinal neurones **510**, 513, 1998

Absence of viscerosomatic inhibition with injections of lobeline designed to activate human pulmonary C fibres **511**, 289, 1998

Background and reflex activity of γ-motoneurones supplying caudal muscles in anaesthetized rats **511.P**, 64*P*, 1998

New observations on coupling between group II muscle afferents and feline γ-motoneurones **512**, 507, 1998

Spleen

Interaction of platelet-activating factor, spleen and atrial natriuretic peptide in plasma volume regulation during endotoxaemia in rats **512**, 227, 1998

Squid

5-HT suppresses Ca^{2+} release from ryanodine-sensitive stores in squid chromatophore muscle **513.P**, 127*P*, 1998

L-type calcium channels exist in squid giant fibre lobe neurons **513.P**, 135*P*, 1998

Stimulation

Long-term plasticity of motor unit properties and its application in man **506.P**, 7*S*, 1998

A technique for fast control of temperature of solutions applied to cultured neurones **511.P**, 130*P*, 1998

Vestibulocollic reflexes evoked by short-duration galvanic stimulation in man **513**, 587, 1998

Galvanic vestibular stimulation modulates voluntary movement of the human upper body **513**, 611, 1998

Strength

Muscle fatigue is not essential in strength training **506.P**, 102*P*, 1998

Stress

Attenuated neuroendocrine responses to emotional and physical stressors in pregnant rats involve adenohypophysial changes **508**, 289, 1998

Learning to cope with repeated stress **510**, 331, 1998

The arginine vasopressin and corticotrophin-releasing hormone gene transcription responses to varied frequencies of repeated stress in rats **510**, 605, 1998

The role of preconditioning on the stress response in two inbred rat strains **511.P**, 58*P*, 1998

Stretch

Regional differences in the length–active tension relationship of isolated rat and ferret ventricular myocytes **509.P**, 138*P*, 1998

Mechanisms of stretch-induced changes in calcium balance in rat atrial myocytes: role of increased TnC affinity and stretch-activated ion channels **511.P**, 91*P*, 1998

Passive stretch-induced expression of proto-oncogenes in the rabbit latissimus dorsi muscle **511.P**, 154*P*, 1998

Evidence that a transcortical pathway contributes to stretch reflexes in the tibialis anterior muscle in man **512**, 267, 1998

Muscle history, fusimotor activity and the human stretch reflex **513**, 927, 1998

Stretch-activated channel

Streptomycin inhibition of myogenic tone, K^+-induced force and block of L-type calcium current in rat cerebral arteries **508**, 793, 1998

Submandibular gland
Membrane-limited expression and regulation of Na^+–H^+ exchanger isoforms by P_2 receptors in the rat submandibular gland duct **513**, 341, 1998
Submaxillary gland
GH production in submaxillary gland after GHRH stimulation **509.P**, 94*P*, 1998
Substance P
Characterization of the effects of tachykinin agonists on rat striatal cholinergic interneurones **507.P**, 14*P*, 1998
Endogenous peptidergic modulation of perisynaptic Schwann cells at the frog neuromuscular junction **512**, 197, 1998
Superoxide
Angiotensin II exposure up-regulates NADH/NADPH oxidase-mediated superoxide anion production by guinea-pig coronary microvascular endothelial cells in culture **506.P**, 18*P*, 1998
Superoxide potentiates contractile force in isolated triton-treated rabbit diaphragm fibres **506.P**, 58*P*, 1998
Superoxide reduces sarcoplasmic reticulum Ca^{2+} release in saponin permeabilized rabbit diaphragm fibres **506.P**, 58*P*, 1998
Contribution of superoxide to agonist-induced membrane hyperpolarization in macrophages: evidence for involvement of Ca^{2+}-dependent K^+ channels **506.P**, 77*P*, 1998
Suprachiasmatic nucleus
Electrophysiological and morphological heterogeneity of neurons in slices of rat suprachiasmatic nucleus **506**, 775, 1998
Synaptic inhibition: its role in suprachiasmatic nucleus neuronal thermosensitivity and temperature compensation in the rat **512**, 793, 1998
Supraoptic nucleus
Interruption of central noradrenergic pathways and morphine withdrawal excitation of oxytocin neurones in the rat **507**, 831, 1998
Inhibition of N- and P/Q-type calcium channels by postsynaptic $GABA_B$ receptor activation in rat supraoptic neurones **509**, 371, 1998
The magnocellular vasopressin neurones of the rat hypothalamus express V_{1a} and V_{1b} but not V_2 vasopressin receptor mRNAs **509.P**, 87*P*, 1998
Activation of multiple intracellular transduction signals by vasopressin in vasopressin-sensitive neurones of the rat supraoptic nucleus **513**, 699, 1998
μ-Opioid receptor activation inhibits N- and P-type Ca^{2+} channel currents in magnocellular neurones of the rat supraoptic nucleus **513**, 787, 1998
Sweat
Vasodilator component in sympathetic nerve activity destined for the skin of the dorsal foot of mildly heated humans **507**, 603, 1998
Swelling-activated chloride channel
Protein kinase C phosphorylation disengages human and mouse-1a P-glycoproteins from influencing the rate of activation of swelling-activated chloride currents **508**, 333, 1998
Sympathetic ganglion
Electrical characteristics and responses to jejunal distension of neurons in Remak's juxta-jejunal ganglia of the domestic fowl **510**, 563, 1998
Analysis of the periodicity of synaptic events in neurones in the superior cervical ganglion of anaesthetized rats **511**, 461, 1998
Cloning of a mammalian *elk* potassium channel gene and EAG mRNA distribution in rat sympathetic ganglia **511**, 675, 1998
Sympathetic nervous system
Leukemia inhibitory factor induces sympathetic sprouting in intact dorsal root ganglia in the adult rat *in vivo* **506**, 809, 1998
Nitric oxide mediates contraction-induced attenuation of sympathetic vasoconstriction in rat skeletal muscle **506**, 817, 1998
Sympathetic modulation of blood flow affects exercise performance and muscle bioenergetics in humans **506.P**, 98*P*, 1998
Dopamine receptor subtype on rat target specified sympathetic preganglionic neurones: a histoautoradiographic study **506.P**, 135*P*, 1998
Focally recorded single sympathetic postganglionic neuronal activity supplying rat lateral tail vein **508**, 575, 1998
Effect of sodium nitroprusside and 8-bromo-cyclic GMP on the sympathetic control of heart rate and contraction in the isolated guinea-pig atria **509.P**, 120*P*, 1998
Nitric oxide inhibits the cardioaccelerator rate response to sympathetic stimulation in the anaesthetized ferret **509.P**, 122*P*, 1998
Activation of α- and β-adrenoceptors by sympathetic nerve stimulation in the large intestine of the rat **510**, 549, 1998
Enhanced vasoconstrictor responses in renal and femoral arteries of the golden hamster during hibernation **512**, 927, 1998
Sympathetic neurone
Characterization of the hyperpolarization-activated chloride current in dissociated rat sympathetic neurons **506**, 665, 1998
Actions of carbenoxolone on rat sympathetic preganglionic neurones *in vitro* **506.P**, 146*P*, 1998
Vasodilator component in sympathetic nerve activity destined for the skin of the dorsal foot of mildly heated humans **507**, 603, 1998
Focally recorded single sympathetic postganglionic neuronal activity supplying rat lateral tail vein **508**, 575, 1998
Dorsal medullary 5-HT_3 receptors and sympathetic premotor neurones in the rat **508**, 747, 1998
Functional contribution of the α7 subunit to multiple subtypes of nicotinic receptors in embryonic chick sympathetic neurones **509**, 651, 1998
Functional contribution of the α5 subunit to neuronal nicotinic channels expressed by chick sympathetic ganglion neurones **509**, 667, 1998
Control of resting submembrane Ca^{2+} in rat sympathetic neurones studied using K^+ channels as Ca^{2+} detectors **509.P**, 64*P*, 1998
Encoding properties induced by a persistent voltage-gated muscarinic sodium current in rabbit sympathetic neurones **510**, 387, 1998
Mutual occlusion of P2X ATP receptors and nicotinic receptors on sympathetic neurons of the guinea-pig **510**, 783, 1998
Heterologous expression of the sensory neurone-specific sodium channel (SNS) α-subunit in rat sympathetic neurones **511.P**, 124*P*, 1998
Rhythmical discharges in the sympathetic supply to rat tail are of central origin **513.P**, 81*P*, 1998
Sympathetic postganglionic neurone
Rhythmic sympathetic activity recorded from the ventral collector nerve (VCN) innervating the rat tail **506.P**, 134*P*, 1998
Synchronous and asynchronous rhythmical discharges of postganglionic sympathetic neurones innervating an identified blood vessel in the rat **509.P**, 123*P*, 1998
The role of sympathetic nerve activity in responses evoked in the rat tail artery by systemic hypoxia: simultaneous recordings of neuronal activity and blood flow **513.P**, 82*P*, 1998
Sympathetic preganglionic neurone
Slow synaptic potentials in rat sympathetic preganglionic neurones *in vitro* **506.P**, 146*P*, 1998
Bilateral GABA-mediated synaptic inputs to rat sympathetic preganglionic neurons *in vitro* **506.P**, 154*P*, 1998
Bilaterally evoked monosynaptic EPSPs, NMDA receptors and potentiation in rat sympathetic preganglionic neurones *in vitro* **509**, 195, 1998
Analysis of the periodicity of synaptic events in neurones in the superior cervical ganglion of anaesthetized rats **511**, 461, 1998
Synapse
Presynaptic origin of paired-pulse depression at climbing fibre–Purkinje cell synapses in the rat cerebellum **506**, 391, 1998
Properties of the GLT-1 glutamate transporter expressed under control of the *Tet-On* system in a Chinese hamster ovary (CHO) cell line selected for low endogenous glutamate uptake **506.P**, 148*P*, 1998
CA1 pyramidal to basket and bistratified cell EPSPs: dual intracellular recordings in rat hippocampal slices **507**, 201, 1998
Calcitonin gene-related peptide acts presynaptically to increase quantal size and output at frog neuromuscular junctions **507**, 689, 1998
Synapse elimination in organ cultures of Wld^s mouse skeletal muscle **507.P**, 30*P*, 1998
Seasonal variability of synaptic connections associated with respiration in the pond snail *Lymnaea stagnalis* (L.) **507.P**, 31*P*, 1998
Autaptic inhibitory currents recorded from interneurones in rat cerebellar slices **509**, 777, 1998
Ca^{2+} channel subtypes underlying acetylcholine release from rat basal forebrain neurones and their modulation by cholinergic agonists **509.P**, 61*P*, 1998
Intracortical synaptic connections in the 'barrel field' of rat somatosensory cortex **509.P**, 161*P*, 1998
Axo-axonic synaptic arrangements on terminals of identified group II muscle afferents in the cat spinal cord **509.P**, 171*P*, 1998
Distribution of Renshaw cell terminals in the thoracic spinal cord **511.P**, 61*P*, 1998
Synaptic current
Glycinergic synaptic inputs to bipolar cells in the salamander retina **506**, 731, 1998
Submillisecond kinetics and low efficacy of parallel fibre–Golgi cell synaptic currents in the rat cerebellum **510**, 845, 1998

Facilitation of currents through rat Ca^{2+}-permeable AMPA receptor channels by activity-dependent relief from polyamine block **511**, 361, 1998
Stereospecific modulation of $GABA_A$ receptors and spontaneous synaptic currents by *cis*- and *trans*-9, 10-octadecenoamide **513.P**, 134*P*, 1998

Synaptic depression

Activity-dependent regulation of 'on' and 'off' responses in cat visual cortical receptive fields **508**, 523, 1998

Synaptic plasticity

Long-term synaptic plasticity between pairs of individual CA3 pyramidal cells in rat hippocampal slice cultures **507**, 237, 1998
Interaction between dopamine receptors and group II mGluRs for LTD induction in rat prefrontal cortex **507.P**, 26*P*, 1998
The incidence of input-specific long-term depression in rat cerebellar slices: an extracellular study **509.P**, 57*P*, 1998
Long-term depression in rat cerebellar slices lacks input specificity **509.P**, 57*P*, 1998
Locus of frequency-dependent depression identified with multiple-probability fluctuation analysis at rat climbing fibre–Purkinje cell synapses **510**, 881, 1998
Direct interaction between soluble forms of tubulin and the NMDA receptor channel complex **511.P**, 134*P*, 1998
A comparison of plasticities at CA1 synapses in C57BL/6 and DBA/2 mouse hippocampal slices **511.P**, 138*P*, 1998
Frequency-dependent synaptic depression modifies postsynaptic firing probability in cats **512**, 189, 1998
The involvement of voltage-dependent Ca^{2+} channels in long-term depression in the adult rat hippocampal slice **513.P**, 22*P*, 1998

Synaptic transmission

Voltage-dependent deactivation and desensitization of GABA responses in cultured murine cerebellar granule cells **506**, 377, 1998
Synaptic inputs from the paraventricular and arcuate nuclei to the ventromedial nucleus of the rat hypothalamus *in vitro* **506.P**, 155*P*, 1998
The reliability of excitatory synaptic transmission in slices of rat visual cortex *in vitro* is temperature dependent **507**, 249, 1998
Factors determining the efficacy of distal excitatory synapses in rat hippocampal CA1 pyramidal neurones **507**, 441, 1998
Bilaterally evoked monosynaptic EPSPs, NMDA receptors and potentiation in rat sympathetic preganglionic neurones *in vitro* **509**, 195, 1998
Developmental changes in calcium channel types mediating synaptic transmission in rat auditory brainstem **509**, 419, 1998
Muscarinic agonists depress excitatory synaptic transmission to the pyramidal neurons in the basolateral amygdaloid complex **509.P**, 69*P*, 1998
Effects of inhibitory synaptic transmission blockade and pontomedullary transection on phrenic motor outflow in arterially perfused adult mice **509.P**, 124*P*, 1998
Cannabinoids decrease excitatory synaptic transmission and impair long-term depression in rat cerebellar Purkinje cells **510**, 867, 1998
Non-linear summation of excitatory synaptic inputs to small neurones: a case study in spinal motoneurones of the young *Xenopus* tadpole **511**, 871, 1998
Longitudinal distribution of components of excitatory synaptic input to motoneurones during swimming in young *Xenopus* tadpoles: experiments with antagonists **511**, 887, 1998
Quantal content at neuromuscular junctions that lack postsynaptic folds **511.P**, 142*P*, 1998
Enhancement of spontaneous transmitter release at neonatal mouse neuromuscular junctions by the glial cell line-derived neurotrophic factor (GDNF) **512**, 635, 1998
Facilitation of presynaptic calcium currents in the rat brainstem **513**, 149, 1998
Astrocyte-induced modulation of synaptic transmission **513.P**, 13*S*, 1998
Fast IPSPs generated by horizontal oriens–alveus interneurones in the distal dendrites of simultaneously recorded CA1 pyramidal cells in hippocampal slices **513.P**, 14*P*, 1998
IPSPs elicited by two morphological subclasses of basket cells in pyramidal cells in adult rat hippocampus: paired intracellular recordings and biocytin labelling in slices **513.P**, 30*P*, 1998

Synchronization

Mechanisms of synchronization in the developing hippocampus **509.P**, 30*S*, 1998
Rhythmicity and synchronization in neural systems and its relation to human motor control **509.P**, 31*S*, 1998
Use of a 'blind separation' algorithm to remove electrical cross-talk from multiple EMG recordings **509.P**, 168*P*, 1998
15–30 Hz coherence between rectified EMGs from human hand muscles has task-dependent modulation **509.P**, 175*P*, 1998
Intracellular evidence of cortico-cuneate synchronization during evoked spike-and-wave cortical seizure activity **509.P**, 180*P*, 1998
Effects of site of delivery of an electrical cutaneous metronome on the magnitude of the synchronization error during human temporal tracking **509.P**, 181*P*, 1998
Motor unit synchronization in hand muscles of patients with incomplete spinal cord injury **511.P**, 66*P*, 1998
Cholinergic activation and tonic excitation induce persistent gamma oscillations in mouse somatosensory cortex *in vitro* **513**, 117, 1998
Potentiation of recurrent excitatory postsynaptic potentials is positively correlated with a gamma/beta frequency shift during hippocampal fast oscillations **513.P**, 12*P*, 1998
Synchronous interhippocampal gamma oscillations are disrupted by the hallucinogen mescaline **513.P**, 23*P*, 1998

Synovial fluid

Direct evidence for the partial reflection of hyaluronan molecules by the lining of rabbit knee joints during trans-synovial flow **508**, 619, 1998

Synovial joint

Effect of depletion of interstitial hyaluronan on hydraulic conductance in rabbit knee synovium **509**, 695, 1998
Effect of depletion of glycosaminoglycans and non-collagenous proteins on interstitial hydraulic permeability in rabbit synovium **511**, 629, 1998

Tachykinin

Characterization of the effects of tachykinin agonists on rat striatal cholinergic interneurones **507.P**, 14*P*, 1998
Presynaptic NK_2 receptors increase the frequency of spontaneous glutamate-mediated excitatory events in rat nucleus tractus solitarii neurones *in vitro* **513.P**, 17*P*, 1998

Taste

Extracellular K^+ activates a K^+- and H^+-permeable conductance in frog taste receptor cells **507**, 415, 1998

Teaching

A simple physical model to illustrate Guyton's venous return curves **506.P**, 7*P*, 1998
Single neuron sensory neurophysiology in an advanced teaching class **506.P**, 11*P*, 1998

Temperature

Effects of exposure to the cold on flow resistance of individual human neutrophils **506.P**, 39*P*, 1998
Effects of water or no water on performance and physiological responses to prolonged, intermittent, high-intensity running in ~30 and ~15 °C **506.P**, 104*P*, 1998
The influence of low glycogen availability and cold stress on the physiological responses to prolonged intermittent walking exercise in man **506.P**, 104*P*, 1998
The reliability of excitatory synaptic transmission in slices of rat visual cortex *in vitro* is temperature dependent **507**, 249, 1998
Temperature-dependent changes in the viscoelasticity of intact resting mammalian (rat) fast- and slow-twitch muscle fibres **508**, 253, 1998
Blood velocity and skin temperature during cold-induced vasodilatation **509.P**, 118*P*, 1998
Effects of a decrease in temperature on contraction evoked in rat aorta *in vitro* by adrenoreceptor agonists **509.P**, 131*P*, 1998
Human adaptability to cold **511.P**, 2*P*, 1998
Human adrenergic thermogenesis **511.P**, 3*P*, 1998
Effect of propranolol on thermoregulatory responses of cold-exposed humans **511.P**, 4*P*, 1998
Interactions between hypoxia and changes in metabolic rate on the control of breathing **511.P**, 43*S*, 1998
A technique for fast control of temperature of solutions applied to cultured neurones **511.P**, 130*P*, 1998
The effects of prolonged cold exposure on angiogenesis in skeletal and cardiac muscle of hamsters **511.P**, 160*P*, 1998
Synaptic inhibition: its role in suprachiasmatic nucleus neuronal thermosensitivity and temperature compensation in the rat **512**, 793, 1998

Tendon

The interaction and importance of contractile and elastic elements in human muscles **506.P**, 7*S*, 1998

In vivo Achilles tendon moment arm measurements during static maximum ankle plantarflexion in man **506.P**, 113*P*, 1998

Tension

Resting tension and passive stiffness of skeletal muscle **511.P**, 30*S*, 1998

Testosterone

The effect of extracellularly applied divalent cations on cytosolic Ca^{2+} in murine Leydig cells: evidence for a Ca^{2+}-sensing receptor **513**, 399, 1998

Tetracaine

The effect of tetracaine on stimulated contractions, sarcoplasmic reticulum Ca^{2+} content and membrane current in isolated rat ventricular myocytes **507**, 759, 1998

Tetrodotoxin

Electrophysiological properties of sodium current subtypes in small cells from adult rat dorsal root ganglia **511**, 771, 1998

Tetrodotoxin-resistant impulses in single nociceptor nerve terminals in guinea-pig cornea **512**, 211, 1998

Thalamus

Suppression of the responses of LGN neurones of the cat by remote visual stimuli **506.P**, 92*P*, 1998

A dynamic clamp study of signal amplification and bistability in rat and cat thalamic neurones *in vitro* **506.P**, 151*P*, 1998

Intracellular recordings in thalamic neurones during spontaneous spike and wave discharges in rats with absence epilepsy **509**, 449, 1998

The effect of Etomidate on the behaviour of thalamic reticular cells in the urethane-anaesthetized rat **509.P**, 160*P*, 1998

Characterization of sensory and corticothalamic excitatory inputs to rat thalamocortical neurones *in vitro* **510**, 829, 1998

Extracellular potassium resting level in thalamic nuclei and tail-flick latency after deafferentation in rats **511.P**, 57*P*, 1998

Visual responses of neurones in the second visual area of flying foxes (*Pteropus poliocephalus*) after lesions of striate cortex **513**, 507, 1998

Thermoregulation

Antidiuretic hormone and angiotensin II plasma concentrations in febrile Pekin ducks **511**, 605, 1998

Human adrenergic thermogenesis **511.P**, 3*P*, 1998

Impaired β-adrenergically mediated thermogenic and lipolytic responses in obesity **511.P**, 3*P*, 1998

Impaired β-adrenergically mediated thermogenic and lipolytic responses in obesity **511.P**, 3*P*, 1998

Disinhibition of the lower midbrain neurons induces hyperthermia via an activation of neurons in the inferior olive in rats **511.P**, 4*P*, 1998

Effect of propranolol on thermoregulatory responses of cold-exposed humans **511.P**, 4*P*, 1998

Efferent projection from the preoptic area for the control of non-shivering thermogenesis in rats **512**, 883, 1998

Thrombin

Potentiation of neuronal and recombinant NMDA receptors by activation of the thrombin receptor (PAR1) in *Xenopus* oocytes and rat hippocampal slices **507.P**, 26*P*, 1998

Thyroid hormone

Umbilical vein injection of thryotrophin-releasing hormone (TRH) promotes thyroid status and brown adipose tissue function in near-term Caesarean section-delivered lambs **507.P**, 48*P*, 1998

Interactions between oestrogen receptors and thyroid hormone receptors as nuclear proteins in hypothalamic neurons **509.P**, 14*S*, 1998

Thyrotrophin-releasing hormone

The erg inwardly rectifying K^+ current and its modulation by thyrotrophin-releasing hormone in giant clonal rat anterior pituitary cells **510**, 63, 1998

Modulation of human erg K^+ channel gating by activation of a G protein-coupled receptor and protein kinase C **511**, 333, 1998

Tight junction

Expression of occludin in mouse preimplantation embryos **513.P**, 65*P*, 1998

Expression of tight junction protein ZO-2 in mouse preimplantation embryos **513.P**, 66*P*, 1998

Tongue

Co-activation of tongue protrudor and retractor muscles during chemoreceptor stimulation in the rat **507**, 265, 1998

Tooth

Correlations between the eruption rates of the lower and upper incisor teeth of rats **507.P**, 47*P*, 1998

Topical Review

Mechanisms of modulation of voltage-dependent calcium channels by G proteins **506**, 3, 1998

Structure and function of voltage-gated sodium channels **508**, 647, 1998

Rhythmicity, synchronization and binding in human and primate motor systems **509**, 3, 1998

Hypoxia and smooth muscle function: key regulatory events during metabolic stress **509**, 315, 1998

Colour processing in the primate retina: recent progress **513**, 631, 1998

Toxin

An analysis of philanthotoxin block for recombinant rat GluR6(Q) glutamate receptor channels **509**, 635, 1998

Glutamate receptor channel block by polyamines **511.P**, 16*S*, 1998

Training

Differences in microvascular parameters in the limbs of endurance-trained, strength-trained and sedentary humans **506.P**, 23*P*, 1998

Muscle fatigue is not essential in strength training **506.P**, 102*P*, 1998

Time course of changes in the myosin heavy chain isoform content of the triceps brachii muscle during resistance training **506.P**, 120*P*, 1998

Damage to human muscle from eccentric exercise after training with concentric exercise **512**, 615, 1998

Transcranial magnetic stimulation

Demonstration of facilitatory I wave interaction in the human motor cortex by paired transcranial magnetic stimulation **511**, 181, 1998

Inhibitory action of forearm flexor muscle afferents on corticospinal outputs to antagonist muscles in humans **511**, 947, 1998

Multimodal output mapping of human central motor representation on different spatial scales **512**, 163, 1998

Transmitter release

Inhibition by baclofen of the Ca^{2+}-independent component of spontaneous GABA release in rat hippocampal cultures **506.P**, 148*P*, 1998

Heterogeneous presynaptic Ca^{2+} channel types triggering GABA release onto medial preoptic neurons from rat **507**, 77, 1998

The reliability of excitatory synaptic transmission in slices of rat visual cortex *in vitro* is temperature dependent **507**, 249, 1998

Modulation of transmitter release from a locust (*Locusta migratoria*) sensory afferent by muscarinic and GABA receptors **513.P**, 101*P*, 1998

Transport

Modulation by zinc of the glutamate transporters in glial cells and cones isolated from the tiger salamander retina **506**, 363, 1998

Inhibition of lipolysis and mitochondrial lipid uptake during contraction in ischaemic skeletal muscle **506.P**, 40*P*, 1998

Intracellular distribution of calmodulin and calcium–calmodulin binding in nucleus and cytoplasm of mouse pancreatic acinar cells **506.P**, 74*P*, 1998

Properties of the GLT-1 glutamate transporter expressed under control of the *Tet-On* system in a Chinese hamster ovary (CHO) cell line selected for low endogenous glutamate uptake **506.P**, 148*P*, 1998

The characterization of butyrate transport across pig and human colonic luminal membrane **507**, 819, 1998

Arginine efflux in neutral and basic amino acid transporter (NBAT) cRNA-injected *Xenopus laevis* oocytes **507.P**, 4*P*, 1998

Glutamate and glutamine transport in isolated rat cardiac myocytes **507.P**, 5*P*, 1998

Identification and kinetic characterization of L-histidine transport in pig heart **507.P**, 6*P*, 1998

Apical and basolateral hexose transport in the intestine of chickens adapted to low NaCl intake **507.P**, 7*P*, 1998

Separate sites for placental transport of calcium and glucose in the equine placenta **507.P**, 47*P*, 1998

The Na^+–phosphate cotransport system (NaP_i-II) with a cleaved protein backbone: implications on function and membrane insertion **508**, 341, 1998

Basolateral expression of GLYT1 in human intestinal epithelia **509.P**, 13*P*, 1998

Transport of unconjugated bilirubin (UCB) across the basal membrane of human term trophoblast **509.P**, 26*P*, 1998

The role of monocarboxylate transporter (MCT1) in colonic short chain fatty acid (SCFA) transport; MCT1 expression in the healthy and diseased colon **509.P**, 79*P*, 1998

Functional properties of C-terminal deletion mutants of NBAT assessed using *c-myc* tagged proteins expressed in *Xenopus laevis* oocytes **509.P**, 193*P*, 1998

Properties of the neutral amino acid transporter ASCT1 expressed in *Xenopus laevis* oocytes **509.P**, 202*P*, 1998

The glial–endothelial interface at the blood–brain barrier; barrier induction and interstitial fluid dynamics **511.P**, 8*S*, 1998

Stoichiometry, and reversal in conditions mimicking ischaemia, of glial cell glutamate transporters in CHO cells and in Muller cells isolated from the tiger salamander retina **511.P**, 108, 1998
Release of glutamate in simulated ischaemia sensed by whole-cell clamping CA1 pyramidal cells in rat hippocampal slices, and modelling of the release process **511.P**, 198, 1998
Structural requirements for non-peptide substrate binding to the epithelial proton-coupled oligopeptide transporter **511.P**, 26*P*, 1998
Changes in system y^+ activity in ovine lymphocytes challenged with endotoxin **511.P**, 27*P*, 1998
Molecular identification of a Gulf toadfish (*Opsanus beta*) urea transporter **511.P**, 33*P*, 1998
Efflux of amino acids from isolated rat cardiac myocytes **511.P**, 89*P*, 1998
Identification and characterization of a monocarboxylate transporter (MCT1) in pig and human colon: its potential to transport L-lactate as well as butyrate **513**, 719, 1998
Protein kinase C regulation of basolateral glycine transport by GLYT1 in human intestinal Caco-2 epithelial cells **513.P**, 51*P*, 1998
Glutamine transport in rat adipocytes **513.P**, 51*P*, 1998
Effects of osmotically induced swelling on glutamine transport in rat adipocytes **513.P**, 62*P*, 1998
Regulation of the amino acid transport system $hATB^0$ by L-alanine and L-leucine in human intestinal Caco-2 cells **513.P**, 62*P*, 1998
The normal function of Hb in transporting CO in the body **513.P**, 72*P*, 1998
Characterization of hypoxanthine transporters in human umbilical vein endothelial cells **513.P**, 152*P*, 1998

Tremor
Using parameters derived from the frequency spectrum to discriminate between human physiological tremor and essential tremor **509.P**, 183*P*, 1998

Trigeminal system
Cross-modulation of glycine-activated Cl^- channels by protein kinase C and cAMP-dependent protein kinase in the rat **506**, 331, 1998
Compound action potentials recorded from the trigeminal root in the horse: preliminary results **509.P**, 183*P*, 1998
NMDA and $GABA_A$ receptors in the rat Kölliker–Fuse area control cardiorespiratory responses evoked by trigeminal ethmoidal nerve stimulation **510**, 793, 1998
The excitability of the heteronimous trigeminal Ia-motoneurone connection: an indirect estimate of the after-hyperpolarization **513.P**, 33*P*, 1998

Triglyceride
Intracellular and extracellular skeletal muscle triglyceride metabolism during alternating intensity exercise in humans **510**, 615, 1998

Trophoblast
Trophoblastic cells in peripheral maternal blood and endocervical samples **507.P**, 46*P*, 1998
The detection of chromosome aneuploidy, sex chromosome compliment and selected single gene defects from minute amounts of DNA using multiplex quantitative fluorescent PCR **507.P**, 46*P*, 1998

Tumour
Endogenous pacemaker activity of rat tumour somatotrophs **508**, 883, 1998

Tyrosine kinase
Involvement of protein tyrosine kinases in stimulation by adenosine of the L-arginine–nitric oxide signalling pathway in human umbilical vein endothelial cells **506.P**, 32*P*, 1998

Ultrasound
Mesenteric, coeliac and splanchnic blood flow in humans during exercise **513**, 907, 1998

Uraemia
Peripheral mononuclear cells from uraemic patients exhibit an increased transport of L-arginine via system y^+ (CAT-1): implications for nitric oxide synthesis **506.P**, 30*P*, 1998
L-Arginine–nitric oxide pathway in a rat model of uraemia **506.P**, 33*P*, 1998

Urea
Molecular identification of a Gulf toadfish (*Opsanus beta*) urea transporter **511.P**, 33*P*, 1998

Urinary bladder
An *in vitro* investigation into the active and passive components of visco-elastic relaxation in human bladder **507.P**, 77*P*, 1998
Bladder motility and efferent nerve activity during isotonic and isovolumic recording in the cat **510**, 297, 1998
The C fibre reflex of the cat urinary bladder **513**, 531, 1998

Uterus
Changes in uterine electrical activity associated with onset of labour in human pregnancy **507.P**, 68*P*, 1998
Prostaglandins hyperpolarize and suppress spontaneous contractions in human uterine smooth muscle **507.P**, 68*P*, 1998
In vivo metabolite and pH changes during the contraction cycle in uterine smooth muscle **509.P**, 29*P*, 1998
Properties of voltage-activated $[Ca^{2+}]_i$ transients in single smooth muscle cells isolated from pregnant rat uterus **511**, 803, 1998
A comparison of pH regulation rates from an acid load in non-pregnant and late pregnant Wistar rats **511.P**, 169*P*, 1998
Absorptive apical amiloride-sensitive Na^+ conductance in human endometrial epithelium **513**, 443, 1998

Vagal afferent
Activation of P2X receptors for adenosine triphosphate evokes cardiorespiratory reflexes in anaesthetized rats **507**, 843, 1998
Convergence properties of solitary tract neurones driven synaptically by cardiac vagal afferents in the mouse **508**, 237, 1998
Stimulation of pulmonary rapidly adapting receptors by inhaled wood smoke in rats **508**, 597, 1998
An *in vitro* study of the properties of vagal afferent fibres innervating the ferret oesophagus and stomach **512**, 907, 1998

Vagal neurone
Localization of preganglionic vagal neurones in the brainstem of the anaesthetized tufted duck, *Aythya fuligula* **506.P**, 156*P*, 1998
Presynaptic 5-HT_3 receptors evoke an excitatory response in dorsal vagal preganglionic neurones in anaesthetized rats **509**, 683, 1998

Vagus nerve
The effects of intravenous midazolam on cardiac vagal tone in man **506.P**, 109*P*, 1998
Activity of C fibre cardiac vagal efferents in anaesthetized cats and rats **507**, 869, 1998
Sensitivity to 5-hydroxytryptamine in different afferent subpopulations within mesenteric nerves supplying the rat jejunum **509**, 717, 1998

Vanadate
Characterization of vanadate-induced contraction in guinea-pig gallbladder **509.P**, 16*P*, 1998
Vanadate increases cytosolic calcium from thapsigargin-sensitive intracellular stores in rat pancreatic acinar cells **509.P**, 19*P*, 1998

Vascular capacitance
Reflex control of splanchnic blood volume in anaesthetized dogs **513**, 263, 1998

Vascular endothelium
Sera from patients with primary Raynaud's disease and limited scleroderma alter vascular responsiveness in rabbit aorta **513.P**, 153*P*, 1998

Vascular permeability
The effects of flow on the transport of potassium ions through the walls of single perfused frog mesenteric capillaries **511**, 707, 1998
The chronic effect of vascular endothelial growth factor on individually perfused frog mesenteric microvessels **513**, 225, 1998

Vascular smooth muscle
Allosteric regulation by cytoplasmic Ca^{2+} and IP_3 of the gating of IP_3 receptors in permeabilized guinea-pig vascular smooth muscle cells **506**, 407, 1998
Effect of temperature and albumin on membrane fluidity in vascular smooth muscle and endothelial cells **507.P**, 71*P*, 1998
Endothelin-1 (ET-1) and its receptors in porcine coronary artery: effect of balloon angioplasty **507.P**, 72*P*, 1998
Regulation of arterial diameter and wall $[Ca^{2+}]$ in cerebral arteries of rat by membrane potential and intravascular pressure **508**, 199, 1998
Mitochondria contribute to Ca^{2+} removal in rabbit aorta smooth muscle cells **509.P**, 29*P*, 1998
Bovine serum albumin stimulates arachidonic acid release and decreases membrane fluidity in vascular smooth muscle and endothelial cells **511.P**, 165*P*, 1998
Does intracellular acidification account for hypoxic relaxation in isolated rat mesenteric arteries? **511.P**, 166*P*, 1998

Vas deferens
Activation of the rat vas deferens in calcium-free media **513.P**, 97*P*, 1998

Vasoactive intestinal polypeptide
Polarized enteric submucosal circuits involved in secretory responses of the guinea-pig proximal colon **506**, 539, 1998

Vasoconstriction
Nitric oxide lowers the calcium sensitivity of tension in the rat tail artery **507**, 163, 1998
Mediation by 5-hydroxytryptamine of the femoral vasoconstriction induced by acid challenge of the rat gastric mucosa **509**, 541, 1998
The effect of glucose, glucose analogues, and pyruvate on hypoxic pulmonary vasoconstriction **511.P**, 172*P*, 1998
The effect of the tyrosine kinase inhibitor, tyrphostin-23, on acute hypoxic vasoconstriction in isolated small pulmonary arteries of the rat **511.P**, 172*P*, 1998
Enhanced vasoconstrictor responses in renal and femoral arteries of the golden hamster during hibernation **512**, 927, 1998
Sera from patients with primary Raynaud's disease and limited scleroderma alter vascular responsiveness in rabbit aorta **513.P**, 153*P*, 1998

Vasodilatation
Inhibition of vasodilator responses to acetylcholine by N^G-monomethyl-L-arginine in human forearm vasculature depends strongly on acetylcholine dose **506.P**, 32*P*, 1998
Vasodilator component in sympathetic nerve activity destined for the skin of the dorsal foot of mildly heated humans **507**, 603, 1998
Blood velocity and skin temperature during cold-induced vasodilatation **509.P**, 118*P*, 1998
Does chronic hypoxia affect the functional importance of adenosine A_1 receptors in regulating the cardiovascular system of the rat? **509.P**, 120*P*, 1998
Sympathetic attenuation of parasympathetic vasodilatation in oro-facial areas in the cat **510**, 915, 1998
Advanced glycation end products impair endothelium-mediated vasorelaxation in rabbit aortae **511.P**, 167*P*, 1998
Mechanisms of oestrogen-induced vasodilatation in isolated rat small arteries **511.P**, 171*P*, 1998
Sera from patients with primary Raynaud's disease and limited scleroderma alter vascular responsiveness in rabbit aorta **513.P**, 153*P*, 1998
Vasorelaxation response to noradrenaline in isolated femoral arteries of rat pups **513.P**, 157*P*, 1998

Vasopressin
The renal responses to vasopressin in the lactating rat **507.P**, 43*P*, 1998
Neurohypophysial function following cardiothoracic surgery in man **507.P**, 58*P*, 1998
V_{1a}- and V_2-vasopressin receptor agonist-induced $[Ca^{2+}]_i$ responses in vasopressin-sensitive neurones of the rat supraoptic nucleus **509.P**, 86*P*, 1998
The magnocellular vasopressin neurones of the rat hypothalamus express V_{1a} and V_{1b} but not V_2 vasopressin receptor mRNAs **509.P**, 87*P*, 1998
Changes in glomerular filtration rate produced by vasopressin infusion during pregnancy and lactation in the conscious rat **509.P**, 88*P*, 1998
Co-operative interaction between glutamate and vasopressin in the excitation of RVL neurones by stimulation of paraventricular neurones in hypertensive and normotensive anaesthetized rats **509.P**, 131*P*, 1998
Caesium blocks depolarizing after-potentials and phasic firing in rat supraoptic neurones **510**, 165, 1998
The arginine vasopressin and corticotrophin-releasing hormone gene transcription responses to varied frequencies of repeated stress in rats **510**, 605, 1998
Vasopressin, angiotensin II and renal responses during water immersion in hydrated humans **511**, 323, 1998
Density of transient K^+ current influences excitability in acutely isolated vasopressin and oxytocin neurones of rat hypothalamus **511**, 423, 1998
Pinealectomy affects the day/night variation in the firing of vasopressin and oxytocin cells in the rat **511.P**, 48*P*, 1998
Activation of multiple intracellular transduction signals by vasopressin in vasopressin-sensitive neurones of the rat supraoptic nucleus **513**, 699, 1998
The effect of melatonin administration on vasopressin release in women **513.P**, 6*P*, 1998
Plasma vasopressin concentrations and Fos protein production in the supraoptic nucleus during haemorrhage in the pinealectomized rat **513.P**, 6*P*, 1998

Vein
Focally recorded single sympathetic postganglionic neuronal activity supplying rat lateral tail vein **508**, 575, 1998

Venom
Platypus (*Ornithorhynchus anatinus*) venom activates a Ca^{2+}-dependent inward current in rat dorsal root ganglion neurones **506.P**, 154*P*, 1998

Ventilation
Interactions between hypoxia and changes in metabolic rate on the control of breathing **511.P**, 43*S*, 1998
Acute hypoxic ventilatory and pulmonary responses of two strains of rat considered resistant and susceptible to development of pulmonary hypertension **511.P**, 107*P*, 1998
Repeatability of the gas exchange threshold; relative contribution of method and biological variability **513.P**, 75*P*, 1998

Ventricle
Right and left ventricles show essential physiological differences during normal human fetal development **507.P**, 53*P*, 1998
Effect of chronic mitral valve damage on activity of pulmonary rapidly adapting receptors in the rabbit **511**, 79, 1998

Ventricular myocyte
Characterization of a hyperpolarization-activated current in dedifferentiated adult rat ventricular cells in primary culture **506**, 73, 1998
The effect of polyamines on K_{ATP} channels in guinea-pig ventricular myocytes **508**, 401, 1998
Out-of-equilibrium pH transients in the guinea-pig ventricular myocyte **509**, 471, 1998
Sarcolemmal mechanisms for pH_i recovery from alkalosis in the guinea-pig ventricular myocyte **509**, 487, 1998
Ca^{2+} release from the sarcoplasmic reticulum elicited by membrane depolarization, with Ca^{2+} entry pathways inhibited, in the absence of external Na^+ and with subsarcolemmal Na^+ levels depleted, in guinea-pig ventricular myocytes at 37 °C **509.P**, 157*P*, 1998
Modulation of transient outward current by extracellular protons and Cd^{2+} in rat and human ventricular myocytes **511**, 827, 1998
Role of myosin heavy chain composition in kinetics of force development and relaxation in rat myocardium **513**, 171, 1998
Low K^+-induced hyperpolarizations trigger transient depolarizations and action potentials in rabbit ventricular myocytes **513**, 775, 1998
BDF-9198, a putative novel inotrope, prolongs the action potential in guinea-pig isolated ventricular myocytes **513.P**, 163*P*, 1998
The effect of external magnesium on intracellular free sodium and a DIDS-sensitive Mg^{2+} efflux pathway in isolated rat ventricular myocytes **513.P**, 163*P*, 1998

Ventrolateral medulla
Supraspinal inhibition of nociceptive dorsal horn neurones in the anaesthetized rat: tonic or dynamic? **506**, 459, 1998
Dorsal medullary 5-HT_3 receptors and sympathetic premotor neurones in the rat **508**, 747, 1998
Voltage-dependent variation in the pattern of discharge in putative sympatho-inhibitory neurones of the rostral ventrolateral medulla oblongata of the rat **509.P**, 59*P*, 1998
Co-operative interaction between glutamate and vasopressin in the excitation of RVL neurones by stimulation of paraventricular neurones in hypertensive and normotensive anaesthetized rats **509.P**, 131*P*, 1998
Medullary raphe neurones and baroreceptor modulation of the respiratory motor pattern in the cat **512**, 863, 1998
Influence of the hypothalamic paraventricular nucleus on cardiovascular neurones in the rostral ventrolateral medulla of the rat **513**, 521, 1998

Vestibular system
Torsional eye movements induced by galvanic vestibular stimulation in man **506.P**, 110*P*, 1998
Spatial and dynamic characteristics of otolith neurons in vestibular nuclei during postnatal development of the rat **509.P**, 169*P*, 1998
Reappearance of activity in the vestibular neurones of labyrinthectomized guinea-pigs is not delayed by cycloheximide **512**, 533, 1998
Vestibulocollic reflexes evoked by short-duration galvanic stimulation in man **513**, 587, 1998
Galvanic vestibular stimulation modulates voluntary movement of the human upper body **513**, 611, 1998

Viscoelasticity
An *in vitro* investigation into the active and passive components of visco-elastic relaxation in human bladder **507.P**, 77*P*, 1998

Viscosity
Temperature-dependent changes in the viscoelasticity of intact resting mammalian (rat) fast- and slow-twitch muscle fibres **508**, 253, 1998

Vision
Neuronal activity in the lateral cerebellum of the cat related to visual stimuli at rest, visually guided step modification, and saccadic eye movements **506**, 489, 1998

The use of morphed images in the quantitative study of human spatial vision **506.P**, 11*P*, 1998
Demonstration of a new stimulator for human colour vision testing **506.P**, 13*P*, 1998
Discrimination of changes in the slope of the amplitude spectra of complex visual images by human observers may require comparison of contrast between different spatial-frequency bands **506.P**, 86*P*, 1998
Suppression of the responses of LGN neurones of the cat by remote visual stimuli **506.P**, 92*P*, 1998
The influence of circular translation of the visual scene on human stance **506.P**, 112*P*, 1998
A signal cancellation technique for the study of the transient pupillary light reflex **507.P**, 35*P*, 1998
Role of the cerebellum in visually guided stepping **509.P**, 29*S*, 1998
Spatial inaccuracy of memory guided saccades induced by transcranial magnetic stimulation of the prefrontal cortex in man: the effect of induced current direction **509.P**, 178*P*, 1998
Monocularly programmed human saccades during vergence changes? **512**, 235, 1998
Visual responses of neurones in the second visual area of flying foxes (*Pteropus poliocephalus*) after lesions of striate cortex **513**, 507, 1998
Mapping of evoked field potentials from a brain slice preparation of the octopus optic lobe **513.P**, 101*P*, 1998
Two components of motion adaptation in the fly **513.P**, 105*P*, 1998

Visual cortex

Comparing variance distribution in orthogonal and sparse-coding models of simple cell receptive fields in mammalian visual cortex **506.P**, 91*P*, 1998
Synaptic interactions between smooth and spiny neurones in layer 4 of cat visual cortex *in vitro* **508**, 351, 1998
Activity-dependent regulation of 'on' and 'off' responses in cat visual cortical receptive fields **508**, 523, 1998
Developmental changes in the expression of low-voltage-activated Ca^{2+} channels in rat visual cortical neurones **509**, 385, 1998
The influence of corticofugal feedback on the temporal structure of visual responses of cat thalamic relay cells **509**, 797, 1998
Responses of neurons in the visual cortex of anaesthetized ferrets to natural visual scenes **509.P**, 50*P*, 1998

Vitamin

Vitamin C attenuates induction of heme oxygenase-1 by oxidized LDL in human smooth muscle cells **506.P**, 37*P*, 1998

Voltage clamp

Amino acid residues located on the NR2A subunit control glutamate potency in rat recombinant NR1/NR2A NMDA receptors **507.P**, 30*P*, 1998
Repolarizing K^+ currents in rabbit heart Purkinje cells **508**, 811, 1998
Vagally evoked synaptic currents in the immature rat nucleus tractus solitarii in an intact *in vitro* preparation **512**, 149, 1998
pH affects the affinity and apparent co-operativity of the interaction between capsaicin and the vanilloid receptor in adult rat isolated DRG neurons **513.P**, 129*P*, 1998

Voltage dependence

Voltage-dependent variation in the pattern of discharge in putative sympatho-inhibitory neurones of the rostral ventrolateral medulla oblongata of the rat **509.P**, 59*P*, 1998
Mechanosensitive cation channels mediate afferent arteriolar myogenic constriction in the isolated rat kidney **511**, 245, 1998

Voltage gating

Modulation of voltage-gated calcium currents in pyramidal cells of the rat dorsal cochlear nucleus, *in vitro* **509.P**, 61*P*, 1998
Voltage-gated sodium channel activity and metastasis: a novel approach to understanding the pathophysiology of prostate cancer **513.P**, 21*S*, 1998
Voltage-gated Na^+ channel activity contributes to rodent prostate cancer cell migration *in vitro* **513.P**, 131*P*, 1998

Volume

Activation of volume-regulated chloride currents by reduction of intracellular ionic strength in bovine endothelial cells **506**, 353, 1998
Role of the cytoskeleton in the hypertonic induced stimulation of the Na^+–H^+ exchanger in bovine articular chondrocytes **513.P**, 55*P*, 1998

Volume regulation

Role of Na^+ conductance, Na^+–H^+ exchange, and Na^+–K^+–$2Cl^-$ symport in the regulatory volume increase of rat hepatocytes **506**, 127, 1998
The effect of anion channel blockers on hyposmotically stimulated [^{3}H]taurine efflux from cytotrophoblast cells and a choriocarcinoma cell line (BeWo) **509.P**, 78*P*, 1998
The role of Ca^{2+} in volume regulation induced by Na^+-coupled alanine uptake in single proximal tubule cells isolated from frog kidney **510**, 145, 1998
Antisense to MDR1 mRNA reduces P-glycoprotein expression, swelling-activated Cl^- current and volume regulation in bovine ciliary epithelial cells **511**, 33, 1998
Osmosensitive Cl^- currents and their relevance to regulatory volume decrease in human intestinal T_{84} cells: outwardly *vs.* inwardly rectifying currents **511**, 45, 1998
Vasopressin, angiotensin II and renal responses during water immersion in hydrated humans **511**, 323, 1998
The role of calcium in the volume regulation of rat lacrimal acinar cells **511.P**, 22*P*, 1998
Are ion channels involved in volume regulation in trout red blood cells following osmotic shock? **511.P**, 150*P*, 1998
Involvement of PKC-α in regulatory volume decrease responses and activation of volume-sensitive chloride channels in human cervical cancer HT-3 cells **512**, 435, 1998
Characterization of cell volume-sensitive chloride currents in freshly prepared and cultured pancreatic acinar cells from early postnatal rats **513**, 453, 1998
L-Alanine activates an outwardly rectifying DIDS-sensitive conductance in single proximal tubule cells isolated from frog kidney **513.P**, 56*P*, 1998
Reciprocal co-ordination of opposing volume regulatory effectors in flounder red cells **513.P**, 57*P*, 1998

Water

Effects of water or no water on performance and physiological responses to prolonged, intermittent, high-intensity running in ~30 and ~15 °C **506.P**, 104*P*, 1998
The human Na^+–glucose cotransporter is a molecular water pump **508**, 15, 1998
Effects of intraperitoneal administration of calcitonin gene-related peptide (CGRP) on food and water intake in female rats **513.P**, 8*P*, 1998

Weightlessness

Electromyographic study of the contractile and electrical properties of the human triceps surae muscle in a simulated microgravity environment **510**, 287, 1998

Xenopus

Asymmetries in sensory pathways from skin to motoneurons on each side of the body determine the direction of an avoidance response in hatchling *Xenopus* tadpoles **506**, 471, 1998
Mutation of the putative nucleotide-binding site of pI_{Cln} does not alter the nucleotide sensitivity and Ca^{2+} dependence of the chloride current I_{Cln} after expression in *Xenopus* oocytes **506.P**, 47*P*, 1998
Arginine efflux in neutral and basic amino acid transporter (NBAT) cRNA-injected *Xenopus laevis* oocytes **507.P**, 4*P*, 1998
Amino acid residues located on the NR2A subunit control glutamate potency in rat recombinant NR1/NR2A NMDA receptors **507.P**, 30*P*, 1998
The ion selectivity of a membrane conductance inactivated by extracellular calcium in *Xenopus* oocytes **508**, 763, 1998
Cl^- transport by cystic fibrosis transmembrane conductance regulator (CFTR) contributes to the inhibition of epithelial Na^+ channels (ENaCs) in *Xenopus* oocytes co-expressing CFTR and ENaC **508**, 825, 1998
A mutation in the pore region of HERG K^+ channels expressed in *Xenopus* oocytes reduces rectification by shifting the voltage dependence of inactivation **509**, 129, 1998
Differential inhibition of N and P/Q Ca^{2+} currents by 5-HT_{1A} and 5-HT_{1D} receptors in spinal neurons of *Xenopus* larvae **510**, 103, 1998
Characterization of the putative chloride channel xClC-5 expressed in *Xenopus laevis* oocytes and comparison with endogenous chloride currents **511**, 379, 1998
Membrane potential oscillations in semi-isolated spinal neurones of *Xenopus* embryos **513.P**, 100*P*, 1998
Electrophysiological analysis of the human brain type I voltage-gated Na^+ channel in *Xenopus* oocytes and mammalian cells **513.P**, 141*P*, 1998

X-ray

Lattice spacing changes in response to rapid stretch in skinned sartorius muscle fibres of *Rana temporaria* **511.P**, 156*P*, 1998
High time resolution meridional intensity changes from bundles of intact muscle fibres accompanying release–restretch cycling **511.P**, 157*P*, 1998
Epiglottic movements during breathing in humans **512**, 307, 1998

Zinc

Modulation by zinc of the glutamate transporters in glial cells and cones isolated from the tiger salamander retina **506**, 363, 1998

Zn^{2+} inhibition of recombinant $GABA_A$ receptors: an allosteric, state-dependent mechanism determined by the γ-subunit **506**, 609, 1998
Interaction of H^+ and Zn^{2+} on recombinant and native rat neuronal $GABA_A$ receptors **507**, 639, 1998
Comparative effects of zinc intestinal absorption through different intestinal segments in offspring rats: effects of ethanol **509.P**, 21*P*, 1998
Effect of chronic ethanol ingestion on zinc duodenal absorption and zinc serum levels during pregnancy or lactation in rats **509.P**, 22*P*, 1998
The effects of heavy metals on histidine-stimulated ^{65}Zn uptake in human erythrocytes **511.P**, 38*P*, 1998
Histidine stimulated metal uptake into human erythrocytes **513.P**, 50*P*, 1998
Zinc–carnosine affinity for the H_1-receptor in guinea-pig cerebellum revealed by inhibition of tritiated mepyramine binding **513.P**, 116*P*, 1998
Diffusion of zinc–histidine complexes in an anionic gel **513.P**, 116*P*, 1998
Zinc potentiates H_1-receptor-mediated contractile effect of histamine in rabbit saphenous vein **513.P**, 117*P*, 1998

THE JOURNAL OF PHYSIOLOGY

ANNUAL INDEX 1998

Annual Author and Subject Indexes

to Volumes 506 – 513 of

The Journal of Physiology
Proceedings of The Physiological Society

(January – December 1998)

CONTENTS

Author index: Papers	1
Author index: Proceedings	39
Subject index	105

CAMBRIDGE
UNIVERSITY PRESS

0022-3751(1998)513*;1-X


1.0
1.1
1.25
1.4
1.6
1.8
2.0
2.2
2.5
2.8
3.2
3.6
4.0
4.5
5.0
5.6
6.3
7.1
8.0
9.0
10.0